



US 20190240317A1

(19) **United States**

(12) **Patent Application Publication**
Ciaramella et al.

(10) **Pub. No.: US 2019/0240317 A1**

(43) **Pub. Date: Aug. 8, 2019**

(54) **HPIV3 RNA VACCINES**

(71) Applicant: **ModernaTX, Inc.**, Cambridge, MA (US)

(72) Inventors: **Giuseppe Ciaramella**, Sudbury, MA (US); **Sunny Himansu**, Winchester, MA (US)

(73) Assignee: **ModernaTX, Inc.**, Cambridge, MA (US)

(21) Appl. No.: **16/368,270**

(22) Filed: **Mar. 28, 2019**

Related U.S. Application Data

(63) Continuation of application No. 16/040,981, filed on Jul. 20, 2018, now Pat. No. 10,272,150, which is a continuation of application No. 15/674,599, filed on Aug. 11, 2017, now Pat. No. 10,064,934, which is a continuation of application No. PCT/US2016/058327, filed on Oct. 21, 2016.

(60) Provisional application No. 62/247,362, filed on Oct. 28, 2015, provisional application No. 62/247,394, filed on Oct. 28, 2015, provisional application No. 62/247,483, filed on Oct. 28, 2015, provisional application No. 62/247,297, filed on Oct. 28, 2015,

provisional application No. 62/244,802, filed on Oct. 22, 2015, provisional application No. 62/244,946, filed on Oct. 22, 2015, provisional application No. 62/244,813, filed on Oct. 22, 2015, provisional application No. 62/244,837, filed on Oct. 22, 2015, provisional application No. 62/245,031, filed on Oct. 22, 2015.

Publication Classification

(51) **Int. Cl.**
A61K 39/155 (2006.01)
C07K 16/10 (2006.01)
A61K 39/12 (2006.01)

(52) **U.S. Cl.**
CPC *A61K 39/155* (2013.01); *C07K 16/10* (2013.01); *C07K 16/1027* (2013.01); *A61K 39/12* (2013.01); *A61K 2039/70* (2013.01); *C12N 2760/18334* (2013.01); *C12N 2760/18034* (2013.01); *C07K 2317/76* (2013.01); *C12N 2760/18434* (2013.01)

(57) **ABSTRACT**

The disclosure relates to respiratory virus ribonucleic acid (RNA) vaccines and combination vaccines, as well as methods of using the vaccines and compositions comprising the vaccines.

Specification includes a Sequence Listing.

Fig. 1




Fig. 2A




Fig. 2B




Fig. 2C




Fig. 3A

Mouse IgG2a - hMPV F specific



Fig. 3B

Mouse IgG1 - hMPV F specific




Fig. 3C













Fig. 4













Fig. 9A




Fig. 9B




Fig. 10






Fig. 11

HMPV neutralization antibody titers in cotton rats








Fig. 14




Fig. 15

PIV3 serum neutralizing antibody titers
(day 42)




Fig. 16
Cotton rat lung histopathology




Fig. 17

Reciprocal serum antibody neutralizing titers MERS CoV FL vaccine




Fig.18




Fig. 19A




Fig. 19B




Fig. 19C




Fig. 20A





Fig. 20B

MERS-CoV replication in lungs



Legend	TCID50 Range
(No shading)	negative
(Dotted shading)	1 - 2
(Cross-hatched shading)	2 - 3
(Diagonal line shading)	3 - 4
(Solid black shading)	> 4

Summary





Fig. 21



HPIV3 RNA VACCINES

RELATED APPLICATIONS

[0001] This application is a continuation of U.S. application Ser. No. 16/040,981, filed Jul. 20, 2018, which is a continuation of U.S. application Ser. No. 15/674,599, now U.S. Pat. No. 10,064,934, filed Aug. 11, 2017, which is a continuation of international application number PCT/US2016/058327, which claims the benefit under 35 U.S.C. § 119(e) of U.S. provisional application No. 62/244,802, filed Oct. 22, 2015, U.S. provisional application No. 62/247,297, filed Oct. 28, 2015, U.S. provisional application No. 62/244,946, filed Oct. 22, 2015, U.S. provisional application No. 62/247,362, filed Oct. 28, 2015, U.S. provisional application No. 62/244,813, filed Oct. 22, 2015, U.S. provisional application No. 62/247,394, filed Oct. 28, 2015, U.S. provisional application No. 62/244,837, filed Oct. 22, 2015, U.S. provisional application No. 62/247,483, filed Oct. 28, 2015, and U.S. provisional application No. 62/245,031, filed Oct. 22, 2015, each of which is incorporated by reference herein in its entirety.

BACKGROUND

[0002] Respiratory disease is a medical term that encompasses pathological conditions affecting the organs and tissues that make gas exchange possible in higher organisms, and includes conditions of the upper respiratory tract, trachea, bronchi, bronchioles, alveoli, pleura and pleural cavity, and the nerves and muscles of breathing. Respiratory diseases range from mild and self-limiting, such as the common cold, to life-threatening entities like bacterial pneumonia, pulmonary embolism, acute asthma and lung cancer. Respiratory disease is a common and significant cause of illness and death around the world. In the US, approximately 1 billion “common colds” occur each year. Respiratory conditions are among the most frequent reasons for hospital stays among children.

[0003] The human metapneumovirus (hMPV) is a negative-sense, single-stranded RNA virus of the genus *Pneumovirinae* and of the family Paramyxoviridae and is closely related to the avian metapneumovirus (AMPV) subgroup C. It was isolated for the first time in 2001 in the Netherlands by using the RAP-PCR (RNA arbitrarily primed PCR) technique for identification of unknown viruses growing in cultured cells. hMPV is second only to RSV as an important cause of viral lower respiratory tract illness (LRI) in young children. The seasonal epidemiology of hMPV appears to be similar to that of RSV, but the incidence of infection and illness appears to be substantially lower.

[0004] Parainfluenza virus type 3 (PIV3), like hMPV, is also a negative-sense, single-stranded sense RNA virus of the genus *Pneumovirinae* and of the family Paramyxoviridae and is a major cause of ubiquitous acute respiratory infections of infancy and early childhood. Its incidence peaks around 4-12 months of age, and the virus is responsible for 3-10% of hospitalizations, mainly for bronchiolitis and pneumonia. PIV3 can be fatal, and in some instances is associated with neurologic diseases, such as febrile seizures. It can also result in airway remodeling, a significant cause of morbidity. In developing regions of the world, infants and young children are at the highest risk of mortality, either from primary PIV3 viral infection or a secondary consequences, such as bacterial infections. Human parainfluenza

viruses (hPIV) types 1, 2 and 3 (hPIV1, hPIV2 and hPIV3, respectively), also like hMPV, are second only to RSV as important causes of viral LRI in young children.

[0005] RSV, too, is a negative-sense, single-stranded RNA virus of the genus *Pneumovirinae* and of the family Paramyxoviridae. Symptoms in adults typically resemble a sinus infection or the common cold, although the infection may be asymptomatic. In older adults (e.g., >60 years), RSV infection may progress to bronchiolitis or pneumonia. Symptoms in children are often more severe, including bronchiolitis and pneumonia. It is estimated that in the United States, most children are infected with RSV by the age of three. The RSV virion consists of an internal nucleocapsid comprised of the viral RNA bound to nucleoprotein (N), phosphoprotein (P), and large polymerase protein (L). The nucleocapsid is surrounded by matrix protein (M) and is encapsulated by a lipid bilayer into which the viral fusion (F) and attachment (G) proteins as well as the small hydrophobic protein (SH) are incorporated. The viral genome also encodes two nonstructural proteins (NS1 and NS2), which inhibit type I interferon activity as well as the M-2 protein.

[0006] The continuing health problems associated with hMPV, PIV3 and RSV are of concern internationally, reinforcing the importance of developing effective and safe vaccine candidates against these virus.

[0007] Despite decades of research, no vaccines currently exist (Sato and Wright, *Pediatr. Infect. Dis. J.* 2008; 27(10 Suppl):S123-5). Recombinant technology, however, has been used to target the formation of vaccines for hPIV-1, 2 and 3 serotypes, for example, and has taken the form of several live-attenuated intranasal vaccines. Two vaccines in particular were found to be immunogenic and well tolerated against hPIV-3 in phase I trials. hPIV1 and hPIV2 vaccine candidates remain less advanced (Durbin and Karron, *Clinical Infectious Diseases: an official publication of the Infectious Diseases Society of America* 2003; 37(12):1668-77).

[0008] Measles virus (MeV), like hMPV, PIV3 and RSV, is a negative-sense, single-stranded RNA virus that is the cause of measles, an infection of the respiratory system. MeV is of the genus *Morbillivirus* within the family Paramyxoviridae. Humans are the natural hosts of the virus; no animal reservoirs are known to exist. Symptoms of measles include fever, cough, runny nose, red eyes and a generalized, maculopapular, erythematous rash. The virus is highly contagious and is spread by coughing

[0009] In addition to hMPV, PIV, RSV and MeV, betacoronaviruses are known to cause respiratory illnesses. Betacoronaviruses (BetaCoVs) are one of four genera of coronaviruses of the subfamily Coronavirinae in the family Coronaviridae, of the order Nidovirales. They are enveloped, positive-sense, single-stranded RNA viruses of zoonotic origin. The coronavirus genera are each composed of varying viral lineages, with the *betacoronavirus* genus containing four such lineages. The BetaCoVs of the greatest clinical importance concerning humans are OC43 and HKU1 of the A lineage, SARS-CoV of the B lineage, and MERS-CoV of the C lineage. MERS-CoV is the first betacoronavirus belonging to lineage C that is known to infect humans.

[0010] The Middle East respiratory syndrome coronavirus (MERS-CoV), or EMC/2012 (HCoV-EMC/2012), initially referred to as novel coronavirus 2012 or simply novel coronavirus, was first reported in 2012 after genome sequencing of a virus isolated from sputum samples from a

person who fell ill during a 2012 outbreak of a new flu. As of July 2015, MERS-CoV cases have been reported in over 21 countries. The outbreaks of MERS-CoV have raised serious concerns world-wide, reinforcing the importance of developing effective and safe vaccine candidates against MERS-CoV.

[0011] Severe acute respiratory syndrome (SARS) emerged in China in 2002 and spread to other countries before brought under control. Because of a concern for reemergence or a deliberate release of the SARS coronavirus, vaccine development was initiated.

[0012] Deoxyribonucleic acid (DNA) vaccination is one technique used to stimulate humoral and cellular immune responses to foreign antigens, such as hMPV antigens and/or PIV antigens and/or RSV antigens. The direct injection of genetically engineered DNA (e.g., naked plasmid DNA) into a living host results in a small number of its cells directly producing an antigen, resulting in a protective immunological response. With this technique, however, comes potential problems, including the possibility of insertional mutagenesis, which could lead to the activation of oncogenes or the inhibition of tumor suppressor genes.

SUMMARY

[0013] Provided herein are ribonucleic acid (RNA) vaccines that build on the knowledge that RNA (e.g., messenger RNA (mRNA)) can safely direct the body's cellular machinery to produce nearly any protein of interest, from native proteins to antibodies and other entirely novel protein constructs that can have therapeutic activity inside and outside of cells. The RNA (e.g., mRNA) vaccines of the present disclosure may be used to induce a balanced immune response against hMPV, PIV, RSV, MeV, and/or BetaCoV (e.g., MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and/or HCoV-HKU1), or any combination of two or more of the foregoing viruses, comprising both cellular and humoral immunity, without risking the possibility of insertional mutagenesis, for example. hMPV, PIV, RSV, MeV, BetaCoV (e.g., MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1) and combinations thereof are referred to herein as "respiratory viruses." Thus, the term "respiratory virus RNA vaccines" encompasses hMPV RNA vaccines, PIV RNA vaccines, RSV RNA vaccines, MeV RNA vaccines, BetaCoV RNA vaccines, and any combination of two or more of hMPV RNA vaccines, PIV RNA vaccines, RSV RNA vaccines, MeV RNA vaccines, and BetaCoV RNA vaccines.

[0014] The RNA (e.g., mRNA) vaccines may be utilized in various settings depending on the prevalence of the infection or the degree or level of unmet medical need. The RNA (e.g. mRNA) vaccines may be utilized to treat and/or prevent a hMPV, PIV, RSV, MeV, a BetaCoV (e.g., MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH, HCoV-HKU1), or any combination of two or more of the foregoing viruses, of various genotypes, strains, and isolates. The RNA (e.g., mRNA) vaccines have superior properties in that they produce much larger antibody titers and produce responses earlier than commercially available anti-viral therapeutic treatments. While not wishing to be bound by theory, it is believed that the RNA (e.g., mRNA) vaccines, as mRNA polynucleotides, are better designed to produce the appropriate protein conformation upon translation as the RNA (e.g., mRNA) vaccines

co-opt natural cellular machinery. Unlike traditional vaccines, which are manufactured *ex vivo* and may trigger unwanted cellular responses, RNA (e.g., mRNA) vaccines are presented to the cellular system in a more native fashion.

[0015] In some aspects the invention is a respiratory virus vaccine, comprising at least one RNA polynucleotide having an open reading frame encoding at least one respiratory virus antigenic polypeptide, formulated in a cationic lipid nanoparticle.

[0016] Surprisingly, in some aspects—it has also been shown that efficacy of mRNA vaccines can be significantly enhanced when combined with a flagellin adjuvant, in particular, when one or more antigen-encoding mRNAs is combined with an mRNA encoding flagellin.

[0017] RNA (e.g., mRNA) vaccines combined with the flagellin adjuvant (e.g., mRNA-encoded flagellin adjuvant) have superior properties in that they may produce much larger antibody titers and produce responses earlier than commercially available vaccine formulations. While not wishing to be bound by theory, it is believed that the RNA (e.g., mRNA) vaccines, for example, as mRNA polynucleotides, are better designed to produce the appropriate protein conformation upon translation, for both the antigen and the adjuvant, as the RNA (e.g., mRNA) vaccines co-opt natural cellular machinery. Unlike traditional vaccines, which are manufactured *ex vivo* and may trigger unwanted cellular responses, RNA (e.g., mRNA) vaccines are presented to the cellular system in a more native fashion.

[0018] Some embodiments of the present disclosure provide RNA (e.g., mRNA) vaccines that include at least one RNA (e.g., mRNA) polynucleotide having an open reading frame encoding at least one antigenic polypeptide or an immunogenic fragment thereof (e.g., an immunogenic fragment capable of inducing an immune response to the antigenic polypeptide) and at least one RNA (e.g., mRNA polynucleotide) having an open reading frame encoding a flagellin adjuvant.

[0019] In some embodiments, at least one flagellin polypeptide (e.g., encoded flagellin polypeptide) is a flagellin protein. In some embodiments, at least one flagellin polypeptide (e.g., encoded flagellin polypeptide) is an immunogenic flagellin fragment. In some embodiments, at least one flagellin polypeptide and at least one antigenic polypeptide are encoded by a single RNA (e.g., mRNA) polynucleotide. In other embodiments, at least one flagellin polypeptide and at least one antigenic polypeptide are each encoded by a different RNA polynucleotide.

[0020] In some embodiments at least one flagellin polypeptide has at least 80%, at least 85%, at least 90%, or at least 95% identity to a flagellin polypeptide having a sequence identified by any one of SEQ ID NO: 54-56.

[0021] Provided herein, in some embodiments, is a ribonucleic acid (RNA) (e.g., mRNA) vaccine, comprising at least one (e.g., at least 2, 3, 4 or 5) RNA (e.g., mRNA) polynucleotide having an open reading frame encoding at least one (e.g., at least 2, 3, 4 or 5) hMPV, PIV, RSV, MeV, or a BetaCoV (e.g., MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH, HCoV-HKU1) antigenic polypeptide, or any combination of two or more of the foregoing antigenic polypeptides. Herein, use of the term "antigenic polypeptide" encompasses immunogenic fragments of the antigenic polypeptide (an immuno-

genic fragment that induces (or is capable of inducing) an immune response to hMPV, PIV, RSV, MeV, or a BetaCoV), unless otherwise stated.

[0022] Also provided herein, in some embodiments, is a RNA (e.g., mRNA) vaccine comprising at least one (e.g., at least 2, 3, 4 or 5) RNA polynucleotide having an open reading frame encoding at least one (e.g., at least 2, 3, 4 or 5) hMPV, PIV, RSV, MeV, and/or a BetaCoV (e.g., MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH, HCoV-HKU1) antigenic polypeptide or an immunogenic fragment thereof, linked to a signal peptide.

[0023] Further provided herein, in some embodiments, is a nucleic acid (e.g., DNA) encoding at least one (e.g., at least 2, 3, 4 or 5) hMPV, PIV, RSV, MeV, and/or a BetaCoV (e.g., MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH, HCoV-HKU1) RNA (e.g., mRNA) polynucleotide.

[0024] Further still, provided herein, in some embodiments, is a method of inducing an immune response in a subject, the method comprising administering to the subject a vaccine comprising at least one (e.g., at least 2, 3, 4 or 5) RNA (e.g., mRNA) polynucleotide having an open reading frame encoding at least one (e.g., at least 2, 3, 4 or 5) hMPV, PIV, RSV, MeV, and/or a BetaCoV (e.g., MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH, HCoV-HKU1) antigenic polypeptide, or any combination of two or more of the foregoing antigenic polypeptides.

[0025] hMPV/PIV3/RSV

[0026] In some embodiments, a RNA (e.g., mRNA) vaccine comprises at least one RNA (e.g., mRNA) polynucleotide having an open reading frame encoding at least one hMPV, PIV3 or RSV antigenic polypeptide. In some embodiments, at least one antigenic polypeptide is a hMPV, PIV3 or RSV polyprotein. In some embodiments, at least one antigenic polypeptide is major surface glycoprotein G or an immunogenic fragment thereof. In some embodiments, at least one antigenic polypeptide is Fusion (F) glycoprotein (e.g., Fusion glycoprotein F0, F1 or F2) or an immunogenic fragment thereof. In some embodiments, at least one antigenic polypeptide is major surface glycoprotein G or an immunogenic fragment thereof and F glycoprotein or an immunogenic fragment thereof. In some embodiments, the antigenic polypeptide is nucleoprotein (N) or an immunogenic fragment thereof, phosphoprotein (P) or an immunogenic fragment thereof, large polymerase protein (L) or an immunogenic fragment thereof, matrix protein (M) or an immunogenic fragment thereof, small hydrophobic protein (SH) or an immunogenic fragment thereof nonstructural protein1(NS1) or an immunogenic fragment thereof, or nonstructural protein 2 (NS2) and an immunogenic fragment thereof. In some embodiments, at least one hMPV antigenic polypeptide comprises an amino acid sequence identified by any one of SEQ ID NO: 5-8 (Table 3; see also amino acid sequences of Table 4). In some embodiments, the amino acid sequence of the hMPV antigenic polypeptide is, or is a fragment of, or is a homolog or variant having at least 80% (e.g., 85%, 90%, 95%, 98%, 99%) identity to, the amino acid sequence identified by any one of SEQ ID NO: 5-8 (Table 3; see also amino acid sequences of Table 4).

[0027] In some embodiments, at least one hMPV antigenic polypeptide is encoded by a nucleic acid sequence identified by any one of SEQ ID NO: 1-4 (Table 2).

[0028] In some embodiments, at least one hMPV RNA (e.g., mRNA) polynucleotide is encoded by a nucleic acid sequence, or a fragment of a nucleotide sequence, identified by any one of SEQ ID NO: 1-4 (Table 2). In some embodiments, at least one hMPV RNA (e.g., mRNA) polynucleotide comprises a nucleic acid sequence, or a fragment of a nucleotide sequence, identified by any one of SEQ ID NO: 57-60 (Table 2).

[0029] In some embodiments, at least one antigenic polypeptide is obtained from hMPV strain CAN98-75 (CAN75) or the hMPV strain CAN97-83 (CAN83).

[0030] In some embodiments, at least one PIV3 antigenic polypeptide comprises hemagglutinin-neuraminidase, Fusion (F) glycoprotein, matrix protein (M), nucleocapsid protein (N), viral replicase (L), non-structural V protein, or an immunogenic fragment thereof.

[0031] In some embodiments, at least one PIV3 antigenic polypeptide comprises an amino acid sequence identified by any one of SEQ ID NO: 12-13 (Table 6; see also amino acid sequences of Table 7). In some embodiments, the amino acid sequence of the PIV3 antigenic polypeptide is, or is a fragment of, or is a homolog or variant having at least 80% (e.g., 85%, 90%, 95%, 98%, 99%) identity to, the amino acid sequence identified by any one of SEQ ID NO: 12-13 (Table 6; see also amino acid sequences of Table 7).

[0032] In some embodiments, at least one PIV3 antigenic polypeptide is encoded by a nucleic acid sequence identified by any one of SEQ ID NO: 9-12 (Table 5; see also nucleic acid sequences of Table 7).

[0033] In some embodiments, at least one PIV3 RNA (e.g., mRNA) polynucleotide is encoded by a nucleic acid sequence, or a fragment of a nucleotide sequence, identified by any one of SEQ ID NO: 9-12 (Table 5; see also nucleic acid sequences of Table 7). In some embodiments, at least one PIV3 RNA (e.g., mRNA) polynucleotide comprises a nucleic acid sequence, or a fragment of a nucleotide sequence, identified by any one of SEQ ID NO: 61-64 (Table 5).

[0034] In some embodiments, at least one antigenic polypeptide is obtained from PIV3 strain HPIV3/Homo sapiens/PER/FLA4815/2008.

[0035] In some embodiments, at least one RSV antigenic polypeptide comprises at least one antigenic polypeptide that comprises glycoprotein G, glycoprotein F, or an immunogenic fragment thereof. In some embodiments, at least one RSV antigenic polypeptide comprises at least one antigenic polypeptide that comprises glycoprotein F and at least one or at least two antigenic polypeptide selected from G, M, N, P, L, SH, M2, NS1 and NS2.

[0036] MeV

[0037] In some embodiments, a RNA (e.g., mRNA) vaccine comprises at least one RNA (e.g., mRNA) polynucleotide having an open reading frame encoding at least one MeV antigenic polypeptide. In some embodiments, at least one antigenic polypeptide is a hemagglutinin (HA) protein or an immunogenic fragment thereof. The HA protein may be from MeV strain D3 or B8, for example. In some embodiments, at least one antigenic polypeptide is a Fusion (F) protein or an immunogenic fragment thereof. The F protein may be from MeV strain D3 or B8, for example. In some embodiments, a MeV RNA (e.g., mRNA) vaccine comprises at least one RNA polynucleotide encoding a HA protein and a F protein. The HA and F proteins may be from MeV strain D3 or B8, for example.

[0038] In some embodiments, at least one MeV antigenic polypeptide comprises an amino acid sequence identified by any one of SEQ ID NO: 47-50 (Table 14). In some embodiments, the amino acid sequence of the MeV antigenic polypeptide is, or is a fragment of, or is a homolog or variant having at least 80% (e.g., 85%, 90%, 95%, 98%, 99%) identity to, the amino acid sequence identified by any one of SEQ ID NO: 47-50 (Table 14).

[0039] In some embodiments, at least one MeV antigenic polypeptide is encoded by a nucleic acid sequence of SEQ ID NO: 35-46 (Table 13).

[0040] In some embodiments, at least one MeV RNA (e.g., mRNA) polynucleotide is encoded by a nucleic acid sequence, or a fragment of a nucleotide sequence, identified by any one of SEQ ID NO: 35-46 (Table 13). In some embodiments, at least one MeV RNA (e.g., mRNA) polynucleotide comprises a nucleic acid sequence, or a fragment of a nucleotide sequence, identified by any one of SEQ ID NO: 69-80 (Table 13).

[0041] In some embodiments, at least one antigenic polypeptide is obtained from MeV strain B3/B3.1, C2, D4, D6, D7, D8, G3, H1, Moraten, Rubeovax, MVi/New Jersey. USA/45.05, MVi/Texas.USA/4.07, AIK-C, MVi/New York. USA/26.09/3, MVi/California.USA/16.03, MVi/Virginia. USA/15.09, MVi/California.USA/8.04, or MVi/Pennsylvania.USA/20.09.

[0042] BetaCoV

[0043] In some embodiments, a RNA (e.g., mRNA) vaccine comprises at least one RNA (e.g., mRNA) polynucleotide having an open reading frame encoding at least one BetaCoV antigenic polypeptide. In some embodiments, the BetaCoV is MERS-CoV. In some embodiments, the BetaCoV is SARS-CoV. In some embodiments, the BetaCoV is HCoV-OC43. In some embodiments, the BetaCoV is HCoV-229E. In some embodiments, the BetaCoV is HCoV-NL63. In some embodiments, the BetaCoV is HCoV-HKU1. In some embodiments, at least one antigenic polypeptide is a betacoronavirus structural protein. For example, a betacoronavirus structural protein may be spike protein (S), envelope protein (E), nucleocapsid protein (N), membrane protein (M) or an immunogenic fragment thereof. In some embodiments, a betacoronavirus structural protein is a spike protein (S). In some embodiments, a betacoronavirus structural protein is a S1 subunit or a S2 subunit of spike protein (S) or an immunogenic fragment thereof.

[0044] BetaCoV RNA (e.g., mRNA) polynucleotides of the vaccines provided herein may encode viral protein components of betacoronaviruses, for example, accessory proteins, replicase proteins and the like are encompassed by the present disclosure. RNA (e.g., mRNA) vaccines may include RNA polynucleotides encoding at least one accessory protein (e.g., protein 3, protein 4a, protein 4b, protein 5), at least one replicase protein (e.g., protein 1a, protein 1b), or a combination of at least one accessory protein and at least one replicase protein. The present disclosure also encompasses RNA (e.g., mRNA) vaccines comprising RNA (e.g., mRNA) polynucleotides encoding an accessory protein and/or a replicase protein in combination with at least one structural protein. Due to their surface expression properties, vaccines featuring RNA polynucleotides encoding structural proteins are believed to have preferred immunogenic activity and, hence, may be most suitable for use in the vaccines of the present disclosure.

[0045] Some embodiments of the present disclosure provide betacoronavirus (e.g., MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH, HCoV-HKU1 or a combination thereof) vaccines that include at least one RNA (e.g., mRNA) polynucleotide having an open reading frame encoding at least one betacoronavirus (e.g., MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH, HCoV-HKU1) antigenic polypeptide. Also provided herein are pan-betacoronavirus vaccines. Thus, a betacoronavirus vaccine comprising a RNA (e.g., mRNA) polynucleotide having an open reading frame encoding any one, two, three or four of MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, and HCoV-HKU1, for example, may be effective against any one of, any combination of, or all of, MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1. Other betacoronaviruses are encompassed by the present disclosure.

[0046] In some embodiments, at least one antigenic polypeptide is a MERS-CoV structural protein. For example, a MERS-CoV structural protein may be spike protein (S), envelope protein (E), nucleocapsid protein (N), membrane protein (M) or an immunogenic fragment thereof. In some embodiments, the MERS-CoV structural protein is a spike protein (S) (see, e.g., Coleman C M et al. *Vaccine* 2014; 32:3169-74, incorporated herein by reference). In some embodiments, the MERS-CoV structural protein is a S1 subunit or a S2 subunit of spike protein (S) or an immunogenic fragment thereof (Li J et al. *Viral Immunol* 2013; 26(2):126-32; He Y et al. *Biochem Biophys Res Commun* 2004; 324(2):773-81, each of which is incorporated herein by reference).

[0047] In some embodiments, at least one MERS-CoV antigenic polypeptide comprises an amino acid sequence identified by any one of SEQ ID NO: 24-28 or 33 (Table 11). In some embodiments, the amino acid sequence of the MERS-CoV antigenic polypeptide is, or is a fragment of, or is a homolog or variant having at least 80% (e.g., 85%, 90%, 95%, 98%, 99%) identity to, the amino acid sequence identified by any one of SEQ ID NO: 24-28 or 33 (Table 11).

[0048] In some embodiments, at least one MERS-CoV antigenic polypeptide is encoded by a nucleic acid sequence identified by any one of SEQ ID NO: 20-23 (Table 10).

[0049] In some embodiments, at least one MERS-CoV RNA (e.g., mRNA) polynucleotide is encoded by a nucleic acid sequence, or a fragment of a nucleotide sequence, identified by any one of SEQ ID NO: 20-23 (Table 10). In some embodiments, at least one MERS-CoV RNA (e.g., mRNA) polynucleotide comprises a nucleic acid sequence, or a fragment of a nucleotide sequence, identified by any one of SEQ ID NO: 65-68 (Table 10).

[0050] In some embodiments, at least one antigenic polypeptide is obtained from MERS-CoV strain Riyadh_14_2013, 2cEMC/2012, or Hasa_1_2013.

[0051] In some embodiments, at least one antigenic polypeptide is a SARS-CoV structural protein. For example, a SARS-CoV structural protein may be spike protein (S), envelope protein (E), nucleocapsid protein (N), membrane protein (M) or an immunogenic fragment thereof. In some embodiments, the SARS-CoV structural protein is a spike protein (S). In some embodiments, the SARS-CoV structural protein is a S1 subunit or a S2 subunit of spike protein (S) or an immunogenic fragment thereof.

[0052] In some embodiments, at least one SARS-CoV antigenic polypeptide comprises an amino acid sequence identified by any one of SEQ ID NO: 29, 32 or 34 (Table 11). In some embodiments, the amino acid sequence of the SARS-CoV antigenic polypeptide is, or is a fragment of, or is a homolog or variant having at least 80% (e.g., 85%, 90%, 95%, 98%, 99%) identity to, the amino acid sequence identified by any one of SEQ ID NO: 29, 32 or 34 (Table 11).

[0053] In some embodiments, at least one antigenic polypeptide is a HCoV-OC43 structural protein. For example, a HCoV-OC43 structural protein may be spike protein (S), envelope protein (E), nucleocapsid protein (N), membrane protein (M) or an immunogenic fragment thereof. In some embodiments, the HCoV-OC43 structural protein is a spike protein (S). In some embodiments, the HCoV-OC43 structural protein is a S1 subunit or a S2 subunit of spike protein (S) or an immunogenic fragment thereof.

[0054] In some embodiments, at least one HCoV-OC43 antigenic polypeptide comprises an amino acid sequence identified by any one of SEQ ID NO: 30 (Table 11). In some embodiments, the amino acid sequence of the HCoV-OC43 antigenic polypeptide is, or is a fragment of, or is a homolog or variant having at least 80% (e.g., 85%, 90%, 95%, 98%, 99%) identity to, the amino acid sequence identified by any one of SEQ ID NO: 30 (Table 11).

[0055] In some embodiments, an antigenic polypeptide is a HCoV-HKU1 structural protein. For example, a HCoV-HKU1 structural protein may be spike protein (S), envelope protein (E), nucleocapsid protein (N), membrane protein (M) or an immunogenic fragment thereof. In some embodiments, the HCoV-HKU1 structural protein is a spike protein (S). In some embodiments, the HCoV-HKU1 structural protein is a S1 subunit or a S2 subunit of spike protein (S) or an immunogenic fragment thereof.

[0056] In some embodiments, at least one HCoV-HKU1 antigenic polypeptide comprises an amino acid sequence identified by any one of SEQ ID NO: 31 (Table 11). In some embodiments, the amino acid sequence of the HCoV-HKU1 antigenic polypeptide is, or is a fragment of, or is a homolog or variant having at least 80% (e.g., 85%, 90%, 95%, 98%, 99%) identity to, the amino acid sequence identified by any one of SEQ ID NO: 31 (Table 11).

[0057] In some embodiments, an open reading frame of a RNA (e.g., mRNA) vaccine is codon-optimized. In some embodiments, at least one RNA polynucleotide encodes at least one antigenic polypeptide having an amino acid sequence identified by any one of SEQ ID NO: 5-8, 12-13, 24-34, or 47-50 (Tables 3, 6, 11 and 14; see also amino acid sequences of Tables 4, 7, 12 and 15) and is codon optimized mRNA.

[0058] In some embodiments, a RNA (e.g., mRNA) vaccine further comprising an adjuvant.

[0059] Tables 4, 7, 12 and 15 provide National Center for Biotechnology Information (NCBI) accession numbers of interest. It should be understood that the phrase “an amino acid sequence of Tables 4, 7, 12 and 15” refers to an amino acid sequence identified by one or more NCBI accession numbers listed in Tables 4, 7, 12 and 15. Each of the amino acid sequences, and variants having greater than 95% identity or greater than 98% identity to each of the amino acid sequences encompassed by the accession numbers of Tables 4, 7, 12 and 15 are included within the constructs (polynucleotides/polypeptides) of the present disclosure.

[0060] In some embodiments, at least one mRNA polynucleotide is encoded by a nucleic acid having a sequence identified by any one of SEQ ID NO: 1-4, 9-12, 20-23, or 35-46 (Tables 2, 5, 10 and 13; see also nucleic acid sequences of Table 7) and having less than 80% identity to wild-type mRNA sequence. In some embodiments, at least one mRNA polynucleotide is encoded by a nucleic acid having a sequence identified by any one of SEQ ID NO: 1-4, 9-12, 20-23, or 35-46 (Tables 2, 5, 10 and 13; see also nucleic acid sequences of Table 7) and having less than 75%, 85% or 95% identity to a wild-type mRNA sequence. In some embodiments, at least one mRNA polynucleotide is encoded by a nucleic acid having a sequence identified by any one of SEQ ID NO: 1-4, 9-12, 20-23, or 35-46 (Tables 2, 5, 10 and 13; see also nucleic acid sequences of Table 7) and having less than 50-80%, 60-80%, 40-80%, 30-80%, 70-80%, 75-80% or 78-80% identity to wild-type mRNA sequence. In some embodiments, at least one mRNA polynucleotide is encoded by a nucleic acid having a sequence identified by any one of SEQ ID NO: 1-4, 9-12, 20-23, or 35-46 (Tables 2, 5, 10 and 13; see also nucleic acid sequences of Table 7) and having less than 40-85%, 50-85%, 60-85%, 30-85%, 70-85%, 75-85% or 80-85% identity to wild-type mRNA sequence. In some embodiments, at least one mRNA polynucleotide is encoded by a nucleic acid having a sequence identified by any one of SEQ ID NO: 1-4, 9-12, 20-23, or 35-46 (Tables 2, 5, 10 and 13; see also nucleic acid sequences of Table 7) and having less than 40-90%, 50-90%, 60-90%, 30-90%, 70-90%, 75-90%, 80-90%, or 85-90% identity to wild-type mRNA sequence.

[0061] In some embodiments, at least one RNA polynucleotide encodes at least one antigenic polypeptide having an amino acid sequence identified by any one of SEQ ID NO: 5-8, 12-13, 24-34, or 47-50 (Tables 3, 6, 11 and 14; see also amino acid sequences of Tables 4, 7, 12 and 15) and having at least 80% (e.g., 85%, 90%, 95%, 98%, 99%) identity to wild-type mRNA sequence, but does not include wild-type mRNA sequence.

[0062] In some embodiments, at least one RNA polynucleotide encodes at least one antigenic polypeptide having an amino acid sequence identified by any one of SEQ ID NO: 5-8, 12-13, 24-34, or 47-50 (Tables 3, 6, 11 and 14; see also amino acid sequences of Tables 4, 7, 12 and 15) and has less than 95%, 90%, 85%, 80% or 75% identity to wild-type mRNA sequence. In some embodiments, at least one RNA polynucleotide encodes at least one antigenic polypeptide having an amino acid sequence identified by any one of SEQ ID NO: 5-8, 12-13, 24-34, or 47-50 (Tables 3, 6, 11 and 14; see also amino acid sequences of Tables 4, 7, 12 and 15) and has 30-80%, 40-80%, 50-80%, 60-80%, 70-80%, 75-80% or 78-80%, 30-85%, 40-85%, 50-805%, 60-85%, 70-85%, 75-85% or 78-85%, 30-90%, 40-90%, 50-90%, 60-90%, 70-90%, 75-90%, 80-90% or 85-90% identity to wild-type mRNA sequence.

[0063] In some embodiments, at least one RNA polynucleotide encodes at least one antigenic polypeptide having at least 90%, at least 95%, at least 96%, at least 97%, at least 98%, or at least 99% identity to an amino acid sequence identified by any one of SEQ ID NO: 5-8, 12-13, 24-34, or 47-50 (Tables 3, 6, 11 and 14; see also amino acid sequences of Tables 4, 7, 12 and 15). In some embodiments, at least one RNA polynucleotide encodes at least one antigenic polypeptide having 95%-99% identity to an amino acid sequence

identified by any one of SEQ ID NO: 5-8, 12-13, 24-34, or 47-50 (Tables 3, 6, 11 and 14; see also amino acid sequences of Tables 4, 7, 12 and 15).

[0064] In some embodiments, at least one RNA polynucleotide encodes at least one antigenic polypeptide having at least 90%, at least 95%, at least 96%, at least 97%, at least 98%, or at least 99% identity to an amino acid sequence identified by any one of SEQ ID NO: 5-8, 12-13, 24-34, or 47-50 (Tables 3, 6, 11 and 14; see also amino acid sequences of Tables 4, 7, 12 and 15) and having membrane fusion activity. In some embodiments, at least one RNA polynucleotide encodes at least one antigenic polypeptide having 95%-99% identity to an amino acid sequence identified by any one of SEQ ID NO: 5-8, 12-13, 24-34, or 47-50 (Tables 3, 6, 11 and 14; see also amino acid sequences of Tables 4, 7, 12 and 15) and having membrane fusion activity.

[0065] In some embodiments, at least one RNA polynucleotide encodes at least one antigenic polypeptide (e.g., at least one hMPV antigenic polypeptide, at least one PIV3 antigenic polypeptide, at least one RSV antigenic polypeptide, at least one MeV antigenic polypeptide, or at least one BetaCoV antigenic polypeptide, e.g., selected from MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1, or any combination of two or more of the foregoing antigenic polypeptides) that attaches to cell receptors.

[0066] In some embodiments, at least one RNA polynucleotide encodes at least one antigenic polypeptide (e.g., at least one hMPV antigenic polypeptide, at least one PIV3 antigenic polypeptide, at least one RSV antigenic polypeptide, at least one MeV antigenic polypeptide, or at least one BetaCoV antigenic polypeptide, e.g., selected from MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1, or any combination of two or more of the foregoing antigenic polypeptides) that causes fusion of viral and cellular membranes.

[0067] In some embodiments, at least one RNA polynucleotide encodes at least one antigenic polypeptide (e.g., at least one hMPV antigenic polypeptide, at least one PIV3 antigenic polypeptide, at least one RSV antigenic polypeptide,


at least one MeV antigenic polypeptide, at least one BetaCoV antigenic polypeptide, e.g., selected from MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1, or any combination of two or more of the foregoing antigenic polypeptides), at least one 5' terminal cap and at least one chemical modification, formulated within a lipid nanoparticle.

[0069] In some embodiments, a 5' terminal cap is 7mG (5')ppp(5')NlmpNp.

[0070] In some embodiments, at least one chemical modification is selected from pseudouridine, N1-methylpseudouridine, N1-ethylpseudouridine, 2-thiouridine, 4'-thiouridine, 5-methylcytosine, 5-methyluridine, 2-thio-1-methyl-1-deaza-pseudouridine, 2-thio-1-methyl-pseudouridine, 2-thio-5-aza-uridine, 2-thio-dihydropseudouridine, 2-thio-dihydrouridine, 2-thio-pseudouridine, 4-methoxy-2-thio-pseudouridine, 4-methoxy-pseudouridine, 4-thio-1-methyl-pseudouridine, 4-thio-pseudouridine, 5-aza-uridine, dihydropseudouridine, 5-methoxyuridine and 2'-O-methyluridine. In some embodiments, the chemical modification is in the 5-position of the uracil. In some embodiments, the chemical modification is a N1-methylpseudouridine. In some embodiments, the chemical modification is a N1-ethylpseudouridine.

[0071] In some embodiments, a lipid nanoparticle comprises a cationic lipid, a PEG-modified lipid, a sterol and a non-cationic lipid. In some embodiments, a cationic lipid is an ionizable cationic lipid and the non-cationic lipid is a neutral lipid, and the sterol is a cholesterol. In some embodiments, a cationic lipid is selected from the group consisting of 2,2-dilinoleyl-4-dimethylaminoethyl-[1,3]-dioxolane (DLin-KC2-DMA), dilinoleyl-methyl-4-dimethylaminobutyrate (DLin-MC3-DMA), di((Z)-non-2-en-1-yl) 9-((4-(dimethylamino)butanoyl)oxy)heptadecanedioate (L319), (12Z,15Z)-N,N-dimethyl-2-nonylhenicosa-12,15-dien-1-amine (L608), and N,N-dimethyl-1-[(1S,2R)-2-octylcyclopropyl]heptadecan-8-amine (L530).

[0072] In some embodiments, the lipid is




(L608)

at least one MeV antigenic polypeptide, or at least one BetaCoV antigenic polypeptide, e.g., selected from MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1, or any combination of two or more of the foregoing antigenic polypeptides) that is responsible for binding of the virus to a cell being infected.

[0068] Some embodiments of the present disclosure provide a vaccine that includes at least one ribonucleic acid (RNA) (e.g., mRNA) polynucleotide having an open reading frame encoding at least one antigenic polypeptide (e.g., at least one hMPV antigenic polypeptide, at least one PIV3

[0073] In some embodiments, the lipid is



(L530)

[0074] In some embodiments, a lipid nanoparticle comprises compounds of Formula (I) and/or Formula (II), discussed below.

[0075] In some embodiments, a respiratory virus RNA (e.g., mRNA) vaccine is formulated in a lipid nanoparticle that comprises a compound selected from Compounds 3, 18, 20, 25, 26, 29, 30, 60, 108-112 and 122, described below.

[0076] Some embodiments of the present disclosure provide a vaccine that includes at least one RNA (e.g., mRNA) polynucleotide having an open reading frame encoding at least one antigenic polypeptide (e.g., at least one hMPV antigenic polypeptide, at least one PIV3 antigenic polypeptide, at least one RSV antigenic polypeptide, at least one MeV antigenic polypeptide, or at least one BetaCoV antigenic polypeptide, e.g., selected from MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1, or any combination of two or more of the foregoing antigenic polypeptides), wherein at least 80% (e.g., 85%, 90%, 95%, 98%, 99%) of the uracil in the open reading frame have a chemical modification, optionally wherein the vaccine is formulated in a lipid nanoparticle (e.g., a lipid nanoparticle comprises a cationic lipid, a PEG-modified lipid, a sterol and a non-cationic lipid).

[0077] In some embodiments, 100% of the uracil in the open reading frame have a chemical modification. In some embodiments, a chemical modification is in the 5-position of the uracil. In some embodiments, a chemical modification is a N1-methyl pseudouridine. In some embodiments, 100% of the uracil in the open reading frame have a N1-methyl pseudouridine in the 5-position of the uracil.

[0078] In some embodiments, an open reading frame of a RNA (e.g., mRNA) polynucleotide encodes at least two antigenic polypeptides (e.g., at least two hMPV antigenic polypeptides, at least two PIV3 antigenic polypeptides, at least two RSV antigenic polypeptides, at least two MeV antigenic polypeptides, or at least two BetaCoV antigenic polypeptides, e.g., selected from MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1, or any combination of two or more of the foregoing antigenic polypeptides). In some embodiments, the open reading frame encodes at least five or at least ten antigenic polypeptides. In some embodiments, the open reading frame encodes at least 100 antigenic polypeptides. In some embodiments, the open reading frame encodes 2-100 antigenic polypeptides.

[0079] In some embodiments, a vaccine comprises at least two RNA (e.g., mRNA) polynucleotides, each having an open reading frame encoding at least one antigenic polypeptide (e.g., at least one hMPV antigenic polypeptide, at least one PIV3 antigenic polypeptide, at least one RSV antigenic polypeptide, at least one MeV antigenic polypeptide, or at least one BetaCoV antigenic polypeptide, e.g., selected from MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1, or any combination of two or more of the foregoing antigenic polypeptides). In some embodiments, the vaccine comprises at least five or at least ten RNA (e.g., mRNA) polynucleotides, each having an open reading frame encoding at least one antigenic polypeptide or an immunogenic fragment thereof. In some embodiments, the vaccine comprises at least 100 RNA (e.g., mRNA) polynucleotides, each having an open reading frame encoding at least one antigenic polypeptide. In some embodiments, the vaccine

comprises 2-100 RNA (e.g., mRNA) polynucleotides, each having an open reading frame encoding at least one antigenic polypeptide.

[0080] In some embodiments, at least one antigenic polypeptide (e.g., at least one hMPV antigenic polypeptide, at least one PIV3 antigenic polypeptide, at least one RSV antigenic polypeptide, at least one MeV antigenic polypeptide, or at least one BetaCoV antigenic polypeptide, e.g., selected from MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1, or any combination of two or more of the foregoing antigenic polypeptides) is fused to a signal peptide. In some embodiments, the signal peptide is selected from: a HulgGk signal peptide (METPAQLLFLLLWLP-DTTG; SEQ ID NO: 15); IgE heavy chain epsilon-1 signal peptide (MDWTWILFLVAAATRVHS; SEQ ID NO: 16); Japanese encephalitis PRM signal sequence (MLGSNS-GQRVVFILLLLVAPAYS; SEQ ID NO: 17); VSVg protein signal sequence (MKCLLYLAFLFIGVNCA; SEQ ID NO: 18) and Japanese encephalitis JEV signal sequence (MWLVSLAIVTACAGA; SEQ ID NO: 19).

[0081] In some embodiments, the signal peptide is fused to the N-terminus of at least one antigenic polypeptide. In some embodiments, a signal peptide is fused to the C-terminus of at least one antigenic polypeptide.

[0082] In some embodiments, at least one antigenic polypeptide (e.g., at least one hMPV antigenic polypeptide, at least one PIV3 antigenic polypeptide, at least one RSV antigenic polypeptide, at least one MeV antigenic polypeptide, or at least one BetaCoV antigenic polypeptide, e.g., selected from MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1, or any combination of two or more of the foregoing antigenic polypeptides) comprises a mutated N-linked glycosylation site.

[0083] Also provided herein is a RNA (e.g., mRNA) vaccine of any one of the foregoing paragraphs (e.g., a hMPV vaccine, a PIV3 vaccine, a RSV vaccine, a MeV vaccine, or a BetaCoV vaccine, e.g., selected from MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1, or any combination of two or more of the foregoing vaccines), formulated in a nanoparticle (e.g., a lipid nanoparticle).

[0084] In some embodiments, the nanoparticle has a mean diameter of 50-200 nm. In some embodiments, the nanoparticle is a lipid nanoparticle. In some embodiments, the lipid nanoparticle comprises a cationic lipid, a PEG-modified lipid, a sterol and a non-cationic lipid. In some embodiments, the lipid nanoparticle comprises a molar ratio of about 20-60% cationic lipid, 0.5-15% PEG-modified lipid, 25-55% sterol, and 25% non-cationic lipid. In some embodiments, the cationic lipid is an ionizable cationic lipid and the non-cationic lipid is a neutral lipid, and the sterol is a cholesterol. In some embodiments, the cationic lipid is selected from 2,2-dilinoleyl-4-dimethylaminoethyl-1-[1,3]-dioxolane (DLin-KC2-DMA), dilinoleyl-methyl-4-dimethylaminobutyrate (DLin-MC3-DMA), and di((Z)-non-2-en-1-yl) 9-((4-(dimethylamino)butanoyl)oxy)heptadecanedioate (L319).

[0085] In some embodiments, a lipid nanoparticle comprises compounds of Formula (I) and/or Formula (II), as discussed below.

[0086] In some embodiments, a lipid nanoparticle comprises Compounds 3, 18, 20, 25, 26, 29, 30, 60, 108-112, or 122, as discussed below.

[0087] In some embodiments, the nanoparticle has a polydispersity value of less than 0.4 (e.g., less than 0.3, 0.2 or 0.1).

[0088] In some embodiments, the nanoparticle has a net neutral charge at a neutral pH value.

[0089] In some embodiments, the respiratory virus vaccine is multivalent.

[0090] Some embodiments of the present disclosure provide methods of inducing an antigen specific immune response in a subject, comprising administering to the subject any of the RNA (e.g., mRNA) vaccine as provided herein in an amount effective to produce an antigen-specific immune response. In some embodiments, the RNA (e.g., mRNA) vaccine is a hMPV vaccine, a PIV3 vaccine, a RSV vaccine, a MeV vaccine, or a BetaCoV vaccine, e.g., selected from MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1 vaccines. In some embodiments, the RNA (e.g., mRNA) vaccine is a combination vaccine comprising a combination of any two or more of the foregoing vaccines.

[0091] In some embodiments, an antigen-specific immune response comprises a T cell response or a B cell response.

[0092] In some embodiments, a method of producing an antigen-specific immune response comprises administering to a subject a single dose (no booster dose) of a RNA (e.g., mRNA) vaccine of the present disclosure. In some embodiments, the RNA (e.g., mRNA) vaccine is a hMPV vaccine, a PIV3 vaccine, a RSV vaccine, a MeV vaccine, or a BetaCoV vaccine, e.g., selected from MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1 vaccines. In some embodiments, the RNA (e.g., mRNA) vaccine is a combination vaccine comprising a combination of any two or more of the foregoing vaccines.

[0093] In some embodiments, a method further comprises administering to the subject a second (booster) dose of a RNA (e.g., mRNA) vaccine. Additional doses of a RNA (e.g., mRNA) vaccine may be administered.

[0094] In some embodiments, the subjects exhibit a seroconversion rate of at least 80% (e.g., at least 85%, at least 90%, or at least 95%) following the first dose or the second (booster) dose of the vaccine. Seroconversion is the time period during which a specific antibody develops and becomes detectable in the blood. After seroconversion has occurred, a virus can be detected in blood tests for the antibody. During an infection or immunization, antigens enter the blood, and the immune system begins to produce antibodies in response. Before seroconversion, the antigen itself may or may not be detectable, but antibodies are considered absent. During seroconversion, antibodies are present but not yet detectable. Any time after seroconversion, the antibodies can be detected in the blood, indicating a prior or current infection.

[0095] In some embodiments, a RNA (e.g., mRNA) vaccine is administered to a subject by intradermal or intramuscular injection.

[0096] Some embodiments, of the present disclosure provide methods of inducing an antigen specific immune response in a subject, including administering to a subject a RNA (e.g., mRNA) vaccine in an effective amount to produce an antigen specific immune response in a subject.

Antigen-specific immune responses in a subject may be determined, in some embodiments, by assaying for antibody titer (for titer of an antibody that binds to a hMPV, PIV3, RSV, MeV and/or BetaCoV antigenic polypeptide) following administration to the subject of any of the RNA (e.g., mRNA) vaccines of the present disclosure. In some embodiments, the anti-antigenic polypeptide antibody titer produced in the subject is increased by at least 1 log relative to a control. In some embodiments, the anti-antigenic polypeptide antibody titer produced in the subject is increased by 1-3 log relative to a control.

[0097] In some embodiments, the anti-antigenic polypeptide antibody titer produced in a subject is increased at least 2 times relative to a control. In some embodiments, the anti-antigenic polypeptide antibody titer produced in the subject is increased at least 5 times relative to a control. In some embodiments, the anti-antigenic polypeptide antibody titer produced in the subject is increased at least 10 times relative to a control. In some embodiments, the anti-antigenic polypeptide antibody titer produced in the subject is increased 2-10 times relative to a control.

[0098] In some embodiments, the control is an anti-antigenic polypeptide antibody titer produced in a subject who has not been administered a RNA (e.g., mRNA) vaccine of the present disclosure. In some embodiments, the control is an anti-antigenic polypeptide antibody titer produced in a subject who has been administered a live attenuated or inactivated hMPV, PIV3, RSV, MeV and/or BetaCoV vaccine (see, e.g., Ren J. et al. *J of Gen. Virol.* 2015; 96: 1515-1520), or wherein the control is an anti-antigenic polypeptide antibody titer produced in a subject who has been administered a recombinant or purified hMPV, PIV3, RSV, MeV and/or BetaCoV protein vaccine. In some embodiments, the control is an anti-antigenic polypeptide antibody titer produced in a subject who has been administered a hMPV, PIV3, RSV, MeV and/or BetaCoV virus-like particle (VLP) vaccine (see, e.g., Cox R G et al., *J Virol.* 2014 June; 88(11): 6368-6379).

[0099] A RNA (e.g., mRNA) vaccine of the present disclosure is administered to a subject in an effective amount (an amount effective to induce an immune response). In some embodiments, the effective amount is a dose equivalent to an at least 2-fold, at least 4-fold, at least 10-fold, at least 100-fold, at least 1000-fold reduction in the standard of care dose of a recombinant hMPV, PIV3, RSV, MeV and/or BetaCoV protein vaccine, wherein the anti-antigenic polypeptide antibody titer produced in the subject is equivalent to an anti-antigenic polypeptide antibody titer produced in a control subject administered the standard of care dose of a recombinant hMPV, PIV3, RSV, MeV and/or BetaCoV protein vaccine, a purified hMPV, PIV3, RSV, MeV and/or BetaCoV protein vaccine, a live attenuated hMPV, PIV3, RSV, MeV and/or BetaCoV vaccine, an inactivated hMPV, PIV3, RSV, MeV and/or BetaCoV vaccine, or a hMPV, PIV3, RSV, MeV and/or BetaCoV VLP vaccine. In some embodiments, the effective amount is a dose equivalent to 2-1000-fold reduction in the standard of care dose of a recombinant hMPV, PIV3, RSV, MeV and/or BetaCoV protein vaccine, wherein the anti-antigenic polypeptide antibody titer produced in the subject is equivalent to an anti-antigenic polypeptide antibody titer produced in a control subject administered the standard of care dose of a recombinant hMPV, PIV3, RSV, MeV and/or BetaCoV protein vaccine, a purified hMPV, PIV3, RSV, MeV and/or

BetaCoV protein vaccine, a live attenuated hMPV, PIV3, RSV, MeV and/or BetaCoV vaccine, an inactivated hMPV, PIV3, RSV, MeV and/or BetaCoV vaccine, or a hMPV, PIV3, RSV, MeV and/or BetaCoV VLP vaccine.

[0100] In some embodiments, the control is an anti-antigenic polypeptide antibody titer produced in a subject who has been administered a virus-like particle (VLP) vaccine comprising structural proteins of hMPV, PIV3, RSV, MeV and/or BetaCoV.

[0101] In some embodiments, the RNA (e.g., mRNA) vaccine is formulated in an effective amount to produce an antigen specific immune response in a subject.

[0102] In some embodiments, the effective amount is a total dose of 25 µg to 1000 µg, or 50 µg to 1000 µg. In some embodiments, the effective amount is a total dose of 100 µg. In some embodiments, the effective amount is a dose of 25 µg administered to the subject a total of two times. In some embodiments, the effective amount is a dose of 100 µg administered to the subject a total of two times. In some embodiments, the effective amount is a dose of 400 µg administered to the subject a total of two times. In some embodiments, the effective amount is a dose of 500 µg administered to the subject a total of two times.

[0103] In some embodiments, the efficacy (or effectiveness) of a RNA (e.g., mRNA) vaccine is greater than 60%. In some embodiments, the RNA (e.g., mRNA) polynucleotide of the vaccine at least one hMPV antigenic polypeptide, at least one PIV3 antigenic polypeptide, at least one RSV antigenic polypeptide, at least one MeV antigenic polypeptide, at least one BetaCoV antigenic polypeptide, e.g., selected from MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1, or any combination of two or more of the foregoing antigenic polypeptides.

[0104] Vaccine efficacy may be assessed using standard analyses (see, e.g., Weinberg et al., *J Infect Dis.* 2010 Jun. 1; 201(11):1607-10). For example, vaccine efficacy may be measured by double-blind, randomized, clinical controlled trials. Vaccine efficacy may be expressed as a proportionate reduction in disease attack rate (AR) between the unvaccinated (ARU) and vaccinated (ARV) study cohorts and can be calculated from the relative risk (RR) of disease among the vaccinated group with use of the following formulas:

$$\text{Efficacy}=(\text{ARU}-\text{ARV})/\text{ARU}\times 100; \text{ and}$$

$$\text{Efficacy}=(1-\text{RR})\times 100.$$

[0105] Likewise, vaccine effectiveness may be assessed using standard analyses (see, e.g., Weinberg et al., *J Infect Dis.* 2010 Jun. 1; 201(11):1607-10). Vaccine effectiveness is an assessment of how a vaccine (which may have already proven to have high vaccine efficacy) reduces disease in a population. This measure can assess the net balance of benefits and adverse effects of a vaccination program, not just the vaccine itself, under natural field conditions rather than in a controlled clinical trial. Vaccine effectiveness is proportional to vaccine efficacy (potency) but is also affected by how well target groups in the population are immunized, as well as by other non-vaccine-related factors that influence the ‘real-world’ outcomes of hospitalizations, ambulatory visits, or costs. For example, a retrospective case control analysis may be used, in which the rates of vaccination among a set of infected cases and appropriate controls are compared. Vaccine effectiveness may be expressed as a

rate difference, with use of the odds ratio (OR) for developing infection despite vaccination:

$$\text{Effectiveness}=(1-\text{OR})\times 100.$$

[0106] In some embodiments, the efficacy (or effectiveness) of a RNA (e.g., mRNA) vaccine is at least 65%, at least 70%, at least 75%, at least 80%, at least 85%, or at least 90%.

[0107] In some embodiments, the vaccine immunizes the subject against hMPV, PIV3, RSV, MeV, BetaCoV (e.g., selected from MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1), or any combination of two or more of the foregoing viruses for up to 2 years. In some embodiments, the vaccine immunizes the subject against hMPV, PIV3, RSV, MeV, BetaCoV (e.g., selected from MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1), or any combination of two or more of the foregoing viruses for more than 2 years, more than 3 years, more than 4 years, or for 5-10 years.

[0108] In some embodiments, the subject is about 5 years old or younger. For example, the subject may be between the ages of about 1 year and about 5 years (e.g., about 1, 2, 3, 5 or 5 years), or between the ages of about 6 months and about 1 year (e.g., about 6, 7, 8, 9, 10, 11 or 12 months). In some embodiments, the subject is about 12 months or younger (e.g., 12, 11, 10, 9, 8, 7, 6, 5, 4, 3, 2 months or 1 month). In some embodiments, the subject is about 6 months or younger. In some embodiments, the subject was born full term (e.g., about 37-42 weeks). In some embodiments, the subject was born prematurely, for example, at about 36 weeks of gestation or earlier (e.g., about 36, 35, 34, 33, 32, 31, 30, 29, 28, 27, 26 or 25 weeks). For example, the subject may have been born at about 32 weeks of gestation or earlier. In some embodiments, the subject was born prematurely between about 32 weeks and about 36 weeks of gestation. In such subjects, a RNA (e.g., mRNA) vaccine may be administered later in life, for example, at the age of about 6 months to about 5 years, or older.

[0109] In some embodiments, the subject is pregnant (e.g., in the first, second or third trimester) when administered an RNA (e.g., mRNA) vaccine. Viruses such as hMPV, PIV3 and RSV causes infections of the lower respiratory tract, mainly in infants and young children. One-third of RSV related deaths, for example, occur in the first year of life, with 99 percent of these deaths occurring in low-resource countries. It’s so widespread in the United States that nearly all children become infected with the virus before their second birthdays. Thus, the present disclosure provides RNA (e.g., mRNA) vaccines for maternal immunization to improve mother-to-child transmission of protection against the virus.

[0110] In some embodiments, the subject is a young adult between the ages of about 20 years and about 50 years (e.g., about 20, 25, 30, 35, 40, 45 or 50 years old).

[0111] In some embodiments, the subject is an elderly subject about 60 years old, about 70 years old, or older (e.g., about 60, 65, 70, 75, 80, 85 or 90 years old).

[0112] In some embodiments, the subject is has a chronic pulmonary disease (e.g., chronic obstructive pulmonary disease (COPD) or asthma). Two forms of COPD include chronic bronchitis, which involves a long-term cough with mucus, and emphysema, which involves damage to the

lungs over time. Thus, a subject administered a RNA (e.g., mRNA) vaccine may have chronic bronchitis or emphysema.

[0113] In some embodiments, the subject has been exposed to hMPV, PIV3, RSV, MeV, BetaCoV (e.g., selected from MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1), or any combination of two or more of the foregoing viruses; the subject is infected with hMPV, PIV3, RSV, MeV, BetaCoV (e.g., selected from MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1), or any combination of two or more of the foregoing viruses; or subject is at risk of infection by hMPV, PIV3, RSV, MeV, BetaCoV (e.g., selected from MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1), or any combination of two or more of the foregoing viruses.

[0114] In some embodiments, the subject is immunocompromised (has an impaired immune system, e.g., has an immune disorder or autoimmune disorder).

[0115] In some embodiments the nucleic acid vaccines described herein are chemically modified. In other embodiments the nucleic acid vaccines are unmodified.

[0116] Yet other aspects provide compositions for and methods of vaccinating a subject comprising administering to the subject a nucleic acid vaccine comprising one or more RNA polynucleotides having an open reading frame encoding a first respiratory virus antigenic polypeptide, wherein the RNA polynucleotide does not include a stabilization element, and wherein an adjuvant is not coformulated or co-administered with the vaccine.

[0117] In other aspects the invention is a composition for or method of vaccinating a subject comprising administering to the subject a nucleic acid vaccine comprising one or more RNA polynucleotides having an open reading frame encoding a first antigenic polypeptide wherein a dosage of between 10 µg/kg and 400 µg/kg of the nucleic acid vaccine is administered to the subject. In some embodiments the dosage of the RNA polynucleotide is 1-5 µg, 5-10 µg, 10-15 µg, 15-20 µg, 10-25 µg, 20-25 µg, 20-50 µg, 30-50 µg, 40-50 µg, 40-60 µg, 60-80 µg, 60-100 µg, 50-100 µg, 80-120 µg, 40-120 µg, 40-150 µg, 50-150 µg, 50-200 µg, 80-200 µg, 100-200 µg, 120-250 µg, 150-250 µg, 180-280 µg, 200-300 µg, 50-300 µg, 80-300 µg, 100-300 µg, 40-300 µg, 50-350 µg, 100-350 µg, 200-350 µg, 300-350 µg, 320-400 µg, 40-380 µg, 40-100 µg, 100-400 µg, 200-400 µg, or 300-400 µg per dose. In some embodiments, the nucleic acid vaccine is administered to the subject by intradermal or intramuscular injection. In some embodiments, the nucleic acid vaccine is administered to the subject on day zero. In some embodiments, a second dose of the nucleic acid vaccine is administered to the subject on day twenty one.

[0118] In some embodiments, a dosage of 25 micrograms of the RNA polynucleotide is included in the nucleic acid vaccine administered to the subject. In some embodiments, a dosage of 100 micrograms of the RNA polynucleotide is included in the nucleic acid vaccine administered to the subject. In some embodiments, a dosage of 50 micrograms of the RNA polynucleotide is included in the nucleic acid vaccine administered to the subject. In some embodiments, a dosage of 75 micrograms of the RNA polynucleotide is included in the nucleic acid vaccine administered to the subject. In some embodiments, a dosage of 150 micrograms of the RNA polynucleotide is included in the nucleic acid

vaccine administered to the subject. In some embodiments, a dosage of 400 micrograms of the RNA polynucleotide is included in the nucleic acid vaccine administered to the subject. In some embodiments, a dosage of 200 micrograms of the RNA polynucleotide is included in the nucleic acid vaccine administered to the subject. In some embodiments, the RNA polynucleotide accumulates at a 100 fold higher level in the local lymph node in comparison with the distal lymph node. In other embodiments the nucleic acid vaccine is chemically modified and in other embodiments the nucleic acid vaccine is not chemically modified.

[0119] Aspects of the invention provide a nucleic acid vaccine comprising one or more RNA polynucleotides having an open reading frame encoding a first antigenic polypeptide, wherein the RNA polynucleotide does not include a stabilization element, and a pharmaceutically acceptable carrier or excipient, wherein an adjuvant is not included in the vaccine. In some embodiments, the stabilization element is a histone stem-loop. In some embodiments, the stabilization element is a nucleic acid sequence having increased GC content relative to wild type sequence.

[0120] Aspects of the invention provide nucleic acid vaccines comprising one or more RNA polynucleotides having an open reading frame encoding a first antigenic polypeptide, wherein the RNA polynucleotide is present in the formulation for in vivo administration to a host, which confers an antibody titer superior to the criterion for seroprotection for the first antigen for an acceptable percentage of human subjects. In some embodiments, the antibody titer produced by the mRNA vaccines of the invention is a neutralizing antibody titer. In some embodiments the neutralizing antibody titer is greater than a protein vaccine. In other embodiments the neutralizing antibody titer produced by the mRNA vaccines of the invention is greater than an adjuvanted protein vaccine. In yet other embodiments the neutralizing antibody titer produced by the mRNA vaccines of the invention is 1,000-10,000, 1,200-10,000, 1,400-10,000, 1,500-10,000, 1,000-5,000, 1,000-4,000, 1,800-10,000, 2,000-10,000, 2,000-5,000, 2,000-3,000, 2,000-4,000, 3,000-5,000, 3,000-4,000, or 2,000-2,500. A neutralization titer is typically expressed as the highest serum dilution required to achieve a 50% reduction in the number of plaques.

[0121] Also provided are nucleic acid vaccines comprising one or more RNA polynucleotides having an open reading frame encoding a first antigenic polypeptide, wherein the RNA polynucleotide is present in a formulation for in vivo administration to a host for eliciting a longer lasting high antibody titer than an antibody titer elicited by an mRNA vaccine having a stabilizing element or formulated with an adjuvant and encoding the first antigenic polypeptide. In some embodiments, the RNA polynucleotide is formulated to produce a neutralizing antibodies within one week of a single administration. In some embodiments, the adjuvant is selected from a cationic peptide and an immunostimulatory nucleic acid. In some embodiments, the cationic peptide is protamine.

[0122] Aspects provide nucleic acid vaccines comprising one or more RNA polynucleotides having an open reading frame comprising at least one chemical modification or optionally no nucleotide modification, the open reading frame encoding a first antigenic polypeptide, wherein the RNA polynucleotide is present in the formulation for in vivo administration to a host such that the level of antigen expression in the host significantly exceeds a level of

antigen expression produced by an mRNA vaccine having a stabilizing element or formulated with an adjuvant and encoding the first antigenic polypeptide.

[0123] Other aspects provide nucleic acid vaccines comprising one or more RNA polynucleotides having an open reading frame comprising at least one chemical modification or optionally no nucleotide modification, the open reading frame encoding a first antigenic polypeptide, wherein the vaccine has at least 10 fold less RNA polynucleotide than is required for an unmodified mRNA vaccine to produce an equivalent antibody titer. In some embodiments, the RNA polynucleotide is present in a dosage of 25-100 micrograms.

[0124] Aspects of the invention also provide a unit of use vaccine, comprising between 10 ug and 400 ug of one or more RNA polynucleotides having an open reading frame comprising at least one chemical modification or optionally no nucleotide modification, the open reading frame encoding a first antigenic polypeptide, and a pharmaceutically acceptable carrier or excipient, formulated for delivery to a human subject. In some embodiments, the vaccine further comprises a cationic lipid nanoparticle.

[0125] Aspects of the invention provide methods of creating, maintaining or restoring antigenic memory to a respiratory virus strain in an individual or population of individuals comprising administering to said individual or population an antigenic memory booster nucleic acid vaccine comprising (a) at least one RNA polynucleotide, said polynucleotide comprising at least one chemical modification or optionally no nucleotide modification and two or more codon-optimized open reading frames, said open reading frames encoding a set of reference antigenic polypeptides, and (b) optionally a pharmaceutically acceptable carrier or excipient. In some embodiments, the vaccine is administered to the individual via a route selected from the group consisting of intramuscular administration, intradermal administration and subcutaneous administration. In some embodiments, the administering step comprises contacting a muscle tissue of the subject with a device suitable for injection of the composition. In some embodiments, the administering step comprises contacting a muscle tissue of the subject with a device suitable for injection of the composition in combination with electroporation.

[0126] Aspects of the invention provide methods of vaccinating a subject comprising administering to the subject a single dosage of between 25 ug/kg and 400 ug/kg of a nucleic acid vaccine comprising one or more RNA polynucleotides having an open reading frame encoding a first antigenic polypeptide in an effective amount to vaccinate the subject.

[0127] Other aspects provide nucleic acid vaccines comprising one or more RNA polynucleotides having an open reading frame comprising at least one chemical modification, the open reading frame encoding a first antigenic polypeptide, wherein the vaccine has at least 10 fold less RNA polynucleotide than is required for an unmodified mRNA vaccine to produce an equivalent antibody titer. In some embodiments, the RNA polynucleotide is present in a dosage of 25-100 micrograms.

[0128] Other aspects provide nucleic acid vaccines comprising an LNP formulated RNA polynucleotide having an open reading frame comprising no nucleotide modifications (unmodified), the open reading frame encoding a first antigenic polypeptide, wherein the vaccine has at least 10 fold less RNA polynucleotide than is required for an unmodified

mRNA vaccine not formulated in a LNP to produce an equivalent antibody titer. In some embodiments, the RNA polynucleotide is present in a dosage of 25-100 micrograms.

[0129] The data presented in the Examples demonstrate significant enhanced immune responses using the formulations of the invention. Both chemically modified and unmodified RNA vaccines are useful according to the invention. Surprisingly, in contrast to prior art reports that it was preferable to use chemically unmodified mRNA formulated in a carrier for the production of vaccines, it is described herein that chemically modified mRNA-LNP vaccines required a much lower effective mRNA dose than unmodified mRNA, i.e., tenfold less than unmodified mRNA when formulated in carriers other than LNP. Both the chemically modified and unmodified RNA vaccines of the invention produce better immune responses than mRNA vaccines formulated in a different lipid carrier.

[0130] In other aspects the invention encompasses a method of treating an elderly subject age 60 years or older comprising administering to the subject a nucleic acid vaccine comprising one or more RNA polynucleotides having an open reading frame encoding a respiratory virus antigenic polypeptide in an effective amount to vaccinate the subject.

[0131] In other aspects the invention encompasses a method of treating a young subject age 17 years or younger comprising administering to the subject a nucleic acid vaccine comprising one or more RNA polynucleotides having an open reading frame encoding a respiratory virus antigenic polypeptide in an effective amount to vaccinate the subject.

[0132] In other aspects the invention encompasses a method of treating an adult subject comprising administering to the subject a nucleic acid vaccine comprising one or more RNA polynucleotides having an open reading frame encoding a respiratory virus antigenic polypeptide in an effective amount to vaccinate the subject.

[0133] In some aspects the invention is a method of vaccinating a subject with a combination vaccine including at least two nucleic acid sequences encoding respiratory antigens wherein the dosage for the vaccine is a combined therapeutic dosage wherein the dosage of each individual nucleic acid encoding an antigen is a sub therapeutic dosage. In some embodiments, the combined dosage is 25 micrograms of the RNA polynucleotide in the nucleic acid vaccine administered to the subject. In some embodiments, the combined dosage is 100 micrograms of the RNA polynucleotide in the nucleic acid vaccine administered to the subject. In some embodiments the combined dosage is 50 micrograms of the RNA polynucleotide in the nucleic acid vaccine administered to the subject. In some embodiments, the combined dosage is 75 micrograms of the RNA polynucleotide in the nucleic acid vaccine administered to the subject. In some embodiments, the combined dosage is 150 micrograms of the RNA polynucleotide in the nucleic acid vaccine administered to the subject. In some embodiments, the combined dosage is 400 micrograms of the RNA polynucleotide in the nucleic acid vaccine administered to the subject. In some embodiments, the sub therapeutic dosage of each individual nucleic acid encoding an antigen is 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, or 20 micrograms. In other embodiments the nucleic acid vaccine is chemically modified and in other embodiments the nucleic acid vaccine is not chemically modified.

[0134] The RNA polynucleotide is one of SEQ ID NO: 1-4, 9-12, 20-23, 35-46, 57-61, and 64-80 and includes at least one chemical modification. In other embodiments the RNA polynucleotide is one of SEQ ID NO: 1-4, 9-12, 20-23, 35-46, 57-61, and 64-80 and does not include any nucleotide modifications, or is unmodified. In yet other embodiments the at least one RNA polynucleotide encodes an antigenic protein of any of SEQ ID NO: 5-8, 12-13, 24-34, and 47-50 and includes at least one chemical modification. In other embodiments the RNA polynucleotide encodes an antigenic protein of any of SEQ ID NO: 5-8, 12-13, 24-34, and 47-50 and does not include any nucleotide modifications, or is unmodified.

[0135] In preferred aspects, vaccines of the invention (e.g., LNP-encapsulated mRNA vaccines) produce prophylactically- and/or therapeutically- efficacious levels, concentrations and/or titers of antigen-specific antibodies in the blood or serum of a vaccinated subject. As defined herein, the term antibody titer refers to the amount of antigen-specific antibody produced in a subject, e.g., a human subject. In exemplary embodiments, antibody titer is expressed as the inverse of the greatest dilution (in a serial dilution) that still gives a positive result. In exemplary embodiments, antibody titer is determined or measured by enzyme-linked immunosorbent assay (ELISA). In exemplary embodiments, antibody titer is determined or measured by neutralization assay, e.g., by microneutralization assay. In certain aspects, antibody titer measurement is expressed as a ratio, such as 1:40, 1:100, etc.

[0136] In exemplary embodiments of the invention, an efficacious vaccine produces an antibody titer of greater than 1:40, greater than 1:100, greater than 1:400, greater than 1:1000, greater than 1:2000, greater than 1:3000, greater than 1:4000, greater than 1:500, greater than 1:6000, greater than 1:7500, greater than 1:10000. In exemplary embodiments, the antibody titer is produced or reached by 10 days following vaccination, by 20 days following vaccination, by 30 days following vaccination, by 40 days following vaccination, or by 50 or more days following vaccination. In exemplary embodiments, the titer is produced or reached following a single dose of vaccine administered to the subject. In other embodiments, the titer is produced or reached following multiple doses, e.g., following a first and a second dose (e.g., a booster dose.)

[0137] In exemplary aspects of the invention, antigen-specific antibodies are measured in units of $\mu\text{g/ml}$ or are measured in units of IU/L (International Units per liter) or mIU/ml (milli International Units per ml). In exemplary embodiments of the invention, an efficacious vaccine produces $>0.5 \mu\text{g/ml}$, $>0.1 \mu\text{g/ml}$, $>0.2 \mu\text{g/ml}$, $>0.35 \mu\text{g/ml}$, $>0.5 \mu\text{g/ml}$, $>1 \mu\text{g/ml}$, $>2 \mu\text{g/ml}$, $>5 \mu\text{g/ml}$ or $>10 \mu\text{g/ml}$. In exemplary embodiments of the invention, an efficacious vaccine produces $>10 \text{ mIU/ml}$, $>20 \text{ mIU/ml}$, $>50 \text{ mIU/ml}$, $>100 \text{ mIU/ml}$, $>200 \text{ mIU/ml}$, $>500 \text{ mIU/ml}$ or $>1000 \text{ mIU/ml}$. In exemplary embodiments, the antibody level or concentration is produced or reached by 10 days following vaccination, by 20 days following vaccination, by 30 days following vaccination, by 40 days following vaccination, or by 50 or more days following vaccination. In exemplary embodiments, the level or concentration is produced or reached following a single dose of vaccine administered to the subject. In other embodiments, the level or concentration is produced or reached following multiple doses, e.g., following a first and a second dose (e.g., a booster dose.) In

exemplary embodiments, antibody level or concentration is determined or measured by enzyme-linked immunosorbent assay (ELISA). In exemplary embodiments, antibody level or concentration is determined or measured by neutralization assay, e.g., by microneutralization assay.

[0138] The details of various embodiments of the disclosure are set forth in the description below. Other features, objects, and advantages of the disclosure will be apparent from the description and from the claims.

BRIEF DESCRIPTION OF THE DRAWINGS

[0139] The foregoing and other objects, features and advantages will be apparent from the following description of particular embodiments of the disclosure, as illustrated in the accompanying drawings in which like reference characters refer to the same parts throughout the different views. The drawings are not necessarily to scale, emphasis instead being placed upon illustrating the principles of various embodiments of the disclosure.

[0140] FIG. 1 shows a schematic of one example of a RNA (e.g. mRNA) vaccine construct of the present disclosure. The construct depicts a human metapneumovirus and human respiratory syncytial virus full length fusion protein obtained from wild-type strains (*The Journal of General Virology*. 2008; 89(Pt 12):3113-3118, incorporated herein by reference).

[0141] FIGS. 2A-2C are graphs showing the levels of anti-hMPV fusion protein-specific antibodies in the serum of mice immunized with hMPV mRNA vaccines on day 0 (FIG. 2A), day 14 (FIG. 2B) and day 35 (FIG. 2C) post immunization. The mice were immunized with a single dose (2 μg or 10 μg) on day 0 and were given a boost dose (2 μg or 10 μg) on day 21, hMPV fusion protein-specific antibodies were detected at up to 1:10000 dilution of serum on day 35 for both doses.

[0142] FIGS. 3A-3C are graphs showing the result of IgG isotyping in the serum of mice immunized with hMPV mRNA vaccines. The levels of hMPV fusion protein-specific IgG2a (FIG. 3A) and IgG1 (FIG. 3B) antibodies in the serum are measured by ELISA. FIG. 3C shows that hMPV fusion protein mRNA vaccine induced a mixed Th1/Th2 cytokine response with a Th1 bias.

[0143] FIG. 4 is a graph showing in vitro neutralization of a hMPV B2 strain (TN/91-316) using the sera of mice immunized with a mRNA vaccine encoding hMPV fusion protein. Mouse serum obtained from mice receiving a 10 μg or a 2 μg dose contained hMPV-neutralizing antibodies.

[0144] FIGS. 5A-5C are graphs showing a Th1 cytokine response induced by a hMPV fusion peptide pool (15-mers-50 (overlap)) in splenocytes isolated from mice immunized with the hMPV mRNA vaccines. Virus-free media was used as a negative control and Concanavalin A (ConA, a positive control for splenocyte stimulation) was included. The cytokines tested included IFN- γ (FIG. 5A), IL-2 (FIG. 5B) and IL12 (FIG. 5C).

[0145] FIGS. 6A-6E are graphs showing the Th2 cytokine response induced by a hMPV fusion peptide pool (15-mers-50) in splenocytes isolated from mice immunized with the hMPV mRNA vaccines. Virus-free media was used as a negative control and Concanavalin A was also included. The cytokines tested included IL-10 (FIG. 6A), TNF- α (FIG. 6B), IL4 (FIG. 6C), IL-5 (FIG. 6D) and IL-6 (FIG. 6E).

[0146] FIGS. 7A-7C are graphs showing the Th1 response induced by inactivated hMPV virus in splenocytes isolated

from mice immunized with hMPV mRNA vaccines. Virus-free media was used as a negative control and Concanavalin A was included. The cytokines tested included IFN- γ (FIG. 7A), IL-2 (FIG. 7B) and IL12 (FIG. 7C).

[0147] FIGS. 8A-8E are graphs showing the Th2 response induced by inactivated hMPV virus in splenocytes isolated from mice immunized with the hMPV mRNA vaccines. Virus-free media was used as a negative control and Concanavalin A was included. The cytokines tested include IL-10 (FIG. 8A), TNF- α (FIG. 8B), IL4 (FIG. 8C), IL-5 (FIG. 8D) and IL-6 (FIG. 8E).

[0148] FIGS. 9A-9B are graphs showing the results of cotton rat challenge experiments. Two different doses of the hMPV mRNA vaccines were used (2 μ g or 10 μ g doses) to immunize the cotton rats before challenge. The hMPV mRNA vaccines reduced the viral titer in the lung and nose of the cotton rat, with the 10 μ g dose being more effective in reducing viral titer. Use of a 10 μ g dose resulted in 100% protection in the lung and a \sim 2 log reduction in nose viral titer. Use of a 2 μ g dose resulted in a 1 log reduction in lung viral titer and no reduction in nose viral titer. The vaccine was administered on Day 0, and a boost was administered on Day 21.

[0149] FIG. 10 is a graph showing the lung histopathology of cotton rats that received hMPV mRNA vaccines. Pathology associated with vaccine-enhanced disease was not observed in immunized groups.

[0150] FIG. 11 is a graph showing hMPV neutralization antibody titers in cotton rats that received hMPV mRNA vaccines (2 μ g or 10 μ g doses) on days 35 and 42 post immunization.

[0151] FIG. 12 is a graph showing the lung and nose viral load in cotton rats challenged with a hMPV/A2 strain after immunization with the indicated mRNA vaccines (hMPV mRNA vaccine or hMPV/PIV mRNA combination vaccine). Vaccinated cotton rats showed reduced lung and nose viral loads after challenge, compared to control.

[0152] FIG. 13 is a graph showing the lung and nose viral load in cotton rats challenged with PIV3 strain after immunization with indicated mRNA vaccines (PIV mRNA vaccine or hMPV/PIV combination vaccine). Vaccinated cotton rats showed reduced lung and nose viral loads after challenge, compared to control.

[0153] FIG. 14 is a graph showing hMPV neutralizing antibody titers in cotton rats that received different dosages of hMPV mRNA vaccines or hMPV/PIV combination mRNA vaccines on day 42 post immunization. The dosages of the vaccine are indicated in Table 9.

[0154] FIG. 15 is a graph showing PIV3 neutralizing antibody titers in cotton rats that received different dosages of PIV mRNA vaccines or hMPV/PIV combination mRNA vaccines on day 42 post immunization. The dosages of the vaccine are indicated in Table 9.

[0155] FIG. 16 is a graph showing the lung histopathology score of cotton rats immunized with hMPV mRNA vaccines, PIV mRNA vaccines or hMPV/PIV combination mRNA vaccines as indicated in Table 9. Low occurrence of alveolitis and interstitial pneumonia was observed, indicating no antibody-dependent enhancement (ADE) of hMPV associated diseases.

[0156] FIG. 17 is a graph showing the reciprocal MERS-CoV neutralizing antibody titers in mice immunized with

betacoronavirus mRNA vaccine encoding the MERS-CoV full-length Spike protein, on days 0, 21, 42, and 56 post immunization.

[0157] FIG. 18 is a graph showing the reciprocal MERS-CoV neutralizing antibody titers in mice immunized with betacoronavirus mRNA vaccine encoding either the MERS-CoV full-length Spike protein, or the S2 subunit of the Spike protein. The full length spike protein induced a stronger immune response compared to the S2 subunit alone.

[0158] FIGS. 19A-19C are graphs showing the viral load in the nose and throat, the bronchoalveolar lavage (BAL), or the lungs of New Zealand white rabbits 4 days post challenge with MERS-CoV. The New Zealand white rabbits were immunized with one 20 μ g-dose (on day 0) or two 20 μ g-doses (on day 0 and 21) of MERS-CoV mRNA vaccine encoding the full-length Spike protein before challenge. FIG. 19A shows that two doses of MERS-CoV mRNA vaccine resulted in a 3 log reduction of viral load in the nose and led to complete protection in the throat of the New Zealand white rabbits. FIG. 19B shows that two doses of MERS-CoV mRNA vaccine resulted in a 4 log reduction of viral load in the BAL of the New Zealand white rabbits. FIG. 19C show one dose of MERS-CoV mRNA vaccine resulted in a 2 log reduction of viral load, while two doses of MERS-CoV mRNA vaccine resulted in an over 4 log reduction of viral load in the lungs of the New Zealand white rabbits.

[0159] FIGS. 20A-20B are images and graphs showing viral load or replicating virus detected by PCR in the lungs of New Zealand white rabbits 4 days post challenge with MERS-CoV. The New Zealand white rabbits were immunized with a single 20 μ g dose (on day 0, Group 1a) of MERS-CoV mRNA vaccine encoding the full-length Spike protein, two 20 μ g doses (on day 0 and 21, Group 1b) of MERS-CoV mRNA vaccine encoding the full-length Spike protein, or placebo (Group 2) before challenge. FIG. 20A shows that two doses of 20 μ g a MERS-CoV mRNA vaccine reduced over 99% (2 log) of viruses in the lungs of New Zealand white rabbits. FIG. 20B shows that the group of New Zealand white rabbits that received 2 doses of 20 μ g MERS-CoV mRNA vaccine did not have any detectable replicating MERS-CoV virus in their lungs.

[0160] FIG. 21 is a graph showing the MERS-CoV neutralizing antibody titers in New Zealand white rabbits immunized with MERS-CoV mRNA vaccine encoding the full-length Spike protein. The results show that two doses of 20 μ g MERS-CoV mRNA vaccine induced a significant amount of neutralizing antibodies against MERS-CoV (EC_{50} between 500-1000). The MERS-CoV mRNA vaccine induced antibody titer is 3-5 fold better than any other vaccines tested in the same model.

DETAILED DESCRIPTION

[0161] The present disclosure provides, in some embodiments, vaccines that comprise RNA (e.g., mRNA) polynucleotides encoding a human metapneumovirus (hMPV) antigenic polypeptide, a parainfluenza virus type 3 (PIV3) antigenic polypeptide, a respiratory syncytial virus (RSV) antigenic polypeptide, a measles virus (MeV) antigenic polypeptide, or a betacoronavirus antigenic polypeptide (e.g., Middle East respiratory syndrome coronavirus (MERS-CoV), SARS-CoV, human coronavirus (HCoV)-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH (New Haven) and HCoV-HKU1) (see, e.g., Esper F. et al.

Emerging Infectious Diseases, 12(5), 2006; and Pyrc K. et al. *Journal of Virology*, 81(7):3051-57, 2007, the contents of each of which is here incorporated by reference in their entirety). The present disclosure also provides, in some embodiments, combination vaccines that comprise at least one RNA (e.g., mRNA) polynucleotide encoding at least two antigenic polypeptides selected from hMPV antigenic polypeptides, PIV3 antigenic polypeptides, RSV antigenic polypeptides, MeV antigenic polypeptides and BetaCoV antigenic polypeptides. Also provided herein are methods of administering the RNA (e.g., mRNA) vaccines, methods of producing the RNA (e.g., mRNA) vaccines, compositions (e.g., pharmaceutical compositions) comprising the RNA (e.g., mRNA) vaccines, and nucleic acids (e.g., DNA) encoding the RNA (e.g., mRNA) vaccines. In some embodiments, a RNA (e.g., mRNA) vaccine comprises an adjuvant, such as a flagellin adjuvant, as provided herein.

[0162] The RNA (e.g., mRNA) vaccines (e.g., hMPV, PIV3, RSV, MeV, BetaCoV RNA vaccines and combinations thereof), in some embodiments, may be used to induce a balanced immune response, comprising both cellular and humoral immunity, without many of the risks associated with DNA vaccination.

[0163] The entire contents of International Application No. PCT/US2015/02740 is incorporated herein by reference.

Human Metapneumovirus (hMPV)

[0164] hMPV shares substantial homology with respiratory syncytial virus (RSV) in its surface glycoproteins. hMPV fusion protein (F) is related to other paramyxovirus fusion proteins and appears to have homologous regions that may have similar functions. The hMPV fusion protein amino acid sequence contains features characteristic of other paramyxovirus F proteins, including a putative cleavage site and potential N-linked glycosylation sites. Paramyxovirus fusion proteins are synthesized as inactive precursors (F0) that are cleaved by host cell proteases into the biologically fusion-active F1 and F2 domains (see, e.g., Cseke G. et al. *Journal of Virology* 2007; 81(2):698-707, incorporated herein by reference). hMPV has one putative cleavage site, in contrast to the two sites established for RSV F, and only shares 34% amino acid sequence identity with RSV F. F2 is extracellular and disulfide linked to F1. Fusion proteins are type I glycoproteins existing as trimers, with two 4-3 heptad repeat domains at the N- and C-terminal regions of the protein (HR1 and HR2), which form coiled-coil alpha-helices. These coiled coils become apposed in an antiparallel fashion when the protein undergoes a conformational change into the fusogenic state. There is a hydrophobic fusion peptide N proximal to the N-terminal heptad repeat, which is thought to insert into the target cell membrane, while the association of the heptad repeats brings the transmembrane domain into close proximity, inducing membrane fusion (see, e.g., Baker, K A et al. *Mol. Cell* 1999; 3:309-319). This mechanism has been proposed for a number of different viruses, including RSV, influenza virus, and human immunodeficiency virus. Fusion proteins are major antigenic determinants for all known paramyxoviruses and for other viruses that possess similar fusion proteins such as human immunodeficiency virus, influenza virus, and Ebola virus.

[0165] In some embodiments, a hMPV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding hMPV fusion protein (F). In some

embodiments, a hMPV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding a F1 or F2 subunit of a hMPV F protein. In some embodiments, a hMPV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding hMPV glycoprotein (G). In some embodiments, a hMPV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding hMPV matrix protein (M). In some embodiments, a hMPV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding hMPV phosphoprotein (P). In some embodiments, a hMPV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding hMPV nucleoprotein (N). In some embodiments, a hMPV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding hMPV SH protein (SH).

[0166] In some embodiments, a hMPV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding F protein, G protein, M protein, P protein, N protein and SH protein.

[0167] In some embodiments, a hMPV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding F protein and G protein. In some embodiments, a hMPV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding F protein and M protein. In some embodiments, a hMPV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding F protein and P protein. In some embodiments, a hMPV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding F protein and N protein. In some embodiments, a hMPV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding F protein and SH protein.

[0168] In some embodiments, a hMPV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding G protein and M protein. In some embodiments, a hMPV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding G protein and P protein. In some embodiments, a hMPV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding G protein and N protein. In some embodiments, a hMPV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding G protein and SH protein.

[0169] In some embodiments, a hMPV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding F protein, G protein and M protein. In some embodiments, a hMPV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding F protein, G protein and P protein. In some embodiments, a hMPV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding F protein, G protein and N protein. In some embodiments, a hMPV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding F protein, G protein and SH protein.

[0170] A hMPV vaccine may comprise, for example, at least one RNA (e.g., mRNA) polynucleotide having an open reading frame encoding at least one hMPV antigenic polypeptide identified by any one of SEQ ID NO: 5-8 (Table 3; see also amino acid sequences of Table 4).

[0171] A hMPV vaccine may comprise, for example, at least one RNA (e.g., mRNA) polynucleotide encoded by a nucleic acid (e.g., DNA) identified by any one of SEQ ID NO: 1-4 (Table 2).

[0172] The present disclosure is not limited by a particular strain of hMPV. The strain of hMPV used in a vaccine may be any strain of hMPV. Non-limiting examples of strains of hMPV for use as provide herein include the CAN98-75 (CAN75) and the CAN97-83 (CAN83) hMPV strains (Skia-dopoulos M H et al. *J Virol.* 20014; 78(13)6927-37, incorporated herein by reference), a hMPV A1, A2, B1 or B2 strain (see, e.g., de Graaf M et al. *The Journal of General Virology* 2008; 89:975-83; Peret TCT et al. *The Journal of Infectious Disease* 2002; 185:1660-63, incorporated herein by reference), a hMPV isolate TN/92-4 (e.g., SEQ ID NO: 1 and 5), a hMPV isolate NL/1/99 (e.g., SEQ ID NO: 2 and 6), or a hMPV isolate PER/CFI0497/2010/B (e.g., SEQ ID NO: 3 and 7).

[0173] In some embodiments, at least one hMPV antigenic polypeptide is obtained from a hMPV A1, A2, B1 or B2 strain (see, e.g., de Graaf M et al. *The Journal of General Virology* 2008; 89:975-83; Peret T C T et al. *The Journal of Infectious Disease* 2002; 185:1660-63, incorporated herein by reference). In some embodiments, at least one antigenic polypeptide is obtained from the CAN98-75 (CAN75) hMPV strain. In some embodiments, at least one antigenic polypeptide is obtained from the CAN97-83 (CAN83) hMPV strain. In some embodiments, at least one antigenic polypeptide is obtained from hMPV isolate TN/92-4 (e.g., SEQ ID NO: 1 and 5). In some embodiments, at least one antigenic polypeptide is obtained from hMPV isolate NL/1/99 (e.g., SEQ ID NO: 2 and 6). In some embodiments, at least one antigenic polypeptide is obtained from hMPV isolate PER/CFI0497/2010/B (e.g., SEQ ID NO: 3 and 7).

[0174] In some embodiments, hMPV vaccines comprise RNA (e.g., mRNA) polynucleotides encoding a hMPV antigenic polypeptides having at least 95%, at least 96%, at least 97%, at least 98% or at least 99% identity with hMPV F protein and having F protein activity.

[0175] A protein is considered to have F protein activity if, for example, the protein acts to fuse the viral envelope and host cell plasma membrane, mediates viral entry into a host cell via an interaction with arginine-glycine-aspartate RGD-binding integrins, or a combination thereof (see, e.g., Cox R G et al. *J Virol.* 2012; 88(22):12148-60, incorporated herein by reference).

[0176] In some embodiments, hMPV vaccines comprise RNA (e.g., mRNA) polynucleotides encoding hMPV antigenic polypeptides having at least 95%, at least 96%, at least 97%, at least 98% or at least 99% identity with hMPV G protein and having G protein activity.

[0177] A protein is considered to have G protein activity if, for example, the protein acts to modulate (e.g., inhibit) hMPV-induced cellular (immune) responses (see, e.g., Bao X et al. *PLoS Pathog.* 2008; 4(5):e1000077, incorporated herein by reference).

Human Parainfluenza Virus Type 3 (PIV3)

[0178] Parainfluenza viruses belong to the family Paramyxoviridae. These are enveloped viruses with a negative-sense single-stranded RNA genome. Parainfluenza viruses belong to the subfamily Paramyxoviridae, which is subdivided into three genera: Respirovirus (PIV-1, PIV-3, and Sendai virus (SeV)), Rubulavirus (PIV-2, PIV-4 and

mumps virus) and Morbillivirus (measles virus, rinderpest virus and canine distemper virus (CDV)). Their genome, a ~15 500 nucleotide-long negative-sense RNA molecule, encodes two envelope glycoproteins, the hemagglutinin-neuraminidase (HN), the fusion protein (F or F0), which is cleaved into F1 and F2 subunits, a matrix protein (M), a nucleocapsid protein (N) and several nonstructural proteins including the viral replicase (L). All parainfluenza viruses, except for PIV-1, express a non-structural V protein that blocks IFN signaling in the infected cell and acts therefore as a virulence factor (see, e.g., Nishio M et al. *J Virol.* 2008; 82(13):6130-38).

[0179] PIV3 hemagglutinin-neuraminidase (HN), a structural protein, is found on the viral envelope, where it is necessary for attachment and cell entry. It recognizes and binds to sialic acid-containing receptors on the host cell's surface. As a neuroaminidase, HN removes sialic acid from virus particles, preventing self-aggregation of the virus, and promoting the efficient spread of the virus. Furthermore, HN promotes the activity of the fusion (F or F0) protein, contributing to the penetration of the host cell's surface.

[0180] PIV3 fusion protein (PIV3 F) is located on the viral envelope, where it facilitates the viral fusion and cell entry. The F protein is initially inactive, but proteolytic cleavage leads to its active forms, F1 and F2, which are linked by disulfide bonds. This occurs when the HN protein binds its receptor on the host cell's surface. During early phases of infection, the F glycoprotein mediates penetration of the host cell by fusion of the viral envelope to the plasma membrane. In later stages of the infection, the F protein facilitates the fusion of the infected cells with neighboring uninfected cells, which leads to the formation of a syncytium and spread of the infection.

[0181] PIV3 matrix protein (M) is found within the viral envelope and assists with viral assembly. It interacts with the nucleocapsid and envelope glycoproteins, where it facilitates the budding of progeny viruses through its interactions with specific sites on the cytoplasmic tail of the viral glycoproteins and nucleocapsid. It also plays a role in transporting viral components to the budding site.

[0182] PIV3 phosphoprotein (P) and PIV3 large polymerase protein (L) are found in the nucleocapsid where they form part of the RNA polymerase complex. The L protein, a viral RNA-dependent RNA polymerase, facilitates genomic transcription, while the host cell's ribosomes translate the viral mRNA into viral proteins.

[0183] PIV3 V is a non-structural protein that blocks IFN signaling in the infected cell, therefore acting as a virulence factor.

[0184] PIV3 nucleoprotein (N) encapsidates the genome in a ratio of 1 N per 6 ribonucleotides, protecting it from nucleases. The nucleocapsid (NC) has a helical structure. The encapsidated genomic RNA is termed the NC and serves as template for transcription and replication. During replication, encapsidation by PIV3 N is coupled to RNA synthesis and all replicative products are resistant to nucleases. PIV3 N homo-multimerizes to form the nucleocapsid and binds to viral genomic RNA. PIV3 N binds the P protein and thereby positions the polymerase on the template.

[0185] In some embodiments, a PIV3 vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding PIV3 fusion protein (F). In some embodiments, a PIV3 vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding a

F1 or F2 subunit of a PIV3 F protein. In some embodiments, a PIV3 vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding PIV3 hemagglutinin-neuraminidase (HN) (see, e.g., van Wyke Coelingh K L et al. *J Virol.* 1987; 61(5):1473-77, incorporated herein by reference). In some embodiments, a PIV3 vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding PIV3 matrix protein (M). In some embodiments, a PIV3 vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding PIV3 phosphoprotein (P). In some embodiments, a PIV3 vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding PIV3 nucleoprotein (N).

[0186] In some embodiments, a PIV3 vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding F protein, HN protein, M protein, P protein, and N protein.

[0187] In some embodiments, a PIV3 vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding F protein and HN protein. In some embodiments, a PIV3 vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding F protein and M protein. In some embodiments, a PIV3 vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding F protein and P protein. In some embodiments, a PIV3 vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding F protein and N protein.

[0188] In some embodiments, a PIV3 vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding HN protein and M protein. In some embodiments, a PIV3 vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding HN protein and P protein. In some embodiments, a PIV3 vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding HN protein and N protein.

[0189] In some embodiments, a PIV3 vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding F protein, HN protein and M protein. In some embodiments, a PIV3 vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding F protein, HN protein and P protein. In some embodiments, a PIV3 vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding F protein, HN protein and N protein.

[0190] A PIV3 vaccine may comprise, for example, at least one RNA (e.g., mRNA) polynucleotide having an open reading frame encoding at least one PIV3 antigenic polypeptide identified by any one of SEQ ID NO: 12-13 (Table 6; see also amino acid sequences of Table 7).

[0191] A PIV3 vaccine may comprise, for example, at least one RNA (e.g., mRNA) polynucleotide encoded by a nucleic acid (e.g., DNA) identified by any one of SEQ ID NO: 9-12 (Table 5; see also nucleic acid sequences of Table 7).

[0192] The present disclosure is not limited by a particular strain of PIV3. The strain of PIV3 used in a vaccine may be any strain of PIV3. A non-limiting example of a strain of PIV3 for use as provide herein includes HPIV3/Homo sapiens/PER/FLA4815/2008.

[0193] In some embodiments, PIV3 vaccines comprise RNA (e.g., mRNA) polynucleotides encoding a PIV3 antigenic polypeptides having at least 95%, at least 96%, at least

97%, at least 98% or at least 99% identity with PIV3 F protein and having F protein activity.

[0194] In some embodiments, PIV3 vaccines comprise RNA (e.g., mRNA) polynucleotides encoding PIV3 antigenic polypeptides having at least 95%, at least 96%, at least 97%, at least 98% or at least 99% identity with PIV3 hemagglutinin-neuraminidase (HN) and having hemagglutinin-neuraminidase activity.

[0195] A protein is considered to have hemagglutinin-neuraminidase activity if, for example, it is capable of both receptor binding and receptor cleaving. Such proteins are major surface glycoproteins that have functional sites for cell attachment and for neuraminidase activity. They are able to cause red blood cells to agglutinate and to cleave the glycosidic linkages of neuraminic acids, so they have the potential to both bind a potential host cell and then release the cell if necessary, for example, to prevent self-aggregation of the virus.

[0196] In some embodiments, PIV3 vaccines comprise RNA (e.g., mRNA) polynucleotides encoding PIV3 antigenic polypeptides having at least 95%, at least 96%, at least 97%, at least 98% or at least 99% identity with PIV3 HN, F (e.g., F, F1 or F2), M, N, L or V and having HN, F (e.g., F, F1 or F2), M, N, L or V activity, respectively.

Respiratory Syncytial Virus (RSV)

[0197] RSV is a negative-sense, single-stranded RNA virus of the genus *Pneumovirinae*. The virus is present in at least two antigenic subgroups, known as Group A and Group B, primarily resulting from differences in the surface G glycoproteins. Two RSV surface glycoproteins—G and F—mediate attachment with and attachment to cells of the respiratory epithelium. F surface glycoproteins mediate coalescence of neighboring cells. This results in the formation of syncytial cells. RSV is the most common cause of bronchiolitis. Most infected adults develop mild cold-like symptoms such as congestion, low-grade fever, and wheezing. Infants and small children may suffer more severe symptoms such as bronchiolitis and pneumonia. The disease may be transmitted among humans via contact with respiratory secretions.

[0198] The genome of RSV encodes at least three surface glycoproteins, including F, G, and SH, four nucleocapsid proteins, including L, P, N, and M2, and one matrix protein, M. Glycoprotein F directs viral penetration by fusion between the virion and the host membrane. Glycoprotein G is a type II transmembrane glycoprotein and is the major attachment protein. SH is a short integral membrane protein. Matrix protein M is found in the inner layer of the lipid bilayer and assists virion formation. Nucleocapsid proteins L, P, N, and M2 modulate replication and transcription of the RSV genome. It is thought that glycoprotein G tethers and stabilizes the virus particle at the surface of bronchial epithelial cells, while glycoprotein F interacts with cellular glycosaminoglycans to mediate fusion and delivery of the RSV virion contents into the host cell (Krzyszaniak M A et al. *PLoS Pathog* 2013; 9(4)).

[0199] In some embodiments, a RSV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding F protein. In some embodiments, a PIV3 vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding G protein. In some embodiments, a PIV3 vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding L

protein. In some embodiments, a PIV3 vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding P protein. In some embodiments, a PIV3 vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding N protein. In some embodiments, a PIV3 vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding M2 protein. In some embodiments, a PIV3 vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding M protein.

[0200] In some embodiments, a RSV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding F protein, G protein, L protein, P protein, N protein, M2 protein and M protein.

[0201] In some embodiments, a RSV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding F protein and G protein. In some embodiments, a RSV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding F protein and L protein. In some embodiments, a RSV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding F protein and P protein. In some embodiments, a RSV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding F protein and N protein. In some embodiments, a RSV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding F protein and M2 protein. In some embodiments, a RSV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding F protein and M protein.

[0202] In some embodiments, a RSV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding G protein and L protein. In some embodiments, a RSV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding G protein and P protein. In some embodiments, a RSV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding G protein and N protein. In some embodiments, a RSV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding G protein and M2 protein. In some embodiments, a RSV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding G protein and M protein.

[0203] In some embodiments, a RSV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding F protein, G protein and L protein. In some embodiments, a RSV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding F protein, G protein and P protein. In some embodiments, a RSV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding F protein, G protein and N protein. In some embodiments, a RSV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding F protein, G protein and M2 protein. In some embodiments, a RSV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding F protein, G protein and M protein.

[0204] The present disclosure is not limited by a particular strain of RSV. The strain of RSV used in a vaccine may be any strain of RSV.

[0205] In some embodiments, RSV vaccines comprise RNA (e.g., mRNA) polynucleotides encoding a RSV antigenic polypeptides having at least 95%, at least 96%, at least

97%, at least 98% or at least 99% identity with RSV F protein and having F protein activity.

[0206] In some embodiments, RSV vaccines comprise RNA (e.g., mRNA) polynucleotides encoding RSV antigenic polypeptides having at least 95%, at least 96%, at least 97%, at least 98% or at least 99% identity with RSV G protein and having G protein activity.

[0207] A protein is considered to have G protein activity if, for example, the protein acts to modulate (e.g., inhibit) hMPV-induced cellular (immune) responses (see, e.g., Bao X et al. *PLoS Pathog.* 2008; 4(5):e1000077, incorporated herein by reference).

Measles Virus (MeV)

[0208] Molecular epidemiologic investigations and virologic surveillance contribute notably to the control and prevention of measles. Nearly half of measles-related deaths worldwide occur in India, yet virologic surveillance data are incomplete for many regions of the country. Previous studies have documented the presence of measles virus genotypes D4, D7, and D8 in India, and genotypes D5, D9, D11, H1, and G3 have been detected in neighboring countries. Recently, MeV genotype B3 was detected in India (Kuttiatt V S et al. *Emerg Infect Dis.* 2014; 20(10): 1764-66).

[0209] The glycoprotein complex of paramyxoviruses mediates receptor binding and membrane fusion. In particular, the MeV fusion (F) protein executes membrane fusion, after receptor binding by the hemagglutinin (HA) protein (Muhlebach M D et al. *Journal of Virology* 2008; 82(22): 11437-45). The MeV P gene codes for three proteins: P, an essential polymerase cofactor, and V and C, which have multiple functions but are not strictly required for viral propagation in cultured cells. V shares the amino-terminal domain with P but has a zinc-binding carboxyl-terminal domain, whereas C is translated from an overlapping reading frame. The MeV C protein is an infectivity factor. During replication, the P protein binds incoming monomeric nucleocapsid (N) proteins with its amino-terminal domain and positions them for assembly into the nascent ribonucleocapsid. The P protein amino-terminal domain is natively unfolded (Deveaux P et al. *Journal of Virology* 2004; 78(21): 11632-40).

[0210] In some embodiments, a MeV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding HA protein. In some embodiments, a MeV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding F protein. In some embodiments, a MeV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding P protein. In some embodiments, a MeV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding V protein. In some embodiments, a MeV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding C protein.

[0211] In some embodiments, a MeV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding HA protein, F protein, P protein, V protein and C protein.

[0212] In some embodiments, a MeV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding HA protein and F protein. In some embodiments, a MeV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding HA protein and P protein. In some embodiments, a MeV

vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding HA protein and V protein. In some embodiments, a MeV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding HA protein and C protein.

[0213] In some embodiments, a MeV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding F protein and P protein. In some embodiments, a MeV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding F protein and V protein. In some embodiments, a MeV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding F protein and C protein.

[0214] In some embodiments, a MeV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding HA protein, F protein and P protein. In some embodiments, a MeV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding HA protein, F protein and V protein. In some embodiments, a MeV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding HA protein, F protein and C protein.

[0215] In some embodiments, MeV vaccines comprise RNA (e.g., mRNA) encoding a MeV antigenic polypeptide having at least 95%, at least 96%, at least 97%, at least 98% or at least 99% identity with MeV HA protein and having MeV HA protein activity.

[0216] In some embodiments, MeV vaccines comprise RNA (e.g., mRNA) encoding a MeV antigenic polypeptide having at least 95%, at least 96%, at least 97%, at least 98% or at least 99% identity with MeV F protein and having MeV F protein activity.

[0217] A protein is considered to have HA protein activity if the protein mediates receptor binding and/or membrane fusion. MeV F protein executes membrane fusion, after receptor binding by the MeV HA protein.

[0218] A MeV vaccine may comprise, for example, at least one RNA (e.g., mRNA) polynucleotide having an open reading frame encoding at least one MeV antigenic polypeptide identified by any one of SEQ ID NO: 47-50 (Table 14; see also amino acid sequences of Table 15).

[0219] A MeV vaccine may comprise, for example, at least one RNA (e.g., mRNA) polynucleotide identified by any one of SEQ ID NO: 37, 40, 43, 46 (Table 13).

[0220] A MeV vaccine may comprise, for example, at least one RNA (e.g., mRNA) polynucleotide encoded by a nucleic acid (e.g., DNA) identified by any one of SEQ ID NO: 35, 36, 38, 39, 41, 42, 44 and 45 (Table 13).

[0221] The present disclosure is not limited by a particular strain of MeV. The strain of MeV used in a vaccine may be any strain of MeV. Non-limiting examples of strains of MeV for use as provide herein include B3/B3.1, C2, D4, D6, D7, D8, G3, H1, Moraten, Rubeovax, MVi/New Jersey.USA/45.05, MVi/Texas.USA/4.07, AIK-C, MVi/New York.USA/26.09/3, MVi/California.USA/16.03, MVi/Virginia.USA/15.09, MVi/California.USA/8.04, and MVi/Pennsylvania.USA/20.09.

[0222] MeV proteins may be from MeV genotype D4, D5, D7, D8, D9, D11, H1, G3 or B3. In some embodiments, a MeV HA protein or a MeV F protein is from MeV genotype D8. In some embodiments, a MeV HA protein or a MeV F protein is from MeV genotype B3.

Betacoronaviruses (BetaCoV)

[0223] MERS-Co V. MERS-CoV is a positive-sense, single-stranded RNA virus of the genus *Betacoronavirus*. The genomes are phylogenetically classified into two clades, clade A and clade B. It has a strong tropism for non-ciliated bronchial epithelial cells, evades the innate immune response and antagonizes interferon (IFN) production in infected cells. Dipeptyl peptidase 4 (DDP4, also known as CD26) has been identified as a functional cellular receptor for MERS-CoV. Its enzymatic activity is not required for infection, although its amino acid sequence is highly conserved across species and is expressed in the human bronchial epithelium and kidneys. Most infected individuals develop severe acute respiratory illnesses, including fever, cough, and shortness of breath, and the virus can be fatal. The disease may be transmitted among humans, generally among those in close contact.

[0224] The genome of MERS-CoV encodes at least four unique accessory proteins, such as 3, 4a, 4b and 5, two replicase proteins (open reading frame 1a and 1b), and four major structural proteins, including spike (S), envelope (E), nucleocapsid (N), and membrane (M) proteins (Almazan F et al. *MBio* 2013; 4(5):e00650-13). The accessory proteins play nonessential roles in MERS-CoV replication, but they are likely structural proteins or interferon antagonists, modulating in vivo replication efficiency and/or pathogenesis, as in the case of SARS-CoV (Almazan F et al. *MBio* 2013; 4(5):e00650-13; Totura A L et al. *Curr Opin Virol* 2012; 2(3):264-75; Scobey T et al. *Proc Natl Acad Sci USA* 2013; 110(40):16157-62). The other proteins of MERS-CoV maintain different functions in virus replication. The E protein, for example, involves in virulence, and deleting the E-coding gene results in replication-competent and propagation-defective viruses or attenuated viruses (Almazan F et al. *MBio* 2013; 4(5):e00650-13). The S protein is particularly essential in mediating virus binding to cells expressing receptor dipeptidyl peptidase-4 (DPP4) through receptor-binding domain (RBD) in the S1 subunit, whereas the S2 subunit subsequently mediates virus entry via fusion of the virus and target cell membranes (Li F. *J Virol* 2015; 89(4):1954-64; Raj V S et al. *Nature* 2013; 495(7440):251-4).

[0225] In some embodiments, a MERS-CoV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding S protein. In some embodiments, a MERS-CoV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding the S1 subunit of the S protein. In some embodiments, a MERS-CoV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding the S2 subunit of the S protein. In some embodiments, a MERS-CoV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding E protein. In some embodiments, a MERS-CoV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding N protein. In some embodiments, a MERS-CoV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding M protein.

[0226] In some embodiments, a MERS-CoV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding S protein (S, S1 and/or S2), E protein, N protein and M protein.

[0227] In some embodiments, a MERS-CoV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding S protein (S, S1 and/or S2) and E

protein. In some embodiments, a MERS-CoV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding S protein (S, S1 and/or S2) and N protein. In some embodiments, a MERS-CoV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding S protein (S, S1 and/or S2) and M protein.

[0228] In some embodiments, a MERS-CoV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding S protein (S, S1 and/or S2), E protein and M protein. In some embodiments, a MERS-CoV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding S protein (S, S1 and/or S2), E protein and N protein. In some embodiments, a MERS-CoV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding S protein (S, S1 and/or S2), M protein and N protein. In some embodiments, a MERS-CoV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding E protein, M protein and N protein.

[0229] A MERS-CoV vaccine may comprise, for example, at least one RNA (e.g., mRNA) polynucleotide having an open reading frame encoding at least one MERS-CoV antigenic polypeptide identified by any one of SEQ ID NO: 24-38 or 33 (Table 11; see also amino acid sequences of Table 12).

[0230] A MERS-CoV vaccine may comprise, for example, at least one RNA (e.g., mRNA) polynucleotide encoded by a nucleic acid (e.g., DNA) identified by any one of SEQ ID NO: 20-23 (Table 10).

[0231] The present disclosure is not limited by a particular strain of MERS-CoV. The strain of MERS-CoV used in a vaccine may be any strain of MERS-CoV. Non-limiting examples of strains of MERS-CoV for use as provide herein include Riyadh_14_2013, and 2cEMC/2012, Hasa_1_2013.

[0232] SARS-CoV. The genome of SARS-CoV includes of a single, positive-strand RNA that is approximately 29,700 nucleotides long. The overall genome organization of SARS-CoV is similar to that of other coronaviruses. The reference genome includes 13 genes, which encode at least 14 proteins. Two large overlapping reading frames (ORFs) encompass 71% of the genome. The remainder has 12 potential ORFs, including genes for structural proteins S (spike), E (small envelope), M (membrane), and N (nucleocapsid). Other potential ORFs code for unique putative SARS-CoV-specific polypeptides that lack obvious sequence similarity to known proteins. A detailed analysis of the SARS-CoV genome has been published in *J Mol Biol* 2003; 331: 991-1004.

[0233] In some embodiments, a SARS-CoV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding S protein (S, S1 and/or S2), E protein, N protein and M protein.

[0234] In some embodiments, a SARS-CoV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding S protein (S, S1 and/or S2) and E protein. In some embodiments, a SARS-CoV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding S protein (S, S1 and/or S2) and N protein. In some embodiments, a SARS-CoV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding S protein (S, S1 and/or S2) and M protein.

[0235] In some embodiments, a SARS-CoV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding S protein (S, S1 and/or S2), E protein and M protein. In some embodiments, a SARS-CoV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding S protein (S, S1 and/or S2), E protein and N protein. In some embodiments, a SARS-CoV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding S protein (S, S1 and/or S2), M protein and N protein. In some embodiments, a SARS-CoV vaccine of the present disclosure comprises a RNA (e.g., mRNA) polynucleotide encoding E protein, M protein and N protein.

[0236] A SARS-CoV vaccine may comprise, for example, at least one RNA (e.g., mRNA) polynucleotide having an open reading frame encoding at least one SARS-CoV antigenic polypeptide identified by any one of SEQ ID NO: 29, 32 or 34 (Table 11; see also amino acid sequences of Table 12).

[0237] The present disclosure is not limited by a particular strain of SARS-CoV. The strain of SARS-CoV used in a vaccine may be any strain of SARS-CoV.

[0238] HCoV-OC43. Human coronavirus OC43 is an enveloped, positive-sense, single-stranded RNA virus in the species *Betacoronavirus-1* (genus *Betacoronavirus*, subfamily Coronavirinae, family Coronaviridae, order Nidovirales). Four HCoV-OC43 genotypes (A to D), have been identified with genotype D most likely arising from recombination. The complete genome sequencing of two genotype C and D strains and bootscan analysis shows recombination events between genotypes B and C in the generation of genotype D. Of 29 strains identified, none belong to the more ancient genotype A. Along with HCoV-229E, a species in the *Alphacoronavirus* genus, HCoV-OC43 are among the known viruses that cause the common cold. Both viruses can cause severe lower respiratory tract infections, including pneumonia in infants, the elderly, and immunocompromised individuals such as those undergoing chemotherapy and those with HIV-AIDS.

[0239] HCoV-HKU1. Human coronavirus HKU1 (HCoV-HKU1) is a positive-sense, single-stranded RNA virus with the HE gene, which distinguishes it as a group 2, or betacoronavirus. It was discovered in January 2005 in two patients in Hong Kong. The genome of HCoV-HKU1 is a 29,926-nucleotide, polyadenylated RNA. The GC content is 32%, the lowest among all known coronaviruses. The genome organization is the same as that of other group II coronaviruses, with the characteristic gene order 1a, 1b, HE, S, E, M, and N. Furthermore, accessory protein genes are present between the S and E genes (ORF4) and at the position of the N gene (ORF5). The TRS is presumably located within the AAUCUAAAC sequence, which precedes each ORF except E. As in sialodacryoadenitis virus and mouse hepatitis virus (MHV), translation of the E protein possibly occurs via an internal ribosomal entry site. The 3' untranslated region contains a predicted stem-loop structure immediately downstream of the N ORF (nucleotide position 29647 to 29711). Further downstream, a pseudoknot structure is present at nucleotide position 29708 to 29760. Both RNA structures are conserved in group II coronaviruses and are critical for virus replication.

[0240] HCoV-NL63. The RNA genome of human coronavirus NL63 (HCoV-NL63) is 27,553 nucleotides, with a poly(A) tail (FIG. 1). With a GC content of 34%, HCoV-

NL63 has one of the lowest GC contents of the coronaviruses, for which GC content ranges from 32 to 42%. Untranslated regions of 286 and 287 nucleotides are present at the 5' and 3' termini, respectively. Genes predicted to encode the S, E, M, and N proteins are found in the 3' part of the HCoV-NL63 genome. The HE gene, which is present in some group II coronaviruses, is absent, and there is only a single, monocistronic accessory protein ORF (ORF3) located between the S and E genes. Subgenomic mRNAs are generated for all ORFs (S, ORF3, E, M, and N), and the core sequence of the TRS of HCoV-NL63 is defined as AAC-UAAA. This sequence is situated upstream of every ORF except for the E ORF, which contains the suboptimal core sequence AACUAUA. Interestingly, a 13-nucleotide sequence with perfect homology to the leader sequence is situated upstream of the suboptimal E TRS. Annealing of this 13-nucleotide sequence to the leader sequence may act as a compensatory mechanism for the disturbed leader-TRS/body-TRS interaction.

[0241] HCoV-229E. Human coronavirus 229E (HCoV-229E) is a single-stranded, positive-sense, RNA virus species in the *Alphacoronavirus* genus of the subfamily Coronavirinae, in the family Coronaviridae, of the order Nidovirales. Along with Human coronavirus OC43, it is responsible for the common cold. HCoV-NL63 and HCoV-229E are two of the four human coronaviruses that circulate worldwide. These two viruses are unique in their relationship towards each other. Phylogenetically, the viruses are more closely related to each other than to any other human coronavirus, yet they only share 65% sequence identity. Moreover, the viruses use different receptors to enter their target cell. HCoV-NL63 is associated with croup in children, whereas all signs suggest that the virus probably causes the common cold in healthy adults. HCoV-229E is a proven common cold virus in healthy adults, so it is probable that both viruses induce comparable symptoms in adults, even though their mode of infection differs (HCoV-NL63 and HCoV-229E are two of the four human coronaviruses that circulate worldwide. These two viruses are unique in their relationship towards each other. Phylogenetically, the viruses are more closely related to each other than to any other human coronavirus, yet they only share 65% sequence identity. Moreover, the viruses use different receptors to enter their target cell. HCoV-NL63 is associated with croup in children, whereas all signs suggest that the virus probably causes the common cold in healthy adults. HCoV-229E is a proven common cold virus in healthy adults, so it is probable that both viruses induce comparable symptoms in adults, even though their mode of infection differs (Dijkman R. et al. *J Formos Med Assoc.* 2009 April; 108(4):270-9, the contents of which is incorporated herein by reference in their entirety).

Combination Vaccines

[0242] Embodiments of the present disclosure also provide combination RNA (e.g., mRNA) vaccines. A “combination RNA (e.g., mRNA) vaccine” of the present disclosure refers to a vaccine comprising at least one (e.g., at least 2, 3, 4, or 5) RNA (e.g., mRNA) polynucleotide having an open reading frame encoding a combination of any two or more (or all of) antigenic polypeptides selected from hMPV antigenic polypeptides, PIV3 antigenic polypeptides, RSV antigenic polypeptides, MeV antigenic polypeptides, and BetaCoV antigenic polypeptides (e.g., selected from MERS-

CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1).

[0243] In some embodiments, a combination RNA (e.g., mRNA) vaccine comprises a RNA (e.g., mRNA) polynucleotide encoding a hMPV antigenic polypeptide, a PIV3 antigenic polypeptide, a RSV antigenic polypeptide, a MeV antigenic polypeptide, and a BetaCoV antigenic polypeptide (e.g., selected from MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1).

[0244] In some embodiments, a combination RNA (e.g., mRNA) vaccine comprises a RNA (e.g., mRNA) polynucleotide encoding a hMPV antigenic polypeptide and a PIV3 antigenic polypeptide.

[0245] In some embodiments, a combination RNA (e.g., mRNA) vaccine comprises a RNA (e.g., mRNA) polynucleotide encoding a hMPV antigenic polypeptide and a RSV antigenic polypeptide.

[0246] In some embodiments, a combination RNA (e.g., mRNA) vaccine comprises a RNA (e.g., mRNA) polynucleotide encoding a hMPV antigenic polypeptide and a MeV antigenic polypeptide.

[0247] In some embodiments, a combination RNA (e.g., mRNA) vaccine comprises a RNA (e.g., mRNA) polynucleotide encoding a hMPV antigenic polypeptide and a BetaCoV antigenic polypeptide.

[0248] In some embodiments, a combination RNA (e.g., mRNA) vaccine comprises a RNA (e.g., mRNA) polynucleotide encoding a PIV3 antigenic polypeptide and a RSV antigenic polypeptide.

[0249] In some embodiments, a combination RNA (e.g., mRNA) vaccine comprises a RNA (e.g., mRNA) polynucleotide encoding a PIV3 antigenic polypeptide and a MeV antigenic polypeptide.

[0250] In some embodiments, a combination RNA (e.g., mRNA) vaccine comprises a RNA (e.g., mRNA) polynucleotide encoding a PIV3 antigenic polypeptide and a BetaCoV antigenic polypeptide (e.g., selected from MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1).

[0251] In some embodiments, a combination RNA (e.g., mRNA) vaccine comprises a RNA (e.g., mRNA) polynucleotide encoding a RSV antigenic polypeptide and a MeV antigenic polypeptide.

[0252] In some embodiments, a combination RNA (e.g., mRNA) vaccine comprises a RNA (e.g., mRNA) polynucleotide encoding a RSV antigenic polypeptide and a BetaCoV antigenic polypeptide (e.g., selected from MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1).

[0253] In some embodiments, a combination RNA (e.g., mRNA) vaccine comprises a RNA (e.g., mRNA) polynucleotide encoding a MeV antigenic polypeptide and a BetaCoV antigenic polypeptide (e.g., selected from MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1).

[0254] In some embodiments, a combination RNA (e.g., mRNA) vaccine comprises a RNA (e.g., mRNA) polynucleotide encoding a hMPV antigenic polypeptide, a PIV3 antigenic polypeptide, a RSV antigenic polypeptide and a MeV antigenic polypeptide.

[0255] In some embodiments, a combination RNA (e.g., mRNA) vaccine comprises a RNA (e.g., mRNA) polynucleotide encoding a hMPV antigenic polypeptide, a PIV3

antigenic polypeptide, a RSV antigenic polypeptide and a BetaCoV antigenic polypeptide (e.g., selected from MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1).

[0256] In some embodiments, a combination RNA (e.g., mRNA) vaccine comprises a RNA (e.g., mRNA) polynucleotide encoding a hMPV antigenic polypeptide, a PIV3 antigenic polypeptide, a MeV antigenic polypeptide and a BetaCoV antigenic polypeptide (e.g., selected from MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1).

[0257] In some embodiments, a combination RNA (e.g., mRNA) vaccine comprises a RNA (e.g., mRNA) polynucleotide encoding a hMPV antigenic polypeptide, a RSV antigenic polypeptide, a MeV antigenic polypeptide and a BetaCoV antigenic polypeptide (e.g., selected from MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1).

[0258] In some embodiments, a combination RNA (e.g., mRNA) vaccine comprises a RNA (e.g., mRNA) polynucleotide encoding a PIV3 antigenic polypeptide, a RSV antigenic polypeptide, a MeV antigenic polypeptide and a BetaCoV antigenic polypeptide (e.g., selected from MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1).

[0259] In some embodiments, a combination RNA (e.g., mRNA) vaccine comprises a RNA (e.g., mRNA) polynucleotide encoding a hMPV antigenic polypeptide, a PIV3 antigenic polypeptide and a RSV antigenic polypeptide.

[0260] In some embodiments, a combination RNA (e.g., mRNA) vaccine comprises a RNA (e.g., mRNA) polynucleotide encoding a hMPV antigenic polypeptide, a PIV3 antigenic polypeptide and a MeV antigenic polypeptide.

[0261] In some embodiments, a combination RNA (e.g., mRNA) vaccine comprises a RNA (e.g., mRNA) polynucleotide encoding a hMPV antigenic polypeptide, a PIV3 antigenic polypeptide and a BetaCoV antigenic polypeptide (e.g., selected from MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1).

[0262] In some embodiments, a combination RNA (e.g., mRNA) vaccine comprises a RNA (e.g., mRNA) polynucleotide encoding a hMPV antigenic polypeptide, a RSV antigenic polypeptide and a MeV antigenic polypeptide.

[0263] In some embodiments, a combination RNA (e.g., mRNA) vaccine comprises a RNA (e.g., mRNA) polynucleotide encoding a hMPV antigenic polypeptide, a RSV antigenic polypeptide and a BetaCoV antigenic polypeptide (e.g., selected from MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1).

[0264] In some embodiments, a combination RNA (e.g., mRNA) vaccine comprises a RNA (e.g., mRNA) polynucleotide encoding a hMPV antigenic polypeptide, a MeV antigenic polypeptide and a BetaCoV antigenic polypeptide (e.g., selected from MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1). In some embodiments, a combination RNA (e.g., mRNA) vaccine comprises a RNA (e.g., mRNA) polynucleotide encoding a PIV3 antigenic polypeptide, a RSV antigenic polypeptide and a MeV antigenic polypeptide.

[0265] In some embodiments, a combination RNA (e.g., mRNA) vaccine comprises a RNA (e.g., mRNA) polynucle-

otide encoding a PIV3 antigenic polypeptide, a RSV antigenic polypeptide and a BetaCoV antigenic polypeptide (e.g., selected from MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1).

[0266] In some embodiments, a combination RNA (e.g., mRNA) vaccine comprises a RNA (e.g., mRNA) polynucleotide encoding a RSV antigenic polypeptide, a MeV antigenic polypeptide and a BetaCoV antigenic polypeptide (e.g., selected from MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1).

[0267] Other combination respiratory virus RNA (e.g., mRNA) vaccines are encompassed by the present disclosure.

[0268] It has been discovered that the mRNA vaccines described herein are superior to current vaccines in several ways. First, the lipid nanoparticle (LNP) delivery is superior to other formulations including a protamine base approach described in the literature and no additional adjuvants are to be necessary. The use of LNPs enables the effective delivery of chemically modified or unmodified mRNA vaccines. Additionally it has been demonstrated herein that both modified and unmodified LNP formulated mRNA vaccines were superior to conventional vaccines by a significant degree. In some embodiments the mRNA vaccines of the invention are superior to conventional vaccines by a factor of at least 10 fold, 20 fold, 40 fold, 50 fold, 100 fold, 500 fold or 1,000 fold.

[0269] Although attempts have been made to produce functional RNA vaccines, including mRNA vaccines and self-replicating RNA vaccines, the therapeutic efficacy of these RNA vaccines have not yet been fully established. Quite surprisingly, the inventors have discovered, according to aspects of the invention a class of formulations for delivering mRNA vaccines in vivo that results in significantly enhanced, and in many respects synergistic, immune responses including enhanced antigen generation and functional antibody production with neutralization capability. These results can be achieved even when significantly lower doses of the mRNA are administered in comparison with mRNA doses used in other classes of lipid based formulations. The formulations of the invention have demonstrated significant unexpected in vivo immune responses sufficient to establish the efficacy of functional mRNA vaccines as prophylactic and therapeutic agents. Additionally, self-replicating RNA vaccines rely on viral replication pathways to deliver enough RNA to a cell to produce an immunogenic response. The formulations of the invention do not require viral replication to produce enough protein to result in a strong immune response. Thus, the mRNA of the invention are not self-replicating RNA and do not include components necessary for viral replication.

[0270] The invention involves, in some aspects, the surprising finding that lipid nanoparticle (LNP) formulations significantly enhance the effectiveness of mRNA vaccines, including chemically modified and unmodified mRNA vaccines. The efficacy of mRNA vaccines formulated in LNP was examined in vivo using several distinct antigens. The results presented herein demonstrate the unexpected superior efficacy of the mRNA vaccines formulated in LNP over other commercially available vaccines.

[0271] In addition to providing an enhanced immune response, the formulations of the invention generate a more

rapid immune response with fewer doses of antigen than other vaccines tested. The mRNA-LNP formulations of the invention also produce quantitatively and qualitatively better immune responses than vaccines formulated in a different carriers.

[0272] The data described herein demonstrate that the formulations of the invention produced significant unexpected improvements over existing antigen vaccines. Additionally, the mRNA-LNP formulations of the invention are superior to other vaccines even when the dose of mRNA is lower than other vaccines. Mice immunized with either 10 μg or 2 μg doses of an hMPV fusion protein mRNA LNP vaccine or a PIV3 mRNA LNP vaccine produced neutralizing antibodies which for instance, successfully neutralized the hMPV B2 virus. A 10 μg dose of mRNA vaccine protected 100% of mice from lethal challenge and drastically reduced the viral titer after challenge (~2 log reduction).

[0273] Two 20 μg doses of MERS-CoV mRNA LNP vaccine significantly reduced viral load and induced significant amount of neutralizing antibodies against MERS-CoV (EC_{50} between 500-1000). The MERS-CoV mRNA vaccine induced antibody titer was 3-5 fold better than any other vaccines tested in the same model.

[0274] The LNP used in the studies described herein has been used previously to deliver siRNA in various animal models as well as in humans. In view of the observations made in association with the siRNA delivery of LNP formulations, the fact that LNP is useful in vaccines is quite surprising. It has been observed that therapeutic delivery of siRNA formulated in LNP causes an undesirable inflammatory response associated with a transient IgM response, typically leading to a reduction in antigen production and a compromised immune response. In contrast to the findings observed with siRNA, the LNP-mRNA formulations of the invention are demonstrated herein to generate enhanced IgG levels, sufficient for prophylactic and therapeutic methods rather than transient IgM responses.

Nucleic Acids/Polynucleotides

[0275] Respiratory virus vaccines, as provided herein, comprise at least one (one or more) ribonucleic acid (RNA) (e.g., mRNA) polynucleotide having an open reading frame encoding at least one antigenic polypeptide selected from hMPV, PIV3, RSV, MeV and BetaCoV (e.g., selected from MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1) antigenic polypeptides. The term “nucleic acid” includes any compound and/or substance that comprises a polymer of nucleotides (nucleotide monomer). These polymers are referred to as polynucleotides. Thus, the terms “nucleic acid” and “polynucleotide” are used interchangeably.

[0276] Nucleic acids may be or may include, for example, ribonucleic acids (RNAs), deoxyribonucleic acids (DNAs), threose nucleic acids (TNAs), glycol nucleic acids (GNAs), peptide nucleic acids (PNAs), locked nucleic acids (LNAs), including LNA having a β -D-ribo configuration, a-LNA having an a-L-ribo configuration (a diastereomer of LNA), 2'-amino-LNA having a 2'-amino functionalization, and 2'-amino-a-LNA having a 2'-amino functionalization), ethylene nucleic acids (ENA), cyclohexenyl nucleic acids (CeNA) or chimeras or combinations thereof.

[0277] In some embodiments, polynucleotides of the present disclosure function as messenger RNA (mRNA). “Mes-

senger RNA” (mRNA) refers to any polynucleotide that encodes a (at least one) polypeptide (a naturally-occurring, non-naturally-occurring, or modified polymer of amino acids) and can be translated to produce the encoded polypeptide in vitro, in vivo, in situ or ex vivo. The skilled artisan will appreciate that, except where otherwise noted, polynucleotide sequences set forth in the instant application will recite “T”s in a representative DNA sequence but where the sequence represents RNA (e.g., mRNA), the “T”s would be substituted for “U”s. Thus, any of the RNA polynucleotides encoded by a DNA identified by a particular sequence identification number may also comprise the corresponding RNA (e.g., mRNA) sequence encoded by the DNA, where each “T” of the DNA sequence is substituted with “U.”

[0278] The basic components of an mRNA molecule typically include at least one coding region, a 5' untranslated region (UTR), a 3' UTR, a 5' cap and a poly-A tail. Polynucleotides of the present disclosure may function as mRNA but can be distinguished from wild-type mRNA in their functional and/or structural design features, which serve to overcome existing problems of effective polypeptide expression using nucleic-acid based therapeutics.

[0279] In some embodiments, a RNA polynucleotide of an RNA (e.g., mRNA) vaccine encodes 2-10, 2-9, 2-8, 2-7, 2-6, 2-5, 2-4, 2-3, 3-10, 3-9, 3-8, 3-7, 3-6, 3-5, 3-4, 4-10, 4-9, 4-8, 4-7, 4-6, 4-5, 5-10, 5-9, 5-8, 5-7, 5-6, 6-10, 6-9, 6-8, 6-7, 7-10, 7-9, 7-8, 8-10, 8-9 or 9-10 antigenic polypeptides. In some embodiments, a RNA (e.g., mRNA) polynucleotide of a respiratory virus vaccine encodes at least 10, 20, 30, 40, 50, 60, 70, 80, 90 or 100 antigenic polypeptides. In some embodiments, a RNA (e.g., mRNA) polynucleotide of a respiratory virus vaccine encodes at least 100 or at least 200 antigenic polypeptides. In some embodiments, a RNA polynucleotide of an respiratory virus vaccine encodes 1-10, 5-15, 10-20, 15-25, 20-30, 25-35, 30-40, 35-45, 40-50, 1-50, 1-100, 2-50 or 2-100 antigenic polypeptides.

[0280] Polynucleotides of the present disclosure, in some embodiments, are codon optimized. Codon optimization methods are known in the art and may be used as provided herein. Codon optimization, in some embodiments, may be used to match codon frequencies in target and host organisms to ensure proper folding; bias GC content to increase mRNA stability or reduce secondary structures; minimize tandem repeat codons or base runs that may impair gene construction or expression; customize transcriptional and translational control regions; insert or remove protein trafficking sequences; remove/add post translation modification sites in encoded protein (e.g. glycosylation sites); add, remove or shuffle protein domains; insert or delete restriction sites; modify ribosome binding sites and mRNA degradation sites; adjust translational rates to allow the various domains of the protein to fold properly; or to reduce or eliminate problem secondary structures within the polynucleotide. Codon optimization tools, algorithms and services are known in the art—non-limiting examples include services from GeneArt (Life Technologies), DNA2.0 (Menlo Park Calif.) and/or proprietary methods. In some embodiments, the open reading frame (ORF) sequence is optimized using optimization algorithms.

[0281] In some embodiments, a codon optimized sequence shares less than 95% sequence identity, less than 90% sequence identity, less than 85% sequence identity, less than 80% sequence identity, or less than 75% sequence identity to a naturally-occurring or wild-type sequence (e.g., a natu-

rally-occurring or wild-type mRNA sequence encoding a polypeptide or protein of interest (e.g., an antigenic protein or antigenic polypeptide)).

[0282] In some embodiments, a codon-optimized sequence shares between 65% and 85% (e.g., between about 67% and about 85%, or between about 67% and about 80%) sequence identity to a naturally-occurring sequence or a wild-type sequence (e.g., a naturally-occurring or wild-type mRNA sequence encoding a polypeptide or protein of interest (e.g., an antigenic protein or polypeptide)). In some embodiments, a codon-optimized sequence shares between 65% and 75%, or about 80% sequence identity to a naturally-occurring sequence or wild-type sequence (e.g., a naturally-occurring or wild-type mRNA sequence encoding a polypeptide or protein of interest (e.g., an antigenic protein or polypeptide)).

[0283] In some embodiments a codon-optimized RNA (e.g., mRNA) may, for instance, be one in which the levels of G/C are enhanced. The G/C-content of nucleic acid molecules may influence the stability of the RNA. RNA having an increased amount of guanine (G) and/or cytosine (C) residues may be functionally more stable than nucleic acids containing a large amount of adenine (A) and thymine (T) or uracil (U) nucleotides. WO02/098443 discloses a pharmaceutical composition containing an mRNA stabilized by sequence modifications in the translated region. Due to the degeneracy of the genetic code, the modifications work by substituting existing codons for those that promote greater RNA stability without changing the resulting amino acid. The approach is limited to coding regions of the RNA.

Antigens/Antigenic Polypeptides

[0284] In some embodiments, an antigenic polypeptide (e.g., a hMPV, PIV3, RSV, MeV or BetaCoV antigenic polypeptide) is longer than 25 amino acids and shorter than 50 amino acids. Polypeptides include gene products, naturally occurring polypeptides, synthetic polypeptides, homologs, orthologs, paralogs, fragments and other equivalents, variants, and analogs of the foregoing. A polypeptide may be a single molecule or may be a multi-molecular complex such as a dimer, trimer or tetramer. Polypeptides may also comprise single chain polypeptides or multichain polypeptides, such as antibodies or insulin, and may be associated or linked to each other. Most commonly, disulfide linkages are found in multichain polypeptides. The term “polypeptide” may also apply to amino acid polymers in which at least one amino acid residue is an artificial chemical analogue of a corresponding naturally-occurring amino acid.

[0285] A “polypeptide variant” is a molecule that differs in its amino acid sequence relative to a native sequence or a reference sequence. Amino acid sequence variants may possess substitutions, deletions, insertions, or a combination of any two or three of the foregoing, at certain positions within the amino acid sequence, as compared to a native sequence or a reference sequence. Ordinarily, variants possess at least 50% identity to a native sequence or a reference sequence. In some embodiments, variants share at least 80% identity or at least 90% identity with a native sequence or a reference sequence.

[0286] In some embodiments “variant mimics” are provided. A “variant mimic” contains at least one amino acid that would mimic an activated sequence. For example, glutamate may serve as a mimic for phospho-threonine

and/or phospho-serine. Alternatively, variant mimics may result in deactivation or in an inactivated product containing the mimic. For example, phenylalanine may act as an inactivating substitution for tyrosine, or alanine may act as an inactivating substitution for serine.

[0287] “Orthologs” refers to genes in different species that evolved from a common ancestral gene by speciation. Normally, orthologs retain the same function in the course of evolution. Identification of orthologs is important for reliable prediction of gene function in newly sequenced genomes.

[0288] “Analog” is meant to include polypeptide variants that differ by one or more amino acid alterations, for example, substitutions, additions or deletions of amino acid residues that still maintain one or more of the properties of the parent or starting polypeptide.

[0289] The present disclosure provides several types of compositions that are polynucleotide or polypeptide based, including variants and derivatives. These include, for example, substitutional, insertional, deletion and covalent variants and derivatives. The term “derivative” is synonymous with the term “variant” and generally refers to a molecule that has been modified and/or changed in any way relative to a reference molecule or a starting molecule.

[0290] As such, polynucleotides encoding peptides or polypeptides containing substitutions, insertions and/or additions, deletions and covalent modifications with respect to reference sequences, in particular the polypeptide sequences disclosed herein, are included within the scope of this disclosure. For example, sequence tags or amino acids, such as one or more lysines, can be added to peptide sequences (e.g., at the N-terminal or C-terminal ends). Sequence tags can be used for peptide detection, purification or localization. Lysines can be used to increase peptide solubility or to allow for biotinylation. Alternatively, amino acid residues located at the carboxy and amino terminal regions of the amino acid sequence of a peptide or protein may optionally be deleted providing for truncated sequences. Certain amino acids (e.g., C-terminal residues or N-terminal residues) alternatively may be deleted depending on the use of the sequence, as for example, expression of the sequence as part of a larger sequence that is soluble, or linked to a solid support.

[0291] “Substitutional variants” when referring to polypeptides are those that have at least one amino acid residue in a native or starting sequence removed and a different amino acid inserted in its place at the same position. Substitutions may be single, where only one amino acid in the molecule has been substituted, or they may be multiple, where two or more (e.g., 3, 4 or 5) amino acids have been substituted in the same molecule.

[0292] As used herein the term “conservative amino acid substitution” refers to the substitution of an amino acid that is normally present in the sequence with a different amino acid of similar size, charge, or polarity. Examples of conservative substitutions include the substitution of a non-polar (hydrophobic) residue such as isoleucine, valine and leucine for another non-polar residue. Likewise, examples of conservative substitutions include the substitution of one polar (hydrophilic) residue for another such as between arginine and lysine, between glutamine and asparagine, and between glycine and serine. Additionally, the substitution of a basic residue such as lysine, arginine or histidine for another, or the substitution of one acidic residue such as

aspartic acid or glutamic acid for another acidic residue are additional examples of conservative substitutions. Examples of non-conservative substitutions include the substitution of a non-polar (hydrophobic) amino acid residue such as isoleucine, valine, leucine, alanine, methionine for a polar (hydrophilic) residue such as cysteine, glutamine, glutamic acid or lysine and/or a polar residue for a non-polar residue.

[0293] “Features” when referring to polypeptide or polynucleotide are defined as distinct amino acid sequence-based or nucleotide-based components of a molecule respectively. Features of the polypeptides encoded by the polynucleotides include surface manifestations, local conformational shape, folds, loops, half-loops, domains, half-domains, sites, termini and any combination(s) thereof.

[0294] As used herein when referring to polypeptides the term “domain” refers to a motif of a polypeptide having one or more identifiable structural or functional characteristics or properties (e.g., binding capacity, serving as a site for protein-protein interactions).

[0295] As used herein when referring to polypeptides the terms “site” as it pertains to amino acid based embodiments is used synonymously with “amino acid residue” and “amino acid side chain.” As used herein when referring to polynucleotides the terms “site” as it pertains to nucleotide based embodiments is used synonymously with “nucleotide.” A site represents a position within a peptide or polypeptide or polynucleotide that may be modified, manipulated, altered, derivatized or varied within the polypeptide-based or polynucleotide-based molecules.

[0296] As used herein the terms “termini” or “terminus” when referring to polypeptides or polynucleotides refers to an extremity of a polypeptide or polynucleotide respectively. Such extremity is not limited only to the first or final site of the polypeptide or polynucleotide but may include additional amino acids or nucleotides in the terminal regions. Polypeptide-based molecules may be characterized as having both an N-terminus (terminated by an amino acid with a free amino group (NH₂)) and a C-terminus (terminated by an amino acid with a free carboxyl group (COOH)). Proteins are in some cases made up of multiple polypeptide chains brought together by disulfide bonds or by non-covalent forces (multimers, oligomers). These proteins have multiple N- and C-termini. Alternatively, the termini of the polypeptides may be modified such that they begin or end, as the case may be, with a non-polypeptide based moiety such as an organic conjugate.

[0297] As recognized by those skilled in the art, protein fragments, functional protein domains, and homologous proteins are also considered to be within the scope of polypeptides of interest. For example, provided herein is any protein fragment (meaning a polypeptide sequence at least one amino acid residue shorter than a reference polypeptide sequence but otherwise identical) of a reference protein having a length of 10, 20, 30, 40, 50, 60, 70, 80, 90, 100 or longer than 100 amino acids. In another example, any protein that includes a stretch of 20, 30, 40, 50, or 100 (contiguous) amino acids that are 40%, 50%, 60%, 70%, 80%, 90%, 95%, or 100% identical to any of the sequences described herein can be utilized in accordance with the disclosure. In some embodiments, a polypeptide includes 2, 3, 4, 5, 6, 7, 8, 9, 10, or more mutations as shown in any of the sequences provided herein or referenced herein. In another example, any protein that includes a stretch of 20, 30, 40, 50, or 100 amino acids that are greater than 80%,

90%, 95%, or 100% identical to any of the sequences described herein, wherein the protein has a stretch of 5, 10, 15, 20, 25, or 30 amino acids that are less than 80%, 75%, 70%, 65% to 60% identical to any of the sequences described herein can be utilized in accordance with the disclosure.

[0298] Polypeptide or polynucleotide molecules of the present disclosure may share a certain degree of sequence similarity or identity with the reference molecules (e.g., reference polypeptides or reference polynucleotides), for example, with art-described molecules (e.g., engineered or designed molecules or wild-type molecules). The term “identity,” as known in the art, refers to a relationship between the sequences of two or more polypeptides or polynucleotides, as determined by comparing the sequences. In the art, identity also means the degree of sequence relatedness between two sequences as determined by the number of matches between strings of two or more amino acid residues or nucleic acid residues. Identity measures the percent of identical matches between the smaller of two or more sequences with gap alignments (if any) addressed by a particular mathematical model or computer program (e.g., “algorithms”). Identity of related peptides can be readily calculated by known methods. “% identity” as it applies to polypeptide or polynucleotide sequences is defined as the percentage of residues (amino acid residues or nucleic acid residues) in the candidate amino acid or nucleic acid sequence that are identical with the residues in the amino acid sequence or nucleic acid sequence of a second sequence after aligning the sequences and introducing gaps, if necessary, to achieve the maximum percent identity. Methods and computer programs for the alignment are well known in the art. Identity depends on a calculation of percent identity but may differ in value due to gaps and penalties introduced in the calculation. Generally, variants of a particular polynucleotide or polypeptide have at least 40%, 45%, 50%, 55%, 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99% but less than 100% sequence identity to that particular reference polynucleotide or polypeptide as determined by sequence alignment programs and parameters described herein and known to those skilled in the art. Such tools for alignment include those of the BLAST suite (Stephen F. Altschul, et al. (1997). “Gapped BLAST and PSI-BLAST: a new generation of protein database search programs,” *Nucleic Acids Res.* 25:3389-3402). Another popular local alignment technique is based on the Smith-Waterman algorithm (Smith, T. F. & Waterman, M. S. (1981) “Identification of common molecular subsequences.” *J. Mol. Biol.* 147:195-197). A general global alignment technique based on dynamic programming is the Needleman-Wunsch algorithm (Needleman, S. B. & Wunsch, C. D. (1970) “A general method applicable to the search for similarities in the amino acid sequences of two proteins.” *J. Mol. Biol.* 48:443-453). More recently, a Fast Optimal Global Sequence Alignment Algorithm (FOGSAA) was developed that purportedly produces global alignment of nucleotide and protein sequences faster than other optimal global alignment methods, including the Needleman-Wunsch algorithm. Other tools are described herein, specifically in the definition of “identity” below.

[0299] As used herein, the term “homology” refers to the overall relatedness between polymeric molecules, e.g. between nucleic acid molecules (e.g. DNA molecules and/or RNA molecules) and/or between polypeptide molecules.

Polymeric molecules (e.g. nucleic acid molecules (e.g. DNA molecules and/or RNA molecules) and/or polypeptide molecules) that share a threshold level of similarity or identity determined by alignment of matching residues are termed homologous. Homology is a qualitative term that describes a relationship between molecules and can be based upon the quantitative similarity or identity. Similarity or identity is a quantitative term that defines the degree of sequence match between two compared sequences. In some embodiments, polymeric molecules are considered to be “homologous” to one another if their sequences are at least 25%, 30%, 35%, 40%, 45%, 50%, 55%, 60%, 65%, 70%, 75%, 80%, 85%, 90%, 95%, or 99% identical or similar. The term “homologous” necessarily refers to a comparison between at least two sequences (polynucleotide or polypeptide sequences). Two polynucleotide sequences are considered homologous if the polypeptides they encode are at least 50%, 60%, 70%, 80%, 90%, 95%, or even 99% for at least one stretch of at least 20 amino acids. In some embodiments, homologous polynucleotide sequences are characterized by the ability to encode a stretch of at least 4-5 uniquely specified amino acids. For polynucleotide sequences less than 60 nucleotides in length, homology is determined by the ability to encode a stretch of at least 4-5 uniquely specified amino acids. Two protein sequences are considered homologous if the proteins are at least 50%, 60%, 70%, 80%, or 90% identical for at least one stretch of at least 20 amino acids.

[0300] Homology implies that the compared sequences diverged in evolution from a common origin. The term “homolog” refers to a first amino acid sequence or nucleic acid sequence (e.g., gene (DNA or RNA) or protein sequence) that is related to a second amino acid sequence or nucleic acid sequence by descent from a common ancestral sequence. The term “homolog” may apply to the relationship between genes and/or proteins separated by the event of speciation or to the relationship between genes and/or proteins separated by the event of genetic duplication. “Orthologs” are genes (or proteins) in different species that evolved from a common ancestral gene (or protein) by speciation. Typically, orthologs retain the same function in the course of evolution. “Paralogs” are genes (or proteins) related by duplication within a genome. Orthologs retain the same function in the course of evolution, whereas paralogs evolve new functions, even if these are related to the original one.

[0301] The term “identity” refers to the overall relatedness between polymeric molecules, for example, between polynucleotide molecules (e.g. DNA molecules and/or RNA molecules) and/or between polypeptide molecules. Calculation of the percent identity of two polynucleic acid sequences, for example, can be performed by aligning the two sequences for optimal comparison purposes (e.g., gaps can be introduced in one or both of a first and a second nucleic acid sequences for optimal alignment and non-identical sequences can be disregarded for comparison purposes). In certain embodiments, the length of a sequence aligned for comparison purposes is at least 30%, at least 40%, at least 50%, at least 60%, at least 70%, at least 80%, at least 90%, at least 95%, or 100% of the length of the reference sequence. The nucleotides at corresponding nucleotide positions are then compared. When a position in the first sequence is occupied by the same nucleotide as the corresponding position in the second sequence, then the molecules are identical at that position. The percent identity

between the two sequences is a function of the number of identical positions shared by the sequences, taking into account the number of gaps, and the length of each gap, which needs to be introduced for optimal alignment of the two sequences. The comparison of sequences and determination of percent identity between two sequences can be accomplished using a mathematical algorithm. For example, the percent identity between two nucleic acid sequences can be determined using methods such as those described in Computational Molecular Biology, Lesk, A. M., ed., Oxford University Press, New York, 1988; Biocomputing: Informatics and Genome Projects, Smith, D. W., ed., Academic Press, New York, 1993; Sequence Analysis in Molecular Biology, von Heinje, G., Academic Press, 1987; Computer Analysis of Sequence Data, Part I, Griffin, A. M., and Griffin, H. G., eds., Humana Press, New Jersey, 1994; and Sequence Analysis Primer, Gribskov, M. and Devereux, J., eds., M Stockton Press, New York, 1991; each of which is incorporated herein by reference. For example, the percent identity between two nucleic acid sequences can be determined using the algorithm of Meyers and Miller (CABIOS, 1989, 4:11-17), which has been incorporated into the ALIGN program (version 2.0) using a PAM120 weight residue table, a gap length penalty of 12 and a gap penalty of 4. The percent identity between two nucleic acid sequences can, alternatively, be determined using the GAP program in the GCG software package using an NWSgapdna.CMP matrix. Methods commonly employed to determine percent identity between sequences include, but are not limited to those disclosed in Carillo, H., and Lipman, D., *SIAM J Applied Math.*, 48:1073 (1988); incorporated herein by reference. Techniques for determining identity are codified in publicly available computer programs. Exemplary computer software to determine homology between two sequences include, but are not limited to, GCG program package, Devereux, J., et al., *Nucleic Acids Research*, 12(1), 387 (1984)), BLASTP, BLASTN, and FASTA Altschul, S. F. et al., *J. Molec. Biol.*, 215, 403 (1990)).

Multiprotein and Multicomponent Vaccines

[0302] The present disclosure encompasses respiratory virus vaccines comprising multiple RNA (e.g., mRNA) polynucleotides, each encoding a single antigenic polypeptide, as well as respiratory virus vaccines comprising a single RNA polynucleotide encoding more than one antigenic polypeptide (e.g., as a fusion polypeptide). Thus, a vaccine composition comprising a RNA (e.g., mRNA) polynucleotide having an open reading frame encoding a first antigenic polypeptide and a RNA (e.g., mRNA) polynucleotide having an open reading frame encoding a second antigenic polypeptide encompasses (a) vaccines that comprise a first RNA polynucleotide encoding a first antigenic polypeptide and a second RNA polynucleotide encoding a second antigenic polypeptide, and (b) vaccines that comprise a single RNA polynucleotide encoding a first and second antigenic polypeptide (e.g., as a fusion polypeptide). RNA (e.g., mRNA) vaccines of the present disclosure, in some embodiments, comprise 2-10 (e.g., 2, 3, 4, 5, 6, 7, 8, 9 or 10), or more, RNA polynucleotides having an open reading frame, each of which encodes a different antigenic polypeptide (or a single RNA polynucleotide encoding 2-10, or more, different antigenic polypeptides). The antigenic polypeptides may be selected from hMPV, PIV3, RSV, MEV and BetaCoV (e.g., selected from MERS-CoV, SARS-CoV,

HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1) antigenic polypeptides.

[0303] In some embodiments, a respiratory virus vaccine comprises a RNA (e.g., mRNA) polynucleotide having an open reading frame encoding a viral capsid protein, a RNA (e.g., mRNA) polynucleotide having an open reading frame encoding a viral premembrane/membrane protein, and a RNA (e.g., mRNA) polynucleotide having an open reading frame encoding a viral envelope protein. In some embodiments, a respiratory virus vaccine comprises a RNA (e.g., mRNA) polynucleotide having an open reading frame encoding a viral fusion (F) protein and a RNA polynucleotide having an open reading frame encoding a viral major surface glycoprotein (G protein). In some embodiments, a vaccine comprises a RNA (e.g., mRNA) polynucleotide having an open reading frame encoding a viral F protein. In some embodiments, a vaccine comprises a RNA (e.g., mRNA) polynucleotide having an open reading frame encoding a viral G protein. In some embodiments, a vaccine comprises a RNA (e.g., mRNA) polynucleotide having an open reading frame encoding a HN protein.

[0304] In some embodiments, a multicomponent vaccine comprises at least one RNA (e.g., mRNA) polynucleotide encoding at least one antigenic polypeptide fused to a signal peptide (e.g., any one of SEQ ID NO: 15-19). The signal peptide may be fused at the N-terminus or the C-terminus of an antigenic polypeptide. An antigenic polypeptide fused to a signal peptide may be selected from hMPV, PIV3, RSV, MEV and BetaCoV (e.g., selected from MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and HCoV-HKU1) antigenic polypeptides.

Signal Peptides

[0305] In some embodiments, antigenic polypeptides encoded by respiratory virus RNA (e.g., mRNA) polynucleotides comprise a signal peptide. Signal peptides, comprising the N-terminal 15-60 amino acids of proteins, are typically needed for the translocation across the membrane on the secretory pathway and, thus, universally control the entry of most proteins both in eukaryotes and prokaryotes to the secretory pathway. Signal peptides generally include three regions: an N-terminal region of differing length, which usually comprises positively charged amino acids; a hydrophobic region; and a short carboxy-terminal peptide region. In eukaryotes, the signal peptide of a nascent precursor protein (pre-protein) directs the ribosome to the rough endoplasmic reticulum (ER) membrane and initiates the transport of the growing peptide chain across it for processing. ER processing produces mature proteins, wherein the signal peptide is cleaved from precursor proteins, typically by a ER-resident signal peptidase of the host cell, or they remain uncleaved and function as a membrane anchor. A signal peptide may also facilitate the targeting of the protein to the cell membrane. The signal peptide, however, is not responsible for the final destination of the mature protein. Secretory proteins devoid of additional address tags in their sequence are by default secreted to the external environment. During recent years, a more advanced view of signal peptides has evolved, showing that the functions and immunodominance of certain signal peptides are much more versatile than previously anticipated.

[0306] Respiratory virus vaccines of the present disclosure may comprise, for example, RNA (e.g., mRNA) polynucleotides encoding an artificial signal peptide, wherein the

signal peptide coding sequence is operably linked to and is in frame with the coding sequence of the antigenic polypeptide. Thus, respiratory virus vaccines of the present disclosure, in some embodiments, produce an antigenic polypeptide comprising an antigenic polypeptide (e.g., hMPV, PIV3, RSV, MeV or BetaCoV) fused to a signal peptide. In some embodiments, a signal peptide is fused to the N-terminus of the antigenic polypeptide. In some embodiments, a signal peptide is fused to the C-terminus of the antigenic polypeptide.

[0307] In some embodiments, the signal peptide fused to the antigenic polypeptide is an artificial signal peptide. In some embodiments, an artificial signal peptide fused to the antigenic polypeptide encoded by the RNA (e.g., mRNA) vaccine is obtained from an immunoglobulin protein, e.g., an IgE signal peptide or an IgG signal peptide. In some embodiments, a signal peptide fused to the antigenic polypeptide encoded by a RNA (e.g., mRNA) vaccine is an Ig heavy chain epsilon-1 signal peptide (IgE HC SP) having the sequence of: MDWTWILFLVAAATRVHS (SEQ ID NO: 16). In some embodiments, a signal peptide fused to the antigenic polypeptide encoded by the (e.g., mRNA) RNA (e.g., mRNA) vaccine is an IgGk chain V-III region HAH signal peptide (IgGk SP) having the sequence of MET-PAQLLFLLLLWLPDTTG (SEQ ID NO: 15). In some embodiments, the signal peptide is selected from: Japanese encephalitis PRM signal sequence (MLGSNSGQRV-VFTILLLLVAPAYS; SEQ ID NO: 17), VSVg protein signal sequence (MKCLLYLAFLFIGVNCA; SEQ ID NO: 18) and Japanese encephalitis JEV signal sequence (MWLVSLAIVTACAGA; SEQ ID NO: 19).

[0308] In some embodiments, the antigenic polypeptide encoded by a RNA (e.g., mRNA) vaccine comprises an amino acid sequence identified by any one of SEQ ID NO: 5-8, 12-13, 24-34, 47-50 or 54-56 (Tables 3, 6, 11, 14 or 17; see also amino acid sequences of Tables 4, 7, 12 or 15) fused to a signal peptide identified by any one of SEQ ID NO: 15-19 (Table 8). The examples disclosed herein are not meant to be limiting and any signal peptide that is known in the art to facilitate targeting of a protein to ER for processing and/or targeting of a protein to the cell membrane may be used in accordance with the present disclosure.

[0309] A signal peptide may have a length of 15-60 amino acids. For example, a signal peptide may have a length of 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, or 60 amino acids. In some embodiments, a signal peptide has a length of 20-60, 25-60, 30-60, 35-60, 40-60, 45-60, 50-60, 55-60, 15-55, 20-55, 25-55, 30-55, 35-55, 40-55, 45-55, 50-55, 15-50, 20-50, 25-50, 30-50, 35-50, 40-50, 45-50, 15-45, 20-45, 25-45, 30-45, 35-45, 40-45, 15-40, 20-40, 25-40, 30-40, 35-40, 15-35, 20-35, 25-35, 30-35, 15-30, 20-30, 25-30, 15-25, 20-25, or 15-20 amino acids.

[0310] A signal peptide is typically cleaved from the nascent polypeptide at the cleavage junction during ER processing. The mature antigenic polypeptide produced by a respiratory virus RNA (e.g., mRNA) vaccine of the present disclosure typically does not comprise a signal peptide.

Chemical Modifications

[0311] Respiratory virus vaccines of the present disclosure, in some embodiments, comprise at least RNA (e.g., mRNA) polynucleotide having an open reading frame

encoding at least one antigenic polypeptide that comprises at least one chemical modification.

[0312] The terms “chemical modification” and “chemically modified” refer to modification with respect to adenosine (A), guanosine (G), uridine (U), thymidine (T) or cytidine (C) ribonucleosides or deoxyribonucleosides in at least one of their position, pattern, percent or population. Generally, these terms do not refer to the ribonucleotide modifications in naturally occurring 5'-terminal mRNA cap moieties. With respect to a polypeptide, the term “modification” refers to a modification relative to the canonical set 20 amino acids. Polypeptides, as provided herein, are also considered “modified” if they contain amino acid substitutions, insertions or a combination of substitutions and insertions.

[0313] Polynucleotides (e.g., RNA polynucleotides, such as mRNA polynucleotides), in some embodiments, comprise various (more than one) different modifications. In some embodiments, a particular region of a polynucleotide contains one, two or more (optionally different) nucleoside or nucleotide modifications. In some embodiments, a modified RNA polynucleotide (e.g., a modified mRNA polynucleotide), introduced to a cell or organism, exhibits reduced degradation in the cell or organism, respectively, relative to an unmodified polynucleotide. In some embodiments, a modified RNA polynucleotide (e.g., a modified mRNA polynucleotide), introduced into a cell or organism, may exhibit reduced immunogenicity in the cell or organism, respectively (e.g., a reduced innate response).

[0314] Modifications of polynucleotides include, without limitation, those described herein. Polynucleotides (e.g., RNA polynucleotides, such as mRNA polynucleotides) may comprise modifications that are naturally-occurring, non-naturally-occurring or the polynucleotide may comprise a combination of naturally-occurring and non-naturally-occurring modifications. Polynucleotides may include any useful modification, for example, of a sugar, a nucleobase, or an internucleoside linkage (e.g., to a linking phosphate, to a phosphodiester linkage or to the phosphodiester backbone).

[0315] Polynucleotides (e.g., RNA polynucleotides, such as mRNA polynucleotides), in some embodiments, comprise non-natural modified nucleotides that are introduced during synthesis or post-synthesis of the polynucleotides to achieve desired functions or properties. The modifications may be present on an internucleotide linkages, purine or pyrimidine bases, or sugars. The modification may be introduced with chemical synthesis or with a polymerase enzyme at the terminal of a chain or anywhere else in the chain. Any of the regions of a polynucleotide may be chemically modified.

[0316] The present disclosure provides for modified nucleosides and nucleotides of a polynucleotide (e.g., RNA polynucleotides, such as mRNA polynucleotides). A “nucleoside” refers to a compound containing a sugar molecule (e.g., a pentose or ribose) or a derivative thereof in combination with an organic base (e.g., a purine or pyrimidine) or a derivative thereof (also referred to herein as “nucleobase”). A nucleotide” refers to a nucleoside, including a phosphate group. Modified nucleotides may be synthesized by any useful method, such as, for example, chemically, enzymatically, or recombinantly, to include one or more modified or non-natural nucleosides. Polynucleotides may comprise a region or regions of linked nucleosides. Such regions may have variable backbone linkages. The

linkages may be standard phosphodiester linkages, in which case the polynucleotides would comprise regions of nucleotides.

[0317] Modified nucleotide base pairing encompasses not only the standard adenosine-thymine, adenosine-uracil, or guanosine-cytosine base pairs, but also base pairs formed between nucleotides and/or modified nucleotides comprising non-standard or modified bases, wherein the arrangement of hydrogen bond donors and hydrogen bond acceptors permits hydrogen bonding between a non-standard base and a standard base or between two complementary non-standard base structures. One example of such non-standard base pairing is the base pairing between the modified nucleotide inosine and adenine, cytosine or uracil. Any combination of base/sugar or linker may be incorporated into polynucleotides of the present disclosure.

[0318] Modifications of polynucleotides (e.g., RNA polynucleotides, such as mRNA polynucleotides) that are useful in the vaccines of the present disclosure include, but are not limited to the following: 2-methylthio-N6-(cis-hydroxyisopentenyl)adenosine; 2-methylthio-N6-methyladenosine; 2-methylthio-N6-threonyl carbamoyl adenosine; N6-glycylcarbamoyl adenosine; N6-isopentenyladenosine; N6-methyladenosine; N6-threonylcarbamoyl adenosine; 1,2'-O-dimethyladenosine; 1-methyladenosine; 2'-O-methyladenosine; 2'-O-ribosyladenosine (phosphate); 2-methyladenosine; 2-methylthio-N6 isopentenyladenosine; 2-methylthio-N6-hydroxynorvalyl carbamoyl adenosine; 2'-O-methyladenosine; 2'-O-ribosyladenosine (phosphate); Isopentenyladenosine; N6-(cis-hydroxyisopentenyl)adenosine; N6,2'-O-dimethyladenosine; N6,2'-O-dimethyladenosine; N6,N6,2'-O-trimethyladenosine; N6,N6-dimethyladenosine; N6-acetyladenosine; N6-hydroxynorvalylcarbamoyl adenosine; N6-methyl-N6-threonylcarbamoyl adenosine; 2-methyladenosine; 2-methylthio-N6-isopentenyladenosine; 7-deaza-adenosine; N1-methyl-adenosine; N6, N6 (dimethyl)adenine; N6-cis-hydroxy-isopentenyl-adenosine; α -thio-adenosine; 2 (amino)adenine; 2 (aminopropyl)adenine; 2 (methylthio) N6 (isopentenyl)adenine; 2-(alkyl)adenine; 2-(aminoalkyl)adenine; 2-(aminopropyl)adenine; 2-(halo)adenine; 2-(halo)adenine; 2-(propyl)adenine; 2'-Amino-2'-deoxy-ATP; 2'-Azido-2'-deoxy-ATP; 2'-Deoxy-2'-a-aminoadenosine TP; 2'-Deoxy-2'-a-azidoadenosine TP; 6 (alkyl)adenine; 6 (methyl)adenine; 6-(alkyl)adenine; 6-(methyl)adenine; 7 (deaza)adenine; 8 (alkenyl)adenine; 8 (alkynyl)adenine; 8 (amino)adenine; 8 (thioalkyl)adenine; 8-(alkenyl)adenine; 8-(alkyl)adenine; 8-(alkynyl)adenine; 8-(amino)adenine; 8-(halo)adenine; 8-(hydroxyl)adenine; 8-(thioalkyl)adenine; 8-(thiol)adenine; 8-azido-adenosine; aza adenine; deaza adenine; N6 (methyl)adenine; N6-(isopentyl)adenine; 7-deaza-8-aza-adenosine; 7-methyladenine; 1-Deazaadenosine TP; 2'Fluoro-N6-Bz-deoxyadenosine TP; 2'-O Me-2'-Amino-ATP; 2'O-methyl-N6-Bz-deoxyadenosine TP; 2'-a-Ethynyladenosine TP; 2-aminoadenine; 2-Aminoadenosine TP; 2-Amino-ATP; 2'-a-Trifluoromethyladenosine TP; 2-Azidoadenosine TP; 2'-b-Ethynyladenosine TP; 2-Bromoadenosine TP; 2'-b-Trifluoromethyladenosine TP; 2-Chloroadenosine TP; 2'-Deoxy-2',2'-difluoroadenosine TP; 2'-Deoxy-2'-a-mercaptadenosine TP; 2'-Deoxy-2'-a-thiomethoxyadenosine TP; 2'-Deoxy-2'-b-aminoadenosine TP; 2'-Deoxy-2'-b-azidoadenosine TP; 2'-Deoxy-2'-b-bromoadenosine TP; 2'-Deoxy-2'-b-chloroadenosine TP; 2'-Deoxy-2'-b-fluoroadenosine TP; 2'-Deoxy-2'-b-iodoadenosine

TP; 2'-Deoxy-2'-b-mercaptoadenosine TP; 2'-Deoxy-2'-b-thiomethoxyadenosine TP; 2-Fluoroadenosine TP; 2-Iodo-adenosine TP; 2-Mercaptoadenosine TP; 2-methoxy-adenine; 2-methylthio-adenine; 2-Trifluoromethyladenosine TP; 3-Deaza-3-bromoadenosine TP; 3-Deaza-3-chloroadenosine TP; 3-Deaza-3-fluoroadenosine TP; 3-Deaza-3-iodoadenosine TP; 3-Deazaadenosine TP; 4'-Azidoadenosine TP; 4'-Carbocyclic adenosine TP; 4'-Ethynyladenosine TP; 5'-Homo-adenosine TP; 8-Aza-ATP; 8-bromo-adenosine TP; 8-Trifluoromethyladenosine TP; 9-Deazaadenosine TP; 2-aminopurine; 7-deaza-2,6-diaminopurine; 7-deaza-8-aza-2,6-diaminopurine; 7-deaza-8-aza-2-aminopurine; 2,6-diaminopurine; 7-deaza-8-aza-adenine, 7-deaza-2-aminopurine; 2-thiocytidine; 3-methylcytidine; 5-formylcytidine; 5-hydroxymethylcytidine; 5-methylcytidine; N4-acetylcytidine; 2'-O-methylcytidine; 2'-O-methylcytidine; 5,2'-O-dimethylcytidine; 5-formyl-2'-O-methylcytidine; Lysidine; N4,2'-O-dimethylcytidine; N4-acetyl-2'-O-methylcytidine; N4-methylcytidine; N4,N4-Dimethyl-2'-OMe-Cytidine TP; 4-methylcytidine; 5-aza-cytidine; Pseudo-iso-cytidine; pyrrolo-cytidine; α -thio-cytidine; 2-(thio)cytosine; 2'-Amino-2'-deoxy-CTP; 2'-Azido-2'-deoxy-CTP; 2'-Deoxy-2'-a-aminocytidine TP; 2'-Deoxy-2'-a-azidocytidine TP; 3 (deaza) 5 (aza)cytosine; 3 (methyl)cytosine; 3-(alkyl)cytosine; 3-(deaza) 5 (aza)cytosine; 3-(methyl)cytidine; 4,2'-O-dimethylcytidine; 5 (halo)cytosine; 5 (methyl)cytosine; 5 (propynyl)cytosine; 5 (trifluoromethyl)cytosine; 5-(alkyl)cytosine; 5-(alkynyl)cytosine; 5-(halo)cytosine; 5-(propynyl)cytosine; 5-(trifluoromethyl)cytosine; 5-bromo-cytidine; 5-iodo-cytidine; 5-propynyl cytosine; 6-(azo)cytosine; 6-aza-cytidine; aza cytosine; deaza cytosine; N4 (acetyl)cytosine; 1-methyl-1-deaza-pseudoisocytidine; 1-methyl-pseudoisocytidine; 2-methoxy-5-methyl-cytidine; 2-methoxy-cytidine; 2-thio-5-methyl-cytidine; 4-methoxy-1-methyl-pseudoisocytidine; 4-methoxy-pseudoisocytidine; 4-thio-1-methyl-1-deaza-pseudoisocytidine; 4-thio-1-methyl-pseudoisocytidine; 4-thio-pseudoisocytidine; 5-azazebularine; 5-methyl-zebularine; pyrrolo-pseudoisocytidine; Zebularine; (E)-5-(2-Bromo-vinyl)cytidine TP; 2,2'-anhydro-cytidine TP hydrochloride; 2'Fluor-N4-Bz-cytidine TP; 2'Fluor-N4-Acetyl-cytidine TP; 2'-O-Methyl-N4-Acetyl-cytidine TP; 2'O-methyl-N4-Bz-cytidine TP; 2'-a-Ethynylcytidine TP; 2'-a-Trifluoromethylcytidine TP; 2'-b-Ethynylcytidine TP; 2'-b-Trifluoromethylcytidine TP; 2'-Deoxy-2',2'-difluorocytidine TP; 2'-Deoxy-2'-a-mercaptocytidine TP; 2'-Deoxy-2'-a-thiomethoxycytidine TP; 2'-Deoxy-2'-b-aminocytidine TP; 2'-Deoxy-2'-b-azidocytidine TP; 2'-Deoxy-2'-b-bromocytidine TP; 2'-Deoxy-2'-b-chlorocytidine TP; 2'-Deoxy-2'-b-fluorocytidine TP; 2'-Deoxy-2'-b-iodocytidine TP; 2'-Deoxy-2'-b-mercaptocytidine TP; 2'-Deoxy-2'-b-thiomethoxycytidine TP; 2'-O-Methyl-5-(1-propynyl)cytidine TP; 3'-Ethynylcytidine TP; 4'-Azidocytidine TP; 4'-Carbocyclic cytidine TP; 4'-Ethynylcytidine TP; 5-(1-Propynyl)ara-cytidine TP; 5-(2-Chloro-phenyl)-2-thiocytidine TP; 5-(4-Amino-phenyl)-2-thiocytidine TP; 5-Aminoallyl-CTP; 5-Cyanocytidine TP; 5-Ethynylara-cytidine TP; 5-Ethynylcytidine TP; 5'-Homo-cytidine TP; 5-Methoxycytidine TP; 5-Trifluoromethyl-Cytidine TP; N4-Amino-cytidine TP; N4-Benzoyl-cytidine TP; Pseudoisocytidine; 7-methylguanosine; N2,2'-O-dimethylguanosine; N2-methylguanosine; Wyosine; 1,2'-O-dimethylguanosine; 1-methylguanosine; 2'-O-methylguanosine; 2'-O-ribosylguanosine (phosphate); 2'-O-methylguanosine; 2'-O-ribosylguanosine (phosphate); 7-aminomethyl-7-

deazaguanosine; 7-cyano-7-deazaguanosine; Archaeosine; Methylwyo sine; N2,7-dimethylguanosine; N2,N2,2'-O-trimethylguanosine; N2,N2,7-trimethylguanosine; N2,N2-dimethylguanosine; N2,7,2'-O-trimethylguanosine; 6-thioguanosine; 7-deaza-guanosine; 8-oxo-guanosine; N1-methyl-guanosine; α -thio-guanosine; 2 (propyl)guanine; 2-(alkyl)guanine; 2'-Amino-2'-deoxy-GTP; 2'-Azido-2'-deoxy-GTP; 2'-Deoxy-2'-a-aminoguanosine TP; 2'-Deoxy-2'-a-azidoguanosine TP; 6 (methyl)guanine; 6-(alkyl)guanine; 6-(methyl)guanine; 6-methyl-guanosine; 7 (alkyl)guanine; 7 (deaza)guanine; 7 (methyl)guanine; 7-(alkyl)guanine; 7-(deaza)guanine; 7-(methyl)guanine; 8 (alkyl)guanine; 8 (alkynyl)guanine; 8 (halo)guanine; 8 (thioalkyl)guanine; 8-(alkenyl)guanine; 8-(alkyl)guanine; 8-(alkynyl)guanine; 8-(amino)guanine; 8-(halo)guanine; 8-(hydroxyl)guanine; 8-(thioalkyl)guanine; 8-(thiol)guanine; aza guanine; deaza guanine; N (methyl)guanine; N-(methyl)guanine; 1-methyl-6-thio-guanosine; 6-methoxy-guanosine; 6-thio-7-deaza-8-aza-guanosine; 6-thio-7-deaza-guanosine; 6-thio-7-methyl-guanosine; 7-deaza-8-aza-guanosine; 7-methyl-8-oxoguanosine; N2,N2-dimethyl-6-thio-guanosine; N2-methyl-6-thio-guanosine; 1-Me-GTP; 2'Fluor-N2-isobutylguanosine TP; 2'O-methyl-N2-isobutyl-guanosine TP; 2'-a-Ethynylguanosine TP; 2'-a-Trifluoromethylguanosine TP; 2'-b-Ethynylguanosine TP; 2'-b-Trifluoromethylguanosine TP; 2'-Deoxy-2',2'-difluoroguanosine TP; 2'-Deoxy-2'-a-mercaptoguanosine TP; 2'-Deoxy-2'-a-thiomethoxyguanosine TP; 2'-Deoxy-2'-b-aminoguanosine TP; 2'-Deoxy-2'-b-azidoguanosine TP; 2'-Deoxy-2'-b-bromoguanosine TP; 2'-Deoxy-2'-b-chloroguanosine TP; 2'-Deoxy-2'-b-fluoroguanosine TP; 2'-Deoxy-2'-b-iodoguanosine TP; 2'-Deoxy-2'-b-mercaptoguanosine TP; 2'-Deoxy-2'-b-thiomethoxyguanosine TP; 4'-Azidoguanosine TP; 4'-Carbocyclic guanosine TP; 4'-Ethynylguanosine TP; 5'-Homo-guanosine TP; 8-bromo-guanosine TP; 9-Deazaguanosine TP; N2-isobutyl-guanosine TP; 1-methylinosine; Inosine; 1,2'-O-dimethylinosine; 2'-O-methylinosine; 7-methylinosine; 2'-O-methylinosine; Epoxyqueuosine; galactosyl-queuosine; Mannosylqueuosine; Queuosine; allyl-amino-thymidine; aza thymidine; deaza thymidine; deoxy-thymidine; 2'-O-methyluridine; 2-thiouridine; 3-methyluridine; 5-carboxymethyluridine; 5-hydroxyuridine; 5-methyluridine; 5-taurinomethyl-2-thiouridine; 5-taurinomethyluridine; Dihydrouridine; Pseudouridine; (3-(3-amino-3-carboxypropyl)uridine; 1-methyl-3-(3-amino-5-carboxypropyl)pseudouridine; 1-methylpseudouridine; 1-methyl-pseudouridine; 2'-O-methyluridine; 2'-O-methylpseudouridine; 2'-O-methyluridine; 2-thio-2'-O-methyluridine; 3-(3-amino-3-carboxypropyl)uridine; 3,2'-O-dimethyluridine; 3-Methyl-pseudo-Uridine TP; 4-thiouridine; 5-(carboxyhydroxymethyl)uridine; 5-(carboxyhydroxymethyl)uridine methyl ester; 5,2'-O-dimethyluridine; 5,6-dihydro-uridine; 5-aminomethyl-2-thiouridine; 5-carbamoylmethyl-2'-O-methyluridine; 5-carbamoylmethyluridine; 5-carboxyhydroxymethyluridine; 5-carboxyhydroxymethyluridine methyl ester; 5-carboxymethylaminomethyl-2'-O-methyluridine; 5-carboxymethylaminomethyl-2-thiouridine; 5-carboxymethylaminomethyl-2-thiouridine; 5-carboxymethylaminomethyluridine; 5-Carbamoylmethyluridine TP; 5-methoxycarbonylmethyl-2'-O-methyluridine; 5-methoxycarbonylmethyl-2-thiouridine; 5-methoxycarbonylmethyluridine; 5-methoxyuridine; 5-methyl-2-thiouridine; 5-methylaminomethyl-2-selenouridine; 5-methylaminomethyl-2-

thiouridine; 5-methylaminomethyluridine; 5-Methyldihydrouridine; 5-Oxyacetic acid-Uridine TP; 5-Oxyacetic acid-methyl ester-Uridine TP; N1-methyl-pseudo-uridine; uridine 5-oxyacetic acid; uridine 5-oxyacetic acid methyl ester; 3-(3-Amino-3-carboxypropyl)-Uridine TP; 5-(iso-Pentenylaminomethyl)-2-thiouridine TP; 5-(iso-Pentenylaminomethyl)-2'-O-methyluridine TP; 5-(iso-Pentenylaminomethyl)uridine TP; 5-propynyl uracil; α -thio-uridine; 1 (aminoalkylamino-carbonylethylenyl)-2 (thio)-pseudouracil; 1 (aminoalkylaminocarbonylethylenyl)-2,4-(dithio)pseudouracil; 1 (aminoalkylaminocarbonylethylenyl)-4 (thio)pseudouracil; 1 (aminoalkylaminocarbonylethylenyl)-pseudouracil; 1 (aminocarbonylethylenyl)-2(thio)-pseudouracil; 1 (aminocarbonylethylenyl)-2,4-(dithio)pseudouracil; 1 (aminocarbonylethylenyl)-4 (thio)pseudouracil; 1 (aminocarbonylethylenyl)-pseudouracil; 1 substituted 2(thio)-pseudouracil; 1 substituted 2,4-(dithio)pseudouracil; 1 substituted 4 (thio)pseudouracil; 1 substituted pseudouracil; 1-(aminoalkylamino-carbonylethylenyl)-2-(thio)-pseudouracil; 1-Methyl-3-(3-amino-3-carboxypropyl) pseudouridine TP; 1-Methyl-3-(3-amino-3-carboxypropyl)pseudo-UTP; 1-Methyl-pseudo-UTP; 2 (thio)pseudouracil; 2' deoxy uridine; 2' fluorouridine; 2-(thio)uracil; 2,4-(dithio)pseudouracil; 2' methyl, 2' amino, 2' azido, 2' fluoro-guanosine; 2'-Amino-2'-deoxy-UTP; 2'-Azido-2'-deoxy-UTP; 2'-Azido-deoxyuridine TP; 2'-O-methylpseudouridine; 2' deoxy uridine; 2' fluorouridine; 2'-Deoxy-2'-a-aminouridine TP; 2'-Deoxy-2'-a-azidouridine TP; 2-methylpseudouridine; 3 (3 amino-3 carboxypropyl)uracil; 4 (thio)pseudouracil; 4-(thio)pseudouracil; 4-(thio)uracil; 4-thiouracil; 5 (1,3-diazole-1-alkyl)uracil; 5 (2-aminopropyl)uracil; 5 (aminoalkyl)uracil; 5 (dimethylaminoalkyl)uracil; 5 (guanidiniumalkyl)uracil; 5 (methoxycarbonylmethyl)-2-(thio)uracil; 5 (methoxycarbonyl-methyl)uracil; 5 (methyl) 2 (thio)uracil; 5 (methyl) 2,4 (dithio)uracil; 5 (methyl) 4 (thio)uracil; 5 (methylaminomethyl)-2 (thio)uracil; 5 (methylaminomethyl)-2,4 (dithio)uracil; 5 (methylaminomethyl)-4 (thio)uracil; 5 (propynyl)uracil; 5 (trifluoromethyl)uracil; 5-(2-aminopropyl)uracil; 5-(alkyl)-2-(thio)pseudouracil; 5-(alkyl)-2,4 (dithio)pseudouracil; 5-(alkyl)-4 (thio)pseudouracil; 5-(alkyl)pseudouracil; 5-(alkyl)uracil; 5-(alkynyl)uracil; 5-(allylamino)uracil; 5-(cyanoalkyl)uracil; 5-(dialkylaminoalkyl)uracil; 5-(dimethylaminoalkyl)uracil; 5-(guanidiniumalkyl)uracil; 5-(halo)uracil; 5-(1,3-diazole-1-alkyl)uracil; 5-(methoxy)uracil; 5-(methoxycarbonylmethyl)-2-(thio)uracil; 5-(methoxycarbonyl-methyl)uracil; 5-(methyl) 2(thio)uracil; 5-(methyl) 2,4 (dithio)uracil; 5-(methyl) 4 (thio)uracil; 5-(methyl)-2-(thio)pseudouracil; 5-(methyl)-2,4 (dithio)pseudouracil; 5-(methyl)-4 (thio)pseudouracil; 5-(methyl)pseudouracil; 5-(methylaminomethyl)-2 (thio)uracil; 5-(methylaminomethyl)-2,4(dithio)uracil; 5-(methylaminomethyl)-4-(thio)uracil; 5-(propynyl)uracil; 5-(trifluoromethyl)uracil; 5-aminoallyl-uridine; 5-bromo-uridine; 5-iodo-uridine; 5-uracil; 6 (azo)uracil; 6-(azo)uracil; 6-aza-uridine; ally-amino-uracil; aza uracil; deaza uracil; N3 (methyl)uracil; P pseudo-UTP-1-2-ethanoic acid; Pseudouracil; 4-Thio-pseudo-UTP; 1-carboxymethyl-pseudouridine; 1-methyl-1-deaza-pseudouridine; 1-propynyl-uridine; 1-taurinomethyl-1-methyl-uridine; 1-taurinomethyl-4-thio-uridine; 1-taurinomethyl-pseudouridine; 2-methoxy-4-thio-pseudouridine; 2-thio-1-methyl-1-deaza-pseudouridine; 2-thio-1-methyl-pseudouridine; 2-thio-5-aza-uridine; 2-thio-dihy-

dropseudouridine; 2-thio-dihydrouridine; 2-thio-pseudouridine; 4-methoxy-2-thio-pseudouridine; 4-methoxy-pseudouridine; 4-thio-1-methyl-pseudouridine; 4-thio-pseudouridine; 5-aza-uridine; Dihydropseudouridine; (\pm)1-(2-Hydroxypropyl)pseudouridine TP; (2R)-1-(2-Hydroxypropyl)pseudouridine TP; (2S)-1-(2-Hydroxypropyl)pseudouridine TP; (E)-5-(2-Bromo-vinyl)ara-uridine TP; (E)-5-(2-Bromo-vinyl)uridine TP; (Z)-5-(2-Bromo-vinyl)ara-uridine TP; (Z)-5-(2-Bromo-vinyl)uridine TP; 1-(2,2,2-Trifluoroethyl)-pseudo-UTP; 1-(2,2,3,3,3-Pentafluoropropyl)pseudouridine TP; 1-(2,2-Diethoxyethyl)pseudouridine TP; 1-(2,4,6-Trimethylbenzyl)pseudouridine TP; 1-(2,4,6-Trimethyl-benzyl)pseudo-UTP; 1-(2,4,6-Trimethyl-phenyl)pseudo-UTP; 1-(2-Amino-2-carboxyethyl)pseudo-UTP; 1-(2-Amino-ethyl)pseudo-UTP; 1-(2-Hydroxyethyl)pseudouridine TP; 1-(2-Methoxyethyl)pseudouridine TP; 1-(3,4-Bis-trifluoromethoxybenzyl)pseudouridine TP; 1-(3,4-Dimethoxybenzyl)pseudouridine TP; 1-(3-Amino-3-carboxypropyl)pseudo-UTP; 1-(3-Amino-propyl)pseudo-UTP; 1-(3-Cyclopropyl-prop-2-ynyl)pseudouridine TP; 1-(4-Amino-4-carboxybutyl)pseudo-UTP; 1-(4-Amino-benzyl)pseudo-UTP; 1-(4-Amino-butyl)pseudo-UTP; 1-(4-Aminophenyl)pseudo-UTP; 1-(4-Azidobenzyl)pseudouridine TP; 1-(4-Bromobenzyl)pseudouridine TP; 1-(4-Chlorobenzyl)pseudouridine TP; 1-(4-Fluorobenzyl)pseudouridine TP; 1-(4-Iodobenzyl)pseudouridine TP; 1-(4-Methanesulfonylbenzyl)pseudouridine TP; 1-(4-Methoxybenzyl)pseudouridine TP; 1-(4-Methoxy-benzyl)pseudo-UTP; 1-(4-Methoxyphenyl)pseudo-UTP; 1-(4-Methylbenzyl)pseudouridine TP; 1-(4-Methyl-benzyl)pseudo-UTP; 1-(4-Nitrobenzyl)pseudouridine TP; 1-(4-Nitro-benzyl)pseudo-UTP; 1-(4-Nitro-phenyl)pseudo-UTP; 1-(4-Thiomethoxybenzyl)pseudouridine TP; 1-(4-Trifluoromethoxybenzyl)pseudouridine TP; 1-(4-Trifluoromethylbenzyl)pseudouridine TP; 1-(5-Amino-pentyl)pseudo-UTP; 1-(6-Amino-hexyl)pseudo-UTP; 1,6-Dimethyl-pseudo-UTP; 1-[3-(2-{2-[2-(2-Aminoethoxy)-ethoxy]-ethoxy}-ethoxy)propionyl]pseudouridine TP; 1-{3-[2-(2-Aminoethoxy)-ethoxy]-propionyl} pseudouridine TP; 1-Acetyl-pseudouridine TP; 1-Alkyl-6-(1-propynyl)-pseudo-UTP; 1-Alkyl-6-(2-propynyl)-pseudo-UTP; 1-Alkyl-6-allyl-pseudo-UTP; 1-Alkyl-6-ethynyl-pseudo-UTP; 1-Alkyl-6-homoallyl-pseudo-UTP; 1-Alkyl-6-vinyl-pseudo-UTP; 1-Allylpseudouridine TP; 1-Aminomethyl-pseudo-UTP; 1-Benzoylpseudouridine TP; 1-Benzoyloxymethylpseudouridine TP; 1-Benzyl-pseudo-UTP; 1-Biotinyl-PEG2-pseudouridine TP; 1-Biotinylpseudouridine TP; 1-Butyl-pseudo-UTP; 1-Cyanomethylpseudouridine TP; 1-Cyclobutylmethyl-pseudo-UTP; 1-Cyclobutyl-pseudo-UTP; 1-Cycloheptylmethyl-pseudo-UTP; 1-Cycloheptyl-pseudo-UTP; 1-Cyclohexylmethyl-pseudo-UTP; 1-Cyclohexyl-pseudo-UTP; 1-Cyclooctylmethyl-pseudo-UTP; 1-Cyclooctyl-pseudo-UTP; 1-Cyclopentylmethyl-pseudo-UTP; 1-Cyclopentyl-pseudo-UTP; 1-Cyclopropylmethyl-pseudo-UTP; 1-Cyclopropyl-pseudo-UTP; 1-Ethyl-pseudo-UTP; 1-Hexyl-pseudo-UTP; 1-Homoallylpseudouridine TP; 1-Hydroxymethylpseudouridine TP; 1-iso-propyl-pseudo-UTP; 1-Me-2-thio-pseudo-UTP; 1-Me-4-thio-pseudo-UTP; 1-Me-alpha-thio-pseudo-UTP; 1-Methanesulfonylmethylpseudouridine TP; 1-Methoxymethylpseudouridine TP; 1-Methyl-6-(2,2,2-Trifluoroethyl)pseudo-UTP; 1-Methyl-6-(4-morpholino)-pseudo-UTP; 1-Methyl-6-(4-thiomorpholino)-pseudo-UTP; 1-Methyl-6-(substituted phenyl)pseudo-UTP; 1-Methyl-6-amino-pseudo-UTP; 1-Methyl-6-

azido-pseudo-UTP; 1-Methyl-6-bromo-pseudo-UTP; 1-Methyl-6-butyl-pseudo-UTP; 1-Methyl-6-chloro-pseudo-UTP; 1-Methyl-6-cyano-pseudo-UTP; 1-Methyl-6-dimethylamino-pseudo-UTP; 1-Methyl-6-ethoxy-pseudo-UTP; 1-Methyl-6-ethylcarboxylate-pseudo-UTP; 1-Methyl-6-ethyl-pseudo-UTP; 1-Methyl-6-fluoro-pseudo-UTP; 1-Methyl-6-formyl-pseudo-UTP; 1-Methyl-6-hydroxyamino-pseudo-UTP; 1-Methyl-6-hydroxy-pseudo-UTP; 1-Methyl-6-iodo-pseudo-UTP; 1-Methyl-6-iso-propyl-pseudo-UTP; 1-Methyl-6-methoxy-pseudo-UTP; 1-Methyl-6-methylamino-pseudo-UTP; 1-Methyl-6-phenyl-pseudo-UTP; 1-Methyl-6-propyl-pseudo-UTP; 1-Methyl-6-tert-butyl-pseudo-UTP; 1-Methyl-6-trifluoromethoxy-pseudo-UTP; 1-Methyl-6-trifluoromethyl-pseudo-UTP; 1-Morpholinomethylpseudouridine TP; 1-Pentyl-pseudo-UTP; 1-Phenyl-pseudo-UTP; 1-Pivaloylpseudouridine TP; 1-Propargylpseudouridine TP; 1-Propyl-pseudo-UTP; 1-propynyl-pseudouridine; 1-p-tolyl-pseudo-UTP; 1-tert-Butyl-pseudo-UTP; 1-Thiomethoxymethylpseudouridine TP; 1-Thiomorpholinomethylpseudouridine TP; 1-Trifluoroacetyl-pseudouridine TP; 1-Trifluoromethyl-pseudo-UTP; 1-Vinylpseudouridine TP; 2,2'-anhydro-uridine TP; 2'-bromo-deoxyuridine TP; 2'-F-5-Methyl-2'-deoxy-UTP; 2'-OMe-5-Me-UTP; 2'-OMe-pseudo-UTP; 2'-a-Ethynyluridine TP; 2'-a-Trifluoromethyluridine TP; 2'-b-Ethynyluridine TP; 2'-b-Trifluoromethyluridine TP; 2'-Deoxy-2',2'-difluorouridine TP; 2'-Deoxy-2'-a-mercaptopuridine TP; 2'-Deoxy-2'-a-thiomethoxyuridine TP; 2'-Deoxy-2'-b-aminouridine TP; 2'-Deoxy-2'-b-azidouridine TP; 2'-Deoxy-2'-b-bromouridine TP; 2'-Deoxy-2'-b-chlorouridine TP; 2'-Deoxy-2'-b-fluorouridine TP; 2'-Deoxy-2'-b-iodouridine TP; 2'-Deoxy-2'-b-mercaptopuridine TP; 2'-Deoxy-2'-b-thiomethoxyuridine TP; 2-methoxy-4-thio-uridine; 2-methoxyuridine; 2'-O-Methyl-5-(1-propynyl)uridine TP; 3-Alkyl-pseudo-UTP; 4'-Azidouridine TP; 4'-Carbocyclic uridine TP; 4'-Ethynyluridine TP; 5-(1-Propynyl)ara-uridine TP; 5-(2-Furanyl)uridine TP; 5-Cyanouridine TP; 5-Dimethylaminouridine TP; 5'-Homo-uridine TP; 5-iodo-2'-fluoro-deoxyuridine TP; 5-Phenylethynyluridine TP; 5-Tri-deuteromethyl-6-deuterouridine TP; 5-Trifluoromethyl-Uridine TP; 5-Vinylarauridine TP; 6-(2,2,2-Trifluoroethyl)-pseudo-UTP; 6-(4-Morpholino)-pseudo-UTP; 6-(4-Thiomorpholino)-pseudo-UTP; 6-(Substituted-Phenyl)-pseudo-UTP; 6-Amino-pseudo-UTP; 6-Azido-pseudo-UTP; 6-Bromo-pseudo-UTP; 6-Butyl-pseudo-UTP; 6-Chloro-pseudo-UTP; 6-Cyano-pseudo-UTP; 6-Dimethylamino-pseudo-UTP; 6-Ethoxy-pseudo-UTP; 6-Ethylcarboxylate-pseudo-UTP; 6-Ethyl-pseudo-UTP; 6-Fluoro-pseudo-UTP; 6-Formyl-pseudo-UTP; 6-Hydroxyamino-pseudo-UTP; 6-Hydroxy-pseudo-UTP; 6-Iodo-pseudo-UTP; 6-iso-Propyl-pseudo-UTP; 6-Methoxy-pseudo-UTP; 6-Methyl-amino-pseudo-UTP; 6-Methyl-pseudo-UTP; 6-Phenyl-pseudo-UTP; 6-Phenyl-pseudo-UTP; 6-Propyl-pseudo-UTP; 6-tert-Butyl-pseudo-UTP; 6-Trifluoromethoxy-pseudo-UTP; 6-Trifluoromethyl-pseudo-UTP; Alpha-thio-pseudo-UTP; Pseudouridine 1-(4-methylbenzenesulfonic acid) TP; Pseudouridine 1-(4-methylbenzoic acid) TP; Pseudouridine TP 1-[3-(2-ethoxy)]propionic acid; Pseudouridine TP 1-[3{2-(2-[2-(2-ethoxy)-ethoxy]-ethoxy)-ethoxy}] propionic acid; Pseudouridine TP 1-[3-{2-(2-[2-{2(2-ethoxy)-ethoxy}-ethoxy]-ethoxy)-ethoxy}]propionic acid; Pseudouridine TP 1-[3-{2-(2-[2-ethoxy]-ethoxy)-ethoxy}] propionic acid; Pseudouridine TP 1-[3-{2-(2-ethoxy)-ethoxy}] propionic acid; Pseudouridine TP 1-methylphos-

phonic acid; Pseudouridine TP 1-methylphosphonic acid diethyl ester; Pseudo-UTP-N1-3-propionic acid; Pseudo-UTP-N1-4-butanoic acid; Pseudo-UTP-N1-5-pentanoic acid; Pseudo-UTP-N1-6-hexanoic acid; Pseudo-UTP-N1-7-heptanoic acid; Pseudo-UTP-N1-methyl-p-benzoic acid; Pseudo-UTP-N1-p-benzoic acid; Wybutosine; Hydroxywybutosine; Isowyosine; Peroxywybutosine; undermodified hydroxywybutosine; 4-demethylwyosine; 2,6-(diamino)purine; 1-(aza)-2-(thio)-3-(aza)-phenoxazin-1-yl; 1,3-(diaz)-2-(oxo)-phenthiazin-1-yl; 1,3-(diaz)-2-(oxo)-phenoxazin-1-yl; 1,3,5-(triaz)-2,6-(diox)-naphthalene; 2 (amino) purine; 2,4,5-(trimethyl)phenyl; 2' methyl, 2' amino, 2' azido, 2' fluoro-cytidine; 2' methyl, 2' amino, 2' azido, 2' fluoro-adenine; 2' methyl, 2' amino, 2' azido, 2' fluoro-uridine; 2'-amino-2'-deoxyribose; 2-amino-6-Chloro-purine; 2-aza-inosinyl; 2'-azido-2'-deoxyribose; 2'fluoro-2'-deoxyribose; 2'-fluoromodified bases; 2'-O-methyl-ribose; 2-oxo-7-aminopyridopyrimidin-3-yl; 2-oxo-pyridopyrimidine-3-yl; 2-pyridinone; 3 nitropyrrole; 3-(methyl)-7-(propynyl) isocarbostyryl; 3-(methyl)isocarbostyryl; 4-(fluoro)-6-(methyl)benzimidazole; 4-(methyl)benzimidazole; 4-(methyl)indolyl; 4,6-(dimethyl)indolyl; 5 nitroindole; 5 substituted pyrimidines; 5-(methyl)isocarbostyryl; 5-nitroindole; 6-(aza)pyrimidine; 6-(azo)thymine; 6-(methyl)-7-(aza)indolyl; 6-chloro-purine; 6-phenyl-pyrrolo-pyrimidin-2-on-3-yl; 7-(aminoalkylhydroxy)-1-(aza)-2-(thio)-3-(aza)-phenthiazin-1-yl; 7-(aminoalkylhydroxy)-1-(aza)-2-(thio)-3-(aza)-phenoxazin-1-yl; 7-(aminoalkylhydroxy)-1,3-(diaz)-2-(oxo)-phenthiazin-1-yl; 7-(aminoalkylhydroxy)-1,3-(diaz)-2-(oxo)-phenoxazin-1-yl; 7-(aza)indolyl; 7-(guanidiniumalkylhydroxy)-1-(aza)-2-(thio)-3-(aza)-phenoxazin-1-yl; 7-(guanidiniumalkylhydroxy)-1-(aza)-2-(thio)-3-(aza)-phenthiazin-1-yl; 7-(guanidiniumalkylhydroxy)-1-(aza)-2-(thio)-3-(aza)-phenoxazin-1-yl; 7-(guanidiniumalkylhydroxy)-1,3-(diaz)-2-(oxo)-phenoxazin-1-yl; 7-(guanidiniumalkylhydroxy)-1,3-(diaz)-2-(oxo)-phenoxazin-1-yl; 7-(propynyl)isocarbostyryl; 7-(propynyl)isocarbostyryl, propynyl-7-(aza)indolyl; 7-deaza-inosinyl; 7-substituted 1-(aza)-2-(thio)-3-(aza)-phenoxazin-1-yl; 7-substituted 1,3-(diaz)-2-(oxo)-phenoxazin-1-yl; 9-(methyl)-imidizopyridinyl; Aminoindolyl; Anthracenyl; bis-ortho-(aminoalkylhydroxy)-6-phenyl-pyrrolo-pyrimidin-2-on-3-yl; bis-ortho-substituted-6-phenyl-pyrrolo-pyrimidin-2-on-3-yl; Difluorotolyl; Hypoxanthine; Imidizopyridinyl; Inosinyl; Isocarbostyryl; Isoguanisine; N2-substituted purines; N6-methyl-2-amino-purine; N6-substituted purines; N-alkylated derivative; Naphthalenyl; Nitrobenzimidazolyl; Nitroimidazolyl; Nitroindazolyl; Nitropyrazolyl; Nubularine; O6-substituted purines; O-alkylated derivative; ortho-(aminoalkylhydroxy)-6-phenyl-pyrrolo-pyrimidin-2-on-3-yl; ortho-substituted-6-phenyl-pyrrolo-pyrimidin-2-on-3-yl; Oxoformycin TP; para-(aminoalkylhydroxy)-6-phenyl-pyrrolo-pyrimidin-2-on-3-yl; para-substituted-6-phenyl-pyrrolo-pyrimidin-2-on-3-yl; Pentacenyl; Phenanthracenyl; Phenyl; propynyl-7-(aza)indolyl; Pyrenyl; pyridopyrimidin-3-yl; pyridopyrimidin-3-yl, 2-oxo-7-amino-pyridopyrimidin-3-yl; pyrrolo-pyrimidin-2-on-3-yl; Pyrrolopyrimidinyl; Pyrrolopyrizinyl; Stilbenzyl; substituted 1,2,4-triazoles; Tetracenyl; Tubercidine; Xanthine; Xanthosine-5'-TP; 2-thio-zebularine; 5-aza-2-thio-zebularine; 7-deaza-2-amino-purine; pyridin-4-one ribo-

nucleoside; 2-Amino-riboside-TP; Formycin A TP; Formycin B TP; Pyrrolosine TP; 2'-OH-ara-adenosine TP; 2'-OH-ara-cytidine TP; 2'-OH-ara-uridine TP; 2'-OH-ara-guanosine TP; 5-(2-carbomethoxyvinyl)uridine TP; and N6-(19-Amino-pentaoxanonadecyl)adenosine TP.

[0319] In some embodiments, polynucleotides (e.g., RNA polynucleotides, such as mRNA polynucleotides) include a combination of at least two (e.g., 2, 3, 4 or more) of the aforementioned modified nucleobases.

[0320] In some embodiments, modified nucleobases in polynucleotides (e.g., RNA polynucleotides, such as mRNA polynucleotides) are selected from the group consisting of pseudouridine (ψ), N1-methylpseudouridine ($m^1\psi$), N1-ethylpseudouridine, 2-thiouridine, 4'-thiouridine, 5-methylcytosine, 2-thio-1-methyl-1-deaza-pseudouridine, 2-thio-1-methyl-pseudouridine, 2-thio-5-aza-uridine, 2-thio-dihydropseudouridine, 2-thio-dihydrouridine, 2-thio-pseudouridine, 4-methoxy-2-thio-pseudouridine, 4-methoxy-pseudouridine, 4-thio-1-methyl-pseudouridine, 4-thio-pseudouridine, 5-aza-uridine, dihydropseudouridine, 5-methoxyuridine and 2'-O-methyl uridine. In some embodiments, polynucleotides (e.g., RNA polynucleotides, such as mRNA polynucleotides) include a combination of at least two (e.g., 2, 3, 4 or more) of the aforementioned modified nucleobases.

[0321] In some embodiments, modified nucleobases in polynucleotides (e.g., RNA polynucleotides, such as mRNA polynucleotides) are selected from the group consisting of 1-methyl-pseudouridine ($m^1\psi$), 5-methoxy-uridine (mo^5U), 5-methyl-cytidine (m^5C), pseudouridine (ψ), α -thio-guanosine and α -thio-adenosine. In some embodiments, polynucleotides includes a combination of at least two (e.g., 2, 3, 4 or more) of the aforementioned modified nucleobases.

[0322] In some embodiments, polynucleotides (e.g., RNA polynucleotides, such as mRNA polynucleotides) comprise pseudouridine (ψ) and 5-methyl-cytidine (m^5C). In some embodiments, polynucleotides (e.g., RNA polynucleotides, such as mRNA polynucleotides) comprise 1-methyl-pseudouridine ($m^1\psi$). In some embodiments, polynucleotides (e.g., RNA polynucleotides, such as mRNA polynucleotides) comprise 1-methyl-pseudouridine ($m^1\psi$) and 5-methyl-cytidine (m^5C). In some embodiments, polynucleotides (e.g., RNA polynucleotides, such as mRNA polynucleotides) comprise 2-thiouridine (s^2U). In some embodiments, polynucleotides (e.g., RNA polynucleotides, such as mRNA polynucleotides) comprise 2-thiouridine and 5-methyl-cytidine (m^5C). In some embodiments, polynucleotides (e.g., RNA polynucleotides, such as mRNA polynucleotides) comprise methoxy-uridine (mo^5U). In some embodiments, polynucleotides (e.g., RNA polynucleotides, such as mRNA polynucleotides) comprise 5-methoxy-uridine (mo^5U) and 5-methyl-cytidine (m^5C). In some embodiments, polynucleotides (e.g., RNA polynucleotides, such as mRNA polynucleotides) comprise 2'-O-methyl uridine. In some embodiments polynucleotides (e.g., RNA polynucleotides, such as mRNA polynucleotides) comprise 2'-O-methyl uridine and 5-methyl-cytidine (m^5C). In some embodiments, polynucleotides (e.g., RNA polynucleotides, such as mRNA polynucleotides) comprise N6-methyl-adenosine (m^6A). In some embodiments, polynucleotides (e.g., RNA polynucleotides, such as mRNA polynucleotides) comprise N6-methyl-adenosine (m^6A) and 5-methyl-cytidine (m^5C).

[0323] In some embodiments, polynucleotides (e.g., RNA polynucleotides, such as mRNA polynucleotides) are uniformly modified (e.g., fully modified, modified throughout the entire sequence) for a particular modification. For example, a polynucleotide can be uniformly modified with 5-methyl-cytidine (m^5C), meaning that all cytosine residues in the mRNA sequence are replaced with 5-methyl-cytidine (m^5C). Similarly, a polynucleotide can be uniformly modified for any type of nucleoside residue present in the sequence by replacement with a modified residue such as those set forth above.

[0324] Exemplary nucleobases and nucleosides having a modified cytosine include N4-acetyl-cytidine ($ac4C$), 5-methyl-cytidine ($m5C$), 5-halo-cytidine (e.g., 5-iodo-cytidine), 5-hydroxymethyl-cytidine ($hm5C$), 1-methyl-pseudoisocytidine, 2-thio-cytidine ($s2C$), and 2-thio-5-methyl-cytidine.

[0325] In some embodiments, a modified nucleobase is a modified uridine. Exemplary nucleobases and In some embodiments, a modified nucleobase is a modified cytosine. nucleosides having a modified uridine include 5-cyano uridine, and 4'-thio uridine.

[0326] In some embodiments, a modified nucleobase is a modified adenine. Exemplary nucleobases and nucleosides having a modified adenine include 7-deaza-adenine, 1-methyl-adenosine ($m1A$), 2-methyl-adenine ($m2A$), and N6-methyl-adenosine ($m6A$).

[0327] In some embodiments, a modified nucleobase is a modified guanine. Exemplary nucleobases and nucleosides having a modified guanine include inosine (I), 1-methyl-inosine ($m1I$), wyosine (imG), methylwyosine ($mimG$), 7-deaza-guanosine, 7-cyano-7-deaza-guanosine ($preQ0$), 7-aminomethyl-7-deaza-guanosine ($preQ1$), 7-methyl-guanosine ($m7G$), 1-methyl-guanosine ($m1G$), 8-oxo-guanosine, 7-methyl-8-oxo-guanosine.

[0328] The polynucleotides of the present disclosure may be partially or fully modified along the entire length of the molecule. For example, one or more or all or a given type of nucleotide (e.g., purine or pyrimidine, or any one or more or all of A, G, U, C) may be uniformly modified in a polynucleotide of the disclosure, or in a given predetermined sequence region thereof (e.g., in the mRNA including or excluding the polyA tail). In some embodiments, all nucleotides X in a polynucleotide of the present disclosure (or in a given sequence region thereof) are modified nucleotides, wherein X may any one of nucleotides A, G, U, C, or any one of the combinations A+G, A+U, A+C, G+U, G+C, U+C, A+G+U, A+G+C, G+U+C or A+G+C.

[0329] The polynucleotide may contain from about 1% to about 100% modified nucleotides (either in relation to overall nucleotide content, or in relation to one or more types of nucleotide, i.e., any one or more of A, G, U or C) or any intervening percentage (e.g., from 1% to 20%, from 1% to 25%, from 1% to 50%, from 1% to 60%, from 1% to 70%, from 1% to 80%, from 1% to 90%, from 1% to 95%, from 10% to 20%, from 10% to 25%, from 10% to 50%, from 10% to 60%, from 10% to 70%, from 10% to 80%, from 10% to 90%, from 10% to 95%, from 10% to 100%, from 20% to 25%, from 20% to 50%, from 20% to 60%, from 20% to 70%, from 20% to 80%, from 20% to 90%, from 20% to 95%, from 20% to 100%, from 50% to 60%, from 50% to 70%, from 50% to 80%, from 50% to 90%, from 50% to 95%, from 50% to 100%, from 70% to 80%, from 70% to 90%, from 70% to 95%, from 70% to 100%,

from 80% to 90%, from 80% to 95%, from 80% to 100%, from 90% to 95%, from 90% to 100%, and from 95% to 100%). Any remaining percentage is accounted for by the presence of unmodified A, G, U, or C.

[0330] The polynucleotides may contain at a minimum 1% and at maximum 100% modified nucleotides, or any intervening percentage, such as at least 5% modified nucleotides, at least 10% modified nucleotides, at least 25% modified nucleotides, at least 50% modified nucleotides, at least 80% modified nucleotides, or at least 90% modified nucleotides. For example, the polynucleotides may contain a modified pyrimidine such as a modified uracil or cytosine. In some embodiments, at least 5%, at least 10%, at least 25%, at least 50%, at least 80%, at least 90% or 100% of the uracil in the polynucleotide is replaced with a modified uracil (e.g., a 5-substituted uracil). The modified uracil can be replaced by a compound having a single unique structure, or can be replaced by a plurality of compounds having different structures (e.g., 2, 3, 4 or more unique structures). In some embodiments, at least 5%, at least 10%, at least 25%, at least 50%, at least 80%, at least 90% or 100% of the cytosine in the polynucleotide is replaced with a modified cytosine (e.g., a 5-substituted cytosine). The modified cytosine can be replaced by a compound having a single unique structure, or can be replaced by a plurality of compounds having different structures (e.g., 2, 3, 4 or more unique structures).

[0331] Thus, in some embodiments, the RNA (e.g., mRNA) vaccines comprise a 5'UTR element, an optionally codon optimized open reading frame, and a 3'UTR element, a poly(A) sequence and/or a polyadenylation signal wherein the RNA is not chemically modified.

[0332] In some embodiments, the modified nucleobase is a modified uracil. Exemplary nucleobases and nucleosides having a modified uracil include pseudouridine (ψ), pyridin-4-one ribonucleoside, 5-aza-uridine, 6-aza-uridine, 2-thio-5-aza-uridine, 2-thio-uridine (s^2U), 4-thio-uridine (s^4U), 4-thio-pseudouridine, 2-thio-pseudouridine, 5-hydroxy-uridine (ho^5U), 5-aminoallyl-uridine, 5-halo-uridine (e.g., 5-iodo-uridine or 5-bromo-uridine), 3-methyl-uridine (m^3U), 5-methoxy-uridine (mo^5U), uridine 5-oxyacetic acid (cmo^5U), uridine 5-oxyacetic acid methyl ester ($mcmo^5U$), 5-carboxymethyl-uridine (cm^5U), 1-carboxymethyl-pseudouridine, 5-carboxyhydroxymethyl-uridine (chm^5U), 5-carboxyhydroxymethyl-uridine methyl ester ($mchm^5U$), 5-methoxycarbonylmethyl-uridine (mcm^5U), 5-methoxycarbonylmethyl-2-thio-uridine (mcm^5s^2U), 5-aminomethyl-2-thio-uridine (nm^5s^2U), 5-methylaminomethyl-uridine (mnm^5U), 5-methylaminomethyl-2-thio-uridine (mnm^5s^2U), 5-methylaminomethyl-2-seleno-uridine (mnm^5se^2U), 5-carbamoylmethyl-uridine (ncm^5U), 5-carboxymethylaminomethyl-uridine ($cmnm^5U$), 5-carboxymethylaminomethyl-2-thio-uridine ($cmnm^5s^2U$), 5-propynyl-uridine, 1-propynyl-pseudouridine, 5-taurinomethyl-uridine (τm^5U), 1-taurinomethyl-pseudouridine, 5-taurinomethyl-2-thio-uridine (τm^5s^2U), 1-taurinomethyl-4-thio-pseudouridine, 5-methyl-uridine (m^5U , i.e., having the nucleobase deoxythymine), 1-methyl-pseudouridine ($m^1\psi$), 5-methyl-2-thio-uridine (m^5s^2U), 1-methyl-4-thio-pseudouridine ($m^1s^4\psi$), 4-thio-1-methyl-pseudouridine, 3-methyl-pseudouridine ($m^3\psi$), 2-thio-1-methyl-pseudouridine, 1-methyl-1-deaza-pseudouridine, 2-thio-1-methyl-1-deaza-pseudouridine, dihydrouridine (D), dihydropseudouridine, 5,6-dihydrouridine, 5-methyl-dihydrouridine (m^5D), 2-thio-dihydrouridine, 2-thio-dihydropseudouridine, 2-methoxy-

uridine, 2-methoxy-4-thio-uridine, 4-methoxy-pseudouridine, 4-methoxy-2-thio-pseudouridine, N1-methyl-pseudouridine, 3-(3-amino-3-carboxypropyl)uridine (acp^3U), 1-methyl-3-(3-amino-3-carboxypropyl)pseudouridine ($acp^3\psi$), 5-(isopentenylaminomethyl)uridine (inm^5U), 5-(isopentenylaminomethyl)-2-thio-uridine (inm^5s^2U), α -thio-uridine, 2'-O-methyl-uridine (Um), 5,2'-O-dimethyl-uridine (m^5Um), 2'-O-methyl-pseudouridine (ψm), 2-thio-2'-O-methyl-uridine (s^2Um), 5-methoxycarbonylmethyl-2'-O-methyl-uridine (mcm^5Um), 5-carbamoylmethyl-2'-O-methyl-uridine (ncm^5Um), 5-carboxymethylaminomethyl-2'-O-methyl-uridine ($cmnm^5Um$), 3,2'-O-dimethyl-uridine (m^3Um), and 5-(isopentenylaminomethyl)-2'-O-methyl-uridine (inm^5Um), 1-thio-uridine, deoxythymidine, 2'-F-ara-uridine, 2'-F-uridine, 2'-OH-ara-uridine, 5-(2-carbomethoxyvinyl) uridine, and 5-[3-(1-E-propenylamino)] uridine.

[0333] In some embodiments, the modified nucleobase is a modified cytosine. Exemplary nucleobases and nucleosides having a modified cytosine include 5-aza-cytidine, 6-aza-cytidine, pseudoisocytidine, 3-methyl-cytidine (m^3C), N4-acetyl-cytidine (ac^4C), 5-formyl-cytidine (f^5C), N4-methyl-cytidine (m^4C), 5-methyl-cytidine (m^5C), 5-halo-cytidine (e.g., 5-iodo-cytidine), 5-hydroxymethyl-cytidine (hm^5C), 1-methyl-pseudoisocytidine, pyrrolo-cytidine, pyrrolo-pseudoisocytidine, 2-thio-cytidine (s^2C), 2-thio-5-methyl-cytidine, 4-thio-pseudoisocytidine, 4-thio-1-methyl-pseudoisocytidine, 4-thio-1-methyl-1-deaza-pseudoisocytidine, 1-methyl-1-deaza-pseudoisocytidine, zebularine, 5-aza-zebularine, 5-methyl-zebularine, 5-aza-2-thio-zebularine, 2-thio-zebularine, 2-methoxy-cytidine, 2-methoxy-5-methyl-cytidine, 4-methoxy-pseudoisocytidine, 4-methoxy-1-methyl-pseudoisocytidine, lysidine (k_2C), α -thio-cytidine, 2'-O-methyl-cytidine (Cm), 5,2'-O-dimethyl-cytidine (m^5Cm), N4-acetyl-2'-O-methyl-cytidine (ac^4Cm), N4,2'-O-dimethyl-cytidine (m^4Cm), 5-formyl-2'-O-methyl-cytidine (f^5Cm), N4,N4,2'-O-trimethyl-cytidine (m^42Cm), 1-thio-cytidine, 2'-F-ara-cytidine, 2'-F-cytidine, and 2'-OH-ara-cytidine.

[0334] In some embodiments, the modified nucleobase is a modified adenine. Exemplary nucleobases and nucleosides having a modified adenine include 2-amino-purine, 2, 6-diaminopurine, 2-amino-6-halo-purine (e.g., 2-amino-6-chloro-purine), 6-halo-purine (e.g., 6-chloro-purine), 2-amino-6-methyl-purine, 8-azido-adenosine, 7-deaza-adenine, 7-deaza-8-aza-adenine, 7-deaza-2-amino-purine, 7-deaza-8-aza-2-amino-purine, 7-deaza-2,6-diaminopurine, 7-deaza-8-aza-2,6-diaminopurine, 1-methyl-adenosine (m^1A), 2-methyl-adenine (m^2A), N6-methyl-adenosine (m^6A), 2-methylthio-N6-methyl-adenosine (ms^2m^6A), N6-isopentenyl-adenosine (i^6A), 2-methylthio-N6-isopentenyl-adenosine (ms^2i^6A), N6-(cis-hydroxyisopentenyl)adenosine (io^6A), 2-methylthio-N6-(cis-hydroxyisopentenyl)adenosine (ms^2io^6A), N6-glycylcarbamoyl-adenosine (g^6A), N6-threonylcarbamoyl-adenosine (t^6A), N6-methyl-N6-threonylcarbamoyl-adenosine (m^6t^6A), 2-methylthio-N6-threonylcarbamoyl-adenosine (ms^2g^6A), N6,N6-dimethyl-adenosine (m^62A), N6-hydroxynorvalylcarbamoyl-adenosine (hn^6A), 2-methylthio-N6-hydroxynorvalylcarbamoyl-adenosine (ms^2hn^6A), N6-acetyl-adenosine (ac^6A), 7-methyl-adenine, 2-methylthio-adenine, 2-methoxy-adenine, α -thio-adenosine, 2'-O-methyl-adenosine (Am), N6,2'-O-dimethyl-adenosine (m^6Am), N6,N6,2'-O-trimethyl-adenosine (m^62Am), 1,2'-

O-dimethyl-adenosine (m^1Am), 2'-O-ribosyladenosine (phosphate) ($Ar(p)$), 2-amino-N6-methyl-purine, 1-thio-adenosine, 8-azido-adenosine, 2' -F-ara-adenosine, 2'-F-adenosine, 2' -OH-ara-adenosine, and N6-(19-amino-pentaoxonadecyl)-adenosine.

[0335] In some embodiments, the modified nucleobase is a modified guanine. Exemplary nucleobases and nucleosides having a modified guanine include inosine (I), 1-methyl-inosine (m^1I), wyosine (imG), methylwyosine ($mimG$), 4-demethyl-wyosine ($imG-14$), isowyosine ($imG2$), wybutosine (yW), peroxywybutosine ($o2yW$), hydroxywybutosine ($OhyW$), undermodified hydroxywybutosine ($OhyW^*$), 7-deaza-guanosine, queuosine (Q), epoxyqueuosine (oQ), galactosyl-queuosine ($galQ$), mannosyl-queuosine ($manQ$), 7-cyano-7-deaza-guanosine ($preQ_0$), 7-aminomethyl-7-deaza-guanosine ($preQ_1$), archaeosine (G^+), 7-deaza-8-aza-guanosine, 6-thio-guanosine, 6-thio-7-deaza-guanosine, 6-thio-7-deaza-8-aza-guanosine, 7-methyl-guanosine (m^7G), 6-thio-7-methyl-guanosine, 7-methyl-inosine, 6-methoxy-guanosine, 1-methyl-guanosine (m^1G), N2-methyl-guanosine (m^2G), N2,N2-dimethyl-guanosine (m^2_2G), N2,7-dimethyl-guanosine ($m^{2,7}G$), N2, N2,7-dimethyl-guanosine ($m^{2,2,7}G$), 8-oxo-guanosine, 7-methyl-8-oxo-guanosine, 1-methyl-6-thio-guanosine, N2-methyl-6-thio-guanosine, N2,N2-dimethyl-6-thio-guanosine, α -thio-guanosine, 2'-O-methyl-guanosine (Gm), N2-methyl-2'-O-methyl-guanosine (m^2Gm), N2,N2-dimethyl-2'-O-methyl-guanosine (m^2_2Gm), 1-methyl-2'-O-methyl-guanosine (m^1Gm), N2,7-dimethyl-2'-O-methyl-guanosine ($m^{2,7}Gm$), 2'-O-methyl-inosine (Im), 1,2'-O-dimethyl-inosine (m^1Im), 2'-O-ribosylguanosine (phosphate) ($Gr(p)$), 1-thio-guanosine, O6-methyl-guanosine, 2'-F-ara-guanosine, and 2'-F-guanosine.

N-Linked Glycosylation Site Mutants

[0336] N-linked glycans of viral proteins play important roles in modulating the immune response. Glycans can be important for maintaining the appropriate antigenic conformations, shielding potential neutralization epitopes, and may alter the proteolytic susceptibility of proteins. Some viruses have putative N-linked glycosylation sites. Deletion or modification of an N-linked glycosylation site may enhance the immune response. Thus, the present disclosure provides, in some embodiments, RNA (e.g., mRNA) vaccines comprising nucleic acids (e.g., mRNA) encoding antigenic polypeptides that comprise a deletion or modification at one or more N-linked glycosylation sites.

In Vitro Transcription of RNA (e.g., mRNA)

[0337] Respiratory virus vaccines of the present disclosure comprise at least one RNA polynucleotide, such as a mRNA (e.g., modified mRNA). mRNA, for example, is transcribed in vitro from template DNA, referred to as an "in vitro transcription template." In some embodiments, an in vitro transcription template encodes a 5' untranslated (UTR) region, contains an open reading frame, and encodes a 3' UTR and a polyA tail. The particular nucleic acid sequence composition and length of an in vitro transcription template will depend on the mRNA encoded by the template.

[0338] A "5' untranslated region" (5'UTR) refers to a region of an mRNA that is directly upstream (i.e., 5') from the start codon (i.e., the first codon of an mRNA transcript translated by a ribosome) that does not encode a polypeptide.

[0339] A "3' untranslated region" (3'UTR) refers to a region of an mRNA that is directly downstream (i.e., 3') from the stop codon (i.e., the codon of an mRNA transcript that signals a termination of translation) that does not encode a polypeptide.

[0340] An "open reading frame" is a continuous stretch of DNA beginning with a start codon (e.g., methionine (ATG)), and ending with a stop codon (e.g., TAA, TAG or TGA) and encodes a polypeptide. A "polyA tail" is a region of mRNA that is downstream, e.g., directly downstream (i.e., 3'), from the 3' UTR that contains multiple, consecutive adenosine monophosphates. A polyA tail may contain 10 to 300 adenosine monophosphates. For example, a polyA tail may contain 10, 20, 30, 40, 50, 60, 70, 80, 90, 100, 110, 120, 130, 140, 150, 160, 170, 180, 190, 200, 210, 220, 230, 240, 250, 260, 270, 280, 290 or 300 adenosine monophosphates. In some embodiments, a polyA tail contains 50 to 250 adenosine monophosphates. In a relevant biological setting (e.g., in cells, in vivo) the poly(A) tail functions to protect mRNA from enzymatic degradation, e.g., in the cytoplasm, and aids in transcription termination, export of the mRNA from the nucleus and translation.

[0341] In some embodiments, a polynucleotide includes 200 to 3,000 nucleotides. For example, a polynucleotide may include 200 to 500, 200 to 1000, 200 to 1500, 200 to 3000, 500 to 1000, 500 to 1500, 500 to 2000, 500 to 3000, 1000 to 1500, 1000 to 2000, 1000 to 3000, 1500 to 3000, or 2000 to 3000 nucleotides.

Flagellin Adjuvants Flagellin is an approximately 500 amino acid monomeric protein that polymerizes to form the flagella associated with bacterial motion. Flagellin is expressed by a variety of flagellated bacteria (*Salmonella typhimurium* for example) as well as non-flagellated bacteria (such as *Escherichia coli*). Sensing of flagellin by cells of the innate immune system (dendritic cells, macrophages, etc.) is mediated by the Toll-like receptor 5 (TLRS) as well as by Nod-like receptors (NLRs) Ipaf and Naip5. TLRs and NLRs have been identified as playing a role in the activation of innate immune response and adaptive immune response. As such, flagellin provides an adjuvant effect in a vaccine.

[0342] The nucleotide and amino acid sequences encoding known flagellin polypeptides are publicly available in the NCBI GenBank database. The flagellin sequences from *S. Typhimurium*, *H. Pylori*, *V. Cholera*, *S. marcesens*, *S. flexneri*, *T. Pallidum*, *L. pneumophila*, *B. burgdorferi*, *C. difficile*, *R. meliloti*, *A. tumefaciens*, *R. lupini*, *B. claridgeiae*, *P. Mirabilis*, *B. subtilus*, *L. monocytogenes*, *P. aeruginosa*, and *E. coli*, among others are known.

[0343] A flagellin polypeptide, as used herein, refers to a full length flagellin protein, immunogenic fragments thereof, and peptides having at least 50% sequence identity to a flagellin protein or immunogenic fragments thereof. Exemplary flagellin proteins include flagellin from *Salmonella typhi* (UniPro Entry number: Q56086), *Salmonella typhimurium* (A0A0C9DG09), *Salmonella enteritidis* (A0A0C9BAB7), and *Salmonella choleraesuis* (Q6V2X8), and SEQ ID NO: 54-56 (Table 17). In some embodiments, the flagellin polypeptide has at least 60%, 70%, 75%, 80%, 90%, 95%, 97%, 98%, or 99% sequence identity to a flagellin protein or immunogenic fragments thereof.

[0344] In some embodiments, the flagellin polypeptide is an immunogenic fragment. An immunogenic fragment is a portion of a flagellin protein that provokes an immune response. In some embodiments, the immune response is a

TLRS immune response. An example of an immunogenic fragment is a flagellin protein in which all or a portion of a hinge region has been deleted or replaced with other amino acids. For example, an antigenic polypeptide may be inserted in the hinge region. Hinge regions are the hyper-variable regions of a flagellin. Hinge regions of a flagellin are also referred to as “D3 domain or region,” “propeller domain or region,” “hypervariable domain or region” and “variable domain or region.” “At least a portion of a hinge region,” as used herein, refers to any part of the hinge region of the flagellin, or the entirety of the hinge region. In other embodiments an immunogenic fragment of flagellin is a 20, 25, 30, 35, or 40 amino acid C-terminal fragment of flagellin.

[0345] The flagellin monomer is formed by domains D0 through D3. D0 and D1, which form the stem, are composed of tandem long alpha helices and are highly conserved among different bacteria. The D1 domain includes several stretches of amino acids that are useful for TLRS activation. The entire D1 domain or one or more of the active regions within the domain are immunogenic fragments of flagellin. Examples of immunogenic regions within the D1 domain include residues 88-114 and residues 411-431 (in *Salmonella typhimurium* FliC flagellin. Within the 13 amino acids in the 88-100 region, at least 6 substitutions are permitted between *Salmonella* flagellin and other flagellins that still preserve TLRS activation. Thus, immunogenic fragments of flagellin include flagellin like sequences that activate TLRS and contain a 13 amino acid motif that is 53% or more identical to the *Salmonella* sequence in 88-100 of FliC (LQRVRELAVQSAN; SEQ ID NO: 84).

[0346] In some embodiments, the RNA (e.g., mRNA) vaccine includes an RNA that encodes a fusion protein of flagellin and one or more antigenic polypeptides. A “fusion protein” as used herein, refers to a linking of two components of the construct. In some embodiments, a carboxy-terminus of the antigenic polypeptide is fused or linked to an amino terminus of the flagellin polypeptide. In other embodiments, an amino-terminus of the antigenic polypeptide is fused or linked to a carboxy-terminus of the flagellin polypeptide. The fusion protein may include, for example, one, two, three, four, five, six or more flagellin polypeptides linked to one, two, three, four, five, six or more antigenic polypeptides. When two or more flagellin polypeptides and/or two or more antigenic polypeptides are linked such a construct may be referred to as a “multimer.”

[0347] Each of the components of a fusion protein may be directly linked to one another or they may be connected through a linker. For instance, the linker may be an amino acid linker. The amino acid linker encoded for by the RNA (e.g., mRNA) vaccine to link the components of the fusion protein may include, for instance, at least one member selected from the group consisting of a lysine residue, a glutamic acid residue, a serine residue and an arginine residue. In some embodiments the linker is 1-30, 1-25, 1-25, 5-10, 5, 15, or 5-20 amino acids in length.

[0348] In other embodiments the RNA (e.g., mRNA) vaccine includes at least two separate RNA polynucleotides, one encoding one or more antigenic polypeptides and the other encoding the flagellin polypeptide. The at least two RNA polynucleotides may be co-formulated in a carrier such as a lipid nanoparticle.

Broad Spectrum RNA (e.g., mRNA) Vaccines

[0349] There may be situations where persons are at risk for infection with more than one strain of hMPV, PIV3, RSV, MeV and/or BetaCoV (including MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and/or HCoV-HKU1). RNA (e.g., mRNA) therapeutic vaccines are particularly amenable to combination vaccination approaches due to a number of factors including, but not limited to, speed of manufacture, ability to rapidly tailor vaccines to accommodate perceived geographical threat, and the like. Moreover, because the vaccines utilize the human body to produce the antigenic protein, the vaccines are amenable to the production of larger, more complex antigenic proteins, allowing for proper folding, surface expression, antigen presentation, etc. in the human subject. To protect against more than one strain of hMPV, PIV3, RSV, MeV and/or BetaCoV (including MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and/or HCoV-HKU1), a combination vaccine can be administered that includes RNA (e.g., mRNA) encoding at least one antigenic polypeptide protein (or antigenic portion thereof) of a first respiratory virus and further includes RNA encoding at least one antigenic polypeptide protein (or antigenic portion thereof) of a second respiratory virus. RNA (e.g., mRNA) can be co-formulated, for example, in a single lipid nanoparticle (LNP) or can be formulated in separate LNPs for co-administration.

Methods of Treatment

[0350] Provided herein are compositions (e.g., pharmaceutical compositions), methods, kits and reagents for prevention and/or treatment of respiratory diseases/infections in humans and other mammals. Respiratory virus RNA (e.g., mRNA) vaccines can be used as therapeutic or prophylactic agents, alone or in combination with other vaccine(s). They may be used in medicine to prevent and/or treat respiratory disease/infection. In exemplary aspects, the RNA (e.g., mRNA) vaccines of the present disclosure are used to provide prophylactic protection from hMPV, PIV3, RSV, MeV and/or BetaCoV (including MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and/or HCoV-HKU1). Prophylactic protection from hMPV, PIV3, RSV, MeV and/or BetaCoV (including MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and/or HCoV-HKU1) can be achieved following administration of a RNA (e.g., mRNA) vaccine of the present disclosure. Respiratory virus RNA (e.g., mRNA) vaccines of the present disclosure may be used to treat or prevent viral “co-infections” containing two or more respiratory infections. Vaccines can be administered once, twice, three times, four times or more, but it is likely sufficient to administer the vaccine once (optionally followed by a single booster). It is possible, although less desirable, to administer the vaccine to an infected individual to achieve a therapeutic response. Dosing may need to be adjusted accordingly.

[0351] A method of eliciting an immune response in a subject against hMPV, PIV3, RSV, MeV and/or BetaCoV (including MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and/or HCoV-HKU1) is provided in aspects of the present disclosure. The method involves administering to the subject a respiratory virus RNA (e.g., mRNA) vaccine comprising at least one RNA (e.g., mRNA) polynucleotide having an open reading

frame encoding at least one hMPV, PIV3, RSV, MeV and/or BetaCoV (including MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and/or HCoV-HKU1) antigenic polypeptide thereof, thereby inducing in the subject an immune response specific to hMPV, PIV3, RSV, MeV and/or BetaCoV (including MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and/or HCoV-HKU1) antigenic polypeptide or an immunogenic fragment thereof, wherein anti-antigenic polypeptide antibody titer in the subject is increased following vaccination relative to anti-antigenic polypeptide antibody titer in a subject vaccinated with a prophylactically effective dose of a traditional vaccine against hMPV, PIV3, RSV, MeV and/or BetaCoV (including MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and/or HCoV-HKU1). An “anti-antigenic polypeptide antibody” is a serum antibody that binds specifically to the antigenic polypeptide.

[0352] In some embodiments, a RNA (e.g., mRNA) vaccine (e.g., a hMPV, PIV3, RSV, MeV and/or BetaCoV (including MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and/or HCoV-HKU1) RNA vaccine) capable of eliciting an immune response is administered intramuscularly via a composition including a compound according to Formula (I), (IA), (II), (IIa), (IIb), (IIc), (IId) or (IIE) (e.g., Compound 3, 18, 20, 25, 26, 29, 30, 60, 108-112, or 122).

[0353] A prophylactically effective dose is a therapeutically effective dose that prevents infection with the virus at a clinically acceptable level. In some embodiments the therapeutically effective dose is a dose listed in a package insert for the vaccine. A traditional vaccine, as used herein, refers to a vaccine other than the RNA (e.g., mRNA) vaccines of the present disclosure. For instance, a traditional vaccine includes but is not limited to live/attenuated microorganism vaccines, killed/inactivated microorganism vaccines, subunit vaccines, protein antigen vaccines, DNA vaccines, VLP vaccines, etc. In exemplary embodiments, a traditional vaccine is a vaccine that has achieved regulatory approval and/or is registered by a national drug regulatory body, for example the Food and Drug Administration (FDA) in the United States or the European Medicines Agency (EMA).

[0354] In some embodiments the anti-antigenic polypeptide antibody titer in the subject is increased 1 log to 10 log following vaccination relative to anti-antigenic polypeptide antibody titer in a subject vaccinated with a prophylactically effective dose of a traditional vaccine against hMPV, PIV3, RSV, MeV and/or BetaCoV (including MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and/or HCoV-HKU1).

[0355] In some embodiments the anti-antigenic polypeptide antibody titer in the subject is increased 1 log, 2 log, 3 log, 5 log or 10 log following vaccination relative to anti-antigenic polypeptide antibody titer in a subject vaccinated with a prophylactically effective dose of a traditional vaccine against hMPV, PIV3, RSV, MeV and/or BetaCoV (including MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and/or HCoV-HKU1).

[0356] A method of eliciting an immune response in a subject against hMPV, PIV3, RSV, MeV and/or BetaCoV (including MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and/or HCoV-

HKU1) is provided in other aspects of the disclosure. The method involves administering to the subject a respiratory virus RNA (e.g., mRNA) vaccine comprising at least one RNA (e.g., mRNA) polynucleotide having an open reading frame encoding at least one hMPV, PIV3, RSV, MeV and/or BetaCoV (including MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and/or HCoV-HKU1) antigenic polypeptide or an immunogenic fragment thereof, thereby inducing in the subject an immune response specific to hMPV, PIV3, RSV, MeV and/or BetaCoV (including MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and/or HCoV-HKU1) antigenic polypeptide or an immunogenic fragment thereof, wherein the immune response in the subject is equivalent to an immune response in a subject vaccinated with a traditional vaccine against the hMPV, PIV3, RSV, MeV and/or BetaCoV (including MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and/or HCoV-HKU1) at 2 times to 100 times the dosage level relative to the RNA (e.g., mRNA) vaccine.

[0357] In some embodiments, the immune response in the subject is equivalent to an immune response in a subject vaccinated with a traditional vaccine at 2, 3, 4, 5, 10, 50, 100 times the dosage level relative to the hMPV, PIV3, RSV, MeV and/or BetaCoV (including MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and/or HCoV-HKU1) RNA (e.g., mRNA) vaccine.

[0358] In some embodiments the immune response in the subject is equivalent to an immune response in a subject vaccinated with a traditional vaccine at 10-100 times, or 100-1000 times, the dosage level relative to the hMPV, PIV3, RSV, MeV and/or BetaCoV (including MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and/or HCoV-HKU1) RNA (e.g., mRNA) vaccine.

[0359] In some embodiments the immune response is assessed by determining [protein] antibody titer in the subject.

[0360] Some aspects of the present disclosure provide a method of eliciting an immune response in a subject against a In some embodiments the immune response in the subject is equivalent to an immune response in a subject vaccinated with a traditional vaccine at 2, 3, 4, 5, 10, 50, 100 times the dosage level relative to the hMPV, PIV3, RSV, MeV and/or BetaCoV (including MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and/or HCoV-HKU1) RNA (e.g., mRNA) vaccine by administering to the subject a respiratory virus RNA (e.g., mRNA) vaccine comprising at least one RNA (e.g., mRNA) polynucleotide having an open reading frame encoding at least one hMPV, PIV3, RSV, MeV and/or BetaCoV (including MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and/or HCoV-HKU1) antigenic polypeptide, thereby inducing in the subject an immune response specific to the antigenic polypeptide or an immunogenic fragment thereof, wherein the immune response in the subject is induced 2 days to 10 weeks earlier relative to an immune response induced in a subject vaccinated with a prophylactically effective dose of a traditional vaccine against the hMPV, PIV3, RSV, MeV and/or BetaCoV (including MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and/or

HCoV-HKU1). In some embodiments, the immune response in the subject is induced in a subject vaccinated with a prophylactically effective dose of a traditional vaccine at 2 times to 100 times the dosage level relative to the RNA (e.g., mRNA) vaccine.

[0361] In some embodiments, the immune response in the subject is induced 2 days earlier, or 3 days earlier, relative to an immune response induced in a subject vaccinated with a prophylactically effective dose of a traditional vaccine.

[0362] In some embodiments the immune response in the subject is induced 1 week, 2 weeks, 3 weeks, 5 weeks, or 10 weeks earlier relative to an immune response induced in a subject vaccinated with a prophylactically effective dose of a traditional vaccine.

[0363] Also provided herein is a method of eliciting an immune response in a subject against hMPV, PIV3, RSV, MeV and/or BetaCoV (including MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and/or HCoV-HKU1) by administering to the subject a respiratory virus RNA (e.g., mRNA) vaccine having an open reading frame encoding a first antigenic polypeptide, wherein the RNA polynucleotide does not include a stabilization element, and wherein an adjuvant is not co-formulated or co-administered with the vaccine.

Therapeutic and Prophylactic Compositions

[0364] Provided herein are compositions (e.g., pharmaceutical compositions), methods, kits and reagents for prevention, treatment or diagnosis of hMPV, PIV3, RSV, MeV and/or BetaCoV (including MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and/or HCoV-HKU1) in humans and other mammals, for example. Respiratory virus RNA (e.g. mRNA) vaccines can be used as therapeutic or prophylactic agents. They may be used in medicine to prevent and/or treat infectious disease. In some embodiments, the respiratory RNA (e.g., mRNA) vaccines of the present disclosure are used for the priming of immune effector cells, for example, to activate peripheral blood mononuclear cells (PBMCs) *ex vivo*, which are then infused (re-infused) into a subject.

[0365] In some embodiments, respiratory virus vaccine containing RNA (e.g., mRNA) polynucleotides as described herein can be administered to a subject (e.g., a mammalian subject, such as a human subject), and the RNA (e.g., mRNA) polynucleotides are translated *in vivo* to produce an antigenic polypeptide.

[0366] The respiratory virus RNA (e.g., mRNA) vaccines may be induced for translation of a polypeptide (e.g., antigen or immunogen) in a cell, tissue or organism. In some embodiments, such translation occurs *in vivo*, although such translation may occur *ex vivo*, in culture or *in vitro*. In some embodiments, the cell, tissue or organism is contacted with an effective amount of a composition containing a respiratory virus RNA (e.g., mRNA) vaccine that contains a polynucleotide that has at least one a translatable region encoding an antigenic polypeptide.

[0367] An “effective amount” of an respiratory virus RNA (e.g. mRNA) vaccine is provided based, at least in part, on the target tissue, target cell type, means of administration, physical characteristics of the polynucleotide (e.g., size, and extent of modified nucleosides) and other components of the vaccine, and other determinants. In general, an effective amount of the respiratory virus RNA (e.g., mRNA) vaccine composition provides an induced or boosted immune

response as a function of antigen production in the cell, preferably more efficient than a composition containing a corresponding unmodified polynucleotide encoding the same antigen or a peptide antigen. Increased antigen production may be demonstrated by increased cell transfection (the percentage of cells transfected with the RNA, e.g., mRNA, vaccine), increased protein translation from the polynucleotide, decreased nucleic acid degradation (as demonstrated, for example, by increased duration of protein translation from a modified polynucleotide), or altered antigen specific immune response of the host cell.

[0368] In some embodiments, RNA (e.g. mRNA) vaccines (including polynucleotides their encoded polypeptides) in accordance with the present disclosure may be used for treatment of hMPV, PIV3, RSV, MeV and/or BetaCoV (including MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH and/or HCoV-HKU1).

[0369] Respiratory RNA (e.g. mRNA) vaccines may be administered prophylactically or therapeutically as part of an active immunization scheme to healthy individuals or early in infection during the incubation phase or during active infection after onset of symptoms. In some embodiments, the amount of RNA (e.g., mRNA) vaccine of the present disclosure provided to a cell, a tissue or a subject may be an amount effective for immune prophylaxis.

[0370] Respiratory virus RNA (e.g. mRNA) vaccines may be administered with other prophylactic or therapeutic compounds. As a non-limiting example, a prophylactic or therapeutic compound may be an adjuvant or a booster. As used herein, when referring to a prophylactic composition, such as a vaccine, the term “booster” refers to an extra administration of the prophylactic (vaccine) composition. A booster (or booster vaccine) may be given after an earlier administration of the prophylactic composition. The time of administration between the initial administration of the prophylactic composition and the booster may be, but is not limited to, 1 minute, 2 minutes, 3 minutes, 4 minutes, 5 minutes, 6 minutes, 7 minutes, 8 minutes, 9 minutes, 10 minutes, 15 minutes, 20 minutes, 35 minutes, 40 minutes, 45 minutes, 50 minutes, 55 minutes, 1 hour, 2 hours, 3 hours, 4 hours, 5 hours, 6 hours, 7 hours, 8 hours, 9 hours, 10 hours, 11 hours, 12 hours, 13 hours, 14 hours, 15 hours, 16 hours, 17 hours, 18 hours, 19 hours, 20 hours, 21 hours, 22 hours, 23 hours, 1 day, 36 hours, 2 days, 3 days, 4 days, 5 days, 6 days, 1 week, 10 days, 2 weeks, 3 weeks, 1 month, 2 months, 3 months, 4 months, 5 months, 6 months, 7 months, 8 months, 9 months, 10 months, 11 months, 1 year, 18 months, 2 years, 3 years, 4 years, 5 years, 6 years, 7 years, 8 years, 9 years, 10 years, 11 years, 12 years, 13 years, 14 years, 15 years, 16 years, 17 years, 18 years, 19 years, 20 years, 25 years, 30 years, 35 years, 40 years, 45 years, 50 years, 55 years, 60 years, 65 years, 70 years, 75 years, 80 years, 85 years, 90 years, 95 years or more than 99 years. In some embodiments, the time of administration between the initial administration of the prophylactic composition and the booster may be, but is not limited to, 1 week, 2 weeks, 3 weeks, 1 month, 2 months, 3 months, 6 months or 1 year.

[0371] In some embodiments, respiratory virus RNA (e.g. mRNA) vaccines may be administered intramuscularly or intradermally, similarly to the administration of inactivated vaccines known in the art.

[0372] Respiratory virus RNA (e.g. mRNA) vaccines may be utilized in various settings depending on the prevalence

of the infection or the degree or level of unmet medical need. As a non-limiting example, the RNA (e.g., mRNA) vaccines may be utilized to treat and/or prevent a variety of respiratory infections. RNA (e.g., mRNA) vaccines have superior properties in that they produce much larger antibody titers and produce responses early than commercially available anti-viral agents/compositions.

[0373] Provided herein are pharmaceutical compositions including respiratory virus RNA (e.g. mRNA) vaccines and RNA (e.g. mRNA) vaccine compositions and/or complexes optionally in combination with one or more pharmaceutically acceptable excipients.

[0374] Respiratory virus RNA (e.g. mRNA) vaccines may be formulated or administered alone or in conjunction with one or more other components. For instance, hMPV/PIV3/RSV RNA (e.g., mRNA) vaccines (vaccine compositions) may comprise other components including, but not limited to, adjuvants.

[0375] In some embodiments, respiratory virus (e.g. mRNA) vaccines do not include an adjuvant (they are adjuvant free).

[0376] Respiratory virus RNA (e.g. mRNA) vaccines may be formulated or administered in combination with one or more pharmaceutically-acceptable excipients. In some embodiments, vaccine compositions comprise at least one additional active substances, such as, for example, a therapeutically-active substance, a prophylactically-active substance, or a combination of both. Vaccine compositions may be sterile, pyrogen-free or both sterile and pyrogen-free. General considerations in the formulation and/or manufacture of pharmaceutical agents, such as vaccine compositions, may be found, for example, in Remington: The Science and Practice of Pharmacy 21st ed., Lippincott Williams & Wilkins, 2005 (incorporated herein by reference in its entirety). In some embodiments, respiratory virus RNA (e.g. mRNA) vaccines are administered to humans, human patients or subjects. For the purposes of the present disclosure, the phrase “active ingredient” generally refers to the RNA (e.g., mRNA) vaccines or the polynucleotides contained therein, for example, RNA polynucleotides (e.g., mRNA polynucleotides) encoding antigenic polypeptides.

[0377] Formulations of the respiratory virus vaccine compositions described herein may be prepared by any method known or hereafter developed in the art of pharmacology. In general, such preparatory methods include the step of bringing the active ingredient (e.g., mRNA polynucleotide) into association with an excipient and/or one or more other accessory ingredients, and then, if necessary and/or desirable, dividing, shaping and/or packaging the product into a desired single- or multi-dose unit.

[0378] Relative amounts of the active ingredient, the pharmaceutically acceptable excipient, and/or any additional ingredients in a pharmaceutical composition in accordance with the disclosure will vary, depending upon the identity, size, and/or condition of the subject treated and further depending upon the route by which the composition is to be administered. By way of example, the composition may comprise between 0.1% and 100%, e.g., between 0.5 and 50%, between 1-30%, between 5-80%, at least 80% (w/w) active ingredient.

[0379] Respiratory virus RNA (e.g. mRNA) vaccines can be formulated using one or more excipients to: (1) increase stability; (2) increase cell transfection; (3) permit the sustained or delayed release (e.g., from a depot formulation);

(4) alter the biodistribution (e.g., target to specific tissues or cell types); (5) increase the translation of encoded protein in vivo; and/or (6) alter the release profile of encoded protein (antigen) in vivo. In addition to traditional excipients such as any and all solvents, dispersion media, diluents, or other liquid vehicles, dispersion or suspension aids, surface active agents, isotonic agents, thickening or emulsifying agents, preservatives, excipients can include, without limitation, lipidoids, liposomes, lipid nanoparticles, polymers, lipoplexes, core-shell nanoparticles, peptides, proteins, cells transfected with respiratory virus RNA (e.g. mRNA) vaccines (e.g., for transplantation into a subject), hyaluronidase, nanoparticle mimics and combinations thereof.

Stabilizing Elements

[0380] Naturally-occurring eukaryotic mRNA molecules have been found to contain stabilizing elements, including, but not limited to untranslated regions (UTR) at their 5'-end (5'UTR) and/or at their 3'-end (3'UTR), in addition to other structural features, such as a 5'-cap structure or a 3'-poly(A) tail. Both the 5'UTR and the 3'UTR are typically transcribed from the genomic DNA and are elements of the premature mRNA. Characteristic structural features of mature mRNA, such as the 5'-cap and the 3'-poly(A) tail are usually added to the transcribed (premature) mRNA during mRNA processing. The 3'-poly(A) tail is typically a stretch of adenine nucleotides added to the 3'-end of the transcribed mRNA. It can comprise up to about 400 adenine nucleotides. In some embodiments the length of the 3'-poly(A) tail may be an essential element with respect to the stability of the individual mRNA.

[0381] In some embodiments the RNA (e.g., mRNA) vaccine may include one or more stabilizing elements. Stabilizing elements may include for instance a histone stem-loop. A stem-loop binding protein (SLBP), a 32 kDa protein has been identified. It is associated with the histone stem-loop at the 3'-end of the histone messages in both the nucleus and the cytoplasm. Its expression level is regulated by the cell cycle; it peaks during the S-phase, when histone mRNA levels are also elevated. The protein has been shown to be essential for efficient 3'-end processing of histone pre-mRNA by the U7 snRNP. SLBP continues to be associated with the stem-loop after processing, and then stimulates the translation of mature histone mRNAs into histone proteins in the cytoplasm. The RNA binding domain of SLBP is conserved through metazoa and protozoa; its binding to the histone stem-loop depends on the structure of the loop. The minimum binding site includes at least three nucleotides 5' and two nucleotides 3' relative to the stem-loop.

[0382] In some embodiments, the RNA (e.g., mRNA) vaccines include a coding region, at least one histone stem-loop, and optionally, a poly(A) sequence or polyadenylation signal. The poly(A) sequence or polyadenylation signal generally should enhance the expression level of the encoded protein. The encoded protein, in some embodiments, is not a histone protein, a reporter protein (e.g. Luciferase, GFP, EGFP, β -Galactosidase, EGFP), or a marker or selection protein (e.g. alpha-Globin, Galactokinase and Xanthine:guanine phosphoribosyl transferase (GPT)).

[0383] In some embodiments, the combination of a poly(A) sequence or polyadenylation signal and at least one histone stem-loop, even though both represent alternative

mechanisms in nature, acts synergistically to increase the protein expression beyond the level observed with either of the individual elements. It has been found that the synergistic effect of the combination of poly(A) and at least one histone stem-loop does not depend on the order of the elements or the length of the poly(A) sequence.

[0384] In some embodiments, the RNA (e.g., mRNA) vaccine does not comprise a histone downstream element (HDE). "Histone downstream element" (HDE) includes a purine-rich polynucleotide stretch of approximately 15 to 20 nucleotides 3' of naturally occurring stem-loops, representing the binding site for the U7 snRNA, which is involved in processing of histone pre-mRNA into mature histone mRNA. Ideally, the inventive nucleic acid does not include an intron.

[0385] In some embodiments, the RNA (e.g., mRNA) vaccine may or may not contain an enhancer and/or promoter sequence, which may be modified or unmodified or which may be activated or inactivated. In some embodiments, the histone stem-loop is generally derived from histone genes, and includes an intramolecular base pairing of two neighbored partially or entirely reverse complementary sequences separated by a spacer, including (e.g., consisting of) a short sequence, which forms the loop of the structure. The unpaired loop region is typically unable to base pair with either of the stem loop elements. It occurs more often in RNA, as is a key component of many RNA secondary structures, but may be present in single-stranded DNA as well. Stability of the stem-loop structure generally depends on the length, number of mismatches or bulges, and base composition of the paired region. In some embodiments, wobble base pairing (non-Watson-Crick base pairing) may result. In some embodiments, the at least one histone stem-loop sequence comprises a length of 15 to 45 nucleotides.

[0386] In other embodiments the RNA (e.g., mRNA) vaccine may have one or more AU-rich sequences removed. These sequences, sometimes referred to as AURES are destabilizing sequences found in the 3'UTR. The AURES may be removed from the RNA (e.g., mRNA) vaccines. Alternatively the AURES may remain in the RNA (e.g., mRNA) vaccine.

Nanoparticle Formulations In some embodiments, respiratory virus RNA (e.g. mRNA) vaccines are formulated in a nanoparticle. In some embodiments, respiratory virus RNA (e.g. mRNA) vaccines are formulated in a lipid nanoparticle. In some embodiments, respiratory virus RNA (e.g. mRNA) vaccines are formulated in a lipid-polycation complex, referred to as a cationic lipid nanoparticle. As a non-limiting example, the polycation may include a cationic peptide or a polypeptide such as, but not limited to, polylysine, polyornithine and/or polyarginine. In some embodiments, respiratory virus RNA (e.g., mRNA) vaccines are formulated in a lipid nanoparticle that includes a non-cationic lipid such as, but not limited to, cholesterol or dioleoyl phosphatidylethanolamine (DOPE).

[0387] A lipid nanoparticle formulation may be influenced by, but not limited to, the selection of the cationic lipid component, the degree of cationic lipid saturation, the nature of the PEGylation, ratio of all components and biophysical parameters such as size. In one example by Semple et al. (*Nature Biotech.* 2010 28:172-176), the lipid nanoparticle formulation is composed of 57.1% cationic lipid, 7.1% dipalmitoylphosphatidylcholine, 34.3% cholesterol, and 1.4% PEG-c-DMA. As another example, changing the com-

position of the cationic lipid can more effectively deliver siRNA to various antigen presenting cells (Basha et al. *Mol Ther.* 2011 19:2186-2200).

[0388] In some embodiments, lipid nanoparticle formulations may comprise 35 to 45% cationic lipid, 40% to 50% cationic lipid, 50% to 60% cationic lipid and/or 55% to 65% cationic lipid. In some embodiments, the ratio of lipid to RNA (e.g., mRNA) in lipid nanoparticles may be 5:1 to 20:1, 10:1 to 25:1, 15:1 to 30:1 and/or at least 30:1.

[0389] In some embodiments, the ratio of PEG in the lipid nanoparticle formulations may be increased or decreased and/or the carbon chain length of the PEG lipid may be modified from C14 to C18 to alter the pharmacokinetics and/or biodistribution of the lipid nanoparticle formulations. As a non-limiting example, lipid nanoparticle formulations may contain 0.5% to 3.0%, 1.0% to 3.5%, 1.5% to 4.0%, 2.0% to 4.5%, 2.5% to 5.0% and/or 3.0% to 6.0% of the lipid molar ratio of PEG-c-DOMG (R-3-Rw-methoxy-poly(ethyleneglycol)2000carbamoyl)-1,2-dimyristyloxypropyl-3-amine) (also referred to herein as PEG-DOMG) as compared to the cationic lipid, DSPC and cholesterol. In some embodiments, the PEG-c-DOMG may be replaced with a PEG lipid such as, but not limited to, PEG-DSG (1,2-Distearoyl-sn-glycerol, methoxypolyethylene glycol), PEG-DMG (1,2-Dimyristoyl-sn-glycerol) and/or PEG-DPG (1,2-Dipalmitoyl-sn-glycerol, methoxypolyethylene glycol). The cationic lipid may be selected from any lipid known in the art such as, but not limited to, DLin-MC3-DMA, DLin-DMA, C12-200 and DLin-KC2-DMA.

[0390] In some embodiments, an respiratory virus RNA (e.g. mRNA) vaccine formulation is a nanoparticle that comprises at least one lipid. The lipid may be selected from, but is not limited to, DLin-DMA, DLin-K-DMA, 98N12-5, C12-200, DLin-MC3-DMA, DLin-KC2-DMA, DODMA, PLGA, PEG, PEG-DMG, PEGylated lipids and amino alcohol lipids. In some embodiments, the lipid may be a cationic lipid such as, but not limited to, DLin-DMA, DLin-D-DMA, DLin-MC3-DMA, DLin-KC2-DMA, DODMA and amino alcohol lipids. The amino alcohol cationic lipid may be the lipids described in and/or made by the methods described in U.S. Patent Publication No. US20130150625, herein incorporated by reference in its entirety. As a non-limiting example, the cationic lipid may be 2-amino-3-[(9Z,12Z)-octadeca-9,12-dien-1-yloxy]-2-[[[(9Z,2Z)-octadeca-9,12-dien-1-yloxy]methyl]propan-1-ol (Compound 1 in US20130150625); 2-amino-3-[(9Z)-octadec-9-en-1-yloxy]-2-[[[(9Z)-octadec-9-en-1-yloxy]methyl]propan-1-ol (Compound 2 in US20130150625); 2-amino-3-[(9Z,12Z)-octadeca-9,12-dien-1-yloxy]-2-[(octyloxy)methyl]propan-1-ol (Compound 3 in US20130150625); and 2-(dimethylamino)-3-[(9Z,12Z)-octadeca-9,12-dien-1-yloxy]-2-[[[(9Z,12Z)-octadeca-9,12-dien-1-yloxy]methyl]propan-1-ol (Compound 4 in US20130150625); or any pharmaceutically acceptable salt or stereoisomer thereof.

[0391] Lipid nanoparticle formulations typically comprise a lipid, in particular, an ionizable cationic lipid, for example, 2,2-dilinoleyl-4-dimethylaminoethyl-[1,3]-dioxolane (DLin-KC2-DMA), dilinoleyl-methyl-4-dimethylaminobutyrate (DLin-MC3-DMA), or di((Z)-non-2-en-1-yl) 9-((4-(dimethylamino)butanoyl)oxy)heptadecanedioate (L319), and further comprise a neutral lipid, a sterol and a molecule capable of reducing particle aggregation, for example a PEG or PEG-modified lipid.

[0392] In some embodiments, a lipid nanoparticle formulation consists essentially of (i) at least one lipid selected from the group consisting of 2,2-dilinoleyl-4-dimethylaminoethyl-[1,3]-dioxolane (DLin-KC2-DMA), dilinoleyl-methyl-4-dimethylaminobutyrate (DLin-MC3-DMA), and di((Z)-non-2-en-1-yl) 9-((4-(dimethylamino)butanoyl)oxy)heptadecanedioate (L319); (ii) a neutral lipid selected from DSPC, DPPC, POPC, DOPE and SM; (iii) a sterol, e.g., cholesterol; and (iv) a PEG-lipid, e.g., PEG-DMG or PEG-cDMA, in a molar ratio of 20-60% cationic lipid: 5-25% neutral lipid: 25-55% sterol; 0.5-15% PEG-lipid.

[0393] In some embodiments, a lipid nanoparticle formulation includes 25% to 75% on a molar basis of a cationic lipid selected from 2,2-dilinoleyl-4-dimethylaminoethyl-[1,3]-dioxolane (DLin-KC2-DMA), dilinoleyl-methyl-4-dimethylaminobutyrate (DLin-MC3-DMA), and di((Z)-non-2-en-1-yl) 9-((4-(dimethylamino)butanoyl)oxy)heptadecanedioate (L319), e.g., 35 to 65%, 45 to 65%, 60%, 57.5%, 50% or 40% on a molar basis.

[0394] In some embodiments, a lipid nanoparticle formulation includes 0.5% to 15% on a molar basis of the neutral lipid, e.g., 3 to 12%, 5 to 10% or 15%, 10%, or 7.5% on a molar basis. Examples of neutral lipids include, without limitation, DSPC, POPC, DPPC, DOPE and SM. In some embodiments, the formulation includes 5% to 50% on a molar basis of the sterol (e.g., 15 to 45%, 20 to 40%, 40%, 38.5%, 35%, or 31% on a molar basis. A non-limiting example of a sterol is cholesterol. In some embodiments, a lipid nanoparticle formulation includes 0.5% to 20% on a molar basis of the PEG or PEG-modified lipid (e.g., 0.5 to 10%, 0.5 to 5%, 1.5%, 0.5%, 1.5%, 3.5%, or 5% on a molar basis. In some embodiments, a PEG or PEG modified lipid comprises a PEG molecule of an average molecular weight of 2,000 Da. In some embodiments, a PEG or PEG modified lipid comprises a PEG molecule of an average molecular weight of less than 2,000, for example around 1,500 Da, around 1,000 Da, or around 500 Da. Non-limiting examples of PEG-modified lipids include PEG-distearoyl glycerol (PEG-DMG) (also referred herein as PEG-C14 or C14-PEG), PEG-cDMA (further discussed in Reyes et al. *J. Controlled Release*, 107, 276-287 (2005) the contents of which are herein incorporated by reference in their entirety).

[0395] In some embodiments, lipid nanoparticle formulations include 25-75% of a cationic lipid selected from 2,2-dilinoleyl-4-dimethylaminoethyl-[1,3]-dioxolane (DLin-KC2-DMA), dilinoleyl-methyl-4-dimethylaminobutyrate (DLin-MC3-DMA), and di((Z)-non-2-en-1-yl) 9-((4-(dimethylamino)butanoyl)oxy)heptadecanedioate (L319), 0.5-15% of the neutral lipid, 5-50% of the sterol, and 0.5-20% of the PEG or PEG-modified lipid on a molar basis.

[0396] In some embodiments, lipid nanoparticle formulations include 35-65% of a cationic lipid selected from 2,2-dilinoleyl-4-dimethylaminoethyl-[1,3]-dioxolane (DLin-KC2-DMA), dilinoleyl-methyl-4-dimethylaminobutyrate (DLin-MC3-DMA), and di((Z)-non-2-en-1-yl) 9-((4-(dimethylamino)butanoyl)oxy)heptadecanedioate (L319), 3-12% of the neutral lipid, 15-45% of the sterol, and 0.5-10% of the PEG or PEG-modified lipid on a molar basis.

[0397] In some embodiments, lipid nanoparticle formulations include 45-65% of a cationic lipid selected from 2,2-dilinoleyl-4-dimethylaminoethyl-[1,3]-dioxolane (DLin-KC2-DMA), dilinoleyl-methyl-4-dimethylaminobutyrate (DLin-MC3-DMA), and di((Z)-non-2-en-1-yl) 9-((4-(dimethylamino)butanoyl)oxy)heptadecanedioate (L319),

5-10% of the neutral lipid, 25-40% of the sterol, and 0.5-10% of the PEG or PEG-modified lipid on a molar basis.

[0398] In some embodiments, lipid nanoparticle formulations include 60% of a cationic lipid selected from 2,2-dilinoleyl-4-dimethylaminoethyl-[1,3]-dioxolane (DLin-KC2-DMA), dilinoleyl-methyl-4-dimethylaminobutyrate (DLin-MC3-DMA), and di((Z)-non-2-en-1-yl) 9-((4-(dimethylamino)butanoyl)oxy)heptadecanedioate (L319), 7.5% of the neutral lipid, 31% of the sterol, and 1.5% of the PEG or PEG-modified lipid on a molar basis.

[0399] In some embodiments, lipid nanoparticle formulations include 50% of a cationic lipid selected from 2,2-dilinoleyl-4-dimethylaminoethyl-[1,3]-dioxolane (DLin-KC2-DMA), dilinoleyl-methyl-4-dimethylaminobutyrate (DLin-MC3-DMA), and di((Z)-non-2-en-1-yl) 9-((4-(dimethylamino)butanoyl)oxy)heptadecanedioate (L319), 10% of the neutral lipid, 38.5% of the sterol, and 1.5% of the PEG or PEG-modified lipid on a molar basis.

[0400] In some embodiments, lipid nanoparticle formulations include 50% of a cationic lipid selected from 2,2-dilinoleyl-4-dimethylaminoethyl-[1,3]-dioxolane (DLin-KC2-DMA), dilinoleyl-methyl-4-dimethylaminobutyrate (DLin-MC3-DMA), and di((Z)-non-2-en-1-yl) 9-((4-(dimethylamino)butanoyl)oxy)heptadecanedioate (L319), 10% of the neutral lipid, 35% of the sterol, 4.5% or 5% of the PEG or PEG-modified lipid, and 0.5% of the targeting lipid on a molar basis.

[0401] In some embodiments, lipid nanoparticle formulations include 40% of a cationic lipid selected from 2,2-dilinoleyl-4-dimethylaminoethyl[1,3]-dioxolane (DLin-KC2-DMA), dilinoleyl-methyl-4-dimethylaminobutyrate (DLin-MC3-DMA), and di((Z)-non-2-en-1-yl) 9-((4-(dimethylamino)butanoyl)oxy)heptadecanedioate (L319), 15% of the neutral lipid, 40% of the sterol, and 5% of the PEG or PEG-modified lipid on a molar basis.

[0402] In some embodiments, lipid nanoparticle formulations include 57.2% of a cationic lipid selected from 2,2-dilinoleyl-4-dimethylaminoethyl[1,3]-dioxolane (DLin-KC2-DMA), dilinoleyl-methyl-4-dimethylaminobutyrate (DLin-MC3-DMA), and di((Z)-non-2-en-1-yl) 9-((4-(dimethylamino)butanoyl)oxy)heptadecanedioate (L319), 7.1% of the neutral lipid, 34.3% of the sterol, and 1.4% of the PEG or PEG-modified lipid on a molar basis.

[0403] In some embodiments, lipid nanoparticle formulations include 57.5% of a cationic lipid selected from the PEG lipid is PEG-cDMA (PEG-cDMA is further discussed in Reyes et al. (*J. Controlled Release*, 107, 276-287 (2005), the contents of which are herein incorporated by reference in their entirety), 7.5% of the neutral lipid, 31.5% of the sterol, and 3.5% of the PEG or PEG-modified lipid on a molar basis.

[0404] In some embodiments, lipid nanoparticle formulations consists essentially of a lipid mixture in molar ratios of 20-70% cationic lipid: 5-45% neutral lipid: 20-55% cholesterol: 0.5-15% PEG-modified lipid. In some embodiments, lipid nanoparticle formulations consists essentially of a lipid mixture in a molar ratio of 20-60% cationic lipid: 5-25% neutral lipid: 25-55% cholesterol: 0.5-15% PEG-modified lipid.

[0405] In some embodiments, the molar lipid ratio is 50/10/38.5/1.5 (mol % cationic lipid/neutral lipid, e.g., DSPC/Chol/PEG-modified lipid, e.g., PEG-DMG, PEG-DSG or PEG-DPG), 57.2/7.1134.3/1.4 (mol % cationic lipid/neutral lipid, e.g., DPPC/Chol/PEG-modified lipid,

e.g., PEG-cDMA), 40/15/40/5 (mol % cationic lipid/neutral lipid, e.g., DSPC/Chol/PEG-modified lipid, e.g., PEG-DMG), 50/10/35/4.5/0.5 (mol % cationic lipid/neutral lipid, e.g., DSPC/Chol/PEG-modified lipid, e.g., PEG-DSG), 50/10/35/5 (cationic lipid/neutral lipid, e.g., DSPC/Chol/PEG-modified lipid, e.g., PEG-DMG), 40/10/40/10 (mol % cationic lipid/neutral lipid, e.g., DSPC/Chol/PEG-modified lipid, e.g., PEG-DMG or PEG-cDMA), 35/15/40/10 (mol % cationic lipid/neutral lipid, e.g., DSPC/Chol/PEG-modified lipid, e.g., PEG-DMG or PEG-cDMA) or 52/13/30/5 (mol % cationic lipid/neutral lipid, e.g., DSPC/Chol/PEG-modified lipid, e.g., PEG-DMG or PEG-cDMA).

[0406] Non-limiting examples of lipid nanoparticle compositions and methods of making them are described, for example, in Semple et al. (2010) *Nat. Biotechnol.* 28:172-176; Jayarama et al. (2012), *Angew. Chem. Int. Ed.*, S1: 8529-8533; and Maier et al. (2013) *Molecular Therapy* 21, 1570-1578 (the contents of each of which are incorporated herein by reference in their entirety).

[0407] In some embodiments, lipid nanoparticle formulations may comprise a cationic lipid, a PEG lipid and a structural lipid and optionally comprise a non-cationic lipid. As a non-limiting example, a lipid nanoparticle may comprise 40-60% of cationic lipid, 5-15% of a non-cationic lipid, 1-2% of a PEG lipid and 30-50% of a structural lipid. As another non-limiting example, the lipid nanoparticle may comprise 50% cationic lipid, 10% non-cationic lipid, 1.5% PEG lipid and 38.5% structural lipid. As yet another non-limiting example, a lipid nanoparticle may comprise 55% cationic lipid, 10% non-cationic lipid, 2.5% PEG lipid and 32.5% structural lipid. In some embodiments, the cationic lipid may be any cationic lipid described herein such as, but not limited to, DLin-KC2-DMA, DLin-MC3-DMA and L319.

[0408] In some embodiments, the lipid nanoparticle formulations described herein may be 4 component lipid nanoparticles. The lipid nanoparticle may comprise a cationic lipid, a non-cationic lipid, a PEG lipid and a structural lipid. As a non-limiting example, the lipid nanoparticle may comprise 40-60% of cationic lipid, 5-15% of a non-cationic lipid, 1-2% of a PEG lipid and 30-50% of a structural lipid. As another non-limiting example, the lipid nanoparticle may comprise 50% cationic lipid, 10% non-cationic lipid, 1.5% PEG lipid and 38.5% structural lipid. As yet another non-limiting example, the lipid nanoparticle may comprise 55% cationic lipid, 10% non-cationic lipid, 2.5% PEG lipid and 32.5% structural lipid. In some embodiments, the cationic lipid may be any cationic lipid described herein such as, but not limited to, DLin-KC2-DMA, DLin-MC3-DMA and L319.

[0409] In some embodiments, the lipid nanoparticle formulations described herein may comprise a cationic lipid, a non-cationic lipid, a PEG lipid and a structural lipid. As a non-limiting example, the lipid nanoparticle comprise 50% of the cationic lipid DLin-KC2-DMA, 10% of the non-cationic lipid DSPC, 1.5% of the PEG lipid PEG-DOMG and 38.5% of the structural lipid cholesterol. As a non-limiting example, the lipid nanoparticle comprise 50% of the cationic lipid DLin-MC3-DMA, 10% of the non-cationic lipid DSPC, 1.5% of the PEG lipid PEG-DOMG and 38.5% of the structural lipid cholesterol. As a non-limiting example, the lipid nanoparticle comprise 50% of the cationic lipid DLin-MC3-DMA, 10% of the non-cationic lipid DSPC, 1.5% of the PEG lipid PEG-DMG and 38.5% of the

structural lipid cholesterol. As yet another non-limiting example, the lipid nanoparticle comprise 55% of the cationic lipid L319, 10% of the non-cationic lipid DSPC, 2.5% of the PEG lipid PEG-DMG and 32.5% of the structural lipid cholesterol.

[0410] Relative amounts of the active ingredient, the pharmaceutically acceptable excipient, and/or any additional ingredients in a vaccine composition may vary, depending upon the identity, size, and/or condition of the subject being treated and further depending upon the route by which the composition is to be administered. For example, the composition may comprise between 0.1% and 99% (w/w) of the active ingredient. By way of example, the composition may comprise between 0.1% and 100%, e.g., between 0.5 and 50%, between 1-30%, between 5-80%, at least 80% (w/w) active ingredient.

[0411] In some embodiments, the respiratory virus RNA (e.g. mRNA) vaccine composition may comprise the polynucleotide described herein, formulated in a lipid nanoparticle comprising MC3, Cholesterol, DSPC and PEG2000-DMG, the buffer trisodium citrate, sucrose and water for injection. As a non-limiting example, the composition comprises: 2.0 mg/mL of drug substance (e.g., polynucleotides encoding H10N8 hMPV), 21.8 mg/mL of MC3, 10.1 mg/mL of cholesterol, 5.4 mg/mL of DSPC, 2.7 mg/mL of PEG2000-DMG, 5.16 mg/mL of trisodium citrate, 71 mg/mL of sucrose and 1.0 mL of water for injection.

[0412] In some embodiments, a nanoparticle (e.g., a lipid nanoparticle) has a mean diameter of 10-500 nm, 20-400 nm, 30-300 nm, 40-200 nm. In some embodiments, a nanoparticle (e.g., a lipid nanoparticle) has a mean diameter of 50-150 nm, 50-200 nm, 80-100 nm or 80-200 nm.

Liposomes, Lipoplexes, and Lipid Nanoparticles

[0413] The RNA (e.g., mRNA) vaccines of the disclosure can be formulated using one or more liposomes, lipoplexes, or lipid nanoparticles. In some embodiments, pharmaceutical compositions of RNA (e.g., mRNA) vaccines include liposomes. Liposomes are artificially-prepared vesicles which may primarily be composed of a lipid bilayer and may be used as a delivery vehicle for the administration of nutrients and pharmaceutical formulations. Liposomes can be of different sizes such as, but not limited to, a multilamellar vesicle (MLV) which may be hundreds of nanometers in diameter and may contain a series of concentric bilayers separated by narrow aqueous compartments, a small unicellular vesicle (SUV) which may be smaller than 50 nm in diameter, and a large unilamellar vesicle (LUV) which may be between 50 and 500 nm in diameter. Liposome design may include, but is not limited to, opsonins or ligands in order to improve the attachment of liposomes to unhealthy tissue or to activate events such as, but not limited to, endocytosis. Liposomes may contain a low or a high pH in order to improve the delivery of the pharmaceutical formulations.

[0414] The formation of liposomes may depend on the physicochemical characteristics such as, but not limited to, the pharmaceutical formulation entrapped and the liposomal ingredients, the nature of the medium in which the lipid vesicles are dispersed, the effective concentration of the entrapped substance and its potential toxicity, any additional processes involved during the application and/or delivery of the vesicles, the optimization size, polydispersity and the shelf-life of the vesicles for the intended application, and the

batch-to-batch reproducibility and possibility of large-scale production of safe and efficient liposomal products.

[0415] In some embodiments, pharmaceutical compositions described herein may include, without limitation, liposomes such as those formed from 1,2-dioleoyloxy-N,N-dimethylaminopropane (DODMA) liposomes, DiLa2 liposomes from Marina Biotech (Bothell, Wash.), 1,2-dilinoleyloxy-3-dimethylaminopropane (DLin-DMA), 2,2-dilinoleyloxy-4-(2-dimethylaminoethyl)-[1,3]-dioxolane (DLin-KC2-DMA), and MC3 (US20100324120; herein incorporated by reference in its entirety) and liposomes which may deliver small molecule drugs such as, but not limited to, DOXIL® from Janssen Biotech, Inc. (Horsham, Pa.).

[0416] In some embodiments, pharmaceutical compositions described herein may include, without limitation, liposomes such as those formed from the synthesis of stabilized plasmid-lipid particles (SPLP) or stabilized nucleic acid lipid particle (SNALP) that have been previously described and shown to be suitable for oligonucleotide delivery in vitro and in vivo (see Wheeler et al. *Gene Therapy*. 1999 6:271-281; Zhang et al. *Gene Therapy*. 1999 6:1438-1447; Jeffs et al. *Pharm Res*. 2005 22:362-372; Morrissey et al., *Nat Biotechnol*. 2005 2:1002-1007; Zimmermann et al., *Nature*. 2006 441:111-114; Heyes et al. *J Contr Rel*. 2005 107:276-287; Semple et al. *Nature Biotech*. 2010 28:172-176; Judge et al. *J Clin Invest*. 2009 119:661-673; deFougerolles *Hum Gene Ther*. 2008 19:125-132; U.S. Patent Publication No US20130122104; all of which are incorporated herein in their entireties). The original manufacture method by Wheeler et al. was a detergent dialysis method, which was later improved by Jeffs et al. and is referred to as the spontaneous vesicle formation method. The liposome formulations are composed of 3 to 4 lipid components in addition to the polynucleotide. As an example a liposome can contain, but is not limited to, 55% cholesterol, 20% distearylphosphatidyl choline (DSPC), 10% PEG-S-DSG, and 15% 1,2-dioleoyloxy-N,N-dimethylaminopropane (DODMA), as described by Jeffs et al. As another example, certain liposome formulations may contain, but are not limited to, 48% cholesterol, 20% DSPC, 2% PEG-c-DMA, and 30% cationic lipid, where the cationic lipid can be 1,2-distearoxy-N,N-dimethylaminopropane (DSDMA), DODMA, DLin-DMA, or 1,2-dilinoleyloxy-3-dimethylaminopropane (DLinDMA), as described by Heyes et al.

[0417] In some embodiments, liposome formulations may comprise from about 25.0% cholesterol to about 40.0% cholesterol, from about 30.0% cholesterol to about 45.0% cholesterol, from about 35.0% cholesterol to about 50.0% cholesterol and/or from about 48.5% cholesterol to about 60% cholesterol. In some embodiments, formulations may comprise a percentage of cholesterol selected from the group consisting of 28.5%, 31.5%, 33.5%, 36.5%, 37.0%, 38.5%, 39.0% and 43.5%. In some embodiments, formulations may comprise from about 5.0% to about 10.0% DSPC and/or from about 7.0% to about 15.0% DSPC.

[0418] In some embodiments, the RNA (e.g., mRNA) vaccine pharmaceutical compositions may be formulated in liposomes such as, but not limited to, DiLa2 liposomes (Marina Biotech, Bothell, Wash.), SMARTICLES® (Marina Biotech, Bothell, Wash.), neutral DOPC (1,2-dioleoyl-sn-glycero-3-phosphocholine) based liposomes (e.g., siRNA delivery for ovarian cancer (Landen et al. *Cancer Biology &*

Therapy 2006 5(12)1708-1713); herein incorporated by reference in its entirety) and hyaluronan-coated liposomes (Quiet Therapeutics, Israel).

[0419] In some embodiments, the cationic lipid may be a low molecular weight cationic lipid such as those described in U.S. Patent Application No. 20130090372, the contents of which are herein incorporated by reference in their entirety.

[0420] In some embodiments, the RNA (e.g., mRNA) vaccines may be formulated in a lipid vesicle, which may have crosslinks between functionalized lipid bilayers.

[0421] In some embodiments, the RNA (e.g., mRNA) vaccines may be formulated in a lipid-polycation complex. The formation of the lipid-polycation complex may be accomplished by methods known in the art and/or as described in U.S. Pub. No. 20120178702, herein incorporated by reference in its entirety. As a non-limiting example, the polycation may include a cationic peptide or a polypeptide such as, but not limited to, polylysine, polyornithine and/or polyarginine. In some embodiments, the RNA (e.g., mRNA) vaccines may be formulated in a lipid-polycation complex, which may further include a non-cationic lipid such as, but not limited to, cholesterol or dioleoyl phosphatidylethanolamine (DOPE).

[0422] In some embodiments, the ratio of PEG in the lipid nanoparticle (LNP) formulations may be increased or decreased and/or the carbon chain length of the PEG lipid may be modified from C14 to C18 to alter the pharmacokinetics and/or biodistribution of the LNP formulations. As a non-limiting example, LNP formulations may contain from about 0.5% to about 3.0%, from about 1.0% to about 3.5%, from about 1.5% to about 4.0%, from about 2.0% to about 4.5%, from about 2.5% to about 5.0% and/or from about 3.0% to about 6.0% of the lipid molar ratio of PEG-c-DOMG (R-3-[(w-methoxy-poly(ethyleneglycol)2000)carbamoyl]1,2-dimyristyloxypropyl-3-amine) (also referred to herein as PEG-DOMG) as compared to the cationic lipid, DSPC and cholesterol. In some embodiments, the PEG-c-DOMG may be replaced with a PEG lipid such as, but not limited to, PEG-DSG (1,2-Distearoyl-sn-glycerol, methoxy-polyethylene glycol), PEG-DMG (1,2-Dimyristoyl-sn-glycerol) and/or PEG-DPG (1,2-Dipalmitoyl-sn-glycerol, methoxypolyethylene glycol). The cationic lipid may be selected from any lipid known in the art such as, but not limited to, DLin-MC3-DMA, DLin-DMA, C12-200 and DLin-KC2-DMA.

[0423] In some embodiments, the RNA (e.g., mRNA) vaccines may be formulated in a lipid nanoparticle.

[0424] In some embodiments, the RNA (e.g., mRNA) vaccine formulation comprising the polynucleotide is a nanoparticle which may comprise at least one lipid. The lipid may be selected from, but is not limited to, DLin-DMA, DLin-K-DMA, 98N12-5, C12-200, DLin-MC3-DMA, DLin-KC2-DMA, DODMA, PLGA, PEG, PEG-DMG, PEGylated lipids and amino alcohol lipids. In another aspect, the lipid may be a cationic lipid such as, but not limited to, DLin-DMA, DLin-D-DMA, DLin-MC3-DMA, DLin-KC2-DMA, DODMA and amino alcohol lipids. The amino alcohol cationic lipid may be the lipids described in and/or made by the methods described in U.S. Patent Publication No. US20130150625, herein incorporated by reference in its entirety. As a non-limiting example, the cationic lipid may be 2-amino-3-[(9Z,12Z)-octadeca-9,12-dien-1-yloxy]-2-[[[(9Z,2Z)-octadeca-9,12-dien-1-yloxy]methyl]propan-1-ol (Compound 1 in US20130150625);

2-amino-3-[(9Z)-octadec-9-en-1-yloxy]-2-[[9Z)-octadec-9-en-1-yloxy]methyl}propan-1-ol (Compound 2 in US20130150625); 2-amino-3-[(9Z,12Z)-octadeca-9,12-dien-1-yloxy]-2-[(octyloxy)methyl]propan-1-ol (Compound 3 in US20130150625); and 2-(dimethylamino)-3-[(9Z,12Z)-octadeca-9,12-dien-1-yloxy]-2-[[9Z,12Z)-octadeca-9,12-dien-1-yloxy]methyl}propan-1-ol (Compound 4 in US20130150625); or any pharmaceutically acceptable salt or stereoisomer thereof.

[0425] Lipid nanoparticle formulations typically comprise a lipid, in particular, an ionizable cationic lipid, for example, 2,2-dilinoleyl-4-dimethylaminoethyl-[1,3]-dioxolane (DLin-KC2-DMA), dilinoleyl-methyl-4-dimethylaminobutyrate (DLin-MC3-DMA), or di((Z)-non-2-en-1-yl) 9-((4-(dimethylamino)butanoyl)oxy)heptadecanedioate (L319), and further comprise a neutral lipid, a sterol and a molecule capable of reducing particle aggregation, for example a PEG or PEG-modified lipid.

[0426] In some embodiments, the lipid nanoparticle formulation consists essentially of (i) at least one lipid selected from the group consisting of 2,2-dilinoleyl-4-dimethylaminoethyl-[1,3]-dioxolane (DLin-KC2-DMA), dilinoleyl-methyl-4-dimethylaminobutyrate (DLin-MC3-DMA), and di((Z)-non-2-en-1-yl) 9-((4-(dimethylamino)butanoyl)oxy)heptadecanedioate (L319); (ii) a neutral lipid selected from DSPC, DPPC, POPC, DOPE and SM; (iii) a sterol, e.g., cholesterol; and (iv) a PEG-lipid, e.g., PEG-DMG or PEG-cDMA, in a molar ratio of about 20-60% cationic lipid: 5-25% neutral lipid: 25-55% sterol; 0.5-15% PEG-lipid.

[0427] In some embodiments, the formulation includes from about 25% to about 75% on a molar basis of a cationic lipid selected from 2,2-dilinoleyl-4-dimethylaminoethyl-[1,3]-dioxolane (DLin-KC2-DMA), dilinoleyl-methyl-4-dimethylaminobutyrate (DLin-MC3-DMA), and di((Z)-non-2-en-1-yl) 9-((4-(dimethylamino)butanoyl)oxy)heptadecanedioate (L319), e.g., from about 35 to about 65%, from about 45 to about 65%, about 60%, about 57.5%, about 50% or about 40% on a molar basis.

[0428] In some embodiments, the formulation includes from about 0.5% to about 15% on a molar basis of the neutral lipid e.g., from about 3 to about 12%, from about 5 to about 10% or about 15%, about 10%, or about 7.5% on a molar basis. Examples of neutral lipids include, but are not limited to, DSPC, POPC, DPPC, DOPE and SM. In some embodiments, the formulation includes from about 5% to about 50% on a molar basis of the sterol (e.g., about 15 to about 45%, about 20 to about 40%, about 40%, about 38.5%, about 35%, or about 31% on a molar basis. An exemplary sterol is cholesterol. In some embodiments, the formulation includes from about 0.5% to about 20% on a molar basis of the PEG or PEG-modified lipid (e.g., about 0.5 to about 10%, about 0.5 to about 5%, about 1.5%, about 0.5%, about 1.5%, about 3.5%, or about 5% on a molar basis. In some embodiments, the PEG or PEG modified lipid comprises a PEG molecule of an average molecular weight of 2,000 Da. In other embodiments, the PEG or PEG modified lipid comprises a PEG molecule of an average molecular weight of less than 2,000, for example around 1,500 Da, around 1,000 Da, or around 500 Da. Examples of PEG-modified lipids include, but are not limited to, PEG-distearoyl glycerol (PEG-DMG) (also referred herein as PEG-C14 or C14-PEG), PEG-cDMA (further discussed in Reyes et al. *J. Controlled Release*, 107, 276-287 (2005) the contents of which are herein incorporated by reference in their entirety)

[0429] In some embodiments, the formulations of the present disclosure include 25-75% of a cationic lipid selected from 2,2-dilinoleyl-4-dimethylaminoethyl-[1,3]-dioxolane (DLin-KC2-DMA), dilinoleyl-methyl-4-dimethylaminobutyrate (DLin-MC3-DMA), and di((Z)-non-2-en-1-yl) 9-((4-(dimethylamino)butanoyl)oxy)heptadecanedioate (L319), 0.5-15% of the neutral lipid, 5-50% of the sterol, and 0.5-20% of the PEG or PEG-modified lipid on a molar basis.

[0430] In some embodiments, the formulations of the present disclosure include 35-65% of a cationic lipid selected from 2,2-dilinoleyl-4-dimethylaminoethyl-[1,3]-dioxolane (DLin-KC2-DMA), dilinoleyl-methyl-4-dimethylaminobutyrate (DLin-MC3-DMA), and di((Z)-non-2-en-1-yl) 9-((4-(dimethylamino)butanoyl)oxy)heptadecanedioate (L319), 3-12% of the neutral lipid, 15-45% of the sterol, and 0.5-10% of the PEG or PEG-modified lipid on a molar basis.

[0431] In some embodiments, the formulations of the present disclosure include 45-65% of a cationic lipid selected from 2,2-dilinoleyl-4-dimethylaminoethyl-[1,3]-dioxolane (DLin-KC2-DMA), dilinoleyl-methyl-4-dimethylaminobutyrate (DLin-MC3-DMA), and di((Z)-non-2-en-1-yl) 9-((4-(dimethylamino)butanoyl)oxy)heptadecanedioate (L319), 5-10% of the neutral lipid, 25-40% of the sterol, and 0.5-10% of the PEG or PEG-modified lipid on a molar basis.

[0432] In some embodiments, the formulations of the present disclosure include about 60% of a cationic lipid selected from 2,2-dilinoleyl-4-dimethylaminoethyl-[1,3]-dioxolane (DLin-KC2-DMA), dilinoleyl-methyl-4-dimethylaminobutyrate (DLin-MC3-DMA), and di((Z)-non-2-en-1-yl) 9-((4-(dimethylamino)butanoyl)oxy)heptadecanedioate (L319), about 7.5% of the neutral lipid, about 31% of the sterol, and about 1.5% of the PEG or PEG-modified lipid on a molar basis. In some embodiments, the formulations of the present disclosure include about 50% of a cationic lipid selected from 2,2-dilinoleyl-4-dimethylaminoethyl-[1,3]-dioxolane (DLin-KC2-DMA), dilinoleyl-methyl-4-dimethylaminobutyrate (DLin-MC3-DMA), and di((Z)-non-2-en-1-yl) 9-((4-(dimethylamino)butanoyl)oxy)heptadecanedioate (L319), about 10% of the neutral lipid, about 38.5% of the sterol, and about 1.5% of the PEG or PEG-modified lipid on a molar basis.

[0433] In some embodiments, the formulations of the present disclosure include about 50% of a cationic lipid selected from 2,2-dilinoleyl-4-dimethylaminoethyl-[1,3]-dioxolane (DLin-KC2-DMA), dilinoleyl-methyl-4-dimethylaminobutyrate (DLin-MC3-DMA), and di((Z)-non-2-en-1-yl) 9-((4-(dimethylamino)butanoyl)oxy)heptadecanedioate (L319), about 10% of the neutral lipid, about 35% of the sterol, about 4.5% or about 5% of the PEG or PEG-modified lipid, and about 0.5% of the targeting lipid on a molar basis.

[0434] In some embodiments, the formulations of the present disclosure include about 40% of a cationic lipid selected from 2,2-dilinoleyl-4-dimethylaminoethyl-[1,3]-dioxolane (DLin-KC2-DMA), dilinoleyl-methyl-4-dimethylaminobutyrate (DLin-MC3-DMA), and di((Z)-non-2-en-1-yl) 9-((4-(dimethylamino)butanoyl)oxy)heptadecanedioate (L319), about 15% of the neutral lipid, about 40% of the sterol, and about 5% of the PEG or PEG-modified lipid on a molar basis.

[0435] In some embodiments, the formulations of the present disclosure include about 57.2% of a cationic lipid selected from 2,2-dilinoleyl-4-dimethylaminoethyl-[1,3]-dioxolane (DLin-KC2-DMA), dilinoleyl-methyl-4-dimethylaminobutyrate (DLin-MC3-DMA), and di((Z)-non-2-en-1-

yl) 9-((4-(dimethylamino)butanoyl)oxy)heptadecanedioate (L319), about 7.1% of the neutral lipid, about 34.3% of the sterol, and about 1.4% of the PEG or PEG-modified lipid on a molar basis.

[0436] In some embodiments, the formulations of the present disclosure include about 57.5% of a cationic lipid selected from the PEG lipid is PEG-cDMA (PEG-cDMA is further discussed in Reyes et al. (J. Controlled Release, 107, 276-287 (2005), the contents of which are herein incorporated by reference in their entirety), about 7.5% of the neutral lipid, about 31.5% of the sterol, and about 3.5% of the PEG or PEG-modified lipid on a molar basis.

[0437] In some embodiments, lipid nanoparticle formulation consists essentially of a lipid mixture in molar ratios of about 20-70% cationic lipid: 5-45% neutral lipid: 20-55% cholesterol: 0.5-15% PEG-modified lipid; more preferably in a molar ratio of about 20-60% cationic lipid: 5-25% neutral lipid: 25-55% cholesterol: 0.5-15% PEG-modified lipid.

[0438] In some embodiments, the molar lipid ratio is approximately 50/10/38.5/1.5 (mol % cationic lipid/neutral lipid, e.g., DSPC/Chol/PEG-modified lipid, e.g., PEG-DMG, PEG-DSG or PEG-DPG), 57.2/7.1134.3/1.4 (mol % cationic lipid/neutral lipid, e.g., DPPC/Chol/PEG-modified lipid, e.g., PEG-cDMA), 40/15/40/5 (mol % cationic lipid/neutral lipid, e.g., DSPC/Chol/PEG-modified lipid, e.g., PEG-DMG), 50/10/35/4.5/0.5 (mol % cationic lipid/neutral lipid, e.g., DSPC/Chol/PEG-modified lipid, e.g., PEG-DSG), 50/10/35/5 (cationic lipid/neutral lipid, e.g., DSPC/Chol/PEG-modified lipid, e.g., PEG-DMG), 40/10/40/10 (mol % cationic lipid/neutral lipid, e.g., DSPC/Chol/PEG-modified lipid, e.g., PEG-DMG or PEG-cDMA), 35/15/40/10 (mol % cationic lipid/neutral lipid, e.g., DSPC/Chol/PEG-modified lipid, e.g., PEG-DMG or PEG-cDMA) or 52/13/30/5 (mol % cationic lipid/neutral lipid, e.g., DSPC/Chol/PEG-modified lipid, e.g., PEG-DMG or PEG-cDMA).

[0439] Examples of lipid nanoparticle compositions and methods of making same are described, for example, in Semple et al. (2010) *Nat. Biotechnol.* 28:172-176; Jayarama et al. (2012), *Angew. Chem. Int. Ed.*, S1: 8529-8533; and Maier et al. (2013) *Molecular Therapy* 21, 1570-1578 (the contents of each of which are incorporated herein by reference in their entirety).

[0440] In some embodiments, the lipid nanoparticle formulations described herein may comprise a cationic lipid, a PEG lipid and a structural lipid and optionally comprise a non-cationic lipid. As a non-limiting example, the lipid nanoparticle may comprise about 40-60% of cationic lipid, about 5-15% of a non-cationic lipid, about 1-2% of a PEG lipid and about 30-50% of a structural lipid. As another non-limiting example, the lipid nanoparticle may comprise about 50% cationic lipid, about 10% non-cationic lipid, about 1.5% PEG lipid and about 38.5% structural lipid. As yet another non-limiting example, the lipid nanoparticle may comprise about 55% cationic lipid, about 10% non-cationic lipid, about 2.5% PEG lipid and about 32.5% structural lipid. In some embodiments, the cationic lipid may be any cationic lipid described herein such as, but not limited to, DLin-KC2-DMA, DLin-MC3-DMA and L319.

[0441] In some embodiments, the lipid nanoparticle formulations described herein may be 4 component lipid nanoparticles. The lipid nanoparticle may comprise a cationic lipid, a non-cationic lipid, a PEG lipid and a structural lipid. As a non-limiting example, the lipid nanoparticle may

comprise about 40-60% of cationic lipid, about 5-15% of a non-cationic lipid, about 1-2% of a PEG lipid and about 30-50% of a structural lipid. As another non-limiting example, the lipid nanoparticle may comprise about 50% cationic lipid, about 10% non-cationic lipid, about 1.5% PEG lipid and about 38.5% structural lipid. As yet another non-limiting example, the lipid nanoparticle may comprise about 55% cationic lipid, about 10% non-cationic lipid, about 2.5% PEG lipid and about 32.5% structural lipid. In some embodiments, the cationic lipid may be any cationic lipid described herein such as, but not limited to, DLin-KC2-DMA, DLin-MC3-DMA and L319.

[0442] In some embodiments, the lipid nanoparticle formulations described herein may comprise a cationic lipid, a non-cationic lipid, a PEG lipid and a structural lipid. As a non-limiting example, the lipid nanoparticle comprise about 50% of the cationic lipid DLin-KC2-DMA, about 10% of the non-cationic lipid DSPC, about 1.5% of the PEG lipid PEG-DOMG and about 38.5% of the structural lipid cholesterol. As a non-limiting example, the lipid nanoparticle comprise about 50% of the cationic lipid DLin-MC3-DMA, about 10% of the non-cationic lipid DSPC, about 1.5% of the PEG lipid PEG-DOMG and about 38.5% of the structural lipid cholesterol. As a non-limiting example, the lipid nanoparticle comprise about 50% of the cationic lipid DLin-MC3-DMA, about 10% of the non-cationic lipid DSPC, about 1.5% of the PEG lipid PEG-DMG and about 38.5% of the structural lipid cholesterol. As yet another non-limiting example, the lipid nanoparticle comprise about 55% of the cationic lipid L319, about 10% of the non-cationic lipid DSPC, about 2.5% of the PEG lipid PEG-DMG and about 32.5% of the structural lipid cholesterol.

[0443] As a non-limiting example, the cationic lipid may be selected from (20Z,23Z)-N,N-dimethylnonacos-20,23-dien-10-amine, (17Z,20Z)-N,N-dimethylhexacos-17,20-dien-9-amine, (1Z,19Z)-N,N-dimethylpentacos-1,6,19-dien-8-amine, (13Z,16Z)-N,N-dimethyldocos-13,16-dien-5-amine, (12Z,15Z)-N,N-dimethylhenicos-12,15-dien-4-amine, (14Z,17Z)-N,N-dimethyltricos-14,17-dien-6-amine, (15Z,18Z)-N,N-dimethyltetracos-15,18-dien-7-amine, (18Z,21Z)-N,N-dimethylheptacos-18,21-dien-10-amine, (15Z,18Z)-N,N-dimethyltetracos-15,18-dien-5-amine, (14Z,17Z)-N,N-dimethyltricos-14,17-dien-4-amine, (19Z,22Z)-N,N-dimethylheptacos-19,22-dien-9-amine, (18Z,21 Z)-N,N-dimethylheptacos-18,21 -dien-8-amine, (17Z,20Z)-N,N-dimethylhexacos-17,20-dien-7-amine, (16Z,19Z)-N,N-dimethylpentacos-16,19-dien-6-amine, (22Z,25Z)-N,N-dimethylhentriaconta-22,25-dien-10-amine, (21 Z,24Z)-N,N-dimethyltriaconta-21,24-dien-9-amine, (18Z)-N,N-dimethylheptacos-18-en-10-amine, (17Z)-N,N-dimethylhexacos-17-en-9-amine, (19Z,22Z)-N,N-dimethylheptacos-19,22-dien-7-amine, N,N-dimethylheptacos-10-amine, (20Z,23Z)-N-ethyl-N-methylnonacos-20,23-dien-10-amine, 1-[(11Z,14Z)-1-nonylicosa-11,14-dien-1-yl] pyrrolidine, (20Z)-N,N-dimethylheptacos-20-en-10-amine, (15Z)-N,N-dimethylheptacos-15-en-10-amine, (14Z)-N,N-dimethylnonacos-14-en-10-amine, (17Z)-N,N-dimethylnonacos-17-en-10-amine, (24Z)-N,N-dimethyltriaconta-24-en-10-amine, (20Z)-N,N-dimethylnonacos-20-en-10-amine, (22Z)-N,N-dimethylhentriaconta-22-en-10-amine, (16Z)-N,N-dimethylpentacos-16-en-8-amine, (12Z,15Z)-N,N-dimethyl-2-nonylhenicos-12,15-dien-1-amine, (13Z,16Z)-N,N-dimethyl-3-nonyldocos-13,16-dien-1-amine, N,N-dimethyl-1-[(1S,

2R)-2-octylcyclopropyl]heptadecan-8-amine, 1-[(1S,2R)-2-hexylcyclopropyl]-N,N-dimethylnonadecan-10-amine, N,N-dimethyl-1-[(1S,2R)-2-octylcyclopropyl]nonadecan-10-amine, N,N-dimethyl-21-[(1S,2R)-2-octylcyclopropyl]heneicosan-10-amine, N,N-dimethyl-1-[(1S,2S)-2-[(1R,2R)-2-pentylcyclopropyl]methyl]cyclopropyl]nonadecan-10-amine, N,N-dimethyl-1-[(1S,2R)-2-octylcyclopropyl]hexadecan-8-amine, N,N-dimethyl-[(1R,2S)-2-undecylcyclopropyl]tetradecan-5-amine, N,N-dimethyl-3-{7-[(1S,2R)-2-octylcyclopropyl]heptyl} dodecan-1-amine, 1-[(1R,2S)-2-heptylcyclopropyl]-N,N-dimethyloctadecan-9-amine, 1-[(1S,2R)-2-decylcyclopropyl]-N,N-dimethylpentadecan-6-amine, N,N-dimethyl-1-[(1S,2R)-2-octylcyclopropyl]pentadecan-8-amine, R-N,N-dimethyl-1-[(9Z,12Z)-octadeca-9,12-dien-1-yloxy]-3-(octyloxy)propan-2-amine, S-N,N-dimethyl-1-[(9Z,12Z)-octadeca-9,12-dien-1-yloxy]-3-(octyloxy)propan-2-amine, 1-{2-[(9Z,12Z)-octadeca-9,12-dien-1-yloxy]-1-[(octyloxy)methyl]ethyl}pyrrolidine, (2S)-N,N-dimethyl-1-[(9Z,12Z)-octadeca-9,12-dien-1-yloxy]-3-[(5Z)-oct-5-en-1-yloxy]propan-2-amine, 1-{2-[(9Z,12Z)-octadeca-9,12-dien-1-yloxy]-1-[(octyloxy)methyl]ethyl}azetidene, (2S)-1-(hexyloxy)-N,N-dimethyl-3-[(9Z,12Z)-octadeca-9,12-dien-1-yloxy]propan-2-amine, (2S)-1-(heptyloxy)-N,N-dimethyl-3-[(9Z,12Z)-octadeca-9,12-dien-1-yloxy]propan-2-amine, N,N-dimethyl-1-(nonyloxy)-3-[(9Z,12Z)-octadeca-9,12-dien-1-yloxy]propan-2-amine, N,N-dimethyl-1-[(9Z)-octadec-9-en-1-yloxy]-3-(octyloxy)propan-2-amine; (2S)-N,N-dimethyl-1-[(6Z,9Z,12Z)-octadeca-6,9,12-trien-1-yloxy]-3-(octyloxy)propan-2-amine, (2S)-1-[(11Z,14Z)-icosa-11,14-dien-1-yloxy]-N,N-dimethyl-3-(pentyloxy)propan-2-amine, (2S)-1-(hexyloxy)-3-[(11Z,14Z)-icosa-11,14-dien-1-yloxy]-N,N-dimethylpropan-2-amine, 1-[(11Z,14Z)-icosa-11,14-dien-1-yloxy]-N,N-dimethyl-3-(octyloxy)propan-2-amine, 1-[(13Z,16Z)-docosa-13,16-dien-1-yloxy]-N,N-dimethyl-3-(octyloxy)propan-2-amine, (2S)-1-[(13Z,16Z)-docosa-13,16-dien-1-yloxy]-3-(hexyloxy)-N,N-dimethylpropan-2-amine, (2S)-1-[(13Z)-docos-13-en-1-yloxy]-3-(hexyloxy)-N,N-dimethylpropan-2-amine, 1-[(13Z)-docos-13-en-1-yloxy]-N,N-dimethyl-3-(octyloxy)propan-2-amine, 1-[(9Z)-hexadec-9-en-1-yloxy]-N,N-dimethyl-3-(octyloxy)propan-2-amine, (2R)-N,N-dimethyl-H(1-metoyloctyl)oxy]-3-[(9Z,12Z)-octadeca-9,12-dien-1-yloxy]propan-2-amine, (2R)-1-[(3,7-dimethyloctyl)oxy]-N,N-dimethyl-3-[(9Z,12Z)-octadeca-9,12-dien-1-yloxy]propan-2-amine, N,N-dimethyl-1-(octyloxy)-3-[(8-[(1S,2S)-2-[(1R,2R)-2-pentylcyclopropyl]methyl]cyclopropyl]octyl]oxy]propan-2-amine, N,N-dimethyl-1-[[8-(2-octylcyclopropyl)octyl]oxy]-3-(octyloxy)propan-2-amine and (11E,20Z,23Z)-N,N-dimethylnonacosan-11,20,23-trien-10-amine or a pharmaceutically acceptable salt or stereoisomer thereof.

[0444] In some embodiments, the LNP formulations of the RNA (e.g., mRNA) vaccines may contain PEG-c-DOMG at 3% lipid molar ratio. In some embodiments, the LNP formulations of the RNA (e.g., mRNA) vaccines may contain PEG-c-DOMG at 1.5% lipid molar ratio.

[0445] In some embodiments, the pharmaceutical compositions of the RNA (e.g., mRNA) vaccines may include at least one of the PEGylated lipids described in International Publication No. WO2012099755, the contents of which are herein incorporated by reference in their entirety.

[0446] In some embodiments, the LNP formulation may contain PEG-DMG 2000 (1,2-dimyristoyl-sn-glycero-3-

phosphoethanolamine-N-[methoxy(polyethylene glycol)-2000). In some embodiments, the LNP formulation may contain PEG-DMG 2000, a cationic lipid known in the art and at least one other component. In some embodiments, the LNP formulation may contain PEG-DMG 2000, a cationic lipid known in the art, DSPC and cholesterol. As a non-limiting example, the LNP formulation may contain PEG-DMG 2000, DLin-DMA, DSPC and cholesterol. As another non-limiting example the LNP formulation may contain PEG-DMG 2000, DLin-DMA, DSPC and cholesterol in a molar ratio of 2:40:10:48 (see e.g., Geall et al., Nonviral delivery of self-amplifying RNA (e.g., mRNA) vaccines, PNAS 2012; PMID: 22908294, the contents of each of which are herein incorporated by reference in their entirety).

[0447] The lipid nanoparticles described herein may be made in a sterile environment.

[0448] In some embodiments, the LNP formulation may be formulated in a nanoparticle such as a nucleic acid-lipid particle. As a non-limiting example, the lipid particle may comprise one or more active agents or therapeutic agents; one or more cationic lipids comprising from about 50 mol % to about 85 mol % of the total lipid present in the particle; one or more non-cationic lipids comprising from about 13 mol % to about 49.5 mol % of the total lipid present in the particle; and one or more conjugated lipids that inhibit aggregation of particles comprising from about 0.5 mol % to about 2 mol % of the total lipid present in the particle.

[0449] The nanoparticle formulations may comprise a phosphate conjugate. The phosphate conjugate may increase in vivo circulation times and/or increase the targeted delivery of the nanoparticle. As a non-limiting example, the phosphate conjugates may include a compound of any one of the formulas described in International Application No. WO2013033438, the contents of which are herein incorporated by reference in its entirety.

[0450] The nanoparticle formulation may comprise a polymer conjugate. The polymer conjugate may be a water soluble conjugate. The polymer conjugate may have a structure as described in U.S. Patent Application No. 20130059360, the contents of which are herein incorporated by reference in its entirety. In some embodiments, polymer conjugates with the polynucleotides of the present disclosure may be made using the methods and/or segmented polymeric reagents described in U.S. Patent Application No. 20130072709, the contents of which are herein incorporated by reference in its entirety. In some embodiments, the polymer conjugate may have pendant side groups comprising ring moieties such as, but not limited to, the polymer conjugates described in U.S. Patent Publication No. US20130196948, the contents which are herein incorporated by reference in its entirety.

[0451] The nanoparticle formulations may comprise a conjugate to enhance the delivery of nanoparticles of the present disclosure in a subject. Further, the conjugate may inhibit phagocytic clearance of the nanoparticles in a subject. In one aspect, the conjugate may be a “self” peptide designed from the human membrane protein CD47 (e.g., the “self” particles described by Rodriguez et al. (*Science* 2013 339, 971-975), herein incorporated by reference in its entirety). As shown by Rodriguez et al., the self peptides delayed macrophage-mediated clearance of nanoparticles which enhanced delivery of the nanoparticles. In another aspect, the conjugate may be the membrane protein CD47 (e.g., see Rodriguez et al. *Science* 2013 339, 971-975, herein

incorporated by reference in its entirety). Rodriguez et al. showed that, similarly to “self” peptides, CD47 can increase the circulating particle ratio in a subject as compared to scrambled peptides and PEG coated nanoparticles.

[0452] In some embodiments, the RNA (e.g., mRNA) vaccines of the present disclosure are formulated in nanoparticles which comprise a conjugate to enhance the delivery of the nanoparticles of the present disclosure in a subject. The conjugate may be the CD47 membrane or the conjugate may be derived from the CD47 membrane protein, such as the “self” peptide described previously. In some embodiments, the nanoparticle may comprise PEG and a conjugate of CD47 or a derivative thereof. In some embodiments, the nanoparticle may comprise both the “self” peptide described above and the membrane protein CD47.

[0453] In some embodiments, a “self” peptide and/or CD47 protein may be conjugated to a virus-like particle or pseudovirion, as described herein for delivery of the RNA (e.g., mRNA) vaccines of the present disclosure.

[0454] In some embodiments, RNA (e.g., mRNA) vaccine pharmaceutical compositions comprising the polynucleotides of the present disclosure and a conjugate that may have a degradable linkage. Non-limiting examples of conjugates include an aromatic moiety comprising an ionizable hydrogen atom, a spacer moiety, and a water-soluble polymer. As a non-limiting example, pharmaceutical compositions comprising a conjugate with a degradable linkage and methods for delivering such pharmaceutical compositions are described in U.S. Patent Publication No. US20130184443, the contents of which are herein incorporated by reference in their entirety.

[0455] The nanoparticle formulations may be a carbohydrate nanoparticle comprising a carbohydrate carrier and a RNA (e.g., mRNA) vaccine. As a non-limiting example, the carbohydrate carrier may include, but is not limited to, an anhydride-modified phytoglycogen or glycogen-type material, phytoglycogen octenyl succinate, phytoglycogen beta-dextrin, anhydride-modified phytoglycogen beta-dextrin. (See e.g., International Publication No. WO2012109121; the contents of which are herein incorporated by reference in their entirety).

[0456] Nanoparticle formulations of the present disclosure may be coated with a surfactant or polymer in order to improve the delivery of the particle. In some embodiments, the nanoparticle may be coated with a hydrophilic coating such as, but not limited to, PEG coatings and/or coatings that have a neutral surface charge. The hydrophilic coatings may help to deliver nanoparticles with larger payloads such as, but not limited to, RNA (e.g., mRNA) vaccines within the central nervous system. As a non-limiting example nanoparticles comprising a hydrophilic coating and methods of making such nanoparticles are described in U.S. Patent Publication No. US20130183244, the contents of which are herein incorporated by reference in their entirety.

[0457] In some embodiments, the lipid nanoparticles of the present disclosure may be hydrophilic polymer particles. Non-limiting examples of hydrophilic polymer particles and methods of making hydrophilic polymer particles are described in U.S. Patent Publication No. US20130210991, the contents of which are herein incorporated by reference in their entirety.

[0458] In some embodiments, the lipid nanoparticles of the present disclosure may be hydrophobic polymer particles.

[0459] Lipid nanoparticle formulations may be improved by replacing the cationic lipid with a biodegradable cationic lipid which is known as a rapidly eliminated lipid nanoparticle (reLNP). Ionizable cationic lipids, such as, but not limited to, DLinDMA, DLin-KC2-DMA, and DLin-MC3-DMA, have been shown to accumulate in plasma and tissues over time and may be a potential source of toxicity. The rapid metabolism of the rapidly eliminated lipids can improve the tolerability and therapeutic index of the lipid nanoparticles by an order of magnitude from a 1 mg/kg dose to a 10 mg/kg dose in rat. Inclusion of an enzymatically degraded ester linkage can improve the degradation and metabolism profile of the cationic component, while still maintaining the activity of the reLNP formulation. The ester linkage can be internally located within the lipid chain or it may be terminally located at the terminal end of the lipid chain. The internal ester linkage may replace any carbon in the lipid chain.

[0460] In some embodiments, the internal ester linkage may be located on either side of the saturated carbon.

[0461] In some embodiments, an immune response may be elicited by delivering a lipid nanoparticle which may include a nanospecies, a polymer and an immunogen. (U.S. Publication No. 20120189700 and International Publication No. WO2012099805; each of which is herein incorporated by reference in their entirety). The polymer may encapsulate the nanospecies or partially encapsulate the nanospecies. The immunogen may be a recombinant protein, a modified RNA and/or a polynucleotide described herein. In some embodiments, the lipid nanoparticle may be formulated for use in a vaccine such as, but not limited to, against a pathogen.

[0462] Lipid nanoparticles may be engineered to alter the surface properties of particles so the lipid nanoparticles may penetrate the mucosal barrier. Mucus is located on mucosal tissue such as, but not limited to, oral (e.g., the buccal and esophageal membranes and tonsil tissue), ophthalmic, gastrointestinal (e.g., stomach, small intestine, large intestine, colon, rectum), nasal, respiratory (e.g., nasal, pharyngeal, tracheal and bronchial membranes), genital (e.g., vaginal, cervical and urethral membranes). Nanoparticles larger than 10-200 nm which are preferred for higher drug encapsulation efficiency and the ability to provide the sustained delivery of a wide array of drugs have been thought to be too large to rapidly diffuse through mucosal barriers. Mucus is continuously secreted, shed, discarded or digested and recycled so most of the trapped particles may be removed from the mucosa tissue within seconds or within a few hours. Large polymeric nanoparticles (200nm -500nm in diameter) which have been coated densely with a low molecular weight polyethylene glycol (PEG) diffused through mucus only 4 to 6-fold lower than the same particles diffusing in water (Lai et al. PNAS 2007 104(5):1482-487; Lai et al. *Adv Drug Deliv Rev.* 2009 61(2): 158-171; each of which is herein incorporated by reference in their entirety). The transport of nanoparticles may be determined using rates of permeation and/or fluorescent microscopy techniques including, but not limited to, fluorescence recovery after photobleaching (FRAP) and high resolution multiple particle tracking (MPT). As a non-limiting example, compositions which can penetrate a mucosal barrier may be made as described in U.S. Pat. No. 8,241,670 or Interna-

tional Patent Publication No. WO2013110028, the contents of each of which are herein incorporated by reference in its entirety.

[0463] The lipid nanoparticle engineered to penetrate mucus may comprise a polymeric material (i.e. a polymeric core) and/or a polymer-vitamin conjugate and/or a tri-block co-polymer. The polymeric material may include, but is not limited to, polyamines, polyethers, polyamides, polyesters, polycarbamates, polyureas, polycarbonates, poly(styrenes), polyimides, polysulfones, polyurethanes, polyacetylenes, polyethylenes, polyethyleneimines, polyisocyanates, polyacrylates, polymethacrylates, polyacrylonitriles, and polyarylates. The polymeric material may be biodegradable and/or biocompatible. Non-limiting examples of biocompatible polymers are described in International Patent Publication No. WO2013116804, the contents of which are herein incorporated by reference in their entirety. The polymeric material may additionally be irradiated. As a non-limiting example, the polymeric material may be gamma irradiated (see e.g., International App. No. WO201282165, herein incorporated by reference in its entirety). Non-limiting examples of specific polymers include poly(caprolactone) (PCL), ethylene vinyl acetate polymer (EVA), poly(lactic acid) (PLA), poly(L-lactic acid) (PLLA), poly(glycolic acid) (PGA), poly(lactic acid-co-glycolic acid) (PLGA), poly(L-lactic acid-co-glycolic acid) (PLLGA), poly(D,L-lactide) (PDLA), poly(L-lactide) (PLLA), poly(D,L-lactide-co-caprolactone), poly(D,L-lactide-co-caprolactone-co-glycolide), poly(D,L-lactide-co-PEO-co-D,L-lactide), poly(D,L-lactide-co-PPO-co-D,L-lactide), polyalkyl cyanoacrylate, polyurethane, poly-L-lysine (PLL), hydroxypropyl methacrylate (HPMA), polyethyleneglycol, poly-L-glutamic acid, poly(hydroxy acids), polyanhydrides, polyorthoesters, poly(ester amides), polyamides, poly(ester ethers), polycarbonates, polyalkylenes such as polyethylene and polypropylene, polyalkylene glycols such as poly(ethylene glycol) (PEG), polyalkylene oxides (PEO), polyalkylene terephthalates such as poly(ethylene terephthalate), polyvinyl alcohols (PVA), polyvinyl ethers, polyvinyl esters such as poly(vinyl acetate), polyvinyl halides such as poly(vinyl chloride) (PVC), polyvinylpyrrolidone, polysiloxanes, polystyrene (PS), polyurethanes, derivatized celluloses such as alkyl celluloses, hydroxyalkyl celluloses, cellulose ethers, cellulose esters, nitro celluloses, hydroxypropylcellulose, carboxymethylcellulose, polymers of acrylic acids, such as poly(methyl(meth)acrylate) (PMMA), poly(ethyl(meth)acrylate), poly(butyl(meth)acrylate), poly(isobutyl(meth)acrylate), poly(hexyl(meth)acrylate), poly(isodecyl(meth)acrylate), poly(lauryl(meth)acrylate), poly(phenyl(meth)acrylate), poly(methyl acrylate), poly(isopropyl acrylate), poly(isobutyl acrylate), poly(octadecyl acrylate) and copolymers and mixtures thereof, polydioxanone and its copolymers, polyhydroxyalkanoates, polypropylene fumarate, polyoxymethylene, poloxamers, poly(ortho)esters, poly(butyric acid), poly(valeric acid), poly(lactide-co-caprolactone), PEG-PLGA-PEG and trimethylene carbonate, polyvinylpyrrolidone. The lipid nanoparticle may be coated or associated with a co-polymer such as, but not limited to, a block co-polymer (such as a branched polyether-polyamide block copolymer described in International Publication No. WO2013012476, herein incorporated by reference in its entirety), and (poly(ethylene glycol))-(poly(propylene oxide))-(poly(ethylene glycol)) triblock copolymer (see e.g., U.S. Publication 20120121718 and U.S. Publication

2010003337 and U.S. Pat. No. 8,263,665, the contents of each of which is herein incorporated by reference in their entirety). The co-polymer may be a polymer that is generally regarded as safe (GRAS) and the formation of the lipid nanoparticle may be in such a way that no new chemical entities are created. For example, the lipid nanoparticle may comprise poloxamers coating PLGA nanoparticles without forming new chemical entities which are still able to rapidly penetrate human mucus (Yang et al. *Angew. Chem. Int. Ed.* 2011 50:2597-2600; the contents of which are herein incorporated by reference in their entirety). A non-limiting scalable method to produce nanoparticles which can penetrate human mucus is described by Xu et al. (see, e.g., *J Control Release* 2013, 170(2):279-86; the contents of which are herein incorporated by reference in their entirety).

[0464] The vitamin of the polymer-vitamin conjugate may be vitamin E. The vitamin portion of the conjugate may be substituted with other suitable components such as, but not limited to, vitamin A, vitamin E, other vitamins, cholesterol, a hydrophobic moiety, or a hydrophobic component of other surfactants (e.g., sterol chains, fatty acids, hydrocarbon chains and alkylene oxide chains).

[0465] The lipid nanoparticle engineered to penetrate mucus may include surface altering agents such as, but not limited to, polynucleotides, anionic proteins (e.g., bovine serum albumin), surfactants (e.g., cationic surfactants such as for example dimethyldioctadecyl-ammonium bromide), sugars or sugar derivatives (e.g., cyclodextrin), nucleic acids, polymers (e.g., heparin, polyethylene glycol and poloxamer), mucolytic agents (e.g., N-acetylcysteine, mugwort, bromelain, papain, clerodendrum, acetylcysteine, bromhexine, carbocysteine, eprazinone, mesna, ambroxol, sobrerol, domiodol, letosteine, stepronin, tiopronin, gelsolin, thymosin β 4 dornase alfa, neltexine, erdosteine) and various DNases including rhDNase. The surface altering agent may be embedded or enmeshed in the particle's surface or disposed (e.g., by coating, adsorption, covalent linkage, or other process) on the surface of the lipid nanoparticle. (see e.g., U.S. Publication 20100215580 and U.S. Publication 20080166414 and US20130164343; the contents of each of which are herein incorporated by reference in their entirety).

[0466] In some embodiments, the mucus penetrating lipid nanoparticles may comprise at least one polynucleotide described herein. The polynucleotide may be encapsulated in the lipid nanoparticle and/or disposed on the surface of the particle. The polynucleotide may be covalently coupled to the lipid nanoparticle. Formulations of mucus penetrating lipid nanoparticles may comprise a plurality of nanoparticles. Further, the formulations may contain particles which may interact with the mucus and alter the structural and/or adhesive properties of the surrounding mucus to decrease mucoadhesion, which may increase the delivery of the mucus penetrating lipid nanoparticles to the mucosal tissue.

[0467] In some embodiments, the mucus penetrating lipid nanoparticles may be a hypotonic formulation comprising a mucosal penetration enhancing coating. The formulation may be hypotonic for the epithelium to which it is being delivered. Non-limiting examples of hypotonic formulations may be found in International Patent Publication No. WO2013110028, the contents of which are herein incorporated by reference in their entirety.

[0468] In some embodiments, in order to enhance the delivery through the mucosal barrier the RNA (e.g., mRNA) vaccine formulation may comprise or be a hypotonic solu-

tion. Hypotonic solutions were found to increase the rate at which mucin particles such as, but not limited to, mucus-penetrating particles, were able to reach the vaginal epithelial surface (see e.g., Ensign et al. *Biomaterials* 2013 34(28):6922-9, the contents of which are herein incorporated by reference in their entirety).

[0469] In some embodiments, the RNA (e.g., mRNA) vaccine is formulated as a lipoplex, such as, without limitation, the ATUPLEX™ system, the DACC system, the DBTC system and other siRNA-lipoplex technology from Silence Therapeutics (London, United Kingdom), STEMFECT™ from STEMGENT® (Cambridge, Mass.), and polyethylenimine (PEI) or protamine-based targeted and non-targeted delivery of nucleic acids (Aleku et al. *Cancer Res.* 2008 68:9788-9798; Strumberg et al. *Int J Clin Pharmacol Ther* 2012 50:76-78; Santel et al., *Gene Ther* 2006 13:1222-1234; Santel et al., *Gene Ther* 2006 13:1360-1370; Gutbier et al., *Pulm Pharmacol. Ther.* 2010 23:334-344; Kaufmann et al. *Microvasc Res* 2010 80:286-293 Weide et al. *J Immunother.* 2009 32:498-507; Weide et al. *J Immunother.* 2008 31:180-188; Pascolo *Expert Opin. Biol. Ther.* 4:1285-1294; Fotin-Mleczek et al., 2011 *J. Immunother.* 34:1-15; Song et al., *Nature Biotechnol.* 2005, 23:709-717; Peer et al., *Proc Natl Acad Sci U S A.* 2007 6:104:4095-4100; deFougerolles *Hum Gene Ther.* 2008 19:125-132, the contents of each of which are incorporated herein by reference in their entirety).

[0470] In some embodiments, such formulations may also be constructed or compositions altered such that they passively or actively are directed to different cell types in vivo, including but not limited to hepatocytes, immune cells, tumor cells, endothelial cells, antigen presenting cells, and leukocytes (Akinc et al. *Mol Ther.* 2010 18:1357-1364; Song et al., *Nat Biotechnol.* 2005 23:709-717; Judge et al., *J Clin Invest.* 2009 119:661-673; Kaufmann et al., *Microvasc Res* 2010 80:286-293; Santel et al., *Gene Ther* 2006 13:1222-1234; Santel et al., *Gene Ther* 2006 13:1360-1370; Gutbier et al., *Pulm Pharmacol. Ther.* 2010 23:334-344; Basha et al., *Mol. Ther.* 2011 19:2186-2200; Fenske and Cullis, *Expert Opin Drug Deliv.* 2008 5:25-44; Peer et al., *Science.* 2008 319:627-630; Peer and Lieberman, *Gene Ther.* 2011 18:1127-1133, the contents of each of which are incorporated herein by reference in their entirety). One example of passive targeting of formulations to liver cells includes the DLin-DMA, DLin-KC2-DMA and DLin-MC3-DMA-based lipid nanoparticle formulations, which have been shown to bind to apolipoprotein E and promote binding and uptake of these formulations into hepatocytes in vivo (Akinc et al. *Mol Ther.* 2010 18:1357-1364, the contents of which are incorporated herein by reference in their entirety). Formulations can also be selectively targeted through expression of different ligands on their surface as exemplified by, but not limited by, folate, transferrin, N-acetylgalactosamine (GalNAc), and antibody targeted approaches (Kolhatkar et al., *Curr Drug Discov Technol.* 2011 8:197-206; Musacchio and Torchilin, *Front Biosci.* 2011 16:1388-1412; Yu et al., *Mol Membr Biol.* 2010 27:286-298; Patil et al., *Crit Rev Ther Drug Carrier Syst.* 2008 25:1-61; Benoit et al., *Biomacromolecules.* 2011 12:2708-2714; Zhao et al., *Expert Opin Drug Deliv.* 2008 5:309-319; Akinc et al., *Mol Ther.* 2010 18:1357-1364; Srinivasan et al., *Methods Mol Biol.* 2012 820:105-116; Ben-Arie et al., *Methods Mol Biol.* 2012 757:497-507; Peer 2010 *J Control Release.* 20:63-68; Peer et al., *Proc Natl Acad Sci U S A.* 2007 104:4095-4100;

Kim et al., *Methods Mol Biol.* 2011 721:339-353; Subramanya et al., *Mol Ther.* 2010 18:2028-2037; Song et al., *Nat Biotechnol.* 2005 23:709-717; Peer et al., *Science.* 2008 319:627-630; Peer and Lieberman, *Gene Ther.* 2011 18:1127-1133, the contents of each of which are incorporated herein by reference in their entirety).

[0471] In some embodiments, the RNA (e.g., mRNA) vaccine is formulated as a solid lipid nanoparticle. A solid lipid nanoparticle (SLN) may be spherical with an average diameter between 10 to 1000 nm. SLN possess a solid lipid core matrix that can solubilize lipophilic molecules and may be stabilized with surfactants and/or emulsifiers. In some embodiments, the lipid nanoparticle may be a self-assembly lipid-polymer nanoparticle (see Zhang et al., *ACS Nano*, 2008, 2 (8), pp 1696-1702; the contents of which are herein incorporated by reference in their entirety). As a non-limiting example, the SLN may be the SLN described in International Patent Publication No. WO2013105101, the contents of which are herein incorporated by reference in their entirety. As another non-limiting example, the SLN may be made by the methods or processes described in International Patent Publication No. WO2013105101, the contents of which are herein incorporated by reference in their entirety).

[0472] Liposomes, lipoplexes, or lipid nanoparticles may be used to improve the efficacy of polynucleotides directed protein production as these formulations may be able to increase cell transfection by the RNA (e.g., mRNA) vaccine; and/or increase the translation of encoded protein. One such example involves the use of lipid encapsulation to enable the effective systemic delivery of polyplex plasmid DNA (Heyes et al., *Mol Ther.* 2007 15:713-720; the contents of which are incorporated herein by reference in their entirety). The liposomes, lipoplexes, or lipid nanoparticles may also be used to increase the stability of the polynucleotide.

[0473] In some embodiments, the RNA (e.g., mRNA) vaccines of the present disclosure can be formulated for controlled release and/or targeted delivery. As used herein, “controlled release” refers to a pharmaceutical composition or compound release profile that conforms to a particular pattern of release to effect a therapeutic outcome. In some embodiments, the RNA (e.g., mRNA) vaccines may be encapsulated into a delivery agent described herein and/or known in the art for controlled release and/or targeted delivery. As used herein, the term “encapsulate” means to enclose, surround or encase. As it relates to the formulation of the compounds of the disclosure, encapsulation may be substantial, complete or partial. The term “substantially encapsulated” means that at least greater than 50, 60, 70, 80, 85, 90, 95, 96, 97, 98, 99, 99.9, 99.9 or greater than 99.999% of the pharmaceutical composition or compound of the disclosure may be enclosed, surrounded or encased within the delivery agent. “Partially encapsulation” means that less than 10, 10, 20, 30, 40 50 or less of the pharmaceutical composition or compound of the disclosure may be enclosed, surrounded or encased within the delivery agent. Advantageously, encapsulation may be determined by measuring the escape or the activity of the pharmaceutical composition or compound of the disclosure using fluorescence and/or electron micrograph. For example, at least 1, 5, 10, 20, 30, 40, 50, 60, 70, 80, 85, 90, 95, 96, 97, 98, 99, 99.9, 99.99 or greater than 99.99% of the pharmaceutical composition or compound of the disclosure are encapsulated in the delivery agent.

[0474] In some embodiments, the controlled release formulation may include, but is not limited to, tri-block copolymers. As a non-limiting example, the formulation may include two different types of tri-block co-polymers (International Pub. No. WO2012131104 and WO2012131106, the contents of each of which are incorporated herein by reference in their entirety).

[0475] In some embodiments, the RNA (e.g., mRNA) vaccines may be encapsulated into a lipid nanoparticle or a rapidly eliminated lipid nanoparticle and the lipid nanoparticles or a rapidly eliminated lipid nanoparticle may then be encapsulated into a polymer, hydrogel and/or surgical sealant described herein and/or known in the art. As a non-limiting example, the polymer, hydrogel or surgical sealant may be PLGA, ethylene vinyl acetate (EVAc), poloxamer, GELSITE® (Nanotherapeutics, Inc. Alachua, Fla.), HYL-ENEX® (Halozyme Therapeutics, San Diego Calif.), surgical sealants such as fibrinogen polymers (Ethicon Inc. Cornelia, Ga.), TISSELL® (Baxter International, Inc Deerfield, Ill.), PEG-based sealants, and COSEAL® (Baxter International, Inc Deerfield, Ill.).

[0476] In some embodiments, the lipid nanoparticle may be encapsulated into any polymer known in the art which may form a gel when injected into a subject. As another non-limiting example, the lipid nanoparticle may be encapsulated into a polymer matrix which may be biodegradable.

[0477] In some embodiments, the RNA (e.g., mRNA) vaccine formulation for controlled release and/or targeted delivery may also include at least one controlled release coating. Controlled release coatings include, but are not limited to, OPADRY®, polyvinylpyrrolidone/vinyl acetate copolymer, polyvinylpyrrolidone, hydroxypropyl methylcellulose, hydroxypropyl cellulose, hydroxyethyl cellulose, EUDRAGIT RL®, EUDRAGIT RS® and cellulose derivatives such as ethylcellulose aqueous dispersions (AQUACOAT® and SURELEASE®).

[0478] In some embodiments, the RNA (e.g., mRNA) vaccine controlled release and/or targeted delivery formulation may comprise at least one degradable polyester which may contain polycationic side chains. Degradable polyesters include, but are not limited to, poly(L-serine ester), poly(L-lactide-co-L-lysine), poly(4-hydroxy-L-proline ester), and combinations thereof. In some embodiments, the degradable polyesters may include a PEG conjugation to form a PEGylated polymer.

[0479] In some embodiments, the RNA (e.g., mRNA) vaccine controlled release and/or targeted delivery formulation comprising at least one polynucleotide may comprise at least one PEG and/or PEG related polymer derivatives as described in U.S. Pat. No. 8,404,222, the contents of which are incorporated herein by reference in their entirety.

[0480] In some embodiments, the RNA (e.g., mRNA) vaccine controlled release delivery formulation comprising at least one polynucleotide may be the controlled release polymer system described in US20130130348, the contents of which are incorporated herein by reference in their entirety.

[0481] In some embodiments, the RNA (e.g., mRNA) vaccines of the present disclosure may be encapsulated in a therapeutic nanoparticle, referred to herein as “therapeutic nanoparticle RNA (e.g., mRNA) vaccines.” Therapeutic nanoparticles may be formulated by methods described herein and known in the art such as, but not limited to, International Pub Nos. WO2010005740, WO2010030763,

WO2010005721, WO2010005723, WO2012054923, U.S. Publication Nos. US20110262491, US20100104645, US20100087337, US20100068285, US20110274759, US20100068286, US20120288541, US20130123351 and US20130230567 and U.S. Pat. Nos. 8,206,747, 8,293,276, 8,318,208 and 8,318,211; the contents of each of which are herein incorporated by reference in their entirety. In some embodiments, therapeutic polymer nanoparticles may be identified by the methods described in US Pub No. US20120140790, the contents of which are herein incorporated by reference in their entirety.

[0482] In some embodiments, the therapeutic nanoparticle RNA (e.g., mRNA) vaccine may be formulated for sustained release. As used herein, “sustained release” refers to a pharmaceutical composition or compound that conforms to a release rate over a specific period of time. The period of time may include, but is not limited to, hours, days, weeks, months and years. As a non-limiting example, the sustained release nanoparticle may comprise a polymer and a therapeutic agent such as, but not limited to, the polynucleotides of the present disclosure (see International Pub No. 2010075072 and US Pub No. US20100216804, US20110217377 and US20120201859, the contents of each of which are incorporated herein by reference in their entirety). In another non-limiting example, the sustained release formulation may comprise agents which permit persistent bioavailability such as, but not limited to, crystals, macromolecular gels and/or particulate suspensions (see U.S. Patent Publication No US20130150295, the contents of each of which are incorporated herein by reference in their entirety).

[0483] In some embodiments, the therapeutic nanoparticle RNA (e.g., mRNA) vaccines may be formulated to be target specific. As a non-limiting example, the therapeutic nanoparticles may include a corticosteroid (see International Pub. No. WO2011084518, the contents of which are incorporated herein by reference in their entirety). As a non-limiting example, the therapeutic nanoparticles may be formulated in nanoparticles described in International Pub No. WO2008121949, WO2010005726, WO2010005725, WO2011084521 and US Pub No. US20100069426, US20120004293 and US20100104655, the contents of each of which are incorporated herein by reference in their entirety.

[0484] In some embodiments, the nanoparticles of the present disclosure may comprise a polymeric matrix. As a non-limiting example, the nanoparticle may comprise two or more polymers such as, but not limited to, polyethylenes, polycarbonates, polyanhydrides, polyhydroxyacids, polypropylfumerates, polycaprolactones, polyamides, polyacetals, polyethers, polyesters, poly(orthoesters), polycyanoacrylates, polyvinyl alcohols, polyurethanes, polyphosphazenes, polyacrylates, polymethacrylates, polycyanoacrylates, polyureas, polystyrenes, polyamines, polylysine, poly(ethylene imine), poly(L-serine ester), poly(L-lactide-co-L-lysine), poly(4-hydroxy-L-proline ester) or combinations thereof.

[0485] In some embodiments, the therapeutic nanoparticle comprises a diblock copolymer. In some embodiments, the diblock copolymer may include PEG in combination with a polymer such as, but not limited to, polyethylenes, polycarbonates, polyanhydrides, polyhydroxyacids, polypropylfumerates, polycaprolactones, polyamides, polyacetals, polyethers, polyesters, poly(orthoesters), polycyanoacry-

lates, polyvinyl alcohols, polyurethanes, polyphosphazenes, polyacrylates, polymethacrylates, polycyanoacrylates, polyureas, polystyrenes, polyamines, polylysine, poly(ethylene imine), poly(serine ester), poly(L-lactide-co-L-lysine), poly(4-hydroxy-L-proline ester) or combinations thereof. In yet another embodiment, the diblock copolymer may be a high-X diblock copolymer such as those described in International Patent Publication No. WO2013120052, the contents of which are incorporated herein by reference in their entirety.

[0486] As a non-limiting example the therapeutic nanoparticle comprises a PLGA-PEG block copolymer (see U.S. Publication No. US20120004293 and U.S. Pat. No. 8,236,330, each of which is herein incorporated by reference in their entirety). In another non-limiting example, the therapeutic nanoparticle is a stealth nanoparticle comprising a diblock copolymer of PEG and PLA or PEG and PLGA (see U.S. Pat. No. 8,246,968 and International Publication No. WO2012166923, the contents of each of which are herein incorporated by reference in their entirety). In yet another non-limiting example, the therapeutic nanoparticle is a stealth nanoparticle or a target-specific stealth nanoparticle as described in U.S. Patent Publication No. US20130172406, the contents of which are herein incorporated by reference in their entirety.

[0487] In some embodiments, the therapeutic nanoparticle may comprise a multiblock copolymer (see e.g., U.S. Pat. Nos. 8,263,665 and 8,287,910 and U.S. Patent Pub. No. US20130195987, the contents of each of which are herein incorporated by reference in their entirety).

[0488] In yet another non-limiting example, the lipid nanoparticle comprises the block copolymer PEG-PLGA-PEG (see e.g., the thermosensitive hydrogel (PEG-PLGA-PEG) was used as a TGF- β 1 gene delivery vehicle in Lee et al. Thermosensitive Hydrogel as a Tgf- β 1 Gene Delivery Vehicle Enhances Diabetic Wound Healing. *Pharmaceutical Research*, 2003 20(12): 1995-2000; as a controlled gene delivery system in Li et al. Controlled Gene Delivery System Based on Thermosensitive Biodegradable Hydrogel. *Pharmaceutical Research* 2003 20(6):884-888; and Chang et al., Non-ionic amphiphilic biodegradable PEG-PLGA-PEG copolymer enhances gene delivery efficiency in rat skeletal muscle. *J Controlled Release*. 2007 118:245-253, the contents of each of which are herein incorporated by reference in their entirety). The RNA (e.g., mRNA) vaccines of the present disclosure may be formulated in lipid nanoparticles comprising the PEG-PLGA-PEG block copolymer.

[0489] In some embodiments, the therapeutic nanoparticle may comprise a multiblock copolymer (see e.g., U.S. Pat. Nos. 8,263,665 and 8,287,910 and U.S. Patent Pub. No. US20130195987, the contents of each of which are herein incorporated by reference in their entirety).

[0490] In some embodiments, the block copolymers described herein may be included in a polyion complex comprising a non-polymeric micelle and the block copolymer. (see e.g., U.S. Publication No. 20120076836, the contents of which are herein incorporated by reference in their entirety).

[0491] In some embodiments, the therapeutic nanoparticle may comprise at least one acrylic polymer. Acrylic polymers include but are not limited to, acrylic acid, methacrylic acid, acrylic acid and methacrylic acid copolymers, methyl methacrylate copolymers, ethoxyethyl methacrylates, cyanoethyl

methacrylate, amino alkyl methacrylate copolymer, poly(acrylic acid), poly(methacrylic acid), polycyanoacrylates and combinations thereof.

[0492] In some embodiments, the therapeutic nanoparticles may comprise at least one poly(vinyl ester) polymer. The poly(vinyl ester) polymer may be a copolymer such as a random copolymer. As a non-limiting example, the random copolymer may have a structure such as those described in International Application No. WO2013032829 or U.S. Patent Publication No. US20130121954, the contents of each of which are herein incorporated by reference in their entirety. In some embodiments, the poly(vinyl ester) polymers may be conjugated to the polynucleotides described herein.

[0493] In some embodiments, the therapeutic nanoparticle may comprise at least one diblock copolymer. The diblock copolymer may be, but it not limited to, a poly(lactic acid-poly(ethylene)glycol copolymer (see, e.g., International Patent Publication No. WO2013044219, the contents of which are herein incorporated by reference in their entirety). As a non-limiting example, the therapeutic nanoparticle may be used to treat cancer (see International publication No. WO2013044219, the contents of which are herein incorporated by reference in their entirety).

[0494] In some embodiments, the therapeutic nanoparticles may comprise at least one cationic polymer described herein and/or known in the art.

[0495] In some embodiments, the therapeutic nanoparticles may comprise at least one amine-containing polymer such as, but not limited to polylysine, polyethylene imine, poly(amidoamine) dendrimers, poly(beta-amino esters) (see, e.g., U.S. Pat. No. 8,287,849, the contents of which are herein incorporated by reference in their entirety) and combinations thereof.

[0496] In some embodiments, the nanoparticles described herein may comprise an amine cationic lipid such as those described in International Patent Application No. WO2013059496, the contents of which are herein incorporated by reference in their entirety. In some embodiments, the cationic lipids may have an amino-amine or an amino-amide moiety.

[0497] In some embodiments, the therapeutic nanoparticles may comprise at least one degradable polyester which may contain polycationic side chains. Degradable polyesters include, but are not limited to, poly(serine ester), poly(L-lactide-co-L-lysine), poly(4-hydroxy-L-proline ester), and combinations thereof. In some embodiments, the degradable polyesters may include a PEG conjugation to form a PEGylated polymer.

[0498] In some embodiments, the synthetic nanocarriers may contain an immunostimulatory agent to enhance the immune response from delivery of the synthetic nanocarrier. As a non-limiting example, the synthetic nanocarrier may comprise a Th1 immunostimulatory agent, which may enhance a Th1-based response of the immune system (see International Pub No. WO2010123569 and U.S. Publication No. US20110223201, the contents of each of which are herein incorporated by reference in their entirety).

[0499] In some embodiments, the synthetic nanocarriers may be formulated for targeted release. In some embodiments, the synthetic nanocarrier is formulated to release the polynucleotides at a specified pH and/or after a desired time interval. As a non-limiting example, the synthetic nanoparticle may be formulated to release the RNA (e.g., mRNA) vaccines after 24 hours and/or at a pH of 4.5 (see Interna-

tional Publication Nos. WO2010138193 and WO2010138194 and US Pub Nos. US20110020388 and US20110027217, each of which is herein incorporated by reference in their entireties).

[0500] In some embodiments, the synthetic nanocarriers may be formulated for controlled and/or sustained release of the polynucleotides described herein. As a non-limiting example, the synthetic nanocarriers for sustained release may be formulated by methods known in the art, described herein and/or as described in International Pub No. WO2010138192 and US Pub No. 20100303850, each of which is herein incorporated by reference in their entirety.

[0501] In some embodiments, the RNA (e.g., mRNA) vaccine may be formulated for controlled and/or sustained release wherein the formulation comprises at least one polymer that is a crystalline side chain (CYSC) polymer. CYSC polymers are described in U.S. Pat. No. 8,399,007, herein incorporated by reference in its entirety.

[0502] In some embodiments, the synthetic nanocarrier may be formulated for use as a vaccine. In some embodiments, the synthetic nanocarrier may encapsulate at least one polynucleotide which encode at least one antigen. As a non-limiting example, the synthetic nanocarrier may include at least one antigen and an excipient for a vaccine dosage form (see International Publication No. WO2011150264 and U.S. Publication No. US20110293723, the contents of each of which are herein incorporated by reference in their entirety). As another non-limiting example, a vaccine dosage form may include at least two synthetic nanocarriers with the same or different antigens and an excipient (see International Publication No. WO2011150249 and U.S. Publication No. US20110293701, the contents of each of which are herein incorporated by reference in their entirety). The vaccine dosage form may be selected by methods described herein, known in the art and/or described in International Publication No. WO2011150258 and U.S. Publication No. US20120027806, the contents of each of which are herein incorporated by reference in their entirety).

[0503] In some embodiments, the synthetic nanocarrier may comprise at least one polynucleotide which encodes at least one adjuvant. As non-limiting example, the adjuvant may comprise dimethyldioctadecylammonium-bromide, dimethyldioctadecylammonium-chloride, dimethyldioctadecylammonium-phosphate or dimethyldioctadecylammonium-acetate (DDA) and an apolar fraction or part of said apolar fraction of a total lipid extract of a mycobacterium (see, e.g., U.S. Pat. No. 8,241,610, the content of which is herein incorporated by reference in its entirety). In some embodiments, the synthetic nanocarrier may comprise at least one polynucleotide and an adjuvant. As a non-limiting example, the synthetic nanocarrier comprising and adjuvant may be formulated by the methods described in International Publication No. WO2011150240 and U.S. Publication No. US20110293700, the contents of each of which are herein incorporated by reference in their entirety.

[0504] In some embodiments, the synthetic nanocarrier may encapsulate at least one polynucleotide that encodes a peptide, fragment or region from a virus. As a non-limiting example, the synthetic nanocarrier may include, but is not limited to, any of the nanocarriers described in International Publication No. WO2012024621, WO201202629, WO2012024632 and U.S. Publication No. US20120064110,

US20120058153 and US20120058154, the contents of each of which are herein incorporated by reference in their entirety.

[0505] In some embodiments, the synthetic nanocarrier may be coupled to a polynucleotide which may be able to trigger a humoral and/or cytotoxic T lymphocyte (CTL) response (see, e.g., International Publication No. WO2013019669, the contents of which are herein incorporated by reference in their entirety).

[0506] In some embodiments, the RNA (e.g., mRNA) vaccine may be encapsulated in, linked to and/or associated with zwitterionic lipids. Non-limiting examples of zwitterionic lipids and methods of using zwitterionic lipids are described in U.S. Patent Publication No. US20130216607, the contents of which are herein incorporated by reference in their entirety. In some aspects, the zwitterionic lipids may be used in the liposomes and lipid nanoparticles described herein.

[0507] In some embodiments, the RNA (e.g., mRNA) vaccine may be formulated in colloid nanocarriers as described in U.S. Patent Publication No. US20130197100, the contents of which are herein incorporated by reference in their entirety.

[0508] In some embodiments, the nanoparticle may be optimized for oral administration. The nanoparticle may comprise at least one cationic biopolymer such as, but not limited to, chitosan or a derivative thereof. As a non-limiting example, the nanoparticle may be formulated by the methods described in U.S. Publication No. 20120282343, the contents of which are herein incorporated by reference in their entirety.

[0509] In some embodiments, LNPs comprise the lipid KL52 (an amino-lipid disclosed in U.S. Application Publication No. 2012/0295832, the contents of which are herein incorporated by reference in their entirety. Activity and/or safety (as measured by examining one or more of ALT/AST, white blood cell count and cytokine induction, for example) of LNP administration may be improved by incorporation of such lipids. LNPs comprising KL52 may be administered intravenously and/or in one or more doses. In some embodiments, administration of LNPs comprising KL52 results in equal or improved mRNA and/or protein expression as compared to LNPs comprising MC3.

[0510] In some embodiments, RNA (e.g., mRNA) vaccine may be delivered using smaller LNPs. Such particles may comprise a diameter from below 0.1 μm up to 100 nm such as, but not limited to, less than 0.1 μm , less than 1.0 μm , less than 5 μm , less than 10 μm , less than 15 μm , less than 20 μm , less than 25 μm , less than 30 μm , less than 35 μm , less than 40 μm , less than 50 μm , less than 55 μm , less than 60 μm , less than 65 μm , less than 70 μm , less than 75 μm , less than 80 μm , less than 85 μm , less than 90 μm , less than 95 μm , less than 100 μm , less than 125 μm , less than 150 μm , less than 175 μm , less than 200 μm , less than 225 μm , less than 250 μm , less than 275 μm , less than 300 μm , less than 325 μm , less than 350 μm , less than 375 μm , less than 400 μm , less than 425 μm , less than 450 μm , less than 475 μm , less than 500 μm , less than 525 μm , less than 550 μm , less than 575 μm , less than 600 μm , less than 625 μm , less than 650 μm , less than 675 μm , less than 700 μm , less than 725 μm , less than 750 μm , less than 775 μm , less than 800 μm , less than 825 μm , less than 850 μm , less than 875 μm , less than 900 μm , less than 925 μm , less than 950 μm , less than 975 μm , or less than 1000 μm .

[0511] In some embodiments, RNA (e.g., mRNA) vaccines may be delivered using smaller LNPs, which may comprise a diameter from about 1 nm to about 100 nm, from about 1 nm to about 10 nm, about 1 nm to about 20 nm, from about 1 nm to about 30 nm, from about 1 nm to about 40 nm, from about 1 nm to about 50 nm, from about 1 nm to about 60 nm, from about 1 nm to about 70 nm, from about 1 nm to about 80 nm, from about 1 nm to about 90 nm, from about 5 nm to about 100 nm, from about 5 nm to about 10 nm, about 5 nm to about 20 nm, from about 5 nm to about 30 nm, from about 5 nm to about 40 nm, from about 5 nm to about 50 nm, from about 5 nm to about 60 nm, from about 5 nm to about 70 nm, from about 5 nm to about 80 nm, from about 5 nm to about 90 nm, about 10 to about 50 nm, from about 20 to about 50 nm, from about 30 to about 50 nm, from about 40 to about 50 nm, from about 20 to about 60 nm, from about 30 to about 60 nm, from about 40 to about 60 nm, from about 20 to about 70 nm, from about 30 to about 70 nm, from about 40 to about 70 nm, from about 50 to about 70 nm, from about 60 to about 70 nm, from about 20 to about 80 nm, from about 30 to about 80 nm, from about 40 to about 80 nm, from about 50 to about 80 nm, from about 60 to about 80 nm, from about 20 to about 90 nm, from about 30 to about 90 nm, from about 40 to about 90 nm, from about 50 to about 90 nm, from about 60 to about 90 nm and/or from about 70 to about 90 nm.

[0512] In some embodiments, such LNPs are synthesized using methods comprising microfluidic mixers. Examples of microfluidic mixers may include, but are not limited to, a slit interdigital micromixer including, but not limited to those manufactured by Microinnova (Allerheiligen bei Wildon, Austria) and/or a staggered herringbone micromixer (SHM) (Zhigaltsev, I.V. et al., Bottom-up design and synthesis of limit size lipid nanoparticle systems with aqueous and triglyceride cores using millisecond microfluidic mixing have been published (Langmuir. 2012. 28:3633-40; Bellevue, N. M. et al., Microfluidic synthesis of highly potent limit-size lipid nanoparticles for in vivo delivery of siRNA. Molecular Therapy-Nucleic Acids. 2012. 1:e37; Chen, D. et al., Rapid discovery of potent siRNA-containing lipid nanoparticles enabled by controlled microfluidic formulation. J Am Chem Soc. 2012. 134(16):6948-51, the contents of each of which are herein incorporated by reference in their entirety). In some embodiments, methods of LNP generation comprising SHM, further comprise the mixing of at least two input streams wherein mixing occurs by microstructure-induced chaotic advection (MICA). According to this method, fluid streams flow through channels present in a herringbone pattern causing rotational flow and folding the fluids around each other. This method may also comprise a surface for fluid mixing wherein the surface changes orientations during fluid cycling. Methods of generating LNPs using SHM include those disclosed in U.S. Application Publication Nos. 2004/0262223 and 2012/0276209, the contents of each of which are herein incorporated by reference in their entirety.

[0513] In some embodiments, the RNA (e.g., mRNA) vaccine of the present disclosure may be formulated in lipid nanoparticles created using a micromixer such as, but not limited to, a Slit Interdigital Microstructured Mixer (SIMM-V2) or a Standard Slit Interdigital Micro Mixer (SSIMM) or Caterpillar (CPMM) or Impinging-jet (IJMM) from the Institut für Mikrotechnik Mainz GmbH, Mainz Germany).

[0514] In some embodiments, the RNA (e.g., mRNA) vaccines of the present disclosure may be formulated in lipid nanoparticles created using microfluidic technology (see, e.g., Whitesides, George M. The Origins and the Future of Microfluidics. Nature, 2006 442: 368-373; and Abraham et al. Chaotic Mixer for Microchannels. Science, 2002 295: 647-651; each of which is herein incorporated by reference in its entirety). As a non-limiting example, controlled microfluidic formulation includes a passive method for mixing streams of steady pressure-driven flows in micro channels at a low Reynolds number (see, e.g., Abraham et al. Chaotic Mixer for Microchannels. Science, 2002 295: 647-651, the contents of which are herein incorporated by reference in their entirety).

[0515] In some embodiments, the RNA (e.g., mRNA) vaccines of the present disclosure may be formulated in lipid nanoparticles created using a micromixer chip such as, but not limited to, those from Harvard Apparatus (Holliston, Mass.) or Dolomite Microfluidics (Royston, UK). A micromixer chip can be used for rapid mixing of two or more fluid streams with a split and recombine mechanism.

[0516] In some embodiments, the RNA (e.g., mRNA) vaccines of the disclosure may be formulated for delivery using the drug encapsulating microspheres described in International Patent Publication No. WO2013063468 or U.S. Pat. No. 8,440,614, the contents of each of which are herein incorporated by reference in their entirety. The microspheres may comprise a compound of the formula (I), (II), (III), (IV), (V) or (VI) as described in International Patent Publication No. WO2013063468, the contents of which are herein incorporated by reference in their entirety. In some embodiments, the amino acid, peptide, polypeptide, lipids (APPL) are useful in delivering the RNA (e.g., mRNA) vaccines of the disclosure to cells (see International Patent Publication No. WO2013063468, the contents of which are herein incorporated by reference in their entirety).

[0517] In some embodiments, the RNA (e.g., mRNA) vaccines of the disclosure may be formulated in lipid nanoparticles having a diameter from about 10 to about 100 nm such as, but not limited to, about 10 to about 20 nm, about 10 to about 30 nm, about 10 to about 40 nm, about 10 to about 50 nm, about 10 to about 60 nm, about 10 to about 70 nm, about 10 to about 80 nm, about 10 to about 90 nm, about 20 to about 30 nm, about 20 to about 40 nm, about 20 to about 50 nm, about 20 to about 60 nm, about 20 to about 70 nm, about 20 to about 80 nm, about 20 to about 90 nm, about 20 to about 100 nm, about 30 to about 40 nm, about 30 to about 50 nm, about 30 to about 60 nm, about 30 to about 70 nm, about 30 to about 80 nm, about 30 to about 90 nm, about 30 to about 100 nm, about 40 to about 50 nm, about 40 to about 60 nm, about 40 to about 70 nm, about 40 to about 80 nm, about 40 to about 90 nm, about 40 to about 100 nm, about 50 to about 60 nm, about 50 to about 70 nm, about 50 to about 80 nm, about 50 to about 90 nm, about 50 to about 100 nm, about 60 to about 70 nm, about 60 to about 80 nm, about 60 to about 90 nm, about 60 to about 100 nm, about 70 to about 80 nm, about 70 to about 90 nm, about 70 to about 100 nm, about 80 to about 90 nm, about 80 to about 100 nm and/or about 90 to about 100 nm.

[0518] In some embodiments, the lipid nanoparticles may have a diameter from about 10 to 500 nm.

[0519] In some embodiments, the lipid nanoparticle may have a diameter greater than 100 nm, greater than 150 nm, greater than 200 nm, greater than 250 nm, greater than 300

nm, greater than 350 nm, greater than 400 nm, greater than 450 nm, greater than 500 nm, greater than 550 nm, greater than 600 nm, greater than 650 nm, greater than 700 nm, greater than 750 nm, greater than 800 nm, greater than 850 nm, greater than 900 nm, greater than 950 nm or greater than 1000 nm.

[0520] In some embodiments, the lipid nanoparticle may be a limit size lipid nanoparticle described in International Patent Publication No. WO2013059922, the contents of which are herein incorporated by reference in their entirety. The limit size lipid nanoparticle may comprise a lipid bilayer surrounding an aqueous core or a hydrophobic core; where the lipid bilayer may comprise a phospholipid such as, but not limited to, diacylphosphatidylcholine, a diacylphosphatidylethanolamine, a ceramide, a sphingomyelin, a dihydrosphingomyelin, a cephalin, a cerebroside, a C8-C20 fatty acid diacylphosphatidylcholine, and 1-palmitoyl-2-oleoyl phosphatidylcholine (POPC). In some embodiments, the limit size lipid nanoparticle may comprise a polyethylene glycol-lipid such as, but not limited to, DLPE-PEG, DMPE-PEG, DPPC-PEG and DSPE-PEG.

[0521] In some embodiments, the RNA (e.g., mRNA) vaccines may be delivered, localized and/or concentrated in a specific location using the delivery methods described in International Patent Publication No. WO2013063530, the contents of which are herein incorporated by reference in their entirety. As a non-limiting example, a subject may be administered an empty polymeric particle prior to, simultaneously with or after delivering the RNA (e.g., mRNA) vaccines to the subject. The empty polymeric particle undergoes a change in volume once in contact with the subject and becomes lodged, embedded, immobilized or entrapped at a specific location in the subject.

[0522] In some embodiments, the RNA (e.g., mRNA) vaccines may be formulated in an active substance release system (see, e.g., U.S. Patent Publication No. US20130102545, the contents of which are herein incorporated by reference in their entirety). The active substance release system may comprise 1) at least one nanoparticle bonded to an oligonucleotide inhibitor strand which is hybridized with a catalytically active nucleic acid and 2) a compound bonded to at least one substrate molecule bonded to a therapeutically active substance (e.g., polynucleotides described herein), where the therapeutically active substance is released by the cleavage of the substrate molecule by the catalytically active nucleic acid.

[0523] In some embodiments, the RNA (e.g., mRNA) vaccines may be formulated in a nanoparticle comprising an inner core comprising a non-cellular material and an outer surface comprising a cellular membrane. The cellular membrane may be derived from a cell or a membrane derived from a virus. As a non-limiting example, the nanoparticle may be made by the methods described in International Patent Publication No. WO2013052167, the contents of which are herein incorporated by reference in their entirety. As another non-limiting example, the nanoparticle described in International Patent Publication No. WO2013052167, the contents of which are herein incorporated by reference in their entirety, may be used to deliver the RNA (e.g., mRNA) vaccines described herein.

[0524] In some embodiments, the RNA (e.g., mRNA) vaccines may be formulated in porous nanoparticle-supported lipid bilayers (protocells). Protocells are described in

International Patent Publication No. WO2013056132, the contents of which are herein incorporated by reference in their entirety.

[0525] In some embodiments, the RNA (e.g., mRNA) vaccines described herein may be formulated in polymeric nanoparticles as described in or made by the methods described in U.S. Pat. Nos. 8,420,123 and 8,518,963 and European Patent No. EP2073848B1, the contents of each of which are herein incorporated by reference in their entirety. As a non-limiting example, the polymeric nanoparticle may have a high glass transition temperature such as the nanoparticles described in or nanoparticles made by the methods described in U.S. Pat. No. 8,518,963, the contents of which are herein incorporated by reference in their entirety. As another non-limiting example, the polymer nanoparticle for oral and parenteral formulations may be made by the methods described in European Patent No. EP2073848B1, the contents of which are herein incorporated by reference in their entirety.

[0526] In some embodiments, the RNA (e.g., mRNA) vaccines described herein may be formulated in nanoparticles used in imaging. The nanoparticles may be liposome nanoparticles such as those described in U.S. Patent Publication No US20130129636, herein incorporated by reference in its entirety. As a non-limiting example, the liposome may comprise gadolinium(III)2-{4,7-bis-carboxymethyl-10-[(N,N-distearylamidomethyl-N'-amido-methyl]-1,4,7,10-tetra-azacyclododec-1-yl}-acetic acid and a neutral, fully saturated phospholipid component (see, e.g., U.S. Patent Publication No US20130129636, the contents of which are herein incorporated by reference in their entirety).

[0527] In some embodiments, the nanoparticles which may be used in the present disclosure are formed by the methods described in U.S. Patent Application No. US20130130348, the contents of which are herein incorporated by reference in their entirety.

[0528] The nanoparticles of the present disclosure may further include nutrients such as, but not limited to, those which deficiencies can lead to health hazards from anemia to neural tube defects (see, e.g., the nanoparticles described in International Patent Publication No WO2013072929, the contents of which are herein incorporated by reference in their entirety). As a non-limiting example, the nutrient may be iron in the form of ferrous, ferric salts or elemental iron, iodine, folic acid, vitamins or micronutrients.

[0529] In some embodiments, the RNA (e.g., mRNA) vaccines of the present disclosure may be formulated in a swellable nanoparticle. The swellable nanoparticle may be, but is not limited to, those described in U.S. Pat. No. 8,440,231, the contents of which are herein incorporated by reference in their entirety. As a non-limiting embodiment, the swellable nanoparticle may be used for delivery of the RNA (e.g., mRNA) vaccines of the present disclosure to the pulmonary system (see, e.g., U.S. Pat. No. 8,440,231, the contents of which are herein incorporated by reference in their entirety).

[0530] The RNA (e.g., mRNA) vaccines of the present disclosure may be formulated in polyanhydride nanoparticles such as, but not limited to, those described in U.S. Pat. No. 8,449,916, the contents of which are herein incorporated by reference in their entirety.

[0531] The nanoparticles and microparticles of the present disclosure may be geometrically engineered to modulate macrophage and/or the immune response. In some embodi-

ments, the geometrically engineered particles may have varied shapes, sizes and/or surface charges in order to incorporate the polynucleotides of the present disclosure for targeted delivery such as, but not limited to, pulmonary delivery (see, e.g., International Publication No. WO2013082111, the contents of which are herein incorporated by reference in their entirety). Other physical features the geometrically engineering particles may have include, but are not limited to, fenestrations, angled arms, asymmetry and surface roughness, charge which can alter the interactions with cells and tissues. As a non-limiting example, nanoparticles of the present disclosure may be made by the methods described in International Publication No. WO2013082111, the contents of which are herein incorporated by reference in their entirety.

[0532] In some embodiments, the nanoparticles of the present disclosure may be water soluble nanoparticles such as, but not limited to, those described in International Publication No. WO2013090601, the contents of which are herein incorporated by reference in their entirety. The nanoparticles may be inorganic nanoparticles which have a compact and zwitterionic ligand in order to exhibit good water solubility. The nanoparticles may also have small hydrodynamic diameters (HD), stability with respect to time, pH, and salinity and a low level of non-specific protein binding.

[0533] In some embodiments the nanoparticles of the present disclosure may be developed by the methods described in U.S. Patent Publication No. US20130172406, the contents of which are herein incorporated by reference in their entirety.

[0534] In some embodiments, the nanoparticles of the present disclosure are stealth nanoparticles or target-specific stealth nanoparticles such as, but not limited to, those described in U.S. Patent Publication No. US20130172406, the contents of which are herein incorporated by reference in their entirety. The nanoparticles of the present disclosure may be made by the methods described in U.S. Patent Publication No. US20130172406, the contents of which are herein incorporated by reference in their entirety.

[0535] In some embodiments, the stealth or target-specific stealth nanoparticles may comprise a polymeric matrix. The polymeric matrix may comprise two or more polymers such as, but not limited to, polyethylenes, polycarbonates, polyanhydrides, polyhydroxyacids, polypropylfumerates, polycaprolactones, polyamides, polyacetals, polyethers, polyesters, poly(orthoesters), polycyanoacrylates, polyvinyl alcohols, polyurethanes, polyphosphazenes, polyacrylates, polymethacrylates, polycyanoacrylates, polyureas, polystyrenes, polyamines, polyesters, polyanhydrides, polyethers, polyurethanes, polymethacrylates, polyacrylates, polycyanoacrylates or combinations thereof.

[0536] In some embodiments, the nanoparticle may be a nanoparticle-nucleic acid hybrid structure having a high density nucleic acid layer. As a non-limiting example, the nanoparticle-nucleic acid hybrid structure may be made by the methods described in U.S. Patent Publication No. US20130171646, the contents of which are herein incorporated by reference in their entirety. The nanoparticle may comprise a nucleic acid such as, but not limited to, polynucleotides described herein and/or known in the art.


[0537] At least one of the nanoparticles of the present disclosure may be embedded in in the core a nanostructure

or coated with a low density porous 3-D structure or coating which is capable of carrying or associating with at least one payload within or on the surface of the nanostructure. Non-limiting examples of the nanostructures comprising at least one nanoparticle are described in International Patent Publication No. WO2013123523, the contents of which are herein incorporated by reference in their entirety.

[0538] In some embodiments the RNA (e.g., mRNA) vaccine may be associated with a cationic or polycationic compounds, including protamine, nucleoline, spermine or spermidine, or other cationic peptides or proteins, such as poly-L-lysine (PLL), polyarginine, basic polypeptides, cell penetrating peptides (CPPs), including HIV-binding peptides, HIV-1 Tat (HIV), Tat-derived peptides, Penetratin, VP²² derived or analog peptides, Pestivirus Ems, HSV, VP²² (Herpes simplex), MAP, KALA or protein transduction domains (PTDs), PpT620, prolin-rich peptides, arginine-rich peptides, lysine-rich peptides, MPG-peptide(s), Pep-1, L-oligomers, Calcitonin peptide(s), Antennapedia-derived peptides (particularly from *Drosophila antennapedia*), pAntp, plsl, FGF, Lactoferrin, Transportan, Buforin-2, Bac715-24, SynB, SynB(1), pVEC, hCT-derived peptides, SAP, histones, cationic polysaccharides, for example chitosan, polybrene, cationic polymers, e.g. polyethyleneimine (PEI), cationic lipids, e.g. DOTMA: [1-(2,3-sioleyloxy)propyl]-[N,N,N-trimethylammonium chloride, DMRIE, di-C14-amidine, DOTIM, SAINT, DC-Chol, BGTC, CTAP, DOPC, DODAP, DOPE: Dioleoyl phosphatidylethanolamine, DOSPA, DODAB, DOIC, DMEPC, DOGS: Dioctadecylamidoglycylspermin, DIMRI: Dimyristooxypropyl dimethyl hydroxyethyl ammonium bromide, DOTAP: dioleoyloxy-3-(trimethylammonio)propane, DC-6-14: O,O-ditetradecanoyl-N-.alpha.-trimethylammonioacetyl)diethanolamine chloride, CLIP 1: rac-[(2,3-dioctadecyloxypropyl)(2-hydroxyethyl)-dimethylammonium chloride, CLIP6: rac-[2(2,3-dihexadecyloxypropyloxymethyloxy)ethyl]-trimethylammonium, CLIP9: rac-[2(2,3-dihexadecyloxypropyloxysuccinyloxy)ethyl]-trimethylammonium, oligofectamine, or cationic or polycationic polymers, e.g. modified polyaminoacids, such as beta-aminoacid-polymers or reversed polyamides, etc., modified polyethylenes, such as PVP (poly(N-ethyl-4-vinylpyridinium bromide)), etc., modified acrylates, such as pDMAEMA (poly(dimethylaminoethyl methylacrylate)), etc., modified amidoamines such as pAMAM (poly(amidoamine)), etc., modified polybetaminoester (PBAE), such as diamine end modified 1,4 butanediol diacrylate-co-5-amino-1-pentanol polymers, etc., dendrimers, such as polypropylamine dendrimers or pAMAM based dendrimers, etc., polyimine(s), such as PEI: poly(ethyleneimine), poly(propyleneimine), etc., polyallylamine, sugar backbone based polymers, such as cyclodextrin based polymers, dextran based polymers, chitosan, etc., silan backbone based polymers, such as PMOXA-PDMS copolymers, etc., blockpolymers consisting of a combination of one or more cationic blocks (e.g. selected from a cationic polymer as mentioned above) and of one or more hydrophilic or hydrophobic blocks (e.g. polyethyleneglycole), etc.

[0539] In other embodiments the RNA (e.g., mRNA) vaccine is not associated with a cationic or polycationic compounds.

[0540] In some embodiments, a nanoparticle comprises compounds of Formula (I):



(I)

[0541] or a salt or isomer thereof, wherein:

[0542] R_1 is selected from the group consisting of C_{5-30} alkyl, C_{5-20} alkenyl, $-R^*YR''$, $-YR''$, and $-R''M'R'$;

[0543] R_2 and R_3 are independently selected from the group consisting of H, C_{1-14} alkyl, C_{2-14} alkenyl, $-R^*YR''$, $-YR''$, and $-R^*OR''$, or R_2 and R_3 , together with the atom to which they are attached, form a heterocycle or carbocycle;

[0544] R_4 is selected from the group consisting of a C_{3-6} carbocycle, $-(CH_2)_nQ$, $-(CH_2)_nCHQR$,

[0545] $-CHQR$, $-CQ(R)_2$, and unsubstituted C_{1-6} alkyl, where Q is selected from a carbocycle, heterocycle, $-OR$, $-O(CH_2)_nN(R)_2$, $-C(O)OR$, $-OC(O)R$, $-CX_3$, $-CX_2H$, $-CXH_2$, $-CN$, $-N(R)_2$, $-C(O)N(R)_2$, $-N(R)C(O)R$, $-N(R)S(O)_2R$, $-N(R)C(O)N(R)_2$, $-N(R)C(S)N(R)_2$, $-N(R)R_8$, $-O(CH_2)_nOR$, $-N(R)C(=NR_9)N(R)_2$, $-N(R)C(=CHR_9)N(R)_2$, $-OC(O)N(R)_2$, $-N(R)C(O)OR$, $-N(OR)C(O)R$, $-N(OR)S(O)_2R$, $-N(OR)C(O)OR$, $-N(OR)C(O)N(R)_2$, $-N(OR)C(S)N(R)_2$, $-N(OR)C(=NR_9)N(R)_2$, $-N(OR)C(=CHR_9)N(R)_2$, $-C(=NR_9)N(R)_2$, $-C(=NR_9)R$, $-C(O)N(R)OR$, and $-C(R)N(R)_2C(O)OR$, and each n is independently selected from 1, 2, 3, 4, and 5;

[0546] each R_5 is independently selected from the group consisting of C_{1-3} alkyl, C_{2-3} alkenyl, and H;

[0547] each R_6 is independently selected from the group consisting of C_{1-3} alkyl, C_{2-3} alkenyl, and H;

[0548] M and M' are independently selected from $-C(O)O-$, $-OC(O)-$, $-C(O)N(R')-$, $-N(R')C(O)-$, $-C(O)-$, $-C(S)-$, $-C(S)S-$, $-SC(S)-$, $-CH(OH)-$, $-P(O)(OR')O-$, $-S(O)_2-$, $-S-S-$, an aryl group, and a heteroaryl group;

[0549] R_7 is selected from the group consisting of C_{1-3} alkyl, C_{2-3} alkenyl, and H;

[0550] R_8 is selected from the group consisting of C_{3-6} carbocycle and heterocycle;

[0551] R_9 is selected from the group consisting of H, CN, NO_2 , C_{1-6} alkyl, $-OR$, $-S(O)_2R$, $-S(O)_2N(R)_2$, C_{2-6} alkenyl, C_{3-6} carbocycle and heterocycle;

[0552] each R is independently selected from the group consisting of C_{1-3} alkyl, C_{2-3} alkenyl, and H;

[0553] each R' is independently selected from the group consisting of C_{1-18} alkyl, C_{2-18} alkenyl, $-R^*YR''$, $-YR''$, and H;

[0554] each R'' is independently selected from the group consisting of C_{3-14} alkyl and C_{3-14} alkenyl;

[0555] each R* is independently selected from the group consisting of C_{1-12} alkyl and C_{2-12} alkenyl;

[0556] each Y is independently a C_{3-6} carbocycle;

[0557] each X is independently selected from the group consisting of F, Cl, Br, and I; and

[0558] m is selected from 5, 6, 7, 8, 9, 10, 11, 12, and 13.

[0559] In some embodiments, a subset of compounds of Formula (I) includes those in which when R_4 is $-(CH_2)_nQ$,

$-(CH_2)_nCHQR$, $-CHQR$, or $-CQ(R)_2$, then (i) Q is not $-N(R)_2$ when n is 1, 2, 3, 4 or 5, or (ii) Q is not 5, 6, or 7-membered heterocycloalkyl when n is 1 or 2.

[0560] In some embodiments, another subset of compounds of Formula (I) includes those in which

[0561] R_1 is selected from the group consisting of C_{5-30} alkyl, C_{5-20} alkenyl, $-R^*YR''$, $-YR''$, and $-R''M'R'$;

[0562] R_2 and R_3 are independently selected from the group consisting of H, C_{1-14} alkyl, C_{2-14} alkenyl, $-R^*YR''$, $-YR''$, and $-R^*OR''$, or R_2 and R_3 , together with the atom to which they are attached, form a heterocycle or carbocycle;

[0563] R_4 is selected from the group consisting of a C_{3-6} carbocycle, $-(CH_2)_nQ$, $-(CH_2)_nCHQR$,

[0564] $-CHQR$, $-CQ(R)_2$, and unsubstituted C_{1-6} alkyl, where Q is selected from a C_{3-6} carbocycle, a 5- to 14-membered heteroaryl having one or more heteroatoms selected from N, O, and S, $-OR$,

[0565] $-O(CH_2)_nN(R)_2$, $-C(O)OR$, $-OC(O)R$, $-CX_3$, $-CX_2H$, $-CXH_2$, $-CN$, $-C(O)N(R)_2$, $-N(R)C(O)R$, $-N(R)S(O)_2R$, $-N(R)C(O)N(R)_2$, $-N(R)C(S)N(R)_2$, $-CRN(R)_2C(O)OR$, $-N(R)R_8$, $-O(CH_2)_nOR$, $-N(R)C(=NR_9)N(R)_2$, $-N(R)C(=CHR_9)N(R)_2$, $-OC(O)N(R)_2$, $-N(R)C(O)OR$, $-N(OR)C(O)R$, $-N(OR)S(O)_2R$, $-N(OR)C(O)OR$, $-N(OR)C(O)N(R)_2$, $-N(OR)C(S)N(R)_2$, $-N(OR)C(=NR_9)N(R)_2$, $-N(OR)C(=CHR_9)N(R)_2$, $-C(=NR_9)N(R)_2$, $-C(=NR_9)R$, $-C(O)N(R)OR$, and a 5- to 14-membered heterocycloalkyl having one or more heteroatoms selected from N, O, and S which is substituted with one or more substituents selected from oxo ($=O$), OH, amino, mono- or di-alkylamino, and C_{1-3} alkyl, and each n is independently selected from 1, 2, 3, 4, and 5;

[0566] each R_6 is independently selected from the group consisting of C_{1-3} alkyl, C_{2-3} alkenyl, and H;

[0567] each R_6 is independently selected from the group consisting of C_{1-3} alkyl, C_{2-3} alkenyl, and H;

[0568] M and M' are independently selected from $-C(O)O-$, $-OC(O)-$, $-C(O)N(R')-$, $-N(R')C(O)-$, $-C(O)-$, $-C(S)-$, $-C(S)S-$, $-SC(S)-$, $-CH(OH)-$, $-P(O)(OR')O-$, $-S(O)_2-$, $-S-S-$, an aryl group, and a heteroaryl group;

[0569] R_7 is selected from the group consisting of C_{1-3} alkyl, C_{2-3} alkenyl, and H;

[0570] R_8 is selected from the group consisting of C_{3-6} carbocycle and heterocycle;

[0571] R_9 is selected from the group consisting of H, CN, NO_2 , C_{1-6} alkyl, $-OR$, $-S(O)_2R$, $-S(O)_2N(R)_2$, C_{2-6} alkenyl, C_{3-6} carbocycle and heterocycle;

[0572] each R is independently selected from the group consisting of C_{1-3} alkyl, C_{2-3} alkenyl, and H;

[0573] each R' is independently selected from the group consisting of C_{1-18} alkyl, C_{2-18} alkenyl, $-R^*YR''$, $-YR''$, and H;

[0574] each R'' is independently selected from the group consisting of C_{3-14} alkyl and C_{3-14} alkenyl;

[0575] each R* is independently selected from the group consisting of C_{1-12} alkyl and C_{2-12} alkenyl;

[0576] each Y is independently a C_{3-6} carbocycle;

[0577] each X is independently selected from the group consisting of F, Cl, Br, and I; and

[0578] m is selected from 5, 6, 7, 8, 9, 10, 11, 12, and 13, or salts or isomers thereof.

[0579] In some embodiments, another subset of compounds of Formula (I) includes those in which

[0580] R_1 is selected from the group consisting of C_{5-30} alkyl, C_{5-20} alkenyl, $-R^*YR''$, $-YR''$, and $-R''M'R'$;

[0581] R_2 and R_3 are independently selected from the group consisting of H, C_{1-14} alkyl, C_{2-14} alkenyl, $-R^*YR''$, $-YR''$, and $-R^*OR''$, or R_2 and R_3 , together with the atom to which they are attached, form a heterocycle or carbocycle;

[0582] R_4 is selected from the group consisting of a C_{3-6} carbocycle, $-(CH_2)_nQ$, $-(CH_2)_nCHQR$,

[0583] $-CHQR$, $-CQ(R)_2$, and unsubstituted C_{1-6} alkyl, where Q is selected from a C_{3-6} carbocycle, a 5- to 14-membered heterocycle having one or more heteroatoms selected from N, O, and S, $-OR$,

[0584] $-O(CH_2)_nN(R)_2$, $-C(O)OR$, $-OC(O)R$, $-CX_3$, $-CX_2H$, $-CXH_2$, $-CN$, $-C(O)N(R)_2$, $-N(R)C(O)R$, $-N(R)S(O)_2R$, $-N(R)C(O)N(R)_2$, $-N(R)C(S)N(R)_2$, $-CRN(R)_2C(O)OR$, $-N(R)R_8$,

[0585] $-O(CH_2)_nOR$, $-N(R)C(=NR_9)N(R)_2$, $-N(R)C(=CHR_9)N(R)_2$, $-OC(O)N(R)_2$, $-N(R)C(O)OR$, $-N(OR)C(O)R$, $-N(OR)S(O)_2R$, $-N(OR)C(O)OR$, $-N(OR)C(O)N(R)_2$, $-N(OR)C(S)N(R)_2$, $-N(OR)C(=NR_9)N(R)_2$, $-N(OR)C(=CHR_9)N(R)_2$, $-C(=NR_9)R$, $-C(O)N(R)OR$, and $-C(=NR_9)N(R)_2$, and each n is independently selected from 1, 2, 3, 4, and 5; and when Q is a 5- to 14-membered heterocycle and (i) R_4 is $-(CH_2)_nQ$ in which n is 1 or 2, or (ii) R_4 is $-(CH_2)_nCHQR$ in which n is 1, or (iii) R_4 is $-CHQR$, and $-CQ(R)_2$, then Q is either a 5- to 14-membered heteroaryl or 8- to 14-membered heterocycloalkyl;

[0586] each R_5 is independently selected from the group consisting of C_{1-3} alkyl, C_{2-3} alkenyl, and H;

[0587] each R_6 is independently selected from the group consisting of C_{1-3} alkyl, C_{2-3} alkenyl, and H;

[0588] M and M' are independently selected from $-C(O)O-$, $-OC(O)-$, $-C(O)N(R')-$, $-N(R')C(O)-$, $-C(O)-$, $-C(S)-$, $-C(S)S-$, $-SC(S)-$, $-CH(OH)-$, $-P(O)(OR')O-$, $-S(O)_2-$, $-S-S-$, an aryl group, and a heteroaryl group;

[0589] R_7 is selected from the group consisting of C_{1-3} alkyl, C_{2-3} alkenyl, and H;

[0590] R_8 is selected from the group consisting of C_{3-6} carbocycle and heterocycle;

[0591] R_9 is selected from the group consisting of H, CN, NO_2 , C_{1-6} alkyl, $-OR$, $-S(O)_2R$, $-S(O)_2N(R)_2$, C_{2-6} alkenyl, C_{3-6} carbocycle and heterocycle;

[0592] each R is independently selected from the group consisting of C_{1-3} alkyl, C_{2-3} alkenyl, and H;

[0593] each R' is independently selected from the group consisting of C_{1-18} alkyl, C_{2-18} alkenyl, $-R^*YR''$, $-YR''$, and H;

[0594] each R'' is independently selected from the group consisting of C_{3-14} alkyl and C_{3-14} alkenyl;

[0595] each R^* is independently selected from the group consisting of C_{1-12} alkyl and C_{2-12} alkenyl;

[0596] each Y is independently a C_{3-6} carbocycle;

[0597] each X is independently selected from the group consisting of F, Cl, Br, and I; and

[0598] m is selected from 5, 6, 7, 8, 9, 10, 11, 12, and 13,

[0599] or salts or isomers thereof.

[0600] In some embodiments, another subset of compounds of Formula (I) includes those in which

[0601] R_1 is selected from the group consisting of C_{5-30} alkyl, C_{5-20} alkenyl, $-R^*YR''$, $-YR''$, and $-R''M'R'$;

[0602] R_2 and R_3 are independently selected from the group consisting of H, C_{1-14} alkyl, C_{2-14} alkenyl, $-R^*YR''$,

$-YR''$, and $-R^*OR''$, or R_2 and R_3 , together with the atom to which they are attached, form a heterocycle or carbocycle;

[0603] R_4 is selected from the group consisting of a C_{3-6} carbocycle, $-(CH_2)_nQ$, $-(CH_2)_nCHQR$,

[0604] $-CHQR$, $-CQ(R)_2$, and unsubstituted C_{1-6} alkyl, where Q is selected from a C_{3-6} carbocycle, a 5- to 14-membered heteroaryl having one or more heteroatoms selected from N, O, and S, $-OR$,

[0605] $-O(CH_2)_nN(R)_2$, $-C(O)OR$, $-OC(O)R$, $-CX_3$, $-CX_2H$, $-CXH_2$, $-CN$, $-C(O)N(R)_2$, $-N(R)C(O)R$, $-N(R)S(O)_2R$, $-N(R)C(O)N(R)_2$, $-N(R)C(S)N(R)_2$, $-CRN(R)_2C(O)OR$, $-N(R)R_8$, $-O(CH_2)_nOR$, $-N(R)C(=NR_9)N(R)_2$, $-N(R)C(=CHR_9)N(R)_2$, $-OC(O)N(R)_2$, $-N(R)C(O)OR$, $-N(OR)C(O)R$, $-N(OR)S(O)_2R$, $-N(OR)C(O)OR$, $-N(OR)C(O)N(R)_2$, $-N(OR)C(S)N(R)_2$, $-N(OR)C(=NR_9)N(R)_2$, $-N(OR)C(=CHR_9)N(R)_2$, $-C(=NR_9)R$, $-C(O)N(R)OR$, and $-C(=NR_9)N(R)_2$, and each n is independently selected from 1, 2, 3, 4, and 5;

[0606] each R_5 is independently selected from the group consisting of C_{1-3} alkyl, C_{2-3} alkenyl, and H;

[0607] each R_6 is independently selected from the group consisting of C_{1-3} alkyl, C_{2-3} alkenyl, and H;

[0608] M and M' are independently selected from $-C(O)O-$, $-OC(O)-$, $-C(O)N(R')-$, $-N(R')C(O)-$, $-C(O)-$, $-C(S)-$, $-C(S)S-$, $-SC(S)-$, $-CH(OH)-$, $-P(O)(OR')O-$, $-S(O)_2-$, $-S-S-$, an aryl group, and a heteroaryl group;

[0609] R_7 is selected from the group consisting of C_{1-3} alkyl, C_{2-3} alkenyl, and H;

[0610] R_8 is selected from the group consisting of C_{3-6} carbocycle and heterocycle;

[0611] R_9 is selected from the group consisting of H, CN, NO_2 , C_{1-6} alkyl, $-OR$, $-S(O)_2R$, $-S(O)_2N(R)_2$, C_{2-6} alkenyl, C_{3-6} carbocycle and heterocycle;

[0612] each R is independently selected from the group consisting of C_{1-3} alkyl, C_{2-3} alkenyl, and H;

[0613] each R' is independently selected from the group consisting of C_{1-18} alkyl, C_{2-18} alkenyl, $-R^*YR''$, $-YR''$, and H;

[0614] each R'' is independently selected from the group consisting of C_{3-14} alkyl and C_{3-14} alkenyl;

[0615] each R^* is independently selected from the group consisting of C_{1-12} alkyl and C_{2-12} alkenyl;

[0616] each Y is independently a C_{3-6} carbocycle;

[0617] each X is independently selected from the group consisting of F, Cl, Br, and I; and

[0618] m is selected from 5, 6, 7, 8, 9, 10, 11, 12, and 13,

[0619] or salts or isomers thereof.

[0620] In some embodiments, another subset of compounds of Formula (I) includes those in which

[0621] R_1 is selected from the group consisting of C_{5-30} alkyl, C_{5-20} alkenyl, $-R^*YR''$, $-YR''$, and $-R''M'R'$;

[0622] R_2 and R_3 are independently selected from the group consisting of H, C_{2-14} alkyl, C_{2-14} alkenyl, $-R^*YR''$, $-YR''$, and $-R^*OR''$, or R_2 and R_3 , together with the atom to which they are attached, form a heterocycle or carbocycle;

[0623] R_4 is $-(CH_2)_nQ$ or $-(CH_2)_nCHQR$, where Q is $-N(R)_2$, and n is selected from 3, 4, and 5;

[0624] each R_5 is independently selected from the group consisting of C_{1-3} alkyl, C_{2-3} alkenyl, and H;

[0625] each R_6 is independently selected from the group consisting of C_{1-3} alkyl, C_{2-3} alkenyl, and H;

[0626] M and M' are independently selected from $-C(O)O-$, $-OC(O)-$, $-C(O)N(R')-$, $-N(R')C(O)-$,

—C(O)—, —C(S)—, —C(S)S—, —SC(S)—, —CH(OH)—, —P(O)(OR')O—, —S(O)₂—, —S—S—, an aryl group, and a heteroaryl group;

[0627] R₇ is selected from the group consisting of C₁₋₃ alkyl, C₂₋₃ alkenyl, and H;

[0628] each R is independently selected from the group consisting of C₁₋₃ alkyl, C₂₋₃ alkenyl, and H;

[0629] each R' is independently selected from the group consisting of C₁₋₁₈ alkyl, C₂₋₁₈ alkenyl, —R*YR'', —YR'', and H;

[0630] each R'' is independently selected from the group consisting of C₃₋₁₄ alkyl and C₃₋₁₄ alkenyl;

[0631] each R* is independently selected from the group consisting of C₁₋₁₂ alkyl and C₁₋₁₂ alkenyl;

[0632] each Y is independently a C₃₋₆ carbocycle;

[0633] each X is independently selected from the group consisting of F, Cl, Br, and I; and

[0634] m is selected from 5, 6, 7, 8, 9, 10, 11, 12, and 13,

[0635] or salts or isomers thereof.

[0636] In some embodiments, another subset of compounds of Formula (I) includes those in which

[0637] R₁ is selected from the group consisting of C₅₋₃₀ alkyl, C₅₋₂₀ alkenyl, —R*YR'', —YR'', and —R''M'R';

[0638] R₂ and R₃ are independently selected from the group consisting of C₁₋₁₄ alkyl, C₂₋₁₄ alkenyl, —R*YR'', —YR'', and —R*OR'', or R₂ and R₃, together with the atom to which they are attached, form a heterocycle or carbocycle;

[0639] R₄ is selected from the group consisting of —(CH₂)_nQ, —(CH₂)_nCHQR, —CHQR, and 13 CQ(R)₂, where Q is —N(R)₂, and n is selected from 1, 2, 3, 4, and 5;

[0640] each R₅ is independently selected from the group consisting of C₁₋₃ alkyl, C₂₋₃ alkenyl, and H; each R₆ is independently selected from the group consisting of C₁₋₃ alkyl, C₂₋₃ alkenyl, and H;

[0641] M and M' are independently selected from —C(O)O—, —OC(O)—, —C(O)N(R')—, —N(R')C(O)—, —C(O)—, —C(S)—, —C(S)S—, —SC(S)—, —CH(OH)—, —P(O)(OR')O—, —S(O)₂—, —S—S—, an aryl group, and a heteroaryl group;

[0642] R₇ is selected from the group consisting of C₁₋₃ alkyl, C₂₋₃ alkenyl, and H;

[0643] each R is independently selected from the group consisting of C₁₋₃ alkyl, C₂₋₃ alkenyl, and H;

[0644] each R' is independently selected from the group consisting of C₁₋₁₈ alkyl, C₂₋₁₈ alkenyl, —R*YR'', —YR'', and H;

[0645] each R'' is independently selected from the group consisting of C₃₋₁₄ alkyl and C₃₋₁₄ alkenyl;

[0646] each R* is independently selected from the group consisting of C₁₋₁₂ alkyl and C₁₋₁₂ alkenyl;


[0647] each Y is independently a C₃₋₆ carbocycle;

[0648] each X is independently selected from the group consisting of F, Cl, Br, and I; and

[0649] m is selected from 5, 6, 7, 8, 9, 10, 11, 12, and 13,

[0650] or salts or isomers thereof.


[0651] In some embodiments, a subset of compounds of Formula (I) includes those of Formula (IA):



(IA)

[0652] or a salt or isomer thereof, wherein 1 is selected from 1, 2, 3, 4, and 5; m is selected from 5, 6, 7, 8, and 9; M₁ is a bond or M'; R₄ is unsubstituted C₁₋₃ alkyl, or —(CH₂)_nQ, in which Q is OH, —NHC(S)N(R)₂, —NHC(O)N(R)₂, —N(R)C(O)R, —N(R)S(O)₂R, —N(R)R₈, —NHC(=NR₉)N(R)₂, —NHC(=CHR₉)N(R)₂, —OC(O)N(R)₂, —N(R)C(O)OR, heteroaryl or heterocycloalkyl; M and M' are independently selected from —C(O)O—, —OC(O)—, —C(O)N(R')—, —P(O)(OR')O—, —S—S—, an aryl group, and a heteroaryl group; and R₂ and R₃ are independently selected from the group consisting of H, C₁₋₁₄ alkyl, and C₂₋₁₄ alkenyl.


[0653] In some embodiments, a subset of compounds of Formula (I) includes those of Formula (II):



(II)







or a salt or isomer thereof, wherein 1 is selected from 1, 2, 3, 4, and 5; M₁ is a bond or M'; R₄ is unsubstituted C₁₋₃ alkyl, or —(CH₂)_nQ, in which n is 2, 3, or 4, and Q is OH, —NHC(S)N(R)₂, —NHC(O)N(R)₂, —N(R)C(O)R, —N(R)S(O)₂R, —N(R)R₈, —NHC(=NR₉)N(R)₂, —NHC(=CHR₉)N(R)₂, —OC(O)N(R)₂, —N(R)C(O)OR, heteroaryl or heterocycloalkyl; M and M' are independently selected from —C(O)O—, —OC(O)—, —C(O)N(R')—, —P(O)(OR')O—, —S—S—, an aryl group, and a heteroaryl group; and R₂ and R₃ are independently selected from the group consisting of H, C₁₋₁₄ alkyl, and C₂₋₁₄ alkenyl.

[0654] In some embodiments, a subset of compounds of Formula (I) includes those of Formula (IIa), (IIb), (IIc), or (IIe):




(IIa)

-continued




[0655] or a salt or isomer thereof, wherein R_4 is as described herein.

[0656] In some embodiments, a subset of compounds of Formula (I) includes those of Formula (Hd):




[0657] or a salt or isomer thereof, wherein n is 2, 3, or 4; and m , R' , R'' , and R_2 through R_6 are as described herein. For example, each of R_2 and R_3 may be independently selected from the group consisting of C_{5-14} alkyl and C_{5-14} alkenyl.

[0658] In some embodiments, a subset of compounds of Formula (I) includes those of Formula (IIa), (IIb), (IIc), or (IIe):




[0659] or a salt or isomer thereof, wherein R_4 is as described herein.

[0660] In some embodiments, a subset of compounds of Formula (I) includes those of Formula (IId):




[0661] or a salt or isomer thereof, wherein n is 2, 3, or 4; and m , R' , R'' , and R_2 through R_6 are as described herein. For example, each of R_2 and R_3 may be independently selected from the group consisting of C_{5-14} alkyl and C_{5-14} alkenyl.


[0662] In some embodiments, the compound of Formula (I) is selected from the group consisting of:




(Compound 1)




(Compound 2)




(Compound 3)




(Compound 4)




(Compound 5)



(Compound 6)




(Compound 7)




(Compound 8)


-continued




(Compound 9)




(Compound 10)




(Compound 11)




(Compound 12)



(Compound 13)




(Compound 14)




(Compound 15)


-continued




(Compound 16)




(Compound 17)




(Compound 18)




(Compound 19)



(Compound 20)




(Compound 21)




(Compound 22)


-continued




(Compound 23)




(Compound 24)




(Compound 25)




(Compound 26)



(Compound 27)




(Compound 28)




(Compound 29)


-continued




(Compound 30)




(Compound 31)




(Compound 32)




(Compound 33)



(Compound 34)




(Compound 35)




(Compound 36)


-continued




(Compound 37)




(Compound 38)




(Compound 39)




(Compound 40)



(Compound 41)




(Compound 42)




(Compound 43)


-continued




(Compound 44)




(Compound 45)




(Compound 46)




(Compound 47)



(Compound 48)




(Compound 49)




(Compound 50)


-continued




(Compound 51)




(Compound 52)




(Compound 53)




(Compound 54)



(Compound 55)




(Compound 56)




(Compound 57)

-continued


(Compound 58)




(Compound 59)



(Compound 60)




(Compound 61)



[0663] In further embodiments, the compound of Formula (I) is selected from the group consisting of:



-continued

(Compound 63)




(Compound 64)


(Compound 62)




[0664] In some embodiments, the compound of Formula (I) is selected from the group consisting of:




(Compound 65)




(Compound 66)




(Compound 67)



(Compound 68)




(Compound 69)




(Compound 70)

-continued


(Compound 71)




(Compound 72)




(Compound 73)




(Compound 74)




(Compound 75)




(Compound 76)




-continued




(Compound 77)




(Compound 78)




(Compound 79)



(Compound 80)




(Compound 81)




(Compound 82)


-continued




(Compound 83)




(Compound 84)




(Compound 85)



(Compound 86)




(Compound 87)




(Compound 88)


-continued




(Compound 89)




(Compound 90)




(Compound 91)



(Compound 92)








(Compound 93)




(Compound 94)

-continued




-continued


(Compound 100)




(Compound 101)




(Compound 102)



(Compound 103)




(Compound 104)




-continued


(Compound 105)




(Compound 106)




(Compound 107)



(Compound 108)




(Compound 109)




-continued


(Compound 110)




(Compound 111)




(Compound 112)









(Compound 113)



(Compound 114)




-continued




-continued


(Compound 121)




(Compound 122)




(Compound 123)




(Compound 124)




(Compound 125)




(Compound 126)




-continued




(Compound 127)




(Compound 128)




(Compound 129)



(Compound 130)










(Compound 131)




(Compound 132)

-continued




-continued


(Compound 140)




(Compound 141)




(Compound 142)




(Compound 143)




(Compound 144)




(Compound 145)




-continued




(Compound 146)




(Compound 147)




(Compound 148)



(Compound 149)




(Compound 150)




(Compound 151)

-continued


(Compound 152)




(Compound 153)




(Compound 154)




(Compound 155)



(Compound 156)




(Compound 157)




-continued


(Compound 158)




(Compound 159)



(Compound 160)




(Compound 161)




-continued


(Compound 162)




(Compound 163)




(Compound 164)




(Compound 165)




(Compound 166)




-continued




(Compound 167)




(Compound 168)



(Compound 169)




(Compound 170)




(Compound 171)

-continued


(Compound 172)




(Compound 173)




(Compound 174)




(Compound 175)



(Compound 176)




(Compound 177)




-continued


(Compound 178)




(Compound 179)




(Compound 180)




(Compound 181)



(Compound 182)




(Compound 183)




-continued


(Compound 184)




(Compound 185)




(Compound 186)




(Compound 187)



(Compound 188)




(Compound 189)




-continued


(Compound 190)




(Compound 191)




(Compound 192)




(Compound 193)



(Compound 194)




(Compound 195)




-continued


(Compound 196)




(Compound 197)




(Compound 198)



(Compound 199)




(Compound 200)




-continued


(Compound 201)




(Compound 202)




(Compound 203)



(Compound 204)




(Compound 205)




-continued


(Compound 206)




(Compound 207)




(Compound 208)



(Compound 209)




(Compound 210)




-continued


(Compound 211)




(Compound 212)




(Compound 213)




(Compound 214)




(Compound 215)




-continued




(Compound 216)




(Compound 217)



(Compound 218)




(Compound 219)




(Compound 220)


-continued




(Compound 221)




(Compound 222)




(Compound 223)



(Compound 224)




(Compound 225)




(Compound 226)


-continued




(Compound 227)




(Compound 228)




(Compound 229)



(Compound 230)




(Compound 231)



(Compound 232)

and salts and isomers thereof.

[0665] In some embodiments, a nanoparticle comprises the following compound:



or salts and isomers thereof.

[0666] In some embodiments, the disclosure features a nanoparticle composition including a lipid component comprising a compound as described herein (e.g., a compound according to Formula (I), (IA), (II), (IIa), (IIb), (IIc), (IIc), (IIc), (IIc) or (IIe)).

[0667] In some embodiments, the disclosure features a pharmaceutical composition comprising a nanoparticle composition according to the preceding embodiments and a pharmaceutically acceptable carrier. For example, the pharmaceutical composition is refrigerated or frozen for storage and/or shipment (e.g., being stored at a temperature of 4° C. or lower, such as a temperature between about -150° C. and about 0° C. or between about -80° C. and about -20° C. (e.g., about -5° C., -10° C., -15° C., -20° C., -25° C., -30° C., -40° C., -50° C., -60° C., -70° C., -80° C., -90° C., -130° C. or -150° C.). For example, the pharmaceutical composition is a solution that is refrigerated for storage and/or shipment at, for example, about -20° C., -30° C., -40° C., -50° C., -60° C., -70° C., or -80° C.

[0668] In some embodiments, the disclosure provides a method of delivering a therapeutic and/or prophylactic (e.g., RNA, such as mRNA) to a cell (e.g., a mammalian cell). This method includes the step of administering to a subject (e.g., a mammal, such as a human) a nanoparticle composition including (i) a lipid component including a phospholipid (such as a polyunsaturated lipid), a PEG lipid, a structural lipid, and a compound of Formula (I), (IA), (II), (IIa), (IIb), (IIc), (IIc), (IIc), (IIc) or (IIe) and (ii) a therapeutic and/or prophylactic, in which administering involves contacting the cell with the nanoparticle composition, whereby the therapeutic and/or prophylactic is delivered to the cell.

[0669] In some embodiments, the disclosure provides a method of producing a polypeptide of interest in a cell (e.g., a mammalian cell). The method includes the step of contacting the cell with a nanoparticle composition including (i) a lipid component including a phospholipid (such as a polyunsaturated lipid), a PEG lipid, a structural lipid, and a compound of Formula (I), (IA), (II), (IIa), (IIb), (IIc), (IIc), (IIc) or (IIe) and (ii) an mRNA encoding the polypeptide of interest, whereby the mRNA is capable of being translated in the cell to produce the polypeptide.

[0670] In some embodiments, the disclosure provides a method of treating a disease or disorder in a mammal (e.g., a human) in need thereof. The method includes the step of

administering to the mammal a therapeutically effective amount of a nanoparticle composition including (i) a lipid component including a phospholipid (such as a polyunsaturated lipid), a PEG lipid, a structural lipid, and a compound of Formula (I), (IA), (II), (IIa), (IIb), (IIc), (IIc), (IIc), (IIc) or (IIe) and (ii) a therapeutic and/or prophylactic (e.g., an mRNA). In some embodiments, the disease or disorder is characterized by dysfunctional or aberrant protein or polypeptide activity. For example, the disease or disorder is selected from the group consisting of rare diseases, infectious diseases, cancer and proliferative diseases, genetic diseases (e.g., cystic fibrosis), autoimmune diseases, diabetes, neurodegenerative diseases, cardio- and reno-vascular diseases, and metabolic diseases.

[0671] In some embodiments, the disclosure provides a method of delivering (e.g., specifically delivering) a therapeutic and/or prophylactic to a mammalian organ (e.g., a liver, spleen, lung, or femur). This method includes the step of administering to a subject (e.g., a mammal) a nanoparticle composition including (i) a lipid component including a phospholipid, a PEG lipid, a structural lipid, and a compound of Formula (I), (IA), (II), (IIa), (IIb), (IIc), (IIc), (IIc) or (IIe) and (ii) a therapeutic and/or prophylactic (e.g., an mRNA), in which administering involves contacting the cell with the nanoparticle composition, whereby the therapeutic and/or prophylactic is delivered to the target organ (e.g., a liver, spleen, lung, or femur).

[0672] In some embodiments, the disclosure features a method for the enhanced delivery of a therapeutic and/or prophylactic (e.g., an mRNA) to a target tissue (e.g., a liver, spleen, lung, or femur). This method includes administering to a subject (e.g., a mammal) a nanoparticle composition, the composition including (i) a lipid component including a compound of Formula (I), (IA), (II), (IIa), (IIb), (IIc), (IIc), (IIc) or (IIe), a phospholipid, a structural lipid, and a PEG lipid; and (ii) a therapeutic and/or prophylactic, the administering including contacting the target tissue with the nanoparticle composition, whereby the therapeutic and/or prophylactic is delivered to the target tissue.

[0673] In some embodiments, the disclosure features a method of lowering immunogenicity comprising introducing the nanoparticle composition of the disclosure into cells, wherein the nanoparticle composition reduces the induction

of the cellular immune response of the cells to the nanoparticle composition, as compared to the induction of the cellular immune response in cells induced by a reference composition which comprises a reference lipid instead of a compound of Formula (I), (IA), (II), (IIa), (IIb), (IIc), (IId) or (IIe). For example, the cellular immune response is an innate immune response, an adaptive immune response, or both. The disclosure also includes methods of synthesizing a compound of Formula (I), (IA), (II), (IIa), (IIb), (IIc), (IId) or (IIe) and methods of making a nanoparticle composition including a lipid component comprising the compound of Formula (I), (IA), (II), (IIa), (IIb), (IIc), (IId) or (IIe).

Modes of Vaccine Administration

[0674] Respiratory virus RNA (e.g. mRNA) vaccines may be administered by any route which results in a therapeutically effective outcome. These include, but are not limited, to intradermal, intramuscular, and/or subcutaneous administration. The present disclosure provides methods comprising administering RNA (e.g., mRNA) vaccines to a subject in need thereof. The exact amount required will vary from subject to subject, depending on the species, age, and general condition of the subject, the severity of the disease, the particular composition, its mode of administration, its mode of activity, and the like. Respiratory virus RNA (e.g., mRNA) vaccines compositions are typically formulated in dosage unit form for ease of administration and uniformity of dosage. It will be understood, however, that the total daily usage of RNA (e.g., mRNA) vaccine compositions may be decided by the attending physician within the scope of sound medical judgment. The specific therapeutically effective, prophylactically effective, or appropriate imaging dose level for any particular patient will depend upon a variety of factors including the disorder being treated and the severity of the disorder; the activity of the specific compound employed; the specific composition employed; the age, body weight, general health, sex and diet of the patient; the time of administration, route of administration, and rate of excretion of the specific compound employed; the duration of the treatment; drugs used in combination or coincidental with the specific compound employed; and like factors well known in the medical arts. In some embodiments, respiratory virus RNA (e.g. mRNA) vaccines compositions may be administered at dosage levels sufficient to deliver 0.0001 mg/kg to 100 mg/kg, 0.001 mg/kg to 0.05 mg/kg, 0.005 mg/kg to 0.05 mg/kg, 0.001 mg/kg to 0.005 mg/kg, 0.05 mg/kg to 0.5 mg/kg, 0.01 mg/kg to 50 mg/kg, 0.1 mg/kg to 40 mg/kg, 0.5 mg/kg to 30 mg/kg, 0.01 mg/kg to 10 mg/kg, 0.1 mg/kg to 10 mg/kg, or 1 mg/kg to 25 mg/kg, of subject body weight per day, one or more times a day, per week, per month, etc. to obtain the desired therapeutic, diagnostic, prophylactic, or imaging effect (see, e.g., the range of unit doses described in International Publication No WO2013078199, the contents of which are herein incorporated by reference in their entirety). The desired dosage may be delivered three times a day, two times a day, once a day, every other day, every third day, every week, every two weeks, every three weeks, every four weeks, every 2 months, every three months, every 6 months, etc. In some embodiments, the desired dosage may be delivered using multiple administrations (e.g., two, three, four, five, six, seven, eight, nine, ten, eleven, twelve, thirteen, fourteen, or more administrations). When multiple administrations are employed, split dosing regimens such as those described

herein may be used. In exemplary embodiments, respiratory virus RNA (e.g., mRNA) vaccines compositions may be administered at dosage levels sufficient to deliver 0.0005 mg/kg to 0.01 mg/kg, e.g., about 0.0005 mg/kg to about 0.0075 mg/kg, e.g., about 0.0005 mg/kg, about 0.001 mg/kg, about 0.002 mg/kg, about 0.003 mg/kg, about 0.004 mg/kg or about 0.005 mg/kg.

[0675] In some embodiments, respiratory virus RNA (e.g., mRNA) vaccine compositions may be administered once or twice (or more) at dosage levels sufficient to deliver 0.025 mg/kg to 0.250 mg/kg, 0.025 mg/kg to 0.500 mg/kg, 0.025 mg/kg to 0.750 mg/kg, or 0.025 mg/kg to 1.0 mg/kg.

[0676] In some embodiments, respiratory virus RNA (e.g., mRNA) vaccine compositions may be administered twice (e.g., Day 0 and Day 7, Day 0 and Day 14, Day 0 and Day 21, Day 0 and Day 28, Day 0 and Day 60, Day 0 and Day 90, Day 0 and Day 120, Day 0 and Day 150, Day 0 and Day 180, Day 0 and 3 months later, Day 0 and 6 months later, Day 0 and 9 months later, Day 0 and 12 months later, Day 0 and 18 months later, Day 0 and 2 years later, Day 0 and 5 years later, or Day 0 and 10 years later) at a total dose of or at dosage levels sufficient to deliver a total dose of 0.0100 mg, 0.025 mg, 0.050 mg, 0.075 mg, 0.100 mg, 0.125 mg, 0.150 mg, 0.175 mg, 0.200 mg, 0.225 mg, 0.250 mg, 0.275 mg, 0.300 mg, 0.325 mg, 0.350 mg, 0.375 mg, 0.400 mg, 0.425 mg, 0.450 mg, 0.475 mg, 0.500 mg, 0.525 mg, 0.550 mg, 0.575 mg, 0.600 mg, 0.625 mg, 0.650 mg, 0.675 mg, 0.700 mg, 0.725 mg, 0.750 mg, 0.775 mg, 0.800 mg, 0.825 mg, 0.850 mg, 0.875 mg, 0.900 mg, 0.925 mg, 0.950 mg, 0.975 mg, or 1.0 mg. Higher and lower dosages and frequency of administration are encompassed by the present disclosure. For example, a respiratory virus RNA (e.g., mRNA) vaccine composition may be administered three or four times.

[0677] In some embodiments, respiratory virus RNA (e.g., mRNA) vaccine compositions may be administered twice (e.g., Day 0 and Day 7, Day 0 and Day 14, Day 0 and Day 21, Day 0 and Day 28, Day 0 and Day 60, Day 0 and Day 90, Day 0 and Day 120, Day 0 and Day 150, Day 0 and Day 180, Day 0 and 3 months later, Day 0 and 6 months later, Day 0 and 9 months later, Day 0 and 12 months later, Day 0 and 18 months later, Day 0 and 2 years later, Day 0 and 5 years later, or Day 0 and 10 years later) at a total dose of or at dosage levels sufficient to deliver a total dose of 0.010 mg, 0.025 mg, 0.100 mg or 0.400 mg.

[0678] In some embodiments, the respiratory virus RNA (e.g., mRNA) vaccine for use in a method of vaccinating a subject is administered to the subject as a single dosage of between 10 μ g/kg and 400 μ g/kg of the nucleic acid vaccine (in an effective amount to vaccinate the subject). In some embodiments the RNA (e.g., mRNA) vaccine for use in a method of vaccinating a subject is administered to the subject as a single dosage of between 10 μ g and 400 μ g of the nucleic acid vaccine (in an effective amount to vaccinate the subject). In some embodiments, a respiratory virus RNA (e.g., mRNA) vaccine for use in a method of vaccinating a subject is administered to the subject as a single dosage of 25-1000 μ g (e.g., a single dosage of mRNA encoding hMPV, PIV3, RSV, MeV and/or BetaCoV antigen). In some embodiments, a respiratory virus RNA (e.g., mRNA) vaccine is administered to the subject as a single dosage of 25, 50, 100, 150, 200, 250, 300, 350, 400, 450, 500, 550, 600, 650, 700, 750, 800, 850, 900, 950 or 1000 μ g. For example, a respiratory virus RNA (e.g., mRNA) vaccine may be

administered to a subject as a single dose of 25-100, 25-500, 50-100, 50-500, 50-1000, 100-500, 100-1000, 250-500, 250-1000, or 500-1000 μg . In some embodiments, a respiratory virus RNA (e.g., mRNA) vaccine for use in a method of vaccinating a subject is administered to the subject as two dosages, the combination of which equals 25-1000 μg of the respiratory virus RNA (e.g., mRNA) vaccine.

[0679] A respiratory virus RNA (e.g., mRNA) vaccine pharmaceutical composition described herein can be formulated into a dosage form described herein, such as an intranasal, intratracheal, or injectable (e.g., intravenous, intraocular, intravitreal, intramuscular, intradermal, intracardiac, intraperitoneal, and subcutaneous).

Respiratory Virus RNA (e.g., mRNA) Vaccine Formulations and Methods of Use

[0680] Some aspects of the present disclosure provide formulations of the respiratory virus RNA (e.g., mRNA) vaccine, wherein the RNA (e.g., mRNA) vaccine is formulated in an effective amount to produce an antigen specific immune response in a subject (e.g., production of antibodies specific to an hMPV, PIV3, RSV, MeV and/or BetaCoV antigenic polypeptide). "An effective amount" is a dose of an RNA (e.g., mRNA) vaccine effective to produce an antigen-specific immune response. Also provided herein are methods of inducing an antigen-specific immune response in a subject.

[0681] In some embodiments, the antigen-specific immune response is characterized by measuring an anti-hMPV, anti-PIV3, anti-RSV, anti-MeV and/or anti-BetaCoV antigenic polypeptide antibody titer produced in a subject administered a respiratory virus RNA (e.g., mRNA) vaccine as provided herein. An antibody titer is a measurement of the amount of antibodies within a subject, for example, antibodies that are specific to a particular antigen (e.g., an anti-hMPV, anti-PIV3, anti-RSV, anti-MeV and/or anti-BetaCoV antigenic polypeptide) or epitope of an antigen. Antibody titer is typically expressed as the inverse of the greatest dilution that provides a positive result. Enzyme-linked immunosorbent assay (ELISA) is a common assay for determining antibody titers, for example.

[0682] In some embodiments, an antibody titer is used to assess whether a subject has had an infection or to determine whether immunizations are required. In some embodiments, an antibody titer is used to determine the strength of an autoimmune response, to determine whether a booster immunization is needed, to determine whether a previous vaccine was effective, and to identify any recent or prior infections. In accordance with the present disclosure, an antibody titer may be used to determine the strength of an immune response induced in a subject by the respiratory virus RNA (e.g., mRNA) vaccine.

[0683] In some embodiments, an anti-antigenic polypeptide (e.g., an anti-hMPV, anti-PIV3, anti-RSV, anti-MeV and/or anti-BetaCoV antigenic polypeptide) antibody titer produced in a subject is increased by at least 1 log relative to a control. For example, anti-antigenic polypeptide antibody titer produced in a subject may be increased by at least 1.5, at least 2, at least 2.5, or at least 3 log relative to a control. In some embodiments, the anti-antigenic polypeptide antibody titer produced in the subject is increased by 1, 1.5, 2, 2.5 or 3 log relative to a control. In some embodiments, the anti-antigenic polypeptide antibody titer produced in the subject is increased by 1-3 log relative to a control. For example, the anti-antigenic polypeptide anti-

body titer produced in a subject may be increased by 1-1.5, 1-2, 1-2.5, 1-3, 1.5-2, 1.5-2.5, 1.5-3, 2-2.5, 2-3, or 2.5-3 log relative to a control. In some embodiments, the anti-antigenic polypeptide (e.g., an anti-hMPV, anti-PIV3, anti-RSV, anti-MeV and/or anti-BetaCoV antigenic polypeptide) antibody titer produced in a subject is increased at least 2 times relative to a control. For example, the anti-antigenic polypeptide antibody titer produced in a subject may be increased at least 3 times, at least 4 times, at least 5 times, at least 6 times, at least 7 times, at least 8 times, at least 9 times, or at least 10 times relative to a control. In some embodiments, the anti-antigenic polypeptide antibody titer produced in the subject is increased 2, 3, 4, 5, 6, 7, 8, 9, or 10 times relative to a control. In some embodiments, the anti-antigenic polypeptide antibody titer produced in a subject is increased 2-10 times relative to a control. For example, the anti-antigenic polypeptide antibody titer produced in a subject may be increased 2-10, 2-9, 2-8, 2-7, 2-6, 2-5, 2-4, 2-3, 3-10, 3-9, 3-8, 3-7, 3-6, 3-5, 3-4, 4-10, 4-9, 4-8, 4-7, 4-6, 4-5, 5-10, 5-9, 5-8, 5-7, 5-6, 6-10, 6-9, 6-8, 6-7, 7-10, 7-9, 7-8, 8-10, 8-9, or 9-10 times relative to a control.

[0684] A control, in some embodiments, is the anti-antigenic polypeptide (e.g., an anti-hMPV, anti-PIV3, anti-RSV, anti-MeV and/or anti-BetaCoV antigenic polypeptide) antibody titer produced in a subject who has not been administered a respiratory virus RNA (e.g., mRNA) vaccine of the present disclosure. In some embodiments, a control is an anti-antigenic polypeptide (e.g., an anti-hMPV, anti-PIV3, anti-RSV, anti-MeV and/or anti-BetaCoV antigenic polypeptide) antibody titer produced in a subject who has been administered a live attenuated hMPV, PIV3, RSV, MeV and/or BetaCoV vaccine. An attenuated vaccine is a vaccine produced by reducing the virulence of a viable (live). An attenuated virus is altered in a manner that renders it harmless or less virulent relative to live, unmodified virus. In some embodiments, a control is an anti-antigenic polypeptide (e.g., an anti-hMPV, anti-PIV3, anti-RSV, anti-MeV and/or anti-BetaCoV antigenic polypeptide) antibody titer produced in a subject administered inactivated hMPV, PIV3, RSV, MeV and/or BetaCoV vaccine. In some embodiments, a control is an anti-antigenic polypeptide (e.g., an anti-hMPV, anti-PIV3, anti-RSV, anti-MeV and/or anti-BetaCoV antigenic polypeptide) antibody titer produced in a subject administered a recombinant or purified hMPV, PIV3, RSV, MeV and/or BetaCoV protein vaccine. Recombinant protein vaccines typically include protein antigens that either have been produced in a heterologous expression system (e.g., bacteria or yeast) or purified from large amounts of the pathogenic organism. In some embodiments, a control is an anti-antigenic polypeptide (e.g., an anti-hMPV, anti-PIV3, anti-RSV, anti-MeV and/or anti-BetaCoV antigenic polypeptide) antibody titer produced in a subject who has been administered an hMPV, PIV3, RSV, MeV and/or BetaCoV virus-like particle (VLP) vaccine. For example, an hMPV VLP vaccine used as a control may be a hMPV VLPs, comprising (or consisting of) viral matrix (M) and fusion (F) proteins, generated by expressing viral proteins in suspension-adapted human embryonic kidney epithelial (293-F) cells (see, e.g., Cox R G et al., *J Virol.* 2014 June; 88(11): 6368-6379, the contents of which are herein incorporated by reference).

[0685] In some embodiments, an effective amount of a respiratory virus RNA (e.g., mRNA) vaccine is a dose that is reduced compared to the standard of care dose of a

recombinant hMPV, PIV3, RSV, MeV and/or BetaCoV protein vaccine. A “standard of care,” as provided herein, refers to a medical or psychological treatment guideline and can be general or specific. “Standard of care” specifies appropriate treatment based on scientific evidence and collaboration between medical professionals involved in the treatment of a given condition. It is the diagnostic and treatment process that a physician/clinician should follow for a certain type of patient, illness or clinical circumstance. A “standard of care dose,” as provided herein, refers to the dose of a recombinant or purified hMPV, PIV3, RSV, MeV and/or BetaCoV protein vaccine, or a live attenuated or inactivated hMPV, PIV3, RSV, MeV and/or BetaCoV vaccine, that a physician/clinician or other medical professional would administer to a subject to treat or prevent hMPV, PIV3, RSV, MeV and/or BetaCoV, or a hMPV-, PIV3-, RSV-, MeV- and/or BetaCoV-related condition, while following the standard of care guideline for treating or preventing hMPV, PIV3, RSV, MeV and/or BetaCoV, or a hMPV-, PIV3-, RSV-, MeV- and/or BetaCoV-related condition.

[0686] In some embodiments, the anti-antigenic polypeptide (e.g., an anti-hMPV, anti-PIV3, anti-RSV, anti-MeV and/or anti-BetaCoV antigenic polypeptide) antibody titer produced in a subject administered an effective amount of a respiratory virus RNA (e.g., mRNA) vaccine is equivalent to an anti-antigenic polypeptide (e.g., an anti-hMPV, anti-PIV3, anti-RSV, anti-MeV and/or anti-BetaCoV antigenic polypeptide) antibody titer produced in a control subject administered a standard of care dose of a recombinant or purified hMPV, PIV3, RSV, MeV and/or BetaCoV protein vaccine or a live attenuated or inactivated hMPV, PIV3, RSV, MeV and/or BetaCoV vaccine.

[0687] In some embodiments, an effective amount of a respiratory virus RNA (e.g., mRNA) vaccine is a dose equivalent to an at least 2-fold reduction in a standard of care dose of a recombinant or purified hMPV, PIV3, RSV, MeV and/or BetaCoV protein vaccine. For example, an effective amount of a respiratory virus RNA (e.g., mRNA) vaccine may be a dose equivalent to an at least 3-fold, at least 4-fold, at least 5-fold, at least 6-fold, at least 7-fold, at least 8-fold, at least 9-fold, or at least 10-fold reduction in a standard of care dose of a recombinant or purified hMPV, PIV3, RSV, MeV and/or BetaCoV protein vaccine. In some embodiments, an effective amount of a respiratory virus RNA (e.g., mRNA) vaccine is a dose equivalent to an at least 100-fold, at least 500-fold, or at least 1000-fold reduction in a standard of care dose of a recombinant or purified hMPV, PIV3, RSV, MeV and/or BetaCoV protein vaccine. In some embodiments, an effective amount of a respiratory virus RNA (e.g., mRNA) vaccine is a dose equivalent to a 2-, 3-, 4-, 5-, 6-, 7-, 8-, 9-, 10-, 20-, 50-, 100-, 250-, 500-, or 1000-fold reduction in a standard of care dose of a recombinant or purified hMPV, PIV3, RSV, MeV and/or BetaCoV protein vaccine. In some embodiments, the anti-antigenic polypeptide antibody titer produced in a subject administered an effective amount of a respiratory virus RNA (e.g., mRNA) vaccine is equivalent to an anti-antigenic polypeptide antibody titer produced in a control subject administered the standard of care dose of a recombinant or protein hMPV, PIV3, RSV, MeV and/or BetaCoV protein vaccine or a live attenuated or inactivated hMPV, PIV3, RSV, MeV and/or BetaCoV vaccine. In some embodiments, an effective amount of a respiratory virus RNA (e.g., mRNA) vaccine is

a dose equivalent to a 2-fold to 1000-fold (e.g., 2-fold to 100-fold, 10-fold to 1000-fold) reduction in the standard of care dose of a recombinant or purified hMPV, PIV3, RSV, MeV and/or BetaCoV protein vaccine, wherein the anti-antigenic polypeptide antibody titer produced in the subject is equivalent to an anti-antigenic polypeptide antibody titer produced in a control subject administered the standard of care dose of a recombinant or purified hMPV, PIV3, RSV, MeV and/or BetaCoV protein vaccine or a live attenuated or inactivated hMPV, PIV3, RSV, MeV and/or BetaCoV vaccine.

[0688] In some embodiments, the effective amount of a respiratory virus RNA (e.g., mRNA) vaccine is a dose equivalent to a 2 to 1000-, 2 to 900-, 2 to 800-, 2 to 700-, 2 to 600-, 2 to 500-, 2 to 400-, 2 to 300-, 2 to 200-, 2 to 100-, 2 to 90-, 2 to 80-, 2 to 70-, 2 to 60-, 2 to 50-, 2 to 40-, 2 to 30-, 2 to 20-, 2 to 10-, 2 to 9-, 2 to 8-, 2 to 7-, 2 to 6-, 2 to 5-, 2 to 4-, 2 to 3-, 3 to 1000-, 3 to 900-, 3 to 800-, 3 to 700-, 3 to 600-, 3 to 500-, 3 to 400-, 3 to 300-, 3 to 200-, 3 to 100-, 3 to 90-, 3 to 80-, 3 to 70-, 3 to 60-, 3 to 50-, 3 to 40-, 3 to 30-, 3 to 20-, 3 to 10-, 3 to 9-, 3 to 8-, 3 to 7-, 3 to 6-, 3 to 5-, 3 to 4-, 4 to 1000-, 4 to 900-, 4 to 800-, 4 to 700-, 4 to 600-, 4 to 500-, 4 to 400-, 4 to 300-, 4 to 200-, 4 to 100-, 4 to 90-, 4 to 80-, 4 to 70-, 4 to 60-, 4 to 50-, 4 to 40-, 4 to 30-, 4 to 20-, 4 to 10-, 4 to 9-, 4 to 8-, 4 to 7-, 4 to 6-, 4 to 5-, 4 to 4-, 5 to 1000-, 5 to 900-, 5 to 800-, 5 to 700-, 5 to 600-, 5 to 500-, 5 to 400-, 5 to 300-, 5 to 200-, 5 to 100-, 5 to 90-, 5 to 80-, 5 to 70-, 5 to 60-, 5 to 50-, 5 to 40-, 5 to 30-, 5 to 20-, 5 to 10-, 5 to 9-, 5 to 8-, 5 to 7-, 5 to 6-, 6 to 1000-, 6 to 900-, 6 to 800-, 6 to 700-, 6 to 600-, 6 to 500-, 6 to 400-, 6 to 300-, 6 to 200-, 6 to 100-, 6 to 90-, 6 to 80-, 6 to 70-, 6 to 60-, 6 to 50-, 6 to 40-, 6 to 30-, 6 to 20-, 6 to 10-, 6 to 9-, 6 to 8-, 6 to 7-, 7 to 1000-, 7 to 900-, 7 to 800-, 7 to 700-, 7 to 600-, 7 to 500-, 7 to 400-, 7 to 300-, 7 to 200-, 7 to 100-, 7 to 90-, 7 to 80-, 7 to 70-, 7 to 60-, 7 to 50-, 7 to 40-, 7 to 30-, 7 to 20-, 7 to 10-, 7 to 9-, 7 to 8-, 8 to 1000-, 8 to 900-, 8 to 800-, 8 to 700-, 8 to 600-, 8 to 500-, 8 to 400-, 8 to 300-, 8 to 200-, 8 to 100-, 8 to 90-, 8 to 80-, 8 to 70-, 8 to 60-, 8 to 50-, 8 to 40-, 8 to 30-, 8 to 20-, 8 to 10-, 8 to 9-, 9 to 1000-, 9 to 900-, 9 to 800-, 9 to 700-, 9 to 600-, 9 to 500-, 9 to 400-, 9 to 300-, 9 to 200-, 9 to 100-, 9 to 90-, 9 to 80-, 9 to 70-, 9 to 60-, 9 to 50-, 9 to 40-, 9 to 30-, 9 to 20-, 9 to 10-, 10 to 1000-, 10 to 900-, 10 to 800-, 10 to 700-, 10 to 600-, 10 to 500-, 10 to 400-, 10 to 300-, 10 to 200-, 10 to 100-, 10 to 90-, 10 to 80-, 10 to 70-, 10 to 60-, 10 to 50-, 10 to 40-, 10 to 30-, 10 to 20-, 20 to 1000-, 20 to 900-, 20 to 800-, 20 to 700-, 20 to 600-, 20 to 500-, 20 to 400-, 20 to 300-, 20 to 200-, 20 to 100-, 20 to 90-, 20 to 80-, 20 to 70-, 20 to 60-, 20 to 50-, 20 to 40-, 20 to 30-, 30 to 1000-, 30 to 900-, 30 to 800-, 30 to 700-, 30 to 600-, 30 to 500-, 30 to 400-, 30 to 300-, 30 to 200-, 30 to 100-, 30 to 90-, 30 to 80-, 30 to 70-, 30 to 60-, 30 to 50-, 30 to 40-, 40 to 1000-, 40 to 900-, 40 to 800-, 40 to 700-, 40 to 600-, 40 to 500-, 40 to 400-, 40 to 300-, 40 to 200-, 40 to 100-, 40 to 90-, 40 to 80-, 40 to 70-, 40 to 60-, 40 to 50-, 50 to 1000-, 50 to 900-, 50 to 800-, 50 to 700-, 50 to 600-, 50 to 500-, 50 to 400-, 50 to 300-, 50 to 200-, 50 to 100-, 50 to 90-, 50 to 80-, 50 to 70-, 50 to 60-, 60 to 1000-, 60 to 900-, 60 to 800-, 60 to 700-, 60 to 600-, 60 to 500-, 60 to 400-, 60 to 300-, 60 to 200-, 60 to 100-, 60 to 90-, 60 to 80-, 60 to 70-, 70 to 1000-, 70 to 900-, 70 to 800-, 70 to 700-, 70 to 600-, 70 to 500-, 70 to 400-, 70 to 300-, 70 to 200-, 70 to 100-, 70 to 90-, 70 to 80-, 80 to 1000-, 80 to 900-, 80 to 800-, 80 to 700-, 80 to 600-, 80 to 500-, 80 to 400-, 80 to 300-, 80 to 200-, 80 to 100-, 80 to 90-,

90 to 1000-, 90 to 900-, 90 to 800-, 90 to 700-, 90 to 600-, 90 to 500-, 90 to 400-, 90 to 300-, 90 to 200-, 90 to 100-, 100 to 1000-, 100 to 900-, 100 to 800-, 100 to 700-, 100 to 600-, 100 to 500-, 100 to 400-, 100 to 300-, 100 to 200-, 200 to 1000-, 200 to 900-, 200 to 800-, 200 to 700-, 200 to 600-, 200 to 500-, 200 to 400-, 200 to 300-, 300 to 1000-, 300 to 900-, 300 to 800-, 300 to 700-, 300 to 600-, 300 to 500-, 300 to 400-, 400 to 1000-, 400 to 900-, 400 to 800-, 400 to 700-, 400 to 600-, 400 to 500-, 500 to 1000-, 500 to 900-, 500 to 800-, 500 to 700-, 500 to 600-, 600 to 1000-, 600 to 900-, 600 to 800-, 600 to 700-, 700 to 1000-, 700 to 900-, 700 to 800-, 800 to 1000-, 800 to 900-, or 900 to 1000-fold reduction in the standard of care dose of a recombinant hMPV, PIV3, RSV, MeV and/or BetaCoV protein vaccine. In some embodiments, the anti-antigenic polypeptide antibody titer produced in the subject is equivalent to an anti-antigenic polypeptide antibody titer produced in a control subject administered the standard of care dose of a recombinant or purified hMPV, PIV3, RSV, MeV and/or BetaCoV protein vaccine or a live attenuated or inactivated hMPV, PIV3, RSV, MeV and/or BetaCoV vaccine. In some embodiments, the effective amount is a dose equivalent to (or equivalent to an at least) 2-, 3-, 4-, 5-, 6-, 7-, 8-, 9-, 10-, 20-, 30-, 40-, 50-, 60-, 70-, 80-, 90-, 100-, 110-, 120-, 130-, 140-, 150-, 160-, 170-, 180-, 190-, 200-, 210-, 220-, 230-, 240-, 250-, 260-, 270-, 280-, 290-, 300-, 310-, 320-, 330-, 340-, 350-, 360-, 370-, 380-, 390-, 400-, 410-, 420-, 430-, 440-, 450-, 460-, 470-, 480-, 490-, 500-, 510-, 520-, 530-, 540-, 550-, 560-, 570-, 580-, 590-, 600-, 610-, 620-, 630-, 640-, 650-, 660-, 670-, 680-, 690-, 700-, 710-, 720-, 730-, 740-, 750-, 760-, 770-, 780-, 790-, 800-, 810-, 820-, 830-, 840-, 850-, 860-, 870-, 880-, 890-, 900-, 910-, 920-, 930-, 940-, 950-, 960-, 970-, 980-, 990-, or 1000-fold reduction in the standard of care dose of a recombinant hMPV, PIV3, RSV, MeV and/or BetaCoV protein vaccine. In some embodiments, an anti-antigenic polypeptide antibody titer produced in the subject is equivalent to an anti-antigenic polypeptide antibody titer produced in a control subject administered the standard of care dose of a recombinant or purified hMPV, PIV3, RSV, MeV and/or BetaCoV protein vaccine or a live attenuated or inactivated hMPV, PIV3, RSV, MeV and/or BetaCoV vaccine.

[0689] In some embodiments, the effective amount of a respiratory virus RNA (e.g., mRNA) vaccine is a total dose of 50-1000 μ g. In some embodiments, the effective amount of a respiratory virus RNA (e.g., mRNA) vaccine is a total dose of 50-1000, 50-900, 50-800, 50-700, 50-600, 50-500, 50-400, 50-300, 50-200, 50-100, 50-90, 50-80, 50-70, 50-60, 60-1000, 60-900, 60-800, 60-700, 60-600, 60-500, 60-400, 60-300, 60-200, 60-100, 60-90, 60-80, 60-70, 70-1000, 70-900, 70-800, 70-700, 70-600, 70-500, 70-400, 70-300, 70-200, 70-100, 70-90, 70-80, 80-1000, 80-900, 80-800, 80-700, 80-600, 80-500, 80-400, 80-300, 80-200, 80-100, 80-90, 90-1000, 90-900, 90-800, 90-700, 90-600, 90-500, 90-400, 90-300, 90-200, 90-100, 100-1000, 100-900, 100-800, 100-700, 100-600, 100-500, 100-400, 100-300, 100-200, 200-1000, 200-900, 200-800, 200-700, 200-600, 200-500, 200-400, 200-300, 300-1000, 300-900, 300-800, 300-700, 300-600, 300-500, 300-400, 400-1000, 400-900, 400-800, 400-700, 400-600, 400-500, 500-1000, 500-900, 500-800, 500-700, 500-600, 600-1000, 600-900, 600-800, 600-700, 700-1000, 700-900, 700-800, 800-1000, 800-900, or 900-1000 μ g. In some embodiments, the effective amount of a respiratory virus RNA (e.g., mRNA) vaccine is

a total dose of 50, 100, 150, 200, 250, 300, 350, 400, 450, 500, 550, 600, 650, 700, 750, 800, 850, 900, 950 or 1000 μ g. In some embodiments, the effective amount is a dose of 25-500 μ g administered to the subject a total of two times. In some embodiments, the effective amount of a respiratory virus RNA (e.g., mRNA) vaccine is a dose of 25-500, 25-400, 25-300, 25-200, 25-100, 25-50, 50-500, 50-400, 50-300, 50-200, 50-100, 100-500, 100-400, 100-300, 100-200, 150-500, 150-400, 150-300, 150-200, 200-500, 200-400, 200-300, 250-500, 250-400, 250-300, 300-500, 300-400, 350-500, 350-400, 400-500 or 450-500 μ g administered to the subject a total of two times. In some embodiments, the effective amount of a respiratory virus RNA (e.g., mRNA) vaccine is a total dose of 25, 50, 100, 150, 200, 250, 300, 350, 400, 450, or 500 μ g administered to the subject a total of two times.

[0690] Examples of Additional Embodiments of the Disclosure

[0691] Additional embodiments of the present disclosure are encompassed by the following numbered paragraphs:

[0692] 1. A respiratory virus vaccine, comprising: at least one ribonucleic acid (RNA) polynucleotide having an open reading frame encoding at least one, at least two, at least three, at least four or at least five antigenic polypeptides selected from human metapneumovirus (hMPV) antigenic polypeptides or immunogenic fragments thereof, human parainfluenza virus type 3 (PIV3) antigenic polypeptides or immunogenic fragments thereof, respiratory syncytial virus (RSV) antigenic polypeptides or immunogenic fragments thereof, measles virus (MeV) antigenic polypeptides or immunogenic fragments thereof, and betacoronavirus (BetaCoV) antigenic polypeptides or immunogenic fragments thereof.

[0693] 2. The respiratory virus vaccine of paragraph 1, comprising:

[0694] at least one RNA polynucleotide having an open reading frame encoding a hMPV antigenic polypeptide or an immunogenic fragment thereof and a PIV3 antigenic polypeptide or an immunogenic fragment thereof; or

[0695] at least two RNA polynucleotides, one having an open reading frame encoding a hMPV antigenic polypeptide or an immunogenic fragment thereof and one having an open reading frame encoding a PIV3 antigenic polypeptide or an immunogenic fragment thereof.

[0696] 3. The respiratory virus vaccine of paragraph 2, wherein the hMPV antigenic polypeptide comprises an amino acid sequence identified by any one of SEQ ID NO: 5-8 or an amino acid sequence having at least 90% or 95% identity to an amino acid sequence identified by any one of SEQ ID NO: 5-8, and/or wherein the PIV3 antigenic polypeptide comprises an amino acid sequence identified by any one of SEQ ID NO: 12-13 or an amino acid sequence having at least 90% or 95% identity to an amino acid sequence identified by any one of SEQ ID NO: 12-13.

[0697] 4. The respiratory virus vaccine of paragraph 1, comprising:

[0698] at least one RNA polynucleotide having an open reading frame encoding a hMPV antigenic polypeptide or an immunogenic fragment thereof and a RSV antigenic polypeptide or an immunogenic fragment thereof; or

[0699] at least two RNA polynucleotides, one having an open reading frame encoding a hMPV antigenic polypeptide or an immunogenic fragment thereof and one having an

- 5-8 or an amino acid sequence having at least 90% or 95% identity to an amino acid sequence identified by any one of SEQ ID NO: 5-8, wherein the PIV3 antigenic polypeptide comprises an amino acid sequence identified by any one of SEQ ID NO: 12-13 or an amino acid sequence having at least 90% or 95% identity to an amino acid sequence identified by any one of SEQ ID NO: 12-13, wherein the MeV antigenic polypeptide comprises an amino acid sequence identified by any one of SEQ ID NO: 47-50 or an amino acid sequence having at least 90% or 95% identity to an amino acid sequence identified by any one of SEQ ID NO: 47-50, and/or wherein the BetaCoV antigenic polypeptide comprises an amino acid sequence identified by any one of SEQ ID NO: 24-34 or an amino acid sequence having at least 90% or 95% identity to an amino acid sequence identified by any one of SEQ ID NO: 24-34.
- [0797] 54. The vaccine of any one of paragraphs 1-53, wherein at least one RNA polynucleotide has less than 80% identity to wild-type mRNA sequence.
- [0798] 55. The vaccine of any one of paragraphs 1-53, wherein at least one RNA polynucleotide has at least 80% identity to wild-type mRNA sequence, but does not include wild-type mRNA sequence.
- [0799] 56. The vaccine of any one of paragraphs 1-55, wherein at least one antigenic polypeptide has membrane fusion activity, attaches to cell receptors, causes fusion of viral and cellular membranes, and/or is responsible for binding of the virus to a cell being infected.
- [0800] 57. The vaccine of any one of paragraphs 1-56, wherein at least one RNA polynucleotide comprises at least one chemical modification.
- [0801] 58. The vaccine of paragraph 57, wherein the chemical modification is selected from pseudouridine, N1-methylpseudouridine, N1-ethylpseudouridine, 2-thiouridine, 4'-thiouridine, 5-methylcytosine, 5-methyluridine, 2-thio-1-methyl-1-deaza-pseudouridine, 2-thio-1-methyl-pseudouridine, 2-thio-5-aza-uridine, 2-thio-dihydropseudouridine, 2-thio-dihydrouridine, 2-thio-pseudouridine, 4-methoxy-2-thio-pseudouridine, 4-methoxy-pseudouridine, 4-thio-1-methyl-pseudouridine, 4-thio-pseudouridine, 5-aza-uridine, dihydropseudouridine, 5-methoxyuridine and 2'-O-methyl uridine.
- [0802] 59. The vaccine of paragraph 57 or 58, wherein the chemical modification is in the 5-position of the uracil.
- [0803] 60. The vaccine of any one of paragraphs 57-59, wherein the chemical modification is a N1-methylpseudouridine or N1-ethylpseudouridine.
- [0804] 61. The vaccine of any one of paragraphs 57-60, wherein at least 80%, at least 90% or 100% of the uracil in the open reading frame have a chemical modification.
- [0805] 62. The vaccine of any one of paragraphs 1-61, wherein at least one RNA polynucleotide further encodes at least one 5' terminal cap, optionally wherein the 5' terminal cap is 7mG(5')ppp(5')NlmpNp.
- [0806] 63. The vaccine of any one of paragraphs 1-62, wherein at least one antigenic polypeptide or immunogenic fragment thereof is fused to a signal peptide selected from: a HulgGk signal peptide (METPAQLL-FLLLLWLPDTTG; SEQ ID NO: 15); IgE heavy chain epsilon-1 signal peptide (MDWTWILFLVAAATRVHS; SEQ ID NO: 16); Japanese encephalitis PRM signal sequence (MLGSNSGQRVVFTILLLLVPAYS; SEQ ID NO: 17), VSVg protein signal sequence (MKCLLY-LAFLFIGVNCA; SEQ ID NO: 18) and Japanese encephalitis JEV signal sequence (MWLVSLAIVTA-CAGA; SEQ ID NO:19).
- [0807] 64. The vaccine of paragraph 63, wherein the signal peptide is fused to the N-terminus or the C-terminus of at least one antigenic polypeptide.
- [0808] 65. The vaccine of any one of paragraphs 1-64, wherein the antigenic polypeptide or immunogenic fragment thereof comprises a mutated N-linked glycosylation site.
- [0809] 66. The vaccine of any one of paragraphs 1-65 formulated in a nanoparticle, optionally a lipid nanoparticle.
- [0810] 67. The vaccine of paragraph 66, wherein the lipid nanoparticle comprises a cationic lipid, a PEG-modified lipid, a sterol and a non-cationic lipid; optionally wherein the lipid nanoparticle carrier comprises a molar ratio of about 20-60% cationic lipid, 0.5-15% PEG-modified lipid, 25-55% sterol, and 25% non-cationic lipid; optionally wherein the cationic lipid is an ionizable cationic lipid and the non-cationic lipid is a neutral lipid, and the sterol is a cholesterol; and optionally wherein the cationic lipid is selected from 2,2-dilinoleyl-4-dimethylaminoethyl-[1,3]-dioxolane (DLin-KC2-DMA), dilinoleylmethyl-4-dimethylaminobutyrate (DLin-MC3-DMA), and di((Z)-non-2-en-1-yl) 9-((4-(dimethylamino)butanoyl)oxy)heptadecanedioate (L319). Formula (II)
- [0811] 68. The vaccine of paragraph 66 or 67, wherein the nanoparticle (e.g., lipid nanoparticle) comprises a compound of Formula (I) and/or Formula (II), optionally Compound 3, 18, 20, 25, 26, 29, 30, 60, 108-112, or 122.
- [0812] 69. The vaccine of any one of paragraphs 1-68 further comprising an adjuvant, optionally a flagellin protein or peptide that optionally comprises an amino acid sequence identified by any one of SEQ ID NO: 54-56.
- [0813] 70. The vaccine of any one of paragraphs 1-69, wherein the open reading frame is codon-optimized.
- [0814] 71. The vaccine of any one of paragraphs 1-70 formulated in an effective amount to produce an antigen-specific immune response.
- [0815] 72. A method of inducing an immune response in a subject, the method comprising administering to the subject the vaccine of any one of paragraphs 1-71 in an amount effective to produce an antigen-specific immune response in the subject.
- [0816] 73. The method of paragraph 72, wherein the subject is administered a single dose of the vaccine, or wherein the subject is administered a first dose and then a booster dose of the vaccine.
- [0817] 74. The method of paragraph 72 or 73, wherein the vaccine is administered to the subject by intradermal injection or intramuscular injection.
- [0818] 75. The method of any one of paragraphs 72-74, wherein an anti-antigenic polypeptide antibody titer produced in the subject is increased by at least 1 log relative to a control, and/or wherein the anti-antigenic polypeptide antibody titer produced in the subject is increased at least 2 times relative to a control.
- [0819] 76. The method of any one of paragraphs 72-75, wherein the control is an anti-antigenic polypeptide antibody titer produced in a subject who has not been administered a vaccine against the virus, and/or wherein the control is an anti-antigenic polypeptide antibody titer

produced in a subject who has been administered a live attenuated vaccine or an inactivated vaccine against the virus, and/or, wherein the control is an anti-antigenic polypeptide antibody titer produced in a subject who has been administered a recombinant protein vaccine or purified protein vaccine against the virus, and/or wherein the control is an anti-antigenic polypeptide antibody titer produced in a subject who has been administered a VLP vaccine against the virus.

[0820] 77. The method of any one of paragraphs 72-76, wherein the effective amount is a dose equivalent to an at least 2-fold reduction in the standard of care dose of a recombinant protein vaccine or a purified protein vaccine against the virus, and wherein an anti-antigenic polypeptide antibody titer produced in the subject is equivalent to an anti-antigenic polypeptide antibody titer produced in a control subject administered the standard of care dose of a recombinant protein vaccine or a purified protein vaccine against the virus, respectively; and/or wherein the effective amount is a dose equivalent to an at least 2-fold reduction in the standard of care dose of a live attenuated vaccine or an inactivated vaccine against the virus, and wherein an anti-antigenic polypeptide antibody titer produced in the subject is equivalent to an anti-antigenic polypeptide antibody titer produced in a control subject administered the standard of care dose of a live attenuated vaccine or an inactivated vaccine against the virus, respectively; and/or wherein the effective amount is a dose equivalent to an at least 2-fold reduction in the standard of care dose of a VLP vaccine against the virus, and wherein an anti-antigenic polypeptide antibody titer produced in the subject is equivalent to an anti-antigenic polypeptide antibody titer produced in a control subject administered the standard of care dose of a VLP vaccine against the virus.

[0821] 78. The method of any one of paragraphs 72-77, wherein the effective amount is a total dose of 50 μg -1000 μg , optionally wherein the effective amount is a dose of 25 μg , 100 μg , 400 μg , or 500 μg administered to the subject a total of two times.

[0822] 79. The method of any one of paragraphs 72-78, wherein the efficacy of the vaccine against the virus is greater than 65%; and/or wherein the vaccine immunizes the subject against the virus for up to 2 years or wherein the vaccine immunizes the subject against the virus for more than 2 years.

[0823] 80. The method of any one of paragraphs 72-79, wherein the subject has an age of about 5 years old or younger or wherein the subject has an age of about 60 years old or older; and/or wherein the subject has a chronic pulmonary disease; and/or the subject has been exposed to the virus, wherein the subject is infected with the virus, or wherein the subject is at risk of infection by the virus; and/or wherein the subject is immunocompromised.

[0824] 81. The respiratory virus vaccine of any one of paragraphs 1-71, comprising at least one (e.g., at least two, at least three, at least four, or at least five) RNA polynucleotide having an open reading frame encoding at least one (e.g., at least two, at least three, at least four, or at least five) antigenic polypeptide selected from hMPV antigenic polypeptides (SEQ ID NO: 5-8), PIV3 antigenic polypeptides (SEQ ID NO: 12-13), RSV antigenic polypeptides, MeV antigenic polypeptides (SEQ ID NO:

47-50) and BetaCoV antigenic polypeptides (e.g., MERS-CoV, SARS-CoV, HCoV—OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH or HCoV-HKU1; (SEQ ID NO: 24-34)), formulated in a cationic lipid nanoparticle

[0825] (a) having a molar ratio of about 20-60% cationic lipid, about 5-25% non-cationic lipid, about 25-55% sterol, and about 0.5-15% PEG-modified lipid, and/or

[0826] (b) comprising a compound of Formula (I) and/or Formula (II),

[0827] wherein the at least one (e.g., at least two, at least three, at least four, or at least five) RNA polynucleotide comprises at least one chemical modification.

[0828] 82. The respiratory virus vaccine of any one of paragraphs 1-71, comprising at least one (e.g., at least two, at least three, at least four, or at least five) RNA polynucleotide having an open reading frame encoding at least one (e.g., at least two, at least three, at least four, or at least five) antigenic polypeptide selected from hMPV antigenic polypeptides (SEQ ID NO: 5-8), PIV3 antigenic polypeptides (SEQ ID NO: 12-13), RSV antigenic polypeptides, MeV antigenic polypeptides (SEQ ID NO: 47-50) and BetaCoV antigenic polypeptides (e.g., MERS-CoV, SARS-CoV, HCoV—OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH or HCoV-HKU1; (SEQ ID NO: 24-34)), formulated in a cationic lipid nanoparticle

[0829] (a) having a molar ratio of about 20-60% cationic lipid, about 5-25% non-cationic lipid, about 25-55% sterol, and about 0.5-15% PEG-modified lipid, and/or

[0830] (b) comprising at least one (e.g., at least 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, or 14) Compound selected from Compounds 3, 18, 20, 25, 26, 29, 30, 60, 108-112 and 122.

[0831] 83. The respiratory virus vaccine of paragraphs 81 or 82, wherein the at least one antigenic polypeptide is selected from hMPV antigenic polypeptides (e.g., SEQ ID NO: 5-8).

[0832] 84. The respiratory virus vaccine of any one of paragraphs 81-83, wherein the at least one antigenic polypeptide is selected from PIV3 antigenic polypeptides (e.g., SEQ ID NO: 12-13).

[0833] 85. The respiratory virus vaccine of any one of paragraphs 81-84, wherein the at least one antigenic polypeptide is selected from RSV antigenic polypeptides.

[0834] 86. The respiratory virus vaccine of any one of paragraphs 81-85, wherein the at least one antigenic polypeptide is selected from MeV antigenic polypeptides (e.g., SEQ ID NO: 47-50).

[0835] 87. The respiratory virus vaccine of any one of paragraphs 81-86, wherein the at least one antigenic polypeptide is selected from BetaCoV antigenic polypeptides (e.g., SEQ ID NO: 24-34).

[0836] 88. The respiratory virus vaccine of paragraph 87, wherein the BetaCoV antigenic polypeptides are MERS antigenic polypeptides.

[0837] 89. The respiratory virus vaccine of paragraph 87, wherein the BetaCoV antigenic polypeptides are SARS antigenic polypeptides.

[0838] 90. The respiratory virus vaccine of any one of paragraphs 81-89, wherein the at least one (e.g., at least two, at least three, at least four, or at least five) RNA polynucleotide comprises at least one chemical modification (e.g., selected from pseudouridine, N1-methylpseudouridine, N1-ethylpseudouridine, 2-thiouridine, 4'-thiouridine, 5-methylcytosine, 5-methyluridine, 2-thio-1-methyl-1-deaza-pseudouridine, 2-thio-1-methyl-

pseudouridine, 2-thio-5-aza-uridine, 2-thio-dihydropseudouridine, 2-thio-dihydrouridine, 2-thio-pseudouridine, 4-methoxy-2-thio-pseudouridine, 4-methoxy-pseudouridine, 4-thio-1-methyl-pseudouridine, 4-thio-pseudouridine, 5-aza-uridine, dihydropseudouridine, 5-methoxyuridine and 2'-O-methyl uridine).

- [0839]** 91. A respiratory virus vaccine, comprising:
- [0840]** at least one messenger ribonucleic acid (mRNA) polynucleotide having a 5' terminal cap, an open reading frame encoding at least one respiratory virus antigenic polypeptide, and a 3' polyA tail.
- [0841]** 92. The vaccine of paragraph 91, wherein the at least one mRNA polynucleotide comprises a sequence identified by any one of SEQ ID NO: 57-80.
- [0842]** 93. The vaccine of paragraph 91 or 92, wherein the 5' terminal cap is or comprises 7mG(5')ppp(5')NlmpNp.
- [0843]** 94. The vaccine of any one of paragraphs 91-93, wherein 100% of the uracil in the open reading frame is modified to include N1-methyl pseudouridine at the 5-position of the uracil.
- [0844]** 95. The vaccine of any one of paragraphs 91-94, wherein the vaccine is formulated in a lipid nanoparticle comprising: Dlin-MC3-DMA; cholesterol; 1,2-Distearoyl-sn-glycero-3-phosphocholine (DSPC); and polyethylene glycol (PEG)2000-DMG.
- [0845]** 96. The vaccine of paragraph 95, wherein the lipid nanoparticle further comprises trisodium citrate buffer, sucrose and water.
- [0846]** 97. A respiratory syncytial virus (RSV) vaccine, comprising:
- [0847]** at least one messenger ribonucleic acid (mRNA) polynucleotide having a 5' terminal cap 7mG(5')ppp(5')NlmpNp, a sequence identified by any one of SEQ ID NO: 57-80 and a 3' polyA tail, formulated in a lipid nanoparticle comprising Dlin-MC3-DMA, cholesterol, 1,2-Distearoyl-sn-glycero-3-phosphocholine (DSPC), and polyethylene glycol (PEG)2000-DMG, wherein the uracil nucleotides of the sequence identified by any one of SEQ ID NO: 57-80 are modified to include N1-methyl pseudouridine at the 5-position of the uracil nucleotide.
- [0848]** This disclosure is not limited in its application to the details of construction and the arrangement of components set forth in the following description or illustrated in the drawings. The disclosure is capable of other embodiments and of being practiced or of being carried out in various ways. Also, the phraseology and terminology used herein is for the purpose of description and should not be regarded as limiting. The use of "including," "comprising," or "having," "containing," "involving," and variations thereof herein, is meant to encompass the items listed thereafter and equivalents thereof as well as additional items.

EXAMPLES

Example 1

Manufacture of Polynucleotides

[0849] According to the present disclosure, the manufacture of polynucleotides and/or parts or regions thereof may be accomplished utilizing the methods taught in International Publication WO2014/152027, entitled "Manufactur-

ing Methods for Production of RNA Transcripts," the contents of which is incorporated herein by reference in its entirety.

[0850] Purification methods may include those taught in International Publication WO2014/152030 and International Publication WO2014/152031, each of which is incorporated herein by reference in its entirety.

[0851] Detection and characterization methods of the polynucleotides may be performed as taught in International Publication WO2014/144039, which is incorporated herein by reference in its entirety.

[0852] Characterization of the polynucleotides of the disclosure may be accomplished using polynucleotide mapping, reverse transcriptase sequencing, charge distribution analysis, detection of RNA impurities, or any combination of two or more of the foregoing. "Characterizing" comprises determining the RNA transcript sequence, determining the purity of the RNA transcript, or determining the charge heterogeneity of the RNA transcript, for example. Such methods are taught in, for example, International Publication WO2014/144711 and International Publication WO2014/144767, the content of each of which is incorporated herein by reference in its entirety.

Example 2

Chimeric Polynucleotide Synthesis

[0853] According to the present disclosure, two regions or parts of a chimeric polynucleotide may be joined or ligated using triphosphate chemistry. A first region or part of 100 nucleotides or less is chemically synthesized with a 5' monophosphate and terminal 3'desOH or blocked OH, for example. If the region is longer than 80 nucleotides, it may be synthesized as two strands for ligation.

[0854] If the first region or part is synthesized as a non-positionally modified region or part using in vitro transcription (IVT), conversion the 5'monophosphate with subsequent capping of the 3' terminus may follow.

[0855] Monophosphate protecting groups may be selected from any of those known in the art.

[0856] The second region or part of the chimeric polynucleotide may be synthesized using either chemical synthesis or IVT methods. IVT methods may include an RNA polymerase that can utilize a primer with a modified cap. Alternatively, a cap of up to 130 nucleotides may be chemically synthesized and coupled to the IVT region or part.

[0857] For ligation methods, ligation with DNA T4 ligase, followed by treatment with DNase should readily avoid concatenation.

[0858] The entire chimeric polynucleotide need not be manufactured with a phosphate-sugar backbone. If one of the regions or parts encodes a polypeptide, then such region or part may comprise a phosphate-sugar backbone. Ligation is then performed using any known click chemistry, ortho-click chemistry, solulink, or other bioconjugate chemistries known to those in the art.

[0859] Synthetic Route

[0860] The chimeric polynucleotide may be made using a series of starting segments. Such segments include:

[0861] (a) a capped and protected 5' segment comprising a normal 3'OH (SEG. 1)

[0862] (b) a 5' triphosphate segment, which may include the coding region of a polypeptide and a normal 3'OH (SEG. 2)

[0863] (c) a 5' monophosphate segment for the 3' end of the chimeric polynucleotide (e.g., the tail) comprising cordycepin or no 3'OH (SEG. 3)

[0864] After synthesis (chemical or IVT), segment 3 (SEG. 3) may be treated with cordycepin and then with pyrophosphatase to create the 5' monophosphate.

[0865] Segment 2 (SEG. 2) may then be ligated to SEG. 3 using RNA ligase. The ligated polynucleotide is then purified and treated with pyrophosphatase to cleave the diphosphate. The treated SEG.2-SEG. 3 construct may then be purified and SEG. 1 is ligated to the 5' terminus. A further purification step of the chimeric polynucleotide may be performed.

[0866] Where the chimeric polynucleotide encodes a polypeptide, the ligated or joined segments may be represented as: 5'UTR (SEG. 1), open reading frame or ORF (SEG. 2) and 3'UTR+PolyA (SEG. 3).

[0867] The yields of each step may be as much as 90-95%.

Example 3

PCR for cDNA Production

[0868] PCR procedures for the preparation of cDNA may be performed using 2× KAPA HIFI™ HotStart ReadyMix by Kapa Biosystems (Woburn, Mass.). This system includes 2× KAPA ReadyMix 12.5 μl; Forward Primer (10 μM) 0.75 μl; Reverse Primer (10 μM) 0.75 μl; Template cDNA 100 ng; and dH₂O diluted to 25.0 μl. The reaction conditions may be at 95° C. for 5 min. The reaction may be performed for 25 cycles of 98° C. for 20 sec, then 58° C. for 15 sec, then 72° C. for 45 sec, then 72° C. for 5 min, then 4° C. to termination.

[0869] The reaction may be cleaned up using Invitrogen's PURELINK™ PCR Micro Kit (Carlsbad, Calif.) per manufacturer's instructions (up to 5 μg). Larger reactions may require a cleanup using a product with a larger capacity. Following the cleanup, the cDNA may be quantified using the NANODROP™ and analyzed by agarose gel electrophoresis to confirm that the cDNA is the expected size. The cDNA may then be submitted for sequencing analysis before proceeding to the in vitro transcription reaction.

Example 4

In Vitro Transcription (IVT)

[0870] The in vitro transcription reaction generates RNA polynucleotides. Such polynucleotides may comprise a region or part of the polynucleotides of the disclosure, including chemically modified RNA (e.g., mRNA) polynucleotides. The chemically modified RNA polynucleotides can be uniformly modified polynucleotides. The in vitro transcription reaction utilizes a custom mix of nucleotide triphosphates (NTPs). The NTPs may comprise chemically modified NTPs, or a mix of natural and chemically modified NTPs, or natural NTPs.

[0871] A typical in vitro transcription reaction includes the following:

1) Template cDNA	1.0 μg
2) 10x transcription buffer (400 mM Tris-HCl pH 8.0, 190 mM MgCl ₂ , 50 mM DTT, 10 mM Spermidine)	2.0 μl
3) Custom NTPs (25 mM each)	0.2 μl
4) RNase Inhibitor	20 U
5) T7 RNA polymerase	3000 U
6) dH ₂ O	up to 20.0 μl. and
7) Incubation at 37° C. for 3 hr-5 hrs.	

[0872] The crude IVT mix may be stored at 4° C. overnight for cleanup the next day. 1 U of RNase-free DNase may then be used to digest the original template. After 15 minutes of incubation at 37° C., the mRNA may be purified using Ambion's MEGACLEAR™ Kit (Austin, Tex.) following the manufacturer's instructions. This kit can purify up to 500 μg of RNA. Following the cleanup, the RNA polynucleotide may be quantified using the NanoDrop and analyzed by agarose gel electrophoresis to confirm the RNA polynucleotide is the proper size and that no degradation of the RNA has occurred.

Example 5

Enzymatic Capping

[0873] Capping of a RNA polynucleotide is performed as follows where the mixture includes: IVT RNA 60 μg-180 μg and dH₂O up to 72 μl. The mixture is incubated at 65° C. for 5 minutes to denature RNA, and then is transferred immediately to ice.

[0874] The protocol then involves the mixing of 10× Capping Buffer (0.5 M Tris-HCl (pH 8.0), 60 mM KCl, 12.5 mM MgCl₂) (10.0 μl); 20 mM GTP (5.0 μl); 20 mM S-Adenosyl Methionine (2.5 μl); RNase Inhibitor (100 U); 2'-O-Methyltransferase (400 U); Vaccinia capping enzyme (Guanylyl transferase) (40 U); dH₂O (Up to 28 μl); and incubation at 37° C. for 30 minutes for 60 μg RNA or up to 2 hours for 180 μg of RNA.

[0875] The RNA polynucleotide may then be purified using Ambion's MEGACLEAR™ Kit (Austin, Tex.) following the manufacturer's instructions. Following the cleanup, the RNA may be quantified using the NANODROP™ (ThermoFisher, Waltham, Mass.) and analyzed by agarose gel electrophoresis to confirm the RNA polynucleotide is the proper size and that no degradation of the RNA has occurred. The RNA polynucleotide product may also be sequenced by running a reverse-transcription-PCR to generate the cDNA for sequencing.

Example 6

PolyA Tailing Reaction

[0876] Without a poly-T in the cDNA, a poly-A tailing reaction must be performed before cleaning the final product. This is done by mixing capped IVT RNA (100 μl); RNase Inhibitor (20 U); 10× Tailing Buffer (0.5 M Tris-HCl (pH 8.0), 2.5 M NaCl, 1100 mM MgCl₂) (12.0 μl); 20 mM ATP (6.0 μl); Poly-A Polymerase (20 U); dH₂O up to 123.5 μl and incubation at 37° C. for 30 min. If the poly-A tail is already in the transcript, then the tailing reaction may be skipped and proceed directly to cleanup with Ambion's MEGACLEAR™ kit (Austin, Tex.) (up to 500 μg). Poly-A Polymerase may be a recombinant enzyme expressed in yeast.

[0877] It should be understood that the processivity or integrity of the polyA tailing reaction may not always result in an exact size polyA tail. Hence, polyA tails of approximately between 40-200 nucleotides, e.g., about 40, 50, 60, 70, 80, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 150-165, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164 or 165 are within the scope of the present disclosure.

Example 7

Natural 5' Caps and 5' Cap Analogues

[0878] 5'-capping of polynucleotides may be completed concomitantly during the in vitro-transcription reaction using the following chemical RNA cap analogs to generate the 5'-guanosine cap structure according to manufacturer protocols: 3'-O-Me-m⁷G(5')ppp(5') G [the ARCA cap]; G(5')ppp(5')A; G(5')ppp(5')G; m⁷G(5')ppp(5')A; m⁷G(5')ppp(5')G (New England BioLabs, Ipswich, Mass.). 5'-capping of modified RNA may be completed post-transcriptionally using a Vaccinia Virus Capping Enzyme to generate the "Cap 0" structure: m⁷G(5')ppp(5')G (New England BioLabs, Ipswich, Mass.). Cap 1 structure may be generated using both Vaccinia Virus Capping Enzyme and a 2'-O methyl-transferase to generate: m⁷G(5')ppp(5')G-2'-O-methyl. Cap 2 structure may be generated from the Cap 1 structure followed by the 2'-O-methylation of the 5'-antepenultimate nucleotide using a 2'-O methyl-transferase. Cap 3 structure may be generated from the Cap 2 structure followed by the 2'-O-methylation of the 5'-preantepenultimate nucleotide using a 2'-O methyl-transferase. Enzymes are preferably derived from a recombinant source.

[0879] When transfected into mammalian cells, the modified mRNAs have a stability of between 12-18 hours or more than 18 hours, e.g., 24, 36, 48, 60, 72 or greater than 72 hours.

Example 8

Capping Assays

Protein Expression Assay

[0880] Polynucleotides (e.g., mRNA) encoding a polypeptide, containing any of the caps taught herein, can be transfected into cells at equal concentrations. The amount of protein secreted into the culture medium can be assayed by ELISA at 6, 12, 24 and/or 36 hours post-transfection. Synthetic polynucleotides that secrete higher levels of protein into the medium correspond to a synthetic polynucleotide with a higher translationally-competent cap structure.

Purity Analysis Synthesis

[0881] RNA (e.g., mRNA) polynucleotides encoding a polypeptide, containing any of the caps taught herein can be compared for purity using denaturing Agarose-Urea gel electrophoresis or HPLC analysis. RNA polynucleotides with a single, consolidated band by electrophoresis correspond to the higher purity product compared to polynucleotides with multiple bands or streaking bands. Chemically modified RNA polynucleotides with a single HPLC peak also correspond to a higher purity product. The capping reaction with a higher efficiency provides a more pure polynucleotide population.

Cytokine Analysis

[0882] RNA (e.g., mRNA) polynucleotides encoding a polypeptide, containing any of the caps taught herein can be transfected into cells at multiple concentrations. The amount of pro-inflammatory cytokines, such as TNF-alpha and IFN-beta, secreted into the culture medium can be assayed by ELISA at 6, 12, 24 and/or 36 hours post-transfection. RNA polynucleotides resulting in the secretion of higher levels of pro-inflammatory cytokines into the medium correspond to a polynucleotides containing an immune-activating cap structure.

Capping Reaction Efficiency

[0883] RNA (e.g., mRNA) polynucleotides encoding a polypeptide, containing any of the caps taught herein can be analyzed for capping reaction efficiency by LC-MS after nuclease treatment. Nuclease treatment of capped polynucleotides yield a mixture of free nucleotides and the capped 5'-5-triphosphate cap structure detectable by LC-MS. The amount of capped product on the LC-MS spectra can be expressed as a percent of total polynucleotide from the reaction and correspond to capping reaction efficiency. The cap structure with a higher capping reaction efficiency has a higher amount of capped product by LC-MS.

Example 9

Agarose Gel Electrophoresis of Modified RNA or RT PCR Products

[0884] Individual RNA polynucleotides (200-400 ng in a 20 μ l volume) or reverse transcribed PCR products (200-400 ng) may be loaded into a well on a non-denaturing 1.2% Agarose E-Gel (Invitrogen, Carlsbad, Calif.) and run for 12-15 minutes, according to the manufacturer protocol.

Example 10

Nanodrop Modified RNA Quantification and UV Spectral Data

[0885] Chemically modified RNA polynucleotides in TE buffer (1 μ l) are used for Nanodrop UV absorbance readings to quantitate the yield of each polynucleotide from an chemical synthesis or in vitro transcription reaction.

Example 11

Formulation of Modified mRNA Using Lipidoids

[0886] RNA (e.g., mRNA) polynucleotides may be formulated for in vitro experiments by mixing the polynucleotides with the lipidoid at a set ratio prior to addition to cells. In vivo formulation may require the addition of extra ingredients to facilitate circulation throughout the body. To test the ability of these lipidoids to form particles suitable for in vivo work, a standard formulation process used for siRNA-lipidoid formulations may be used as a starting point. After formation of the particle, polynucleotide is added and allowed to integrate with the complex. The encapsulation efficiency is determined using a standard dye exclusion assays.

Example 12

Immunogenicity Study

[0887] The instant study is designed to test the immunogenicity in mice of candidate hMPV vaccines comprising a mRNA polynucleotide encoding Fusion (F) glycoprotein, major surface glycoprotein G, or a combination thereof, obtained from hMPV.

[0888] Mice are immunized intravenously (IV), intramuscularly (IM), or intradermally (ID) with candidate vaccines. Candidate vaccines are chemically modified or unmodified. A total of four immunizations are given at 3-week intervals (i.e., at weeks 0, 3, 6, and 9), and sera are collected after each immunization until weeks 33-51. Serum antibody titers against Fusion (F) glycoprotein or major surface glycoprotein (G) protein are determined by ELISA. Sera collected from each mouse during weeks 10-16 are pooled, and total IgG purified. Purified antibodies are used for immunoelectron microscopy, antibody-affinity testing, and in vitro protection assays.

Example 13

hMPV Rodent Challenge

[0889] The instant study is designed to test the efficacy in cotton rats of candidate hMPV vaccines against a lethal challenge using an hMPV vaccine comprising mRNA encoding Fusion (F) glycoprotein, major surface glycoprotein G, or a combination of both antigens obtained from hMPV. Cotton rats are challenged with a lethal dose of the hMPV.

[0890] Animals are immunized intravenously (IV), intramuscularly (IM), or intradermally (ID) at week 0 and week 3 with candidate hMPV vaccines with and without adjuvant. Candidate vaccines are chemically modified or unmodified. The animals are then challenged with a lethal dose of hMPV on week 7 via IV, IM or ID. Endpoint is day 13 post infection, death or euthanasia. Animals displaying severe illness as determined by >30% weight loss, extreme lethargy or paralysis are euthanized. Body temperature and weight are assessed and recorded daily.

[0891] In experiments where a lipid nanoparticle (LNP) formulation is used, the formulation may include a cationic lipid, non-cationic lipid, PEG lipid and structural lipid in the ratios 50:10:1.5:38.5. The cationic lipid is DLin-KC2-DMA (50 mol %) or DLin-MC3-DMA (50 mol %), the non-cationic lipid is DSPC (10 mol %), the PEG lipid is PEG-DOMG (1.5 mol %) and the structural lipid is cholesterol (38.5 mol %), for example.

Example 14

Immunogenicity of hMPV mRNA Vaccine in BALB/c Mice

[0892] The instant study was designed to test the immunogenicity in BALB/c mice of hMPV vaccines comprising an mRNA polynucleotide encoding the hMPV Fusion (F) glycoprotein. The mRNA polynucleotide encodes the full-length fusion protein and comprises the wild-type nucleotide sequence obtained from the hMPV A2a strain. Mice were divided into 3 groups (n=8 for each group) and immunized intramuscularly (IM) with PBS, a 10 µg dose of mRNA vaccines encoding hMPV fusion protein, or a 2 µg dose of

mRNA vaccines encoding hMPV fusion protein. A total of two immunizations were given at 3-week intervals (i.e., at weeks 0, and 3 weeks), and sera were collected after each immunization according to the schedule described in Table 1. Serum antibody titers against hMPV fusion glycoprotein were determined by ELISA and antibodies were detected in the sera collected on day 14 onward. Both vaccine doses tested induced comparable levels of immune response in mice (FIGS. 2A-2C).

[0893] Additionally, mice sera were used for IgG isotyping (FIGS. 3A-3C). Both hMPV fusion protein-specific IgG1 and IgG2a were detected in mice sera. hMPV fusion protein mRNA vaccine also induced Th1 and Th2 cytokine responses, with a Th1 bias.

[0894] Sera from mice immunized with either 10 µg or 2 µg doses of the hMPV fusion protein mRNA vaccine contain neutralizing antibodies. The ability of these antibodies to neutralize hMPV B2 strain was also tested. The antibody-containing sera successfully neutralized the hMPV B2 virus (FIG. 4).

Example 15

T-Cell Stimulation

[0895] The instant study was designed to test T-cell stimulation in the splenocytes of mice immunized with mRNA vaccines encoding hMPV fusion protein, as described herein. Immunization of BALB/c mice was performed as described in Example 14. The splenocytes for each group were pooled and split into two parts. One part of splenocytes from each group of mice was stimulated with hMPV-free media, Concanavalin A or a hMPV fusion protein peptide pool comprising 15-mers (15 amino acids long); while the other part of splenocytes from each group of mice was stimulated with hMPV-free media, Concanavalin A or inactivated hMPV virus. Secreted mouse cytokines were measured using the Meso Scale Discovery (MSD) assay.

[0896] Cytokines specific to Th1 or Th2 responses were measured. For Th1 response, IFN-γ, IL2 and IL12 were detected from splenocytes stimulated with the hMPV fusion protein peptide pool at a level comparable to that of Concanavalin A (FIGS. 5A-5C). For a Th2 response, the hMPV fusion protein peptide pool induced the secretion of detectable IL10, TNF-α, IL4 and IL, but not IL5, while Concanavalin A stimulated the secretion of all the above-mentioned Th2 cytokines (FIGS. 6A-6E) at a much higher level.

[0897] In contrast, inactivated hMPV virus only induced the secretion of IL2 in the Th1 response comparable to that of Concanavalin A (FIGS. 7A-7C). For the Th2 response, the inactivated hMPV virus induced the secretion of detectable IL10, TNF-α, IL4 and IL6, but not IL5, while Concanavalin A stimulated the secretion of all the above-mentioned Th2 cytokines (FIGS. 8A-8E) at a much higher level.

Example 16

hMPV Rodent Challenge in Cotton Rats Immunized with mRNA Vaccine Encoding hMPV Fusion Protein

[0898] The instant study was designed to test the efficacy in cotton rats of hMPV vaccines against a lethal challenge. mRNA vaccines encoding hMPV fusion protein were used. The mRNA polynucleotide encodes a full-length fusion

protein and comprises the wild-type nucleotide sequence obtained from the hMPV A2a strain.

[0899] Cotton rats were immunized intramuscularly (IM) at week 0 and week 3 with the mRNA vaccines encoding hMPV fusion protein with either 2 μ g or 10 μ g doses for each immunization. The animals were then challenged with a lethal dose of hMPV in week 7 post initial immunization via IV, IM or ID. The endpoint was day 13 post infection, death or euthanasia. Viral titers in the noses and lungs of the cotton rats were measured. The results (FIGS. 9A and 9B) show that a 10 μ g dose of mRNA vaccine protected the cotton mice 100% in the lung and drastically reduced the viral titer in the nose after challenge (~2 log reduction). Moreover, a 2 μ g dose of mRNA vaccine showed a 1 log reduction in lung viral titer in the cotton mice challenged.

[0900] Further, the histopathology of the lungs of the cotton mice immunized and challenged showed no pathology associated with vaccine-enhanced disease (FIG. 10).

Example 17

Immunogenicity Study

[0901] The instant study is designed to test the immunogenicity in mice of candidate PIV3 vaccines comprising a mRNA polynucleotide encoding hemagglutinin-neuraminidase or fusion protein (F or F0) obtained from PIV3.

[0902] Mice are immunized intravenously (IV), intramuscularly (IM), or intradermally (ID) with candidate vaccines. Candidate vaccines are chemically modified or unmodified. A total of four immunizations are given at 3-week intervals (i.e., at weeks 0, 3, 6, and 9), and sera are collected after each immunization until weeks 33-51. Serum antibody titers against hemagglutinin-neuraminidase or fusion protein (F or F0) are determined by ELISA. Sera collected from each mouse during weeks 10-16 are, optionally, pooled, and total IgGs are purified. Purified antibodies are used for immunoelectron microscopy, antibody-affinity testing, and in vitro protection assays.

Example 18

PIV3 Rodent Challenge

[0903] The instant study is designed to test the efficacy in cotton rats of candidate PIV3 vaccines against a lethal challenge using a PIV3 vaccine comprising mRNA encoding hemagglutinin-neuraminidase or fusion protein (F or F0) obtained from PIV3. Cotton rats are challenged with a lethal dose of the PIV3.

[0904] Animals are immunized intravenously (IV), intramuscularly (IM), or intradermally (ID) at week 0 and week 3 with candidate PIV3 vaccines with and without adjuvant. Candidate vaccines are chemically modified or unmodified. The animals are then challenged with a lethal dose of PIV3 on week 7 via IV, IM or ID. Endpoint is day 13 post infection, death or euthanasia. Animals displaying severe illness as determined by >30% weight loss, extreme lethargy or paralysis are euthanized. Body temperature and weight are assessed and recorded daily.

[0905] In experiments where a lipid nanoparticle (LNP) formulation is used, the formulation may include a cationic lipid, non-cationic lipid, PEG lipid and structural lipid in the ratios 50:10:1.5:38.5. The cationic lipid is DLin-KC2-DMA (50 mol %) or DLin-MC3-DMA (50 mol %), the non-cationic lipid is DSPC (10 mol %), the PEG lipid is

PEG-DOMG (1.5 mol %) and the structural lipid is cholesterol (38.5 mol %), for example.

Example 19

hMPV/PIV Cotton Rat Challenge

[0906] The instant study was designed to test the efficacy in cotton rats of candidate hMPV mRNA vaccines, PIV3 mRNA vaccines, or hMPV/PIV combination mRNA vaccines against a lethal challenge using PIV3 strain or hMPV/A2 strain. The study design is shown in Table 9.

[0907] Cotton rats of 10-12 weeks old were divided into 12 groups (n=5), and each group was vaccinated with mRNA vaccines indicated in Table 9. The PIV3 vaccine comprises mRNA encoding hemagglutinin-neuraminidase or fusion protein (F or F0) obtained from PIV3. The hMPV mRNA vaccine encodes the full-length hMPV fusion protein. The hMPV/PIV combination mRNA vaccine is a mixture of the PIV3 vaccine and hMPV vaccine at a 1:1 ratio.

[0908] Cotton rats were immunized intramuscularly (IM) at week 0 and week 3 with candidate vaccines with the doses indicated in Table 9. Cotton rats immunized with hMPV mRNA vaccines or hMPV/PIV combination mRNA vaccines were challenged with a lethal dose of hMPV/A2 strain on week 7 via IM. Cotton rats immunized with PIV mRNA vaccines or hMPV/PIV combination mRNA vaccines were challenged with a lethal dose of PIV3 strain on week 7 via IM.

[0909] The endpoint was day 13 post infection, death or euthanasia. Animals displaying severe illness as determined by >30% weight loss, extreme lethargy or paralysis were euthanized. Body temperature and weight were assessed and recorded daily.

[0910] Lung and nose hMPV/A2 (FIG. 12) or PIV3 (FIG. 13) viral titers were assessed. Lung histopathology of the immunized and challenged cotton rat immunized and challenged were assessed to determine pathology associated with vaccine enhance disease. Neutralization antibody titers in the serum of immunized cotton rats on day 0 and 42 post immunization were assessed (FIG. 11).

[0911] hMPV/A2 (FIG. 14) or PIV3 (FIG. 15) neutralizing antibody titers in the serum samples of the immunized cotton rat 42 days post immunization were measured. All mRNA vaccines tested induced strong neutralizing antibodies cotton rats. Lung histopathology of the immunized cotton rats were also evaluated (FIG. 16). Low occurrence of alevolitis and interstitial pneumonia was observed, indicating no antibody-dependent enhancement (ADE) of hMPV or PIV associated diseases.

Example 20

Betacoronavirus Immunogenicity Study

[0912] The instant study is designed to test the immunogenicity in rabbits of candidate betacoronavirus (e.g., MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH or HCoV-HKU1 or a combination thereof) vaccines comprising a mRNA polynucleotide encoding the spike (S) protein, the S1 subunit (S1) of the spike protein, or the S2 subunit (S2) of the spike protein obtained from a betacoronavirus (e.g., MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH or HCoV-HKU1).

[0913] Rabbits are vaccinated on week 0 and 3 via intravenous (IV), intramuscular (IM), or intradermal (ID) routes. One group remains unvaccinated and one is administered inactivated betacoronavirus. Serum is collected from each rabbit on weeks 1, 3 (pre-dose) and 5. Individual bleeds are tested for anti-S, anti-S1 or anti-S2 activity via a virus neutralization assay from all three time points, and pooled samples from week 5 only are tested by Western blot using inactivated betacoronavirus (e.g., inactivated MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH or HCoV-HKU1).

[0914] In experiments where a lipid nanoparticle (LNP) formulation is used, the formulation may include a cationic lipid, non-cationic lipid, PEG lipid and structural lipid in the ratios 50:10:1.5:38.5. The cationic lipid is DLin-KC2-DMA (50 mol %) or DLin-MC3-DMA (50 mol %), the non-cationic lipid is DSPC (10 mol %), the PEG lipid is PEG-DOMG (1.5 mol %) and the structural lipid is cholesterol (38.5 mol %), for example.

Example 21

Betacoronavirus Challenge

[0915] The instant study is designed to test the efficacy in rabbits of candidate betacoronavirus (e.g., MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-HKU1 or a combination thereof) vaccines against a lethal challenge using a betacoronavirus (e.g., MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-HKU1 or a combination thereof) vaccine comprising mRNA encoding the spike (S) protein, the S1 subunit (S1) of the spike protein, or the S2 subunit (S2) of the spike protein obtained from betacoronavirus (e.g., MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH or HCoV-HKU1). Rabbits are challenged with a lethal dose ($10 \times LD_{90}$; ~ 100 plaque-forming units; PFU) of betacoronavirus (e.g., MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH or HCoV-HKU1).

[0916] The animals used are 6-8 week old female rabbits in groups of 10. Rabbits are vaccinated on weeks 0 and 3 via an IM, ID or IV route of administration. Candidate vaccines are chemically modified or unmodified. Rabbit serum is tested for microneutralization (see Example 14). Rabbits are then challenged with ~ 1 LD₉₀ of betacoronavirus (e.g., MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH or HCoV-HKU1) on week 7 via an IN, IM, ID or IV route of administration. Endpoint is day 13 post infection, death or euthanasia. Animals displaying severe illness as determined by $>30\%$ weight loss, extreme lethargy or paralysis are euthanized. Body temperature and weight are assessed and recorded daily.

Example 22

Microneutralization Assay

[0917] Nine serial 2-fold dilutions (1:50-1:12,800) of rabbit serum are made in 50 μ l virus growth medium (VGM) with trypsin in 96 well microtiter plates. Fifty microliters of virus containing ~ 50 pfu of betacoronavirus (e.g., MERS-CoV, SARS-CoV, HCoV-OC43, HCoV-229E, HCoV-NL63, HCoV-NL, HCoV-NH or HCoV-HKU1) is added to the serum dilutions and allowed to incubate for 60 minutes at room temperature (RT). Positive control wells of virus

without sera and negative control wells without virus or sera are included in triplicate on each plate. While the serum-virus mixtures incubate, a single cell suspension of Madin-Darby Canine-Kidney cells are prepared by trypsinizing (Gibco 0.5% bovine pancrease trypsin in EDTA) a confluent monolayer and suspended cells are transferred to a 50 ml centrifuge tube, topped with sterile PBS and gently mixed. The cells are then pelleted at 200 g for 5 minutes, supernatant aspirated and cells resuspended in PBS. This procedure is repeated once and the cells are resuspended at a concentration of 3×10^5 /ml in VGM with porcine trypsin. Then, 100 μ l cells are added to the serum-virus mixtures and the plates incubated at 35° C. in CO₂ for 5 days. The plates are fixed with 80% acetone in phosphate buffered saline (PBS) for 15 minutes at RT, air dried and then blocked for 30 minutes containing PBS with 0.5% gelatin and 2% FCS. An antibody to the S proteins, S1 protein or S2 protein is diluted in PBS with 0.5% gelatin/2% FCS/0.5% Tween 20 and incubated at RT for 2 hours. Wells are washed and horseradish peroxidase-conjugated goat anti-mouse IgG added, followed by another 2 hour incubation. After washing, O-phenylenediamine dihydrochloride is added and the neutralization titer is defined as the titer of serum that reduced color development by 50% compared to the positive control wells.

Example 23

MERS CoV Vaccine Immunogenicity Study in Mice

[0918] The instant study was designed to test the immunogenicity in mice of candidate MERS-CoV vaccines comprising a mRNA polynucleotide encoding the full-length Spike (S) protein, or the S2 subunit (S2) of the Spike protein obtained from MERS-CoV.

[0919] Mice were vaccinated with a 10 μ g dose of MERS-CoV mRNA vaccine encoding either the full-length MERS-CoV Spike (S) protein, or the S2 subunit (S2) of the Spike protein on days 0 and 21. Sera were collected from each mice on days 0, 21, 42, and 56. Individual bleeds were tested for anti-S, anti-S2 activity via a virus neutralization assay from all four time points.

[0920] As shown in FIG. 17, the MERS-CoV vaccine encoding the full-length S protein induced strong immune response after the boost dose on day 21. Further, full-length S protein vaccine generated much higher neutralizing antibody titers as compared to S2 alone (FIG. 18).

Example 24

MERS CoV Vaccine Immunogenicity Study in New Zealand White Rabbits

[0921] The instant study was designed to test the immunogenicity of candidate MERS-CoV mRNA vaccines encoding the full-length Spike (S) protein. The New Zealand white rabbits used in this study weighed about 4-5 kg. The rabbits were divided into three groups (Group 1a, Group 1b, and Group 2, n=8). Rabbits in Group 1a were immunized intramuscularly (IM) with one 20 μ g dose of the MERS-CoV mRNA vaccine encoding the full-length Spike protein on day 0. Rabbits in Group 1b were immunized intramuscularly (IM) with one 20 μ g dose of the MERS-CoV mRNA vaccine encoding the full-length Spike protein on day 0, and again on day 21 (booster dose). Group 2 received placebo (PBS). The immunized rabbits were then challenged and

samples were collected 4 days after challenge. The viral loads in the lungs, bronchoalveolar lavage (Bal), nose, and throat of the rabbits were determined, e.g., via quantitative PCR. Replicating virus in the lung tissues of the rabbits were also detected. Lung histopathology were evaluated and the neutralizing antibody titers in serum samples of the rabbits were determined.

[0922] Two 20 µg doses of MERS-CoV mRNA vaccine resulted in a 3 log reduction of viral load in the nose and led to complete protection in the throat of the New Zealand white rabbits (FIG. 19A). Two 20 µg doses of MERS-CoV mRNA vaccine also resulted in a 4 log reduction of viral load in the BAL of the New Zealand white rabbits (FIG. 19B). One 20 µg dose of MERS-CoV mRNA vaccine resulted in a 2 log reduction of viral load, while two 20 µg doses of MERS-CoV mRNA vaccine resulted in an over 4 log reduction of viral load in the lungs of the New Zealand white rabbits (FIG. 19C).

[0923] Quantitative PCR results show that two 20 µg doses of MERS-CoV mRNA vaccine reduced over 99% (2 log) of viruses in the lungs of New Zealand white rabbits (FIG. 20A). No replicating virus were detected in the lungs (FIG. 20B).

[0924] Further, as shown in FIG. 21, two 20 µg doses of MERS-CoV mRNA vaccine induced significant amount of neutralizing antibodies against MERS-CoV (EC_{50} between 500-1000). The MERS-CoV mRNA vaccine induced antibody titer is 3-5 fold better than any other vaccines tested in the same model.

Example 25

Immunogenicity Study

[0925] The instant study is designed to test the immunogenicity in mice of candidate MeV vaccines comprising a mRNA polynucleotide encoding MeV hemagglutinin (HA) protein, MeV Fusion (F) protein or a combination of both.

[0926] Mice are immunized intravenously (IV), intramuscularly (IM), or intradermally (ID) with candidate vaccines. Up to three immunizations are given at 3-week intervals (i.e., at weeks 0, 3, 6, and 9), and sera are collected after each

immunization until weeks 33-51. Serum antibody titers against MeV HA protein or MeV F protein are determined by ELISA.

Example 26

MeV Rodent Challenge

[0927] The instant study is designed to test the efficacy in transgenic mice of candidate MeV vaccines against a lethal challenge using a MeV vaccine comprising mRNA encoding MeV HA protein or MeV F protein. The transgenic mice express human receptor CD46 or signaling lymphocyte activation molecule (SLAM) (also referred to as CD150). Humans are the only natural host for MeV infection, thus transgenic lines are required for this study. CD46 is a complement regulatory protein that protects host tissue from complement deposition by binding to complement components C3b and C4b. Its expression on murine fibroblast and lymphoid cell lines renders these otherwise refractory cells permissive for MeV infection, and the expression of CD46 on primate cells parallels the clinical tropism of MeV infection in humans and nonhuman primates (Rall GF et al. PNAS USA 1997;94(9):4659-63). SLAM is a type 1 membrane glycoprotein belonging to the immunoglobulin superfamily. It is expressed on the surface of activated lymphocytes, macrophages, and dendritic cells and is thought to play an important role in lymphocyte signaling. SLAM is a receptor for both wild-type and vaccine MeV strains (Sellin CI et al. *J Virol.* 2006;80(13):6420-29).

[0928] CD46 or SLAM/CD150 transgenic mice are challenged with a lethal dose of the MeV. Animals are immunized intravenously (IV), intramuscularly (IM), or intradermally (ID) at week 0 and week 3 with candidate MeV vaccines with and without adjuvant. The animals are then challenged with a lethal dose of MeV on week 7 via IV, IM or ID. Endpoint is day 13 post infection, death or euthanasia. Animals displaying severe illness as determined by >30% weight loss, extreme lethargy or paralysis are euthanized. Body temperature and weight are assessed and recorded daily.

[0929] In experiments where a lipid nanoparticle (LNP) formulation is used, the formulation may include a cationic lipid, non-cationic lipid, PEG lipid and structural lipid in the ratios 50:10:1.5:38.5. The cationic lipid is DLin-KC2-DMA (50 mol %), the non-cationic lipid is DSPC (10 mol %), the PEG lipid is PEG-DOMG (1.5 mol %) and the structural lipid is cholesterol (38.5 mol %), for example.

TABLE 1

hMPV Immunogenicity studies bleeding schedule										
Animal groups		Day								
(n = 8)	vaccine	-2	0	7	14	21	28	35	56	
Placebo	Group 1 (n = 8)	PBS (IM)	Pre-Bleed	Prime	Bleeds	Bleeds	Bleeds/Boost	Bleeds	Bleeds	Harvest Spleens/Terminal Bleeds
10 µg Dose	Group 2 (n = 8)	10 µg (IM)								
2 µg Dose	Group 3 (n = 8)	2 µg (IM)								

Total n = 24

[0930] Each of the sequences described herein encompasses a chemically modified sequence or an unmodified sequence which includes no nucleotide modifications.

TABLE 2

hMPV Nucleic Acid Sequences		
Description	Sequence	SEQ ID NO:
gi 122891979 gb EF051124.1 Human metapneumovirus isolate TN/92-4 fusion protein gene, complete genome	ATGAGCTGGAAGGTGGTATTATCTTCAGCCTGCTGATTA CACCTCAACACGGCTGAAGGAGAGCTACCTGGAAGAGA GCTGCTCCACCATCACCGAGGGCTACCTGAGCGTGTGC GGACCGGTGGTACACCAACGTGTTACCCCTGGAGGTGG GCGACGTGGAGAACCCTGACCTGCAGCGACGGCCCTAGCC TGATCAAGACCGAGCTGGACCTGACCAAGAGCGCTCTGA GAGAGCTGAAGACCGTGTCCGCGGACCAGCTGGCCAGAG AGGAACAGATCGAGAACCCTCGGCAGAGCAGATTTCGTGC TGGGCGCCATCGCTCTGGGAGTCGCCGCTGCCGCTGCAG TGACAGCTGGAGTGGCCATTGCTAAGACCATCAGACTGG AAAGCGAGGTGACAGCCATCAACAATGCCCTGAAGAAG ACCAACGAGGCCGTGAGCACCCTGGGCAATGGAGTGAGA GTGCTGGCCACAGCCGTGCGGGAGCTGAAGGACTTCGTG AGCAAGAACCCTGACCAGAGCCATCAACAAGAACAAGTG CGACATCGATGACCTGAAGATGGCCGTGAGCTTCTCCA GTTCAACAGACGGTTCCTGAACGTGGTGGAGACAGTTCTC CGACAACGCTGGAATCACACCTGCCATTAGCCTGGACCT GATGACCGACGCCGAGCTGGCTAGAGCCGTGCCAACAT GCCCACCAGCGCTGGCCAGATCAAGCTGATGCTGGAGAA CAGAGCCATGGTGGGAGAAAGGGCTTCGGCATCCTGAT TGGGGTGTATGGAAGCTCCGTGATCTACATGGTGCAGCT GCCCATCTTCGGCGTGATCGACACACCCTGCTGGATCGTG AAGGCCGCTCCCTAGCTGCTCCGAGAAGAAAGGAACTAT GCCTGTCTGCTGAGAGAGGACCAGGGCTGGTACTGCCAG AACGCCGGAAGCACAGTGTACTATCCAACGAGAAGGAC TGCGAGACCAGAGGCGACCACGTGTTCTGCGACACCGCT GCCGGAATCAACGTGGCCGAGCAGAGCAAGGAGTGCAA CATCAACATCAGCACAACCAACTACCCCTGCAAGGTGAG CACCGGACGGCACCCATCAGCATGGTGGCTCTGAGCCC TCTGGGCGCTCTGGTGGCCTGCTATAAGGGCGTGTCTGT AGCATCGGCAGCAATCGGGTGGGCATCATCAAGCAGCTG AACAAGGGATGCTCCTACATCACCAACCAGGACGCCGAC ACCGTGACCATCGACAACACCGTGTACCAGCTGAGCAAG GTGGAGGGCGAGCAGCAGCTGATCAAGGGCAGACCCGT GAGCTCCAGCTTCGACCCCATCAAGTTCCTGAGGACCA GTTCAACGTGGCCCTGGACCAGGTGTTTGAAGACATCGA GAACAGCCAGGCCCTGGTGGACCAGAGCAACAGAATCCT GTCCAGCGCTGAGAAGGGCAACACCGGCTTCATCATTGT GATCATTCTGATCGCCGTGCTGGGACGCTCCATGATCCTG GTGAGCATCTTCATCATTATCAAGAAGACCAAGAAACCC ACCGGAGCCCCCTCTGAGCTGAGCGGCGTGACCAACAAT GGCTTCATTCCCCACAACCTGA	1
gb AY525843.1 : 3065-4684 Human metapneumovirus isolate NL/1/99, complete genome	ATGTCTTGAAAGTGATGATCATCATTTTCGTTACTCATAA CACCCCAGCACGGGCTAAAGGAGAGTTATTTGGAAGAAT CATGTAGTACTATAACTGAGGGATACCTCAGTGTTTTAAG AACAGGCTGGTACACTAATGTCTTACATTAGAAGTTGGT GATGTTGAAAATCTTACATGTAAGTGGACCTAGCTTAA TCAAAACAGAACTTGATCTAACAATAAAGTGTCTTAAGGG AACTCAAAACAGTCTCTGCTGATCAGTTGGCGAGAGAGG AGCAAATTGAAAATCCCAGACAATCAAGATTTGTCTTAG GTGCGATAGCTCTCGAGTTGCTACAGCAGCAGCAGTCA CAGCAGGCATTGCAATAGCCAAAACCATTAAGGCTTGAGA GTGAGGTGAATGCAATTAAGGTGCTCTCAAAACAATA ATGAAGCAGTATCCACATTAGGGAATGGTGTGCGGGTCC TAGCCACTGCAGTGAGAGAGCTAAAAGAATTTGTGAGCA AAAACCTGACTAGTGCAATCAACAGGAACAAAATGTGACA TTGCTGATCTGAAGATGGCTGTCAGCTTCAGTCAATTCAA CAGAAGATTTCTAAATGTTGTGCGGCAGTTTTAGACAAT GCAGGGATAACACCAGCAATATCATTGGACCTGATGACT GATGCTGAGTTGGCCAGAGCTGTATCATACATGCCAACA TCTGCAGGGCAGATAAACTGATGTTGGAGAACCAGCGCA ATGGTAAGGAGAAAAGGATTTGGAATCCTGATAGGGGTC TACGGAAGCTCTGTGATTTACATGGTTCAATTGCCGATCT TTGGTGTATAGATACACCTTGTGGATCATCAAGGCAGC TCCCTCTTGCTCAGAAAAAACCGGAATTATGCTGCCTC CTAAGAGAGGATCAAGGGTGGTATTGTAATAATGCAGGA	2

TABLE 2-continued

hMPV Nucleic Acid Sequences		
Description	Sequence	SEQ ID NO:
	TCTACTGTTTACTACCCAAATGAAAAAGACTGCGAAACA AGAGGTGATCATGTTTTTTGTGACACAGCAGCAGGGATC AATGTTGCTGAGCAATCAAGAGAATGCAACATCAACATA TCTACTACCAACTACCCATGCAAAGTCAGCACAGGAAGA CACCCCTATAAGCATGGTTGCACTATCACCTCTCGGTGCTT TGGTGGCTTGCTATAAAGGGGTAAGCTGCTCGATTGGCA GCAATTGGGT TGAATCATCAAACAATTACCCAAAGGCTGCTCATAACAT AACCAACCAGGATGCAGACACTGTAACAATTGACAATAC CGTGATCAACTAAGCAAAGTTGAAGGTGAACAGCATGT AATAAAAGGGAGACCAGTTTCAAGCAGTTTGTATCCAAT CAAGTTTCCCTGAGGATCAGTTCAATGTTGCGCTTGATCAA GTCTTCGAAAGCATTGAGAACAGTCAGGCACTAGTGGAC CAGTCAAACAAAATTCTAACAGTCAGAAAAGGAAA CACTGGTTTCATTATCGTAGTAATTTGGTTGCTGTTCTTG GTCTAACCATGATTTCAAGTGCATCATCATAATCAA GAAAACAAGGAAGCCACAGGAGCACCTCCAGAGCTGA ATGGTGTCAACACGGCGGTTTCATACCACATAGTTA	
gb KJ627414.1 : 3015-4634 Human metapneumovirus strain hMPV/ <i>Homo sapiens</i> /PER/CFI0497/ 2010/B, complete genome	ATGTCTGGAAAGTGATGATTATCATTTCGTTACTCATAA CACCTCAGCATGGACTAAAAGAAAGTTATTTAGAAGAAT CATGTAGTACTATAACTGAAGGATATCTCAGTGTTTAAG AACAGGTTGGTACCAATGTCTTTACATTAGAAGTTGGT GATGTTGAAAATCTTACATGTACTGATGGACCTAGCTTAA TCAAAACAGAACTTGACCTAACAAAAGTGCTTTAAGAG AACTCAAACAGTTTCTGCTGATCAGTTAGCGAGAGAAG AACAAATTGAAAATCCCAGACAATCAAGTTTGTCTTAG GTGCAATAGCTCTTGGAGTTGCCACAGCAGCAGCAGTCA CAGCAGGCATTGCAATAGCCAAAACATAAGGCTTGAGA GTGAAGTGAATGCAATCAAAGGTGCTCTCAAACAACCA ATGAGGCAGTATCAACTAGGAAATGGAGTGCAGGCTCC TAGCCACTGCAGTAAGAGAGCTGAAAGAATTTGTGAGCA AAAACCTGACTAGTGCATCAACAAGAACAAGTGTGACA TTGCTGATTTGAAGATGGCTGTCAGCTTCAGTCAGTTCAA CAGAAGATTCCATAATGTTGTGCGGCAGTTTTCAGACAAT GCAGGGATAACACCAGCAATATCATTGGACTGATGAAT GATGCTGAGCTGGCCAGAGCTGTATCATAATGCCAACA TCTGCAGGACAGATAAACTAATGTTAGAGAACCCTGCA ATGGTGGAGGAGAAAAGGATTTGGAATCTTGATAGGGGTC TACGGAAGCTCTGTGATTTACATGGTCCAGCTGCCGATCT TTGGTGTCAATAATACACCTTGTGGATAATCAAGGCAGC TCCCTCTTGTTCAGAAAAAGATGGAAATTAAGCTTGCCTC CTAAGAGAGGATCAAGGGTGGTATTGTAATAATGCAGGA TCCACTGTTTACTACCCAAATGAAAAAGACTGCGAAACA AGAGGTGATCATGTTTTTTGTGACACAGCAGCAGGGATC AATGTTGCTGAGCAATCAAGAGAATGCAACATCAACATA TCTACCACCAACTACCCATGCAAAGTCAGCACAGGAAGA CACCCATCAGCATGGTTGCACTATCACCTCTCGGTGCTT TGGTAGCTTGCTACAAAGGGGTTAGCTGCTCGACTGGCA GTAATCAGGTTGGAATAATCAAACAACCTAAAGGCT GCTCATAACATAACTAACAGGACGCAGACACTGTAACAA TTGACAACACTGTGTATCAACTAAGCAAAGTTGAGGGTG AACAGCATGTAATAAAAGGGAGACCAGTTTCAAGCAGTT TTGATCCAATCAGGTTTCTGAGGATCAGTTCAATGTTG GCTTGATCAAGTCTTTGAAAGCATTGAAAACAGTCAAGC ACTAGTGGACCAGTCAAACAAAATCTGAACAGTGCAGA AAAAGGAAACACTGGT TTCATTATTGTAATAATTTTGATTGCTGTTCTTGGGTTAAC CATGATTTCAAGTGCATCATCATATAATCAAAAAAAC AAGGAAGCCCACAGGGGCACCTCCGGAGCTGAATGGTGT TACCAACGGCGGTTTCATACCGCATAGTTAG	3
gb KJ723483.1 : 5586-7310 Human respiratory syncytial virus strain RSVA/ <i>Homo sapiens</i> /USA/84I- 215A-01/1984, complete genome	ATGGAGTTGCCAATCCTCAAACAAATGCAATTACCACA ATCCTTGCTGCAGTCACACTCTGTTTCGCTTCCAGTCAAA ACATCACTGAAGAATTTTATCAATCAACATGCAGTGCAG TTAGCAAAGGCTATCTTAGTGCTCTAAGAACTGGTTGGTA TACTAGTGTATAACTATAGAATTAAGTAATCAAGGA AAATAAGTGTAAATGGAACAGATGCTAAGGTTAAATGAT AAAACAAGAATTAGATAAATAAAAAATGCTGTAACAGA ATTGCAGTTGCTCATGCAAAGCACACCAGCAGCCAACAA TCGAGCCAGAAGAGAACTACCAAGGTTTATGAATTATAC ACTCAATAATACCAAAAATACCAATGTAACATTAAGCAA	4

TABLE 2-continued

hMPV Nucleic Acid Sequences		
Description	Sequence	SEQ ID NO:
	GAAAAGGAAAAGAAGATTTCTTGGCTTTTTGTTAGGTGTT GGATCTGCAATCGCCAGTGGCATTGCTGTATCTAAGGTCC TGCACCTAGAAGGGGAAGTGAACAAAATCAAAAGTGCTC TACTATCCACAAACAAGGCTGTAGTCAGCTTATCAAATG GAGTTAGTGTCTTAACCAGCAAAGTGTAGACCTCAAAA ACTATATAGATAAACAGTTGTACCTATTGTGAACAAGC AAAGCTGCAGCATATCAAACATTGAAACTGTGATAGAGT TCCAACAAAAGAACAACAGACTACTAGAGATTACCAGGG AATTTAGTGTAAATGCAGGTGTAACCTACACCTGTAAGCAC TTATATGTTAACTAATAGTGAATTATTATCATTAATCAAT GATATGCCTATAACAAATGATCAGAAAAAGTTAATGTCC AACAAATGTTCAAATAGTTAGACAGCAAAGTTACTCTATC ATGTCCATAATAAAGGAGGAAGTCTTAGCATAATGTAGTA CAATTACCACATATGGTGTAAATAGATACACCTGTTGGA AACTGCACACATCCCTCTATGTACAACCAACACAAAAGG AAGGGTCCAACATCTGCTTAAACAAGAACCGACAGAGGAT GGTATTGTGACAAATGCAGGATCAGTATCTTTCTTCCCACA AGCTGAAACATGTAAGTTCAATCGAATCGGGTATTTTGT GACACAATGAACAGTTTAAACATTACCAAGTGAAGTAAAT CTCTGCAACATTGACATATTCAACCCCAAATATGATTGCA AAATTATGACTTCAAAAACAGATGTAAGCAGCTCCGTTA TCACATCTCTAGGAGCCATTGTGTATGCTATGGCAAAAC TAAATGTACAGCATCCAATAAAAATCGTGGGATCATAAA GACATTTTCTAACGGGTGTGATTATGTATCAAATAAGGG GGTGGATACTGTGTCTGTAGGTAATACATTATATATGTA AATAAGCAAGAAGGCAAAAGTCTCTATGTAAAAGGTGAA CCAATAATAAATTTCTATGACCATTAGTGTCCCTCTG ATGAATTTGATGCATCAATATCTCAAGTCAATGAGAAGA TTAACCAGAGCCTAGCATTATTCGTAAATCCGATGAATT ATTACATAATGTAATGCTGGTAAATCCACCACAAATAT CATGATAACTACTATAATTATAGTATTATAGTAATATTG TTATCATTAAATTGCAGTTGGACTGCTCCTACTGCAAGG CCAGAAGCACACCAGTCACACTAAGTAAGGATCAACTGA GTGGTATAAATAATATTGCATTTAGTAACTGA	
hMPV mRNA Sequences		
gi 122891979 gb EF051124.1 Human metapneumo virus isolate TN/92-4 fusion protein gene, complete genome	AUGAGCUGGAAGGUGGUGAUUAUCUUCAGCCUGCUGAU UACACCUCAACACGGCCUGAAGGAGAGCUACCUGGAAG AGAGCUGCUCCACCAUCACCGAGGGCUACCUGAGCGUG CUGCGGACCGGUGGUACACCAACGUGUUCACCCUGGA GGUGGGCGACGUGGAGAACCUGACCUGCAGCGACGGCC CUAGCCUGAUCAAGACCAGCUGGACCUGACCAAGAGC GCUCUGAGAGAGCUGAAGACCGUGUCCGCCGACCAGCU GGCCAGAGAGGAACAGAUUCGAGAACCUCGGCAGAGCA GAUUCGUGCUGGGCGCAUCGCUCUGGGAGUCGCCGCU GCCGUGCAGUGACAGCUGGAGUGGCCAUUGCUAAGAC CAUCAGACUGGAAAGCGAGGUGACAGCCAUCAACAAUG CCCUGAAGAAGACCAACGAGGCCGUGAGCACCUGGGC AAUGGAGUGAGAGUGCUGGCCACAGCCGUGCGGGAGCU GAAGGACUUCGUGAGCAAGAACCUGACCAGAGCCAUCA ACAAGAACAAGUGCGACAUCGAUGACCUGAAGAUGGCC GUGAGCUUCUCCAGUUCACACAGACGGUUCUGAACGU GGUGAGACAGUUCUCCGACAACGCUGGAAUCACACCUG CCAUUGACCUGGACCUGAUGACCGACGCCGAGCUGGCU AGAGCCGUGCCCAACAUGCCCACCAGCGCUGGCCAGAU CAAGCUGAUGCUGGAGAACAGAGCCAUGGUGCGGAGAA AGGGCUUCGGCAUCCUGAUUGGGGUGUAUGGAAGCUCC GUGAUCUACAUGGUGCAGCUGCCAUUCUUCGGCGUGAU CGACACACCUGCUGGAUCGUGAAGGCCGCUCCUAGCU GCUCCGAGAAGAAAGGAAACUAUGCCUGUCUGCUGAGA GAGGACCAGGGCUGGUACUGCCAGAACGCCGGAAGCAC AGUGUACUAUCCCAACGAGAAGGACUGCGAGACCAGAG GCGACCACGUGUUCUGCGACACCGCUGCCGGAUCAAC GUGGCCGAGCAGAGCAAGGAGUGCAACAUCAACAUAG CACAACCAACUACCCUGCAAGGUGAGCACCGGACGGC ACCCAUCAGCAUGGUGGCUCUGAGCCUCUGGGCGCU CUGGUGGCCUGCUAUAAGGGCGUGUCCUGUAGCAUCGG CAGCAAUCGGGUGGGCAUCAUCAAGCAGCUGAACAAGG GAUGCUCUACAUCACCAACCAGGACGCCGACACCGUG ACCAUCGACAACACCGUGUACCAGCUGAGCAAGGUGGA GGGCGAGCAGCACGUGAUCAGGGCAGACCCGUGAGCU	57

TABLE 2-continued

hMPV Nucleic Acid Sequences		
Description	Sequence	SEQ ID NO:
	CCAGCUUCGACCCCAUCAAGUUCUCCUGAGGACCAGUUC AACGUGGCCUUGGACCAGGUGUUUGAGAACAUCGAGAA CAGCCAGGCCUUGGUGGACCAGAGCAACAGAAUCUGU CCAGCGCUGAGAAGGGCAACACCGGCUUCAUCAUUGUG AUCAUUCUGAUCGCCGUGCUGGGCAGCUCCAUGAUCCU GGUGAGCAUCUUCUCAUUAUCAAGAAGACCAAGAAAC CCACCGGAGCCCCUCUGAGCUGAGCGGCGUGACCAAC AAUGGCUUCAUUCUCCACAACUGA	
gb AY525843.1 : 3065-4684 Human metapneumovirus isolate NL/1/99, complete genome	AUGUCUUGGAAAGUGAUGAUAUCAUUUCGUUACUCAU AACACCCCAGCACGGGCUAAAGGAGAGUUUUUGGAAG AAUCAUGUAGUACUAUAACUGAGGGAUACCUCAGUGUU UUAAGAACAGGCUGGUACACUAUGUCUUCACAUUAGA AGUUGGUGAUGUUAAAAUCUUAUCAUGUACUGAUGGA CCUAGCUAAUCAAACAGAACUUGAUCUAACAAAAAG UGCUUUAAGGGAACUCAAACAGUCUCUGCUGAUCAGU UGGCGAGAGAGGAGCAAAUUGAAAAUCCAGACAAUCA AGAUUUUGUCUUAGGUGCGAUAGCUCUCGGAGUUGCUAC AGCAGCAGCAGUCACAGCAGGCAUUGCAAUAGCCAAAA CCAUAAGGCUUGAGAGUGAGGUGAAUGCAAUUAAGG UGCUCUCAAAACAACUAAUGAAGCAGUAUCCACAUAUAG GGAAUGGUGUGCGGGUCUAGCCACUGCAGUGAGAGAG CUAAAAGAAUUUGAGCAAAAACUGACUAGUGCAAU CAACAGGAACAAAUGUGACAUUGCUGAUCUGAAGAUGG CUGUCAGCUUCAGUCAAUUCAACAGAAGAUUUUAAA GUUGUGCGGCAGUUUUCAGACAAUGCAGGGAUAAACCC AGCAAUAUCAUUGGACCUGAUGACUGAUGCUGAGUUGG CCAGAGCUGUAUCAUAUGCAACAUCUGCAGGGCAG AUAAAACUGAUGUUGGAGAACCAGCGCAAUGGUAAGGAG AAAAGGAUUUGGAAUCCUGAUGGGGUCUACGGAAGCU CUGUGAUUUACAUGGUUCAUUGCCGAUCUUUGGUGUC AUAGAUACACCUGUUGGAUCAUCAAGGCAGCUCUCCUC UUGCUCAGAAAAAACGGGAAUUAUGCUUGCCUCUAA GAGAGGAUCAAGGGUGGUUAUUGUAAAAAUGCAGGAUC UACUGUUUACUACCCAAAUGAAAAAGACUGCGAAACAA GAGGUGAUCUAGUUUUUUGGACACAGCAGCAGGGAU AAUGUUGCUGAGCAAUCAAGAGAAUGCAACAUCAACAU AUCUACUACCAACUACCCAUUGCAAAGUCAGCACAGGAA GACACCCUAUAAGCAUGGUUGCACAUCACCUUCGGU GCUUUGGUGGCUUGCUAUAAGGGGUAAGCUGUCGUA UGGCAGCAAUUGGGU UGGAAUCAUCAAACAAUUAACCAAAGGCUGCUCAUACA UAACCAACCAGGAUGCAGACACUGUAACAAUUGACAAU ACCGUGUAUCAACUAAGCAAAGUUGAAGGUGAACAGCA UGUAAUAAAAGGGAGACCAGUUUCAAGCAGUUUUGAUC CAAUCAAGUUUCCUGAGGAUCAGUUCAAUGUUGCGCUU GAUCAAGUCUUCGAAAGCAUUGAGAACAGUCAGGCACU AGUGGACCAGUCAAAACAAAUUCUAAACAGUCAGAAA AAGGAAACACUGGUUUCAUUAUCGUAGUAAUUUUGGU UGCUGUUCUUGGUCUAAACAUAGAUUUUCAGUGAGCAUCA UCAUCAUAUCAAAGAAAACAAGGAAGCCACAGGAGCA CCUCCAGAGCUGAAUGGUGUCACCAACGGCGGUUCAU ACCACAUAAGUUAG	58
gb KJ627414.1 : 3015-4634 Human metapneumovirus strain hMPV/ <i>Homo sapiens</i> /PER/CFI0497/ 2010/B, complete genome	AUGUCUUGGAAAGUGAUGAUAUCAUUUCGUUACUCAU AACACCUCAGCAUGGACUAAAAGAAAGUUUUUAGAAG AAUCAUGUAGUACUAUAACUGAAGGAUAUCUCAGUGUU UUAAGAACAGGUUGGUACACCAAUGUCUUUACAUAUAGA AGUUGGUGAUGUUAAAAUCUUAUCAUGUACUGAUGGA CCUAGCUAAUCAAACAGAACUUGACCUAACAAAAAG UGCUUUAAGAGAACUCAAACAGUUUCUGCUGAUCAGU UAGCGAGAGAAGAACAACAAUUGAAAAUCCAGACAAUCA AGGUUUUGUCCUAGGUGCAAUAGCUCUUGGAGUUGCCAC AGCAGCAGCAGUCACAGCAGGCAUUGCAAUAGCCAAAA CUAUAAGGCUUGAGAGUGAAGUGAAUGCAAUCAAAAGG UGCUCUCAAAACAACCAAUGAGGCAGUAUCAACACUAG GAAAUGGAGUGCGGGUCUAGCCACUGCAGUAAGAGAG CUGAAAGAAUUUGGAGCAAAAACUGACUAGUGCGAU CAACAAGAACAAGUGGACAUUGCUGAUUUUGAAGAUGG CUGUCAGCUUCAGUCAGUUCAAACAGAAGAUUCUAAA GUUGUGCGGCAGUUUUCAGACAAUGCAGGGAUAAACCC AGCAAUAUCAUUGGACCUGAUGAAUGAUGCUGAGCUGG	59

TABLE 2-continued

hMPV Nucleic Acid Sequences		
Description	Sequence	SEQ ID NO:
	CCAGAGCUGUAUCAUCAUGCCAACAUCUGCAGGACAG AUAAAACUAAUGUUAGAGAACCGUGCAAUGGUGAGGA GAAAAGGAUUUGGAAUCUUGAUAGGGGUCUACGGAG CUCUGUGAUUUACAUGGUC CAGCUGCCGAUCUUUGGUG UCAUAAAUAACCCUUGUUGGAUAAUCAAGGCAGCUC UCUUGUUCAGAAAAAGAUGGAAUUAUGCUUGCCUCCU AAGAGAGGAUCAAGGUGGUUAUUGUAAAAAUGCAGGA UCCACUGUUUACUACCCAAAUGAAAAAGACUGCGAAAC AAGAGGUGAUC AUGUUUUUGUGACACAGCAGCAGGGA UCAAUGUUGCUGAGCAAUCAAGAGAAUGCAACAUAAC AUUUCUACCAACUACCC AUGCAAAGUCAGCACAGG AAGACACCCU AUCAGCAUGGUUGCACAUCACCUUCG GUGCUUUGGUAGCUUGCUACAAAGGGGUAGCUGCUG ACUGGCAGUAAUCAGGUUGGAAUAAUCAAACAACUAC UAAAGGCUGCUCAUCAUAACUAAACAGGACGCAGACA CUGUAACA AUUGACAACACUGUGUAUCAACUAGCAAA GUUGAGGGUGAACAGCAUGUAUAAAAGGGAGACCAG UUUCAAGCAGUUUUGAUCCAUCAGGUUUCUGAGGAU CAGUUCAAUUGUUGCGCUUGAUCAAGUCUUUGAAAGCAU UGAAAAAGUC AAGCACUAGUGGACCAGUCAAAACAAA UUCUGAACAGUGCAGAAAAAGGAAACACUGGU UUCAUUUUGUAAUAAUUUUGAUUGCUGUUUUGGGU UAACCAUGAUUUCAGUGAGCAUCAUCAUAAUCAA AAAACAAGGAAGCCACAGGGGCACCUCGGAGCUGAA UGGUGUUACCAACGGCGGUUCAUACCGCAUAGUUAG	
gb KJ723483.1 : 5586-7310 Human respiratory syncytial virus strain RSVA/ <i>Homo sapiens</i> /USA/84I-215A-01/1984, complete genome	AUGGAGUUGCCAAUCCUCAAACAAAUGCAAUACCAC AAUCCUUGCUGCAGUCACACUCUGUUUCGCUCCAGUC AAAACAUCACUGAAGAAUUUAUCAUCAACUAGCAGU GCAGUUAGCAAAGGCUAUCUUAGUGCUCUAGAACUGG UUGGUUAUCUAGUGUUAUAACUUAAGAAUUAAGUAAU AUCAAGGAAAAUAAGUGUAAUGGAACAGAUGCUAAGG UAAA AUUGAUAAAACAAGAAUUAAGUAAAUAUAAAA UGCUGUAACAGAAUUGCAGUUGCUCUAGCAAAGCACAC CAGCAGCCAACAAUCGAGCCAGAAGAGAACUACCAAGG UUUAUGAAUUAUACACUCAAUAAUACCAAAAAUACCAA UGUAACAUUAAGCAAGAAAAGGAAAAGAAGAUUUUU GGCUUUUUGUUAGGUGUUGGAUCUGCAAUCGCCAGUGG CAUUGCUGUAUCUAAAGGUCUGCACC UAGAAGGGGAAG UGAACAAAUCAAAAGUGCUCUACUACCAACAAACAAG GCUGUAGUCAGCUUAUCAAAUGGAGUUAGUGUCUUAAC CAGCAAAGUGUUAGACCUCAAAACUUAUUAAGUAAAC AGUUGUUACCUAUUGUGAACAAAGCAAAGCUGCAGCAUA UCAAAACAUUGAAACUGUGAUAGAGUCCAAACAAAAGAA CAACAGACUACUAGAGAUUAC CAGGGAAUUUAGUGUUA AUGCAGGUGUAACUACCCUGUAAGCACUUUAUGUUUA ACUAAUAGUGAAUUAUUAUCAUUAUCAAUGAUUGCC UAUAACAAAUGAUCAGAAAAAGUUAAUGUCCAAACAAG UUCAAAUAGUUAGACAGCAAAGUUACUCUUAUCUGUCC AUAAUAAAGGAGGAGUCUUAAGCAUAUGUAGUACAAU UACCACUAUAUGGUGUAAUAGAUACACCUGUUGGAAA CUGCACACAUCCCUUAUGUACAACCAACACAAAGGA AGGGUCCAACAUCUGCUUAACAAGAACCGACAGAGGAU GGUAUUGUGACAAUGCAGGAUCAGUAUCUUUCUCCCA CAAGCUGAAAC AUGUAAAGUCAAUCGAAUCGGGUAAU UUGUGACACAAUGAACAGUUUAACAUUACCAAGUGAAG UAAAUCUCUGCAACAUGACAUAUUAACCCCAAUAU GAUUGCAAAAUAUGACUUCAAAAACAGAUGUAAGCAG CUCCGUUAUCAUCUCUAGGAGCCAUUGUGUCAUGCU AUGGCAAACUAAAUGUACAGCAUCCAUAUAAAAUCGU GGGAUCAUAAAGACAUUUUUAACGGGUGUGAUUUG UAUCAAAUAAGGGGGUGGAUACUGUGUCUGUAGGUAA UACAUUAUUAUUGUAAAUAAGCAAGAAGGCAAAAGU CUCUAUGUAAAAGGUGAACCAAUAAUAAUUAUUGA CCCAUUAUGUUCUCCUCUGAUGAAUUGAUGCAUCAA UAUCUCAAGUCAUUGAGAAGAUUAAC CAGAGCCUAGCA UUUAUUCGUAAAUCGAAUGAAUUAUUAUAAUGUAA AUGCUGUAAAUCACCACAAUAUCAUGAUAAUCUACU	60

TABLE 2-continued

hMPV Nucleic Acid Sequences		
Description	Sequence	SEQ ID NO:
	AUAAUUUAGUGAUUUAUAGUAAUUAUGUUAUCAUUA UUGCAGUUGGACUGCUCUUAUACUGCAAGGCCAGAAGC ACACCAGUCACACUAAGUAAGGAUCAACUGAGUGGUU AAUAAUUAUGCAUUUAGUUAACUGA	

TABLE 3

hMPV Amino Acid Sequences		
Description	Sequence	SEQ ID NO:
gi 122891979 gb EF051124.1 Human metapneumovirus isolate TN/92-4 fusion protein gene, complete cds	MSWKVVIIIFSLITPQHGLKESYLEESCSTITEGYLSVLRGTW YTNVFTLEVGDVENLTCSDBGPSLIKTELDLTKSALRELKTVS ADQLAREEQIENPRQSRFVLGAIALGVAAAAAVTAGVAIAK TIRLESEVTAINNALKKTNEAVSTLGNQVRLATAVRELKD FVSKNLTRAINKNCDDDLKMAVSFSQFNRRFLNVVRQFS DNAGITPAISLDLMTDAELARAVPNMPTSAGQIKLMLLENRA MVRKGFGLIGVYGVSSVIYMQVLPVIFGVIDTPCWIVKAAPS CSEKKNYACLLREDQGWYCNAGSTVYYPNEKDCETR DHVFCDAAGINVAEQSKECNINISTTNYPCVSTGRHPISM VALSPLGALVACYKGVSCSIGSNRVGIIKQLNKGCSYITNQD ADTVTIDNTVYQLSKVEGEQHVIKGRPVSSSFDPIKFPEDQF NVALDQVFENIENSQALVDQSNRILNSAEKGTGFIIVILIAV LGSSMILVSIFIIKKTKKPTGAPPELNGVTNNGFIPHN	5
gb AY525843.1 : 3065-4684 Human metapneumovirus isolate NL/1/99, complete cds	MSWKVMIIISLLITPQHGLKESYLEESCSTITEGYLSVLRGTW YTNVFTLEVGDVENLTCTDGPSTLIKTELDLTKSALRELKTVS ADQLAREEQIENPRQSRFVLGAIALGVATAAAVTAAGIAIAKT IRLESEVNAIKGALKQTNEAVSTLGNQVRLATAVRELKEF VSKNLTSAINRNKCDIADLKMAVSFSQFNRRFLNVVRQFSD NAGITPAISLDLMTDAELARAVSYMPTSAGQIKLMLLENRAM VRRKGFGLIGVYGVSSVIYMQVLPVIFGVIDTPCWIIKAAPSCS EKNGNYACLLREDQGWYCKNAGSTVYYPNEKDCETRGDH VFCDAAGINVAEQSRECNINISTTNYPCVSTGRHPISMVA LSPLGALVACYKGVSCSIGSNWVGIIKQLPKGCSYITNQDAD TVTIDNTVYQLSKVEGEQHVIKGRPVSSSFDPIKFPEDQFNV ALDQVFESIENSQALVDQSNKILNSAEKGTGFIIVVILVAVL GLTMISVSI IIIKKTRKPTGAPPELNGVTNNGFIPHS	6
gb KJ627414.1 : 3015-4634 Human metapneumovirus strain hMPV/ <i>Homo sapiens</i> /PER/CFI0497/ 2010/B, complete cds	MSWKVMIIISLLITPQHGLKESYLEESCSTITEGYLSVLRGTW YTNVFTLEVGDVENLTCTDGPSTLIKTELDLTKSALRELKTVS ADQLAREEQIENPRQSRFVLGAIALGVATAAAVTAAGIAIAKT IRLESEVNAIKGALKTTNEAVSTLGNQVRLATAVRELKEF VSKNLTSAINRNKCDIADLKMAVSFSQFNRRFLNVVRQFSD NAGITPAISLDLMDAELARAVSYMPTSAGQIKLMLLENRAM VRRKGFGLIGVYGVSSVIYMQVLPVIFGVINTPCWIIKAAPSCS EKDGNACLLREDQGWYCKNAGSTVYYPNEKDCETRGDH VFCDAAGINVAEQSRECNINISTTNYPCVSTGRHPISMVA LSPLGALVACYKGVSCSTGNSQVVGIIKQLPKGCSYITNQDAD TVTIDNTVYQLSKVEGEQHVIKGRPVSSSFDPIRFPEDQFNV ALDQVFESIENSQALVDQSNKILNSAEKGTGFIIVVILVAVL LTMISVSI IIIKKTRKPTGAPPELNGVTNNGFIPHS	7
gb KJ723483.1 : 5586-7310 Human respiratory syncytial virus strain RSVA/ <i>Homo sapiens</i> /USA/84I- 215A-01/1984, complete cds	MELPILKTNAITTILAAVTLCFASSQNI TEEFYQSTCSAVSKG YLSALRTGWYTSVITIELSNIKENKNGTDAKVKLIKQELDK YKNAVTELQLMQSTPAANNRARELPRFMNYTLNNTKNT NVTLSKKRKRFLGFLGVSASIASGIAVSKVLHLEGEVNI KSALLSTNKAVVLSNGVSVLTSKVLDLKNIYIDKQLLPIVN KQSCSISNIETVIEFQQKNRLLLEITREFSVNAGVTPVSTYM LTNSELSSLINDMPI TNDQKKLMSNNVQIVRQQSYSIMSIIKE EVLAYVVQLPLYGVIDTPCWKLHTSPLCTTNTKEGSNICLTR TDRGWYCDNAGSVSFFPQAECKVQSNRVFCDTMNSLTLP SEVNLNIDIFNPKYDCKIMTSKTDVSSVITSLGAIVSCYK TKCTASNKNGRIIKTFSNGCDYVSNKGVDTVSVGNTLYYVN KQEGKSLYVKGEPIINFYDPLVFPSEFDASISQVNEKINQSL AFIRKSDLELHNVNAGKSTTNIMITTIIIVIIVILLSLIAVGLLL YCKARSTPVTLSKDQLSGINNIASFN	8

TABLE 4

hMPV NCBI Accession Numbers (Amino Acid Sequences)	
Virus	GenBank Accession
F [Human metapneumovirus] [Human metapneumovirus]	AEK26895.1
fusion glycoprotein [Human metapneumovirus]	ACJ53565.1
fusion glycoprotein [Human metapneumovirus]	ACJ53566.1
fusion glycoprotein [Human metapneumovirus]	ACJ53569.1
fusion protein [Human metapneumovirus]	AEZ52347.1
fusion glycoprotein [Human metapneumovirus]	ACJ53574.1
fusion glycoprotein [Human metapneumovirus]	AHV79473.1
fusion glycoprotein [Human metapneumovirus]	ACJ53570.1
fusion glycoprotein [Human metapneumovirus]	ACJ53567.1
fusion protein [Human metapneumovirus]	AAS22125.1
fusion glycoprotein [Human metapneumovirus]	AHV79795.1
fusion glycoprotein [Human metapneumovirus]	AHV79455.1
fusion glycoprotein [Human metapneumovirus]	ACJ53568.1
fusion protein [Human metapneumovirus]	AAS22109.1
fusion glycoprotein [Human metapneumovirus]	AGU68417.1
fusion glycoprotein [Human metapneumovirus]	AGJ74228.1
fusion glycoprotein [Human metapneumovirus]	ACJ53575.1
fusion protein [Human metapneumovirus]	AAU25820.1
fusion glycoprotein [Human metapneumovirus]	AGU68377.1
fusion glycoprotein [Human metapneumovirus]	AGU68371.1
fusion glycoprotein [Human metapneumovirus]	AGJ74087.1
fusion glycoprotein [Human metapneumovirus]	ACJ53560.1
fusion glycoprotein [Human metapneumovirus]	AHV79858.1
fusion glycoprotein [Human metapneumovirus]	ACJ53577.1
fusion protein [Human metapneumovirus]	AAS22085.1
fusion protein [Human metapneumovirus]	AEZ52348.1
fusion glycoprotein [Human metapneumovirus]	AGJ74044.1
fusion glycoprotein [Human metapneumovirus]	ACJ53563.1
fusion glycoprotein precursor [Human metapneumovirus]	YP_012608.1
fusion glycoprotein [Human metapneumovirus]	AGJ74053.1
fusion protein [Human metapneumovirus]	BAM37562.1
fusion glycoprotein [Human metapneumovirus]	ACJ53561.1
fusion glycoprotein [Human metapneumovirus]	AGU68387.1
fusion [Human metapneumovirus]	AGL74060.1
fusion glycoprotein precursor [Human metapneumovirus]	AAV88364.1
fusion protein [Human metapneumovirus]	AAN52910.1
fusion protein [Human metapneumovirus]	AAN52915.1
fusion protein [Human metapneumovirus]	BAM37564.1
fusion glycoprotein precursor [Human metapneumovirus]	BAH59618.1
fusion protein [Human metapneumovirus]	AAQ90144.1
fusion glycoprotein [Human metapneumovirus]	AHV79446.1
fusion protein [Human metapneumovirus]	AEL87260.1
fusion glycoprotein [Human metapneumovirus]	AHV79867.1
fusion protein [Human metapneumovirus]	ABQ66027.2
fusion glycoprotein [Human metapneumovirus]	ACJ53621.1
fusion protein [Human metapneumovirus]	AAN52911.1
fusion glycoprotein [Human metapneumovirus]	AHV79536.1
fusion glycoprotein [Human metapneumovirus]	AGU68411.1
fusion protein [Human metapneumovirus]	AEZ52346.1
fusion protein [Human metapneumovirus]	AAN52913.1
fusion protein [Human metapneumovirus]	AAN52908.1
fusion glycoprotein [Human metapneumovirus]	ACJ53553.1
fusion glycoprotein [Human metapneumovirus]	AIY25727.1
fusion protein [Human metapneumovirus]	ABM67072.1
fusion protein [Human metapneumovirus]	AEZ52361.1
fusion protein [Human metapneumovirus]	AAS22093.1
fusion glycoprotein [Human metapneumovirus]	AGH27049.1
fusion protein [Human metapneumovirus]	AAK62968.2
fusion glycoprotein [Human metapneumovirus]	ACJ53556.1
fusion glycoprotein [Human metapneumovirus]	ACJ53620.1
fusion protein [Human metapneumovirus]	ABQ58820.1
F [Human metapneumovirus] [Human metapneumovirus]	AEK26886.1
fusion glycoprotein [Human metapneumovirus]	ACJ53619.1
fusion glycoprotein [Human metapneumovirus]	ACJ53555.1
fusion [Human metapneumovirus]	AGL74057.1
fusion protein [Human metapneumovirus]	ABD27850.1
fusion protein [Human metapneumovirus]	AEZ52349.1
fusion protein [Human metapneumovirus]	ABD27848.1
fusion protein [Human metapneumovirus]	ABD27846.1
fusion protein [Human metapneumovirus]	ABQ66021.1
fusion protein [Human metapneumovirus]	AFM57710.1
fusion protein [Human metapneumovirus]	AFM57709.1
fusion protein [Human metapneumovirus]	ABH05968.1

TABLE 4-continued

hMPV NCBI Accession Numbers (Amino Acid Sequences)	
Virus	GenBank Accession
fusion protein [Human metapneumovirus]	AEZ52350.1
fusion protein [Human metapneumovirus]	AFM57712.1
fusion protein [Human metapneumovirus]	AEZ52364.1
fusion protein [Human metapneumovirus]	AAN52912.1
fusion protein [Human metapneumovirus]	AEZ52363.1
fusion [Human metapneumovirus]	AGL74059.1
fusion glycoprotein [Human metapneumovirus]	ACJ53583.1
fusion protein [Human metapneumovirus]	AEZ52356.1
fusion protein [Human metapneumovirus]	AEZ52353.1
fusion glycoprotein [Human metapneumovirus]	ACJ53581.1
fusion glycoprotein [Human metapneumovirus]	ACJ53578.1
fusion protein [Human metapneumovirus]	AAS22117.1
fusion protein [Human metapneumovirus]	BAN75965.1
fusion protein [Human metapneumovirus]	AGF92105.1
fusion protein [Human metapneumovirus]	AAS22077.1
fusion protein [Human metapneumovirus]	AAN52909.1
fusion glycoprotein [Human metapneumovirus]	ACJ53586.1
fusion protein [Human metapneumovirus]	AAQ90145.1
fusion glycoprotein [Human metapneumovirus]	AGT75042.1
fusion [Human metapneumovirus]	AGL74058.1
fusion protein [Human metapneumovirus]	AEL87263.1
fusion glycoprotein [Human metapneumovirus]	AGH27057.1
fusion glycoprotein [Human metapneumovirus]	AHV79491.1
F [Human metapneumovirus] [Human metapneumovirus]	AEK26906.1
fusion glycoprotein [Human metapneumovirus]	ACJ53580.1
fusion protein [Human metapneumovirus]	AEZ52354.1
fusion protein [Human metapneumovirus]	AAN52914.1
G [Human metapneumovirus] [Human metapneumovirus]	AEK26901.1
glycoprotein [Human metapneumovirus]	AFI56738.1
glycoprotein [Human metapneumovirus]	AFI56739.1
glycoprotein [Human metapneumovirus]	AFI56745.1
G protein [Human metapneumovirus]	AAQ62718.1
G protein [Human metapneumovirus]	AAQ62719.1
attachment glycoprotein G [Human metapneumovirus]	AGH27104.1
G protein [Human metapneumovirus]	AAQ62729.1
G protein [Human metapneumovirus]	AAQ62728.1
glycoprotein [Human metapneumovirus]	AFI56753.1
glycoprotein [Human metapneumovirus]	AFI56746.1
glycoprotein [Human metapneumovirus]	AFI56750.1
glycoprotein [Human metapneumovirus]	AFI56747.1
G protein [Human metapneumovirus]	AAQ62721.1
glycoprotein [Human metapneumovirus]	AAT46573.1
glycoprotein [Human metapneumovirus]	AFI56748.1
glycoprotein [Human metapneumovirus]	AFI56736.1
glycoprotein [Human metapneumovirus]	AFI56749.1
attachment glycoprotein G [Human metapneumovirus]	AGH27131.1
attachment glycoprotein G [Human metapneumovirus]	AHV79558.1
glycoprotein [Human metapneumovirus]	AFI56740.1
glycoprotein [Human metapneumovirus]	AFI56741.1
glycoprotein [Human metapneumovirus]	AFI56744.1
attachment glycoprotein G [Human metapneumovirus]	AHV79790.1
attachment glycoprotein G [Human metapneumovirus]	AGH27122.1
attachment glycoprotein G [Human metapneumovirus]	AHV79763.1
attachment glycoprotein G [Human metapneumovirus]	AGZ48849.1
glycoprotein [Human metapneumovirus]	AFI56743.1
attachment glycoprotein G [Human metapneumovirus]	AHV79450.1
glycoprotein [Human metapneumovirus]	AFI56751.1
attachment glycoprotein [Human metapneumovirus]	AAS48482.1
attachment glycoprotein G [Human metapneumovirus]	AHV79889.1
attachment surface glycoprotein [Human metapneumovirus]	AGW43050.1
glycoprotein [Human metapneumovirus]	AFI56754.1
attachment glycoprotein G [Human metapneumovirus]	AHV79601.1
glycoprotein [Human metapneumovirus]	AFI56752.1
attachment glycoprotein G [Human metapneumovirus]	AHV79871.1
G protein [Human metapneumovirus]	AEZ68099.1
attachment glycoprotein G [Human metapneumovirus]	AHV79817.1
attachment glycoprotein G [Human metapneumovirus]	AHV79943.1
attachment glycoprotein G [Human metapneumovirus]	BAN75968.1
attachment surface glycoprotein [Human metapneumovirus]	AGW43045.1
attachment glycoprotein G [Human metapneumovirus]	AHV79628.1
attachment glycoprotein [Human metapneumovirus]	AFK49783.1

TABLE 4-continued

hMPV NCBI Accession Numbers (Amino Acid Sequences)	
Virus	GenBank Accession
G protein [Human metapneumovirus]	AAQ62723.1
attachment glycoprotein [Human metapneumovirus]	ABD27839.1
attachment surface glycoprotein [Human metapneumovirus]	AGW43046.1
G protein [Human metapneumovirus]	AAQ62717.1
glycoprotein [Human metapneumovirus]	AFI56742.1
attachment protein [Human metapneumovirus]	ABQ44522.1
glycoprotein [Human metapneumovirus]	AFI56735.1
attachment surface glycoprotein [Human metapneumovirus]	AGW43065.1
G protein [Human metapneumovirus]	AAQ62724.1
attachment surface glycoprotein [Human metapneumovirus]	AGW43075.1
attachment surface glycoprotein [Human metapneumovirus]	AGW43062.1
glycoprotein [Human metapneumovirus]	AAT46579.1
attachment surface glycoprotein [Human metapneumovirus]	AGW43064.1
attachment surface glycoprotein [Human metapneumovirus]	AGW43054.1
attachment surface glycoprotein [Human metapneumovirus]	AGW43042.1
attachment surface glycoprotein [Human metapneumovirus]	AGW43078.1
attachment surface glycoprotein [Human metapneumovirus]	AGW43067.1
G protein [Human metapneumovirus]	AAQ62722.1
attachment surface glycoprotein [Human metapneumovirus]	AGW43063.1
glycoprotein [Human metapneumovirus]	AAT46571.1
glycoprotein [Human metapneumovirus]	AAT46578.1
attachment glycoprotein G [Human metapneumovirus]	AGJ74232.1
glycoprotein [Human metapneumovirus]	AAT46580.1
glycoprotein [Human metapneumovirus]	AAT46574.1
attachment surface glycoprotein [Human metapneumovirus]	AGW43061.1
attachment glycoprotein [Human metapneumovirus]	AFK49791.1
attachment surface glycoprotein [Human metapneumovirus]	AGW43047.1
glycoprotein [Human metapneumovirus]	ABC26386.1
attachment glycoprotein [Human metapneumovirus]	AAS48466.1
attachment surface glycoprotein [Human metapneumovirus]	AGW43048.1
attachment glycoprotein G [Human metapneumovirus]	AGH27140.1
attachment surface glycoprotein [Human metapneumovirus]	AGW43049.1
attachment glycoprotein G [Human metapneumovirus]	AGJ74082.1
attachment glycoprotein G [Human metapneumovirus]	AHV79442.1
attachment glycoprotein G [Human metapneumovirus]	AGJ74091.1
attachment glycoprotein G [Human metapneumovirus]	AHV79477.1
attachment surface glycoprotein [Human metapneumovirus]	AGW43056.1
attachment protein [Human metapneumovirus]	ABQ44523.1
attachment glycoprotein G [Human metapneumovirus]	BAH59622.1
attachment surface glycoprotein [Human metapneumovirus]	AGW43070.1
glycoprotein [Human metapneumovirus]	AAT46585.1
attachment glycoprotein G [Human metapneumovirus]	AGU68409.1
attachment glycoprotein G [Human metapneumovirus]	AGJ74223.1
attachment glycoprotein [Human metapneumovirus]	AAS22129.1
attachment glycoprotein G [Human metapneumovirus]	AGJ74048.1
G protein [Human metapneumovirus]	AAQ62725.1
glycoprotein [Human metapneumovirus]	ABC26384.1
attachment protein [Human metapneumovirus]	ABQ44525.1
attachment glycoprotein G [Human metapneumovirus]	YP_012612.1
attachment surface glycoprotein [Human metapneumovirus]	AGW43071.1
attachment glycoprotein G [Human metapneumovirus]	AGJ74162.1
attachment glycoprotein G [Human metapneumovirus]	AGH27095.1
attachment glycoprotein G [Human metapneumovirus]	AHV79531.1
G protein [Human metapneumovirus]	AAQ62726.1
attachment glycoprotein [Human metapneumovirus]	AAS48465.1
attachment surface glycoprotein [Human metapneumovirus]	AGW43058.1
P [Human metapneumovirus] [Human metapneumovirus]	AEK26894.1
phosphoprotein [Human metapneumovirus]	AHV79631.1
phosphoprotein [Human metapneumovirus]	AHV79901.1
phosphoprotein [Human metapneumovirus]	AHV79570.1
phosphoprotein [Human metapneumovirus]	AGJ74076.1
phosphoprotein [Human metapneumovirus]	AAS22123.1
phosphoprotein [Human metapneumovirus]	ABB16895.1
phosphoprotein [Human metapneumovirus]	AHV79579.1
phosphoprotein [Human metapneumovirus]	AGJ74244.1
phosphoprotein [Human metapneumovirus]	AHV79856.1
phosphoprotein [Human metapneumovirus]	ACJ70113.1
phosphoprotein [Human metapneumovirus]	AGZ48843.1
phosphoprotein [Human metapneumovirus]	AHV79498.1
phosphoprotein [Human metapneumovirus]	AHV79480.1
phosphoprotein [Human metapneumovirus]	ABQ43382.1
phosphoprotein [Human metapneumovirus]	AAS22107.1
phosphoprotein [Human metapneumovirus]	ABB16898.1

TABLE 4-continued

hMPV NCBI Accession Numbers (Amino Acid Sequences)	
Virus	GenBank Accession
phosphoprotein [Human metapneumovirus]	AGH27134.1
phosphoprotein [Human metapneumovirus]	ABB16899.1
phosphoprotein [Human metapneumovirus]	AGH27098.1
phosphoprotein [Human metapneumovirus]	AAN52866.1
phosphoprotein [Human metapneumovirus]	AAS22083.1
phosphoprotein [Human metapneumovirus]	YP_012606.1
phosphoprotein [Human metapneumovirus]	AHV79973.1
phosphoprotein [Human metapneumovirus]	AHV79462.1
phosphoprotein [Human metapneumovirus]	AGJ74042.1
phosphoprotein [Human metapneumovirus]	AAV88362.1
P [Human metapneumovirus] [Human metapneumovirus]	AIL23591.1
phosphoprotein [Human metapneumovirus]	AHV79453.1
phosphoprotein [Human metapneumovirus]	AGJ74261.1
phosphoprotein [Human metapneumovirus]	AGH27116.1
phosphoprotein [Human metapneumovirus]	ABB16444.1
phosphoprotein [Human metapneumovirus]	ABB16445.1
phosphoprotein [Human metapneumovirus]	AHV79507.1
phosphoprotein [Human metapneumovirus]	BAH59616.1
phosphoprotein [Human metapneumovirus]	ABB16443.1
phosphoprotein [Human metapneumovirus]	ABQ43388.1
phosphoprotein [Human metapneumovirus]	ABQ43389.1
phosphoprotein [Human metapneumovirus]	ABQ43395.1
phosphoprotein [Human metapneumovirus]	ABQ43385.1
phosphoprotein [Human metapneumovirus]	AAP84042.1
phosphoprotein [Human metapneumovirus]	AAN52868.1
phosphoprotein [Human metapneumovirus]	AAP84041.1
phosphoprotein [Human metapneumovirus]	AGH27080.1
phosphoprotein [Human metapneumovirus]	ABQ43387.1
phosphoprotein [Human metapneumovirus]	AAS22099.1
phosphoprotein [Human metapneumovirus]	ABB16896.1
phosphoprotein [Human metapneumovirus]	AGJ74094.1
phosphoprotein [Human metapneumovirus]	AEZ68089.1
phosphoprotein [Human metapneumovirus]	ABK97002.1
phosphoprotein [Human metapneumovirus]	AAP13486.1
phosphoprotein [Human metapneumovirus]	AHV79444.1
phosphoprotein [Human metapneumovirus]	AHV79865.1
phosphoprotein [Human metapneumovirus]	AGJ74226.1
phosphoprotein [Human metapneumovirus]	ABQ43383.1
phosphoprotein [Human metapneumovirus]	AAN52863.1
phosphoprotein [Human metapneumovirus]	AHV79775.1
phosphoprotein [Human metapneumovirus]	AEZ68094.1
phosphoprotein [Human metapneumovirus]	AHV79883.1
phosphoprotein [Human metapneumovirus]	AEZ68092.1
phosphoprotein [Human metapneumovirus]	ABQ43390.1
phosphoprotein [Human metapneumovirus]	ABQ43386.1
phosphoprotein [Human metapneumovirus]	ABQ43391.1
phosphoprotein [Human metapneumovirus]	ACS16062.1
phosphoprotein [Human metapneumovirus]	AEZ68090.1
phosphoprotein [Human metapneumovirus]	AAK62967.1
phosphoprotein [Human metapneumovirus]	AEZ68093.1
phosphoprotein [Human metapneumovirus]	AEZ68088.1
phosphoprotein [Human metapneumovirus]	ABQ43392.1
phosphoprotein [Human metapneumovirus]	ABQ43393.1
phosphoprotein [Human metapneumovirus]	ABQ43384.1
phosphoprotein [Human metapneumovirus]	ABQ43394.1
phosphoprotein [Human metapneumovirus]	ABK96999.1
phosphoprotein [Human metapneumovirus]	AHV79489.1
phosphoprotein [Human metapneumovirus]	AGJ74235.1
phosphoprotein [Human metapneumovirus]	AAS22075.1
phosphoprotein [Human metapneumovirus]	AAS22115.1
phosphoprotein [Human metapneumovirus]	AII17601.1
phosphoprotein [Human metapneumovirus]	ABK97000.1
phosphoprotein [Human metapneumovirus]	AHV79561.1
phosphoprotein [Human metapneumovirus]	AGT75040.1
phosphoprotein [Human metapneumovirus]	AAN52864.1
phosphoprotein [Human metapneumovirus]	ABK97001.1
phosphoprotein [Human metapneumovirus]	AGT74979.1
phosphoprotein [Human metapneumovirus]	AHV79955.1
phosphoprotein [Human metapneumovirus]	AGH27055.1
phosphoprotein [Human metapneumovirus]	AAV88361.1
phosphoprotein [Human metapneumovirus]	ABQ43397.1
phosphoprotein [Human metapneumovirus]	AGJ74173.1

TABLE 4-continued

hMPV NCBI Accession Numbers (Amino Acid Sequences)	
Virus	GenBank Accession
P [Human metapneumovirus] [Human metapneumovirus]	AEK26904.1
phosphoprotein [Human metapneumovirus]	ACJ70104.1
phosphoprotein [Human metapneumovirus]	ABK97003.1
phosphoprotein [Human metapneumovirus]	AGT74955.1
phosphoprotein [Human metapneumovirus]	AAN52856.1
phosphoprotein [Human metapneumovirus]	AAN52862.1
phosphoprotein [Human metapneumovirus]	AGJ74138.1
phosphoprotein [Human metapneumovirus]	AHV79613.1
phosphoprotein [Human metapneumovirus]	AGJ74060.1
phosphoprotein [Human metapneumovirus]	AAQ67684.1
phosphoprotein [Human metapneumovirus]	AEA02278.1
N [Human metapneumovirus] [Human metapneumovirus]	AEK26899.1
nucleoprotein [Human metapneumovirus]	ACS16061.1
nucleoprotein [Human metapneumovirus]	AAS88425.1
nucleoprotein [Human metapneumovirus]	YP_012605.1
nucleoprotein [Human metapneumovirus]	AHV79882.1
nucleoprotein [Human metapneumovirus]	AHV79774.1
nucleocapsid protein [Human metapneumovirus]	AAN52886.1
nucleoprotein [Human metapneumovirus]	AAS22082.1
nucleoprotein [Human metapneumovirus]	AHV79864.1
nucleoprotein [Human metapneumovirus]	AHV79828.1
nucleoprotein [Human metapneumovirus]	AGJ74084.1
nucleocapsid protein [Human metapneumovirus]	AAN52888.1
N [Human metapneumovirus] [Human metapneumovirus]	AIL23590.1
nucleoprotein [Human metapneumovirus]	AAK62966.1
nucleoprotein [Human metapneumovirus]	AHV79972.1
nucleoprotein [Human metapneumovirus]	AHV79470.1
nucleoprotein [Human metapneumovirus]	AHV79452.1
nucleoprotein [Human metapneumovirus]	AGJ74243.1
nucleoprotein [Human metapneumovirus]	AHV79533.1
nucleoprotein [Human metapneumovirus]	AGJ74181.1
nucleoprotein [Human metapneumovirus]	AHV79497.1
nucleoprotein [Human metapneumovirus]	AHV79702.1
nucleoprotein [Human metapneumovirus]	AHV79648.1
nucleoprotein [Human metapneumovirus]	AHV79435.1
putative nucleoprotein [Human metapneumovirus]	AGJ74260.1
nucleocapsid protein [Human metapneumovirus]	AAN52887.1
nucleoprotein [Human metapneumovirus]	AGU68386.1
nucleocapsid protein [Human metapneumovirus]	AAN52899.1
nucleoprotein [Human metapneumovirus]	AAR17673.1
nucleocapsid protein [Human metapneumovirus]	AAN52898.1
nucleoprotein [Human metapneumovirus]	AEA02277.1
nucleoprotein [Human metapneumovirus]	AHV79612.1
nucleoprotein [Human metapneumovirus]	AGU68416.1
nucleoprotein [Human metapneumovirus]	AGU68408.1
nucleoprotein [Human metapneumovirus]	AGU68370.1
nucleoprotein [Human metapneumovirus]	AAQ67683.1
nucleoprotein [Human metapneumovirus]	AGJ74137.1
nucleoprotein [Human metapneumovirus]	AGU68344.1
nucleocapsid protein [Human metapneumovirus]	ABK96997.1
nucleoprotein [Human metapneumovirus]	AGU68413.1
nucleocapsid protein [Human metapneumovirus]	AAN52891.1
nucleoprotein [Human metapneumovirus]	AGU68360.1
nucleoprotein [Human metapneumovirus]	AGU68353.1
nucleocapsid protein [Human metapneumovirus]	ABK96996.1
nucleoprotein [Human metapneumovirus]	AAR17666.1
N [Human metapneumovirus] [Human metapneumovirus]	AEK26903.1
nucleoprotein [Human metapneumovirus]	AGT75039.1
nucleoprotein [Human metapneumovirus]	AGU68410.1
nucleoprotein [Human metapneumovirus]	AAS22074.1
nucleoprotein [Human metapneumovirus]	AHV79560.1
nucleoprotein [Human metapneumovirus]	AGT74978.1
nucleoprotein [Human metapneumovirus]	AGJ74128.1
nucleoprotein [Human metapneumovirus]	AAR17663.1
nucleoprotein [Human metapneumovirus]	AAR17662.1
nucleoprotein [Human metapneumovirus]	AAR17664.1
nucleoprotein [Human metapneumovirus]	AAR17657.1
nucleoprotein [Human metapneumovirus]	AAR17659.1
nucleoprotein [Human metapneumovirus]	AAR17661.1
nucleoprotein [Human metapneumovirus]	AGU68352.1
nucleoprotein [Human metapneumovirus]	AGU68373.1
nucleoprotein [Human metapneumovirus]	AGU68376.1
nucleoprotein [Human metapneumovirus]	AGU68342.1

TABLE 4-continued

hMPV NCBI Accession Numbers (Amino Acid Sequences)	
Virus	GenBank Accession
nucleoprotein [Human metapneumovirus]	AGU68365.1
nucleoprotein [Human metapneumovirus]	AGU68363.1
nucleoprotein [Human metapneumovirus]	AGU68398.1
nucleoprotein [Human metapneumovirus]	AGU68348.1
nucleoprotein [Human metapneumovirus]	AGU68354.1
nucleoprotein [Human metapneumovirus]	AGU68391.1
nucleoprotein [Human metapneumovirus]	AGU68389.1
nucleoprotein [Human metapneumovirus]	AGU68399.1
nucleoprotein [Human metapneumovirus]	AGU68337.1
nucleoprotein [Human metapneumovirus]	AAR17660.1
nucleoprotein [Human metapneumovirus]	AAR17667.1
nucleoprotein [Human metapneumovirus]	AGU68402.1
nucleoprotein [Avian metapneumovirus type C]	CDN30025.1
nucleoprotein [Avian metapneumovirus]	AGZ87947.1
Nucleoprotein [Avian metapneumovirus type C]	CAL25113.1
nucleocapsid protein [Avian metapneumovirus]	ABO42286.1
nucleocapsid protein [Avian metapneumovirus]	AAK38430.1
nucleocapsid protein [Avian metapneumovirus]	AAK54155.1
nucleocapsid protein [Avian metapneumovirus]	AAK38426.1
nucleocapsid protein [Avian metapneumovirus]	AAK38425.1
nucleocapsid protein [Avian metapneumovirus]	AAK38424.1
nucleocapsid protein [Avian metapneumovirus]	AAF05909.1
nucleocapsid protein [Avian metapneumovirus]	AAK38435.1
nucleocapsid protein [Avian metapneumovirus]	AAK38428.1
nucleoprotein [Human metapneumovirus]	AAR17669.1
nucleocapsid protein [Avian metapneumovirus]	AAK38429.1
nucleocapsid protein [Avian metapneumovirus]	AAK38427.1
nucleocapsid protein [Avian metapneumovirus]	AAK38423.1
nucleocapsid protein [Avian metapneumovirus]	AAK38434.1
nucleoprotein [Human metapneumovirus]	AGU68338.1
nucleoprotein [Avian metapneumovirus]	YP_443837.1
nucleoprotein [Human metapneumovirus]	AGU68384.1
nucleocapsid protein [Avian metapneumovirus]	AAK38431.1
nucleoprotein [Human metapneumovirus]	AGU68405.1
nucleoprotein [Human metapneumovirus]	AGU68382.1
nucleoprotein [Human metapneumovirus]	AGU68395.1
nucleocapsid [Human metapneumovirus]	AAL35389.3
nucleoprotein [Human metapneumovirus]	AEZ68064.1

TABLE 5

PIV3 Nucleic Acid Sequences		
Description	Sequence	SEQ ID NO:
>gb KJ672601.1 : 4990-6609 Human parainfluenza virus 3 strain HPIV3/ <i>Homo sapiens</i> /PER/FLA4815/ 2008[fusion glycoprotein F0]	ATGCCAATTTCAACTGTTAATTATTACAACCATGATC ATGGCATCACACTGCCAAATAGACATCACAAACTACA GCATGTAGGTGTATTGGTCAACAGTCCCAAAGGGATGA AGATATCACAAAACCTTCGAAACAAGATATCTAATCCTGA GTCTCATACCAAAAATAGAAGATTCTAACTCTGTGGTG ACCAACAGATCAAGCAATACAAGAGGTTATTGGATAGA CTGATCATTCCCTTATATGATGGACTAAGATTACAGAAG GATGTGATAGTGACTAATCAAGAATCCAATGAAAACAC TGATCCAGAACAGAACGATTCTTTGGAGGGGTAATTGG AACTATTGCTCTAGGAGTAGCAACCTCAGCACAAATTAC AGCAGCAGTTGCTCTGGTTGAAGCCAAGCAGGCAAGAT CAGACATTGAAAACCTCAAGGAAGCAATCAGGGACACA AATAAAGCAGTGCAGTCAGTTCAGAGCTCTGTAGGAAA TTTGATAGTAGCAATTAATTCAGTCCAGGATTATGTCAA CAAAGAAATCGTGCCATCGATTGCGAGACTAGGTTGTG AAGCAGCAGGACTTCAGTTAGGATTGCATTAACACAG CATTACTCAGAATTAACAAATATATTTGGTGATAACATA GGATCGTTACAAGAAAAGGAATAAAATTACAAGGTAT AGCATCATTATACCGTACAAATATCACAGAAATATTCAC AACATCAACAGTTGACAAATATGATATTTATGATCTATT ATTTACAGAATCAATAAAGGTGAGAGTTATAGATGTTGA TTTGAATGATTACTCAATAACCCTCCAAGTCAGACTCCC TTTATTGACCAGACTGCTGAACACTCAAATCTACAAAGT AGATTCCATATCATACAATATCCAAAATAGAGAATGGTA	9

TABLE 5-continued

PIV3 Nucleic Acid Sequences		
Description	Sequence	SEQ ID NO:
	TATCCCTCTTCCCAGCCATATCATGACGAAAGGGGCATT TCTAGGTGGAGCAGATGTCAAAGAATGCATAGAAGCAT TCAGCAGTTATATATGCCCTTCTGATCCAGGATTTGTACT AAACCATGAAATGGAGAGCTGTCTATCAGGAAACATAT CCCAATGTCCAAGAACACAGTCACATCAGACATAGTTC CTAGGTATGCATTGTCAATGGAGGAGTGGTTGCGAATT GTATAACAACCTACATGTACATGCAATGGTATCGGTAATA GAATCAACCAACCACCTGATCAAGGAGTCAAAATATA ACACATAAAGAATGTAATACAATAGGTATCAACGGAAT GCTATTCAACCAAACAAGAAGGAACTCTGCATTCTA CACACCAGACGACATAACATTAACAATTCGTTGCACT TGATCCGATTGACATATCAATCGAGCTCAACAAGGCCAA ATCAGATCTTGAGGAATCAAAGAATGGATAAGAAGGT CAAATCAAAGCTAGATTCTATTGGAAGTTGGCATCAAT CTAGCACTACAATCATAGTTATTTTGATAATGATGATTA TATTGTTTATAATTAATATAACAATAATTACAATTGCAA TTAAGTATTACAGAAATCAAAGAGAAATCGAGTGGAT CAAAATGATAAGCCGTATGTATTAACAACAAG	
gi 612507167 gb AHX22430.1 hemagglutinin- neuraminidase [Human parainfluenza virus 3]	ATGGAATACTGGAAGCACACCAACCACGGAAAGGATGC TGGAATGAGCTGGAGACATCCACAGCCACTCATGGCA ACAAGCTCACCAACAAGATAACATATATATGTGGACG ATAACCCTGGTGTATTATCAATAGTCTTCATCATAGTG CTAACTAATCCATCAAAAAGTAAAAGGCCCGCGAATC ATTGCTACAAGACATAAATAATGAGTTTATGGAAGTTAC AGAAAAGATCCAAGTGGCATCGGATAATAC TAATGATC TAATACAGTCAGGAGTGAATACAAGGCTTCTTACAATTC AGAGTCATGTCCAGAATTATATACCAATATCATTGACAC AACAAATATCGGATCTTAGGAAATTCATTAGTGAAATTA CAATTAGAAATGATAATCAAGAAGTGCCACCACAAAGA ATAACACATGATGTGGGTATAAAACCTTTAAATCCAGAT GATTTCTGGAGATGCACGTCTGGTCTTCCATCTTTGATG AAAACCTCAAAAATAAGATTAATGCCGGGACCAGGATT ATTAGCTATGCCAACGACTGTTGATGGCTGTGTCAGAAC CCCCTCCTTAGTGATAAATGATCTGATTTATGCTTACAC CTCAAATCTAATTACTCGAGGTTGCCAGGATATAGGGAA ATCATATCAAGTATTACAGATAGGGATAAATACTGTAAA CTCAGACTTGGTACCTGACTTAAATCCTAGGATCTCTCA TACCTTCAACATAAATGACAATAGAAAGTCATGTTCTCT AGCACTCCTAAATACAGATGTATATCAACTGTGTTCAAC CCCAAAGTTGATGAAAGATCAGATTATGCATCATCAG GCATAGAAGATATTGTAATTGATATTGTCAATTATGATG GCTCAATCTCGACAACAAGATTTAAGAATAATAATATAA GTTTTGATCAACCATATGCGGCATTATACCCATCTGTTG GACCAGGGATATACTACAAAGGCAAAATAATATTTCTC GGGTATGGAGGTCTTGAACATCCAATAAATGAGAATGC AATCTGCAACACAACCTGGGTGCTCTGGGAAAAACAGA GAGACTGTAATCAAGCATCTCATAGTCCATGGTTTTTCAG ATAGAAGGATGGTCAACTCTATAATTGTTGTTGACAAGG GCTTGAACCTCAGTTCAAAATGAAGGTATGGACGATAT CTATGAGACAAAATTACTGGGGGTGAGAAGGAAGATTA CTTCTACTAGGTAACAAGATCTACATATACACAAGATCT ACAAGTTGGCAGCAAGTTACAATTAGGAATAATTGA CATTACTGACTACAGTGATATAAGGATAAAAATGGACAT GGCATAATGTGCTATCAAGACCAGGAAACAATGAATGT CCATGGGGACATTGATGTCGGATGGATGTATAACGGG AGTATATACCGATGCATATCCACTCAATCCACAGGAAG CATTGTATCATCTGTATATTGACTCACAAAATCGAG AGTCAACCCAGTCATAACTTACTCAACAGCAACCGAAA GGGTAAACGAGCTGGCTATCCGAAACAAAACACTCTCA GCTGGGTACACAACAACAGCTGCATTACACACTATAA CAAAGGTATTGTTTTCATATAGTAGAAATAAATCATAA AAGCTTAAACACATTTCAACCCATGTTGTTCAAACAGA GATTCAAAAGCTGCAGT	10
HPIV3_HN_Codon Optimized	ATGGAATACTGGAAGCACACCAACCACGGCAAGGACGC CGGCAACGAGCTGGAACCAGCACAGCCACACCGGCA ACAAGCTGACCAACAAGATCACCTACATCTGTGGACC ATCACCTGGTGTGCTGAGCATCGTGTTCATCATCGTG CTGACCAATAGCATCAAGAGCGAGAAGGCCAGAGAGAG CCTGCTGCAGGACATCAACAACGAGTTCATGGAAGTGA CCGAGAAGATCCAGGTGGCCAGCGACAACCAACGAC	11

TABLE 5-continued

PIV3 Nucleic Acid Sequences		
Description	Sequence	SEQ ID NO:
	CTGATCCAGAGCGGCGTGAACACCCGGCTGCTGACCATC CAGAGCCACGTGCAGAACTACATCCCCATCAGCCTGACC CAGCAGATCAGCGACCTGCGGAAGTTCATCAGCGAGAT CACCATCCGGAACGACAACCAGGAAGTGCCCCCAGA GAATCACCCACGACGTGGGCATCAAGCCCCGAACCCC GACGATTTCTGGCGGTGTACAAGCGGCTGCCAGCCTG ATGAAGACCCCAAGATCCGGCTGATGCCCTGGCCCTGG ACTGCTGGCCATGCCCTACCACAGTGGATGGCTGTGTGCG GACCCCAAGCCTCGTGATCAACGATCTGATCTACGCTA CACCAGCAACCTGATCACCCGGGCTGCCAGGATATCG GCAAGAGCTACCAGGTGCTGCAGATCGGCATCATCACC GTGAACCTCCGACCTGGTGCCCGACCTGAACCTCGGATC AGCCACACCTTCAACATCAACGACAACAGAAAGAGCTG CAGCCTGGCTCTGCTGAACACCGACGTGTACCAGCTGTG CAGCACCCCAAGGTGGACGAGAGAAGCGACTACGCCA GCAGCGGCATCGAGGATATCGTGCTGGACATCGTGAAC TACGACGGCAGCATCAGCACCCCGGTTCAAGAACA CAACATCAGCTTCGACCAGCCCTACGCCGCCCTGTACCC TTCTGTGGGCCCTGGCATCTACTACAAGGGCAAGATCAT CTTCTGGGCTACGGCGGCTGGAACACCCCATCAACGA GAACGCCATCTGCAACACCACCGGCTGCCCTGGCAAGA CCCAGAGAGACTGCAATCAGGCCAGCCACAGCCCTGG TTCAGCGACCGCAGAATGGTCAACTCTATCATCGTGGTG GACAAGGGCCTGAACAGCGTGCCCAAGCTGAAAGTGTG GACAATCAGCATGCGCCAGAATACTGGGGCAGCGAGG GCAGACTTCTGCTGCTGGGAAACAAGATCTACATCTACA CCCGGTCCACCAGCTGGCACAGCAAACCTGCAGCTGGGA ATCATCGACATCACCGACTACAGCGACATCCGGATCAA GTGGACCTGGCACAACGTGCTGAGCAGACCCGCAACA ATGAGTGCCCTTGGGGCCACAGCTGCCCGATGGATGTA TCACCGGCGTGTACACCGACGCTACCCCTGAATCCTA CCGGCTCCATCGTGTCCAGCGTGATCCTGGACAGCCAGA AAAGCAGAGTGAACCCCGTGATCACATACAGCACCGCC ACCGAGAGAGTGAACGAACTGGCCATCAGAAACAAGAC CCTGAGCGCCGGCTACACCACCACAAGCTGCATCACAC ACTACAACAAGGGCTACTGCTTCCACATCGTGGAAATCA ACCACAAGTCCCTGAACACCTTCCAGCCATGCTGTTCA AGACCGAGATCCCCAAGAGCTGCTCC	
HPIV3_F_Codon Optimized	ATGCCCATCAGCATCCTGCTGATCATCACCACAATGATC ATGGCCAGCCACTGCCAGATCGACATCACCAGCTGCA GCACGTGGGCGTGTCTGTAACAGCCCCAAGGGCATGA AGATCAGCCAGAACTTCGAGACACGCTACCTGATCCTGA GCCTGATCCCCAAGATCGAGGACAGCAACAGCTGCGGC GACCAGCAGATCAAGCAGTACAAGCGGCTGCTGGACAG ACTGATCATCCCCCTGTACGACGGCCTGCGGCTGCAGAA AGACGTGATCGTGACCAACCAGGAAAGCAACGAGAACA CCGACCCCGGACCGAGAGATTCTTCGGCGGCGTGATCG GCACAATCGCCCTGGGAGTGGCCACAAGCGCCAGATT ACAGCCGCTGTGGCCCTGGTGAAGCCAAGCAGGCCAG AAGCGACATCGAGAAGCTGAAAGAGGCCATCCGGGACA CCAACAAGGCCGTGCAGAGCGTGCAGTCCAGCGTGGGC AATCTGATCGTGGCCATCAAGTCCGTGCAGGACTACGTG AACAAAGAAATCGTGCCCTCTATCGCCCGGCTGGGCTGT GAAGCTGCCGGACTGCAGCTGGGCATTGCCCTGACACA GCACTACAGCGAGCTGACCAACATCTTCGGCGACAACA TCGGCAGCCTGCAGGAAAAGGGCATTAAAGCTGCAGGGA ATCGCCAGCCTGTACCGCACCAACATCACCAGATCTTC ACCACCAGCACCGTGGATAAGTACGACATCTACGACCT GCTGTTACCGAGAGCATCAAAGTGCAGCGTGATCGACGT GGACCTGAACGACTACAGCATCACCTGCAAGTGCAGGC TGCCCTGCTGACCAGACTGCTGAACACCCAGATCTACA AGGTGGACAGCATCTCTACAACATCCAGAACCAGCGAG TGGTACATCCCTCTGCCAGCCACATTATGACCAAGGGC GCCTTTCTGGGCGGAGCCGACGTGAAAGAGTGCATCGA GGCCTTCAGCAGCTACATCTGCCCCAGCGACCTGGCTT CGTGCTGAACCACGAGATGGAAAGCTGCCTGAGCGGCA ACATCAGCCAGTGCCCCAGAACCACCGTGACCTCCGAC ATCGTGCCAGATACGCCTTCGTGAATGGCGGCGTGGT GCCAACTGCATCACCCACCTGTACCTGCAACGGCATC GGCAACCGGATCAACCAGCCTCCCGATCAGGGCGTGAA GATTATCACCCACAAGAGTGTAACACCATCGGCATCA	12

TABLE 5-continued

PIV3 Nucleic Acid Sequences		
Description	Sequence	SEQ ID NO:
	ACGGCATGCTGTTCAATACCAACAAAGAGGGCACCCCTG GCCTTCTACACCCCGACGATATCACCCCTGAACAACTCC GTGGCTCTGGACCCCATCGACATCTCCATCGAGCTGAAC AAGGCCAAGAGCGACCTGGAAGAGTCCAAAGAGTGGAT CCGGCGGAGCAACCAGAAGCTGGACTCTATCGGCAGCT GGCACCAGAGCAGCACCACCATCATCGTGATCCTGATTA TGATGATTATCCTGTTTCATCATCAACATTACCATCATCAC TATCGCCATTAAGTACTACCGGATCCAGAAACGGAACC GGGTGGACCAGAATGACAAGCCCTACGTGCTGACAAAC AAG	
PIV3 mRNA Sequences		
>gb KJ672601.1 : 4990-6609 Human parainfluenza virus 3 strain HPIV3/ <i>Homo sapiens</i> /PER/FLA4815/ 2008[fusion glycoprotein F0]	AUGCCAAUUUCAUACUGUUAAUUUAUACAACCAUGA UCAUGGCAUCACACUGCCAAAUAGACAUCAAAAAACU ACAGCAUGUAGGUGUAUUGGUCAACAGUCCCAAAGGG AUGAAGAUAUCAAAAAUCUUGAAACAAGAUUAUCUAA UCCUGAGUCUCAUACCAAAAAUAGAAGAUUCUAAUC UUGUGGUGACCAACAGAUCAAGCAUACAAGAGGUUA UUGGAUAGACUGAUCAUUCUUUAUAUGAUGGACUAA GAUUACAGAAGGAUGUGAUAGUGACUAAUCAAGAAUC CAAUGAAAACACUGAUCCAGAACAGAACGAUUCUUU GGAGGGUAAUUGGAACUAUUGUCUAGGAGUAGCAA CCUCAGCACA AAUUAACAGCAGCAGUUGCUCUGGUUGA AGCCAAGCAGGCAAGAUCAAGCAUUGAAAAACUCAAG GAAGCAAUCAGGGACAAAAUAAAGCAGUGCAGUCAG UUCAGAGCUCUGUAGGAAAUUGAUAGUAGCAAUUA AUCAGUCCAGGAUUAUGUCAACAAAGAAUUCGUGCCA UCGAUUGCGAGACUAGGUUGUGAAGCAGCAGGACUUC AGUUAGGGAUUGCAUUAACACAGCAUUAUCAGAAUU AACAAAUUAUUUUGGUGAUAAUAGGAUCGUUACAA GAAAAAGGAUUAUUACAAGGUUAUAGCAUCAUUAU ACCGUACAAAUUAUCAGAAAUAUUCACAACAUAAC AGUUGACAAAUUAUGAUUUUAUGAUCUUAUUUAUACA GAAUCAAUAAAGGUGAGAGUUUAUGAUGUUAUUUGA AUGAUUACUCAUUAACCCUCCAAGUCAGACUCCUUU AUUGACCAGACUGCUGAACACUCAAAUCUACAAAGUA GAUUCCAUUAUCAAAUAUCAAAAUAGAGAAUGGU AUUCCCUUCCAGCAUAUCAUGACGAAAGGGGC AUUUUAAGGUGGAGCAGAUUCAAGAAUGCAUAGAA GCAUUCAGCAGUUUAUUAUGCCUUCUGAUCCAGGAU UUGUACUAAACCAUGAAAUGGAGAGCUGUCUAUCAGG AAACAUUCCCAAUGUCAAGAACCACAGUCACAUA GACAUAGUUCCUAGGUUAUGCAUUUGUCAUUGGAGGAG UGGUUGCGAAUUGUAUAACAACUAUGUAUCAUGCAA UGGUUAUCGGUAAUAGAAUCAACCAACCACCGAUCAA GGAGUCAAAAUUAUAACACAUAAGAAUGUAAUCAA UAGGUUAUCAACGGAAUGCUAUUCAACACAACAAAGA AGGAACUCUUGCAUUCUACACACCAGACGACUAACA UUAACAAUUCUGUUGCACUUGAUCCGAUUGACAUAU CAAUCGAGCUCACAAGGCCAAAUCAGAUUCUUGAGGA AUCAAAAGAAUGGAUAAGAAGGUCAAAUCAAAAGCUA GAUUCUAUUGGAAGUUGGCAUCAUUCUAGCACUACAA UCAUAGUUUAUUUGAUAAUGAUGAUUAUUAUUGUUUAU AAUUAUAUAACAUAUUUAUUAUUGCAUUAAGUAU UACAGAAUUCAAAAGAGAAUCGAGUGGAUCAAAAUG AUAAGCCGUAUGUAUUAACAACAAG	61
gi 612507167 gb AHX22430.1 hemagglutinin- neuraminidase [Human parainfluenza virus 3]	AUGGAAUACUGGAAGCACACCAACCACGGAAAGGAUG CUGGUAAUGAGCUGGAGACAUCCACAGCCACUCAUGG CAACAAGCUCACCAACAAGAUAAUUAUUAUUGUGG ACGAUAACCCUGGUGUUUAUUAUCAUUAUAGUCUUAUCA UAGUGCUAACUAAUCCAUCAAAAGUGAAAAGGCCCG CGAAUCAUUGCUACAAGACAUAAUUAUAGUUAUUG GAAGUUACAGAAAAGAUCCAAGUGGCAUCGGAUAAUA CUAAUGAUCUAAUACAGUCAGGAGUGAAUACAAGGCU UCUUACA AUUCAGAGUCAUGUCCAGAAUUAUUAACCA AUAUCAUUGACACACAAAUAUCGGAUCUUAGGAAAU UCAUUAUGUAAAUAUUAUAGAAUUAUUAUUAAGA AGUGCCACCACAAGAAUAACACAUGAUGUGGGUUAU AAACCUUUAAAUCGAGAUUUUCUGGAGAUCAACGU CUGGUCUCCAUUCUUGAUGAAAACUCCAAAAUAAG	62

TABLE 5-continued

PIV3 Nucleic Acid Sequences			
Description	Sequence	SEQ ID NO:	
	AUUAUGCCGGGACCAGGAUUAUUAGCUAUGCCAACG ACUGUUGAUGGCUGUGUCAGAACCCCGUCCUAGUGA UAAAUGAUCUGAUUUUAGCUUACACCUCAAAUCUAAU UACUCGAGGUUGCCAGGAUUAUAGGGAAAUCAUAUCAA GUUUUACAGAUAGGGAAUUAACUGUAAACUCAGACU UGGUACCUGACUUAAAUCUAGGAUCUCUCAUACCUU CAACUAAAUGACAAUAGAAAGUCAUGUUCUCUAGCA CUCCUAAAACAGAUUUAUUAACUGUGUUAACCC CAAAGUUGAUGAAAGAUCAUUAUAGCAUCAUCAGG CAUAGAAGAUUUUACUUGAUUAUUGUCAUUUAGAU GGUCUAAUCUCGACAACAAGAUUUUAGAAUAAUAAU UAAGUUUUGAUC AACCAUAGCGGCAUUAUACCCAUC UGUUGGACCAGGGAUUAUCUCAAAGGCAAAAUAUA UUUCUCGGGUAUGGAGGUCUUGAACAUCCAUAUAAUG AGAAUGCAAUCUGCAACACAACUGGGUGUCUGGGAA AACACAGAGAGACUGUAAUCAAGCAUCUCAUAGUCCA UGGUUUUCAGAUAGAAGGAUGGUAACUCUUAUAAUUG UUGUUGACAAGGGCUUGAACUCAGUUCCAAUAUUGAA GGUAUGGACGAUAUCUUAUGAGACAAAUAUCUGGGGG UCAGAAGGAAGAUUAUCUUAUCUAGGUAACAAGAUUCU ACAUUAACACAAGAUUCUACAAGUUGGCACAGCAAGUU ACAAUUAGGAAUAAUUGACAUUACUGACUACAGUGAU AUAAGGAUAAAUGGACAUUGGCAUUAUUGUCAUCAA GACCAGGAAACAUGAAUGUCAUGGGGACAUUCAUG UCCGGAUGGAUGUAUAAACGGGAGUAUUAACCGAUGCA UAUCCACUCAUCCACAGGAAGCAUUGUAUCAUCUG UCAUAUUGGACUCACAAAUAUCGAGAGUCAACCCAGU CAUAACUUACUCAACAGCAACCGAAAGGGUAAACGAG CUGGCUAUCCGAAACAAAACACUCUCAGCUGGGUACA CAACAACAAGCUGCAUUAACACAUUAACAAGGGUA UUGUUUUCAUUAUAGUAGAAUAAUUAUAAAAGCUUA AACACAUUCAACCAUGUUGUUCAAAACAGAGAUUC CAAAAAGCUGCAGU		
HPIV3_HN_Codon Optimized	AUGGAAUACUGGAAGCACACCAACCACGGCAAGGACG CCGGCAACGAGCUGGAAACAGCACAGCCACACACGGC AACAAAGCUGACCAACAAGAUACCUACAUCUUGGGA CCAUCACCCUGGUGCUGCUGAGCAUCGUGUUAUCAUC GUGCUGACCAUAGCAUCAAGAGCGAGAAGGCAGAG AGAGCCUGCUGCAGGACAUCAACAACGAGUUC AUGGA AGUGACCGAGAAGAUCCAGGUGGCAGCGACAACACC AACGACCUGAUCCAGAGCGGCUGAACACCCGGCUGCU GACCAUCCAGAGCCACGUGCAGAACUACAUCCCAUCA GCCUGACCCAGCAGAUACAGCGACCUGCGGAAGUUAUC AGCGAGAUCAACCAUCCGGAACGACAACCAGGAAGUGC CCCCCAGAGAAUCACCCACGACGUGGGCAUCAAGCCC CUGAACCCCGACGAUUUCUGGCGGUGUACAAGCGGCC UGCCAGCCUGAUGAAGACCCCAAGAUCCGGCUGAUG CCUGGCCUGGACUGCUGGCCAUGCCUACCACAGUGGA UGGCUGUGUGCGGACCCCGACCCUGAUC AACGAUC UGAUCUACGCCUACACCAGCAACCUGAUCACCCGGGGC UGCCAGGAUAUCGGCAAGAGCUACAGGUGCUGCAGA UCGGCAUCAUCACCGUGAACUCGACUGGUGCCCGAC CUGAACCCUCGGAUCAGCCACACCUUCAACAUCAACGA CAACAGAAAGAGCUGCAGCCUGGCUCUGCUGAACACC GACGUGUACCAGCUGCAGCACCCCAAGGUGGACG AGAGAAGCGACUACGCCAGCAGCGGCAUCGAGGAUUA CGUGCUGGACAUUCGUAACUACGACGGCAGCAUCAGC ACCACCCGGUUC AAGAACAACAACAUCAUCGCUUCGACCA GCCUACGCCGCCUGUACCCUUCUGUGGGCCUGGCA UCUACUACAAGGGCAAGAUCAUCUUCUGGGCUACGG CGGCCUGGAACACCCCAUCAACGAGAACGCCAUCUGCA ACACCACCGGUCGCCUGGCAAGACCCAGAGAGACUGC AAUCAGGCCAGCCACAGCCCGUUCAGCGACCCGACG AAUGGUCAACUCUAUCAUCGUGGUGGACAAGGGCCUG AACAGCGUGCCCAAGCUGAAAGUGUGGACAAUCAGCA UGCGCCAGAACUACUGGGGCAGCGAGGGCAGACUUCU GCUGCUGGAAACAAGAUUCAUCAUCACCCGGUCC ACCAGCUGGCACAGCAAUCGAGCUGGGAAUCAUCG ACAUCACCGACUACAGCGACAUCGGAUCAAGUGGACC UGGCACAACGUGCUGAGCAGACCCGGCAACAAUGAGU GCCUUGGGGCCACAGCUGCCCGAUGGAUGUAUCACC	63	

TABLE 5-continued

PIV3 Nucleic Acid Sequences		
Description	Sequence	SEQ ID NO:
	GGCGUGUACACCGACGCCUACCCCCUGAAUCCUACCGG CUCCAUCGUGUCCAGCGUGAUCCUGGACAGCCAGAAA AGCAGAGUGAACCCCGUGAUCACAUACAGCACCGCCAC CGAGAGAGUGAACGAACUGGCCAUCAGAAACAAGACC CUGAGCGCCGGCUACACCACCACAAGCUGCAUCACACA CUACAACAAGGGCUACUGCUUCCACAUCGUGGAAAUC AACCACAAGUCCUGAACACCUUCCAGCCCAUGCUGUU CAAGACCGAGAUCSCCAAGAGCUGCUC	
HPIV3_F_Codon Optimized mRNA sequence	AUGCCCAUCAGCAUCCUGCUGAUCAUACCCACAAUGAU CAUGGCCAGCCACUGCCAGAUCAUACCCAAGCUGC AGCACGUGGGCGUGCUCGUGAACAGCCCAAGGGCAU GAAGAUCAGCCAGAACUUCGAGACACGCUACCUGAUC CUGAGCCUGAUCCCAAGAUCGAGGACAGCAACAGCU GCGGCGACCAGCAGAUCAAGCAGUACAAGCGGCGUCU GGACAGACUGAUCAUCCCCUGUACGACGGCCUGCGGC UGCAGAAAGACGUGAUCGUGACCAACCAGGAAAGCAA CGAGAACACCGACCCCGGACCGAGAGAUUCUUCGGCG GCGUGAUCGGCACAAUCGCCUGGGAGUGGCCACAAG CGCCAGAUUACAGCCGUGUGGCCUGGUGGAAGCCA AGCAGGCCAGAAGCGACAUCGAGAAGCUGAAAGAGGC CAUCCGGGACACCAACAAGGCCGUGCAGAGCGUGCAG UCCAGCGUGGGCAAUCUGAUCGUGGCCAUCAGUCCG UGCAGGACUACGUGAACAAAGAAAUCGUGCCUCUAU CGCCCGGCGUGGCGUGAAGCUGCCGGACUGCAGCUG GGCAUUGCCUGACACAGCACUACAGCGAGCUGACCAA CAUCUUCGGCGACAACAUCGGCAGCCUGCAGGAAAAG GGCAUUAAGCUGCAGGGAUUCGCCAGCCUGUACCGCA CCAACAUCACCGAGAUCUUCACCACCAGCACCGUGGAU AAGUACGACAUCUACGACCUGCUGUUCACCGAGAGCA UCAAGUGCGCGUGAUCGACGUGGACCUGAACGACUA CAGCAUACCCUGCAAGUGCGGCGUCCUGCUGACCA GACUGCUGAACACCCAGAUCAACAAGGUGGACAGCAU CUCCUACAACAUCAGAACCGCGAGUGGUACAUCUCCUC UGCCAGCCACAUAUGACCAAGGGCGCCUUUCUGGGC GGAGCCGACGUGAAGAGUGCAUCGAGGCCUUCAGCA GCUACAUCUGCCCAAGCGACCUGGCCUUCGUGCUGAAC CACGAGAUGGAAAGCUGCCUGAGCGGCAACAUCAGCC AGUGCCCCAGAACCACCGUGACCUCGACAUCGUGCCC AGAUACGCCUUCGUGAAUGGCGGCGUGGUGGCCAACU GCAUCACCACCACUGUACCUGCAACGGCAUCGGCAAC CGGAUCAACCAGCCUCCGAUCAGGGCGUGAAGAUUA UCACCCACAAGAGUGUAACACCAUCGGCAUCAACGGC AUGCUGUCAAUACCAACAAGAGGGCACCCUGGCCU UCUACACCCCGACGAUAUACCCUGAACAAUCUCCGUG GCUCUGGACCCCAUCGACAUCUCCAUCCGAGCUGAACAA GGCCAAGAGCGACCUGGAAGAGUCCAAGAGUGGAUC CGGCGGAGCAACCAGAAGCUGGACUCUAUCGGCAGCU GGCACCAGAGCAGCACCAUCAUCGUGAUCCUGAUU AUGAUGAUUAUCCUGUUAUCAUCAACAUAUACCAUCA UCACUAUCGCCAUUAAGUACUACCGGAUCCAGAAACG GAACCGGUGGACCAGAAUGACAAGCCUACGUGCUG ACAAACAAG	64

TABLE 6

PIV3 Amino Acid Sequences		
Description	Sequence	SEQ ID NO:
>gi 612507166 gb AHX22429.1 fusion glycoprotein F0 [Human parainfluenza virus 3]	MPISILLIITMIMASHCQIDITKLQHVGLVNSPKGMKISQ NFETRYLILSLIPKIEDSNSCGDQIQYKRLLDRLIIPLYDG LRLQKDVIVTNQESNENTDPRTERFFGGVIGTIALGVATSA QITAAVALVEAKQARSDIEKLKEAIRDTNKAVQSVQSSVG NLIVAIKSVQDYVNKEIVPSIARLGCEAAGLQLGIALTQHYS ELTNIFGDNIGSLQEKIKLQGIASLYRTNITEIFTTSTVDKY DIYDLLFTESI KVRVIDVDLNDYSITLQVRLPLLTRLLNTQIY KVDSISYNIQNREWIPLPSHIMTKGAFILGGADVKECIEAFS	13

TABLE 6-continued

PIV3 Amino Acid Sequences		
Description	Sequence	SEQ ID NO:
	SYICPSDPGFVLNHEMESCLSGNISQCPRTTVTSDIVPRYAF VNGGVVANCITTTCTCNGIGNRINQPPDQGVKII THKECNTI GINGMLFNTNKEGTLAFYTPDDITLNNSVALDPIDISIELNK AKSDLEESKEWIRRSNQKLD SIGSWHQSSTTIIVILIMMIILFI INITIITIAIKYYRIQKRNRVDQNDKPYVLTNK	
gi 612507167 gb AHX22430.1 hemagglutinin- neuraminidase [Human parainfluenza virus 3]	MEYWKHTNHGKDAGNELETSTATHGNKLTNKI TYILWTIT LVLLSIVFIIIVLTNSIKSEKARESLLQDINNEFMEVTEKIQVA SDNTNDLIQSGVNTRLLTIQSHVQNYIPI SLTQQISDLRKFIS EITIRNDNQEVPQRITHDVGIKPLNPDDFWRCTSGLP SLMK TPKIRLMPGPGLLAMPPTVDGCVRTPSLVINDLIYAYTSNLI TRGCQDIGKSYQVLQIGIITVNSDLV PDLNPRISHTFNINDN RKSCSLALLNTDVYQLCSTPKV DERSDYASSGIEDIVLDIV NYDGSISTTRFKNNNISFDQPYAALYPSVGP GIIYKGIIFL GYGGLEHPINENAI CNTTGCPGKTQRDCN QASHSPWFSDR RMVNSIIVVDKGLNSVPKLVWTISMRQNYWGSEGRLLLL GNKIYIYTRSTSWH SKLQLGII DITDYS DIRIKWTWHNVLSR PGNNECPWGHSCPDGCTGVYTDAYPLNPTGSIVSSVILDS QKSRVNPVITYSTAT ERVNE LAIRNKTL SAGYTTTSCITHY NKG YCFHIVEINH KSLNTFQPMLFKTEI PKSCS	14

TABLE 7

PIV3 NCBI Accession Numbers (Nucleic Acid and Amino Acid Sequences)	
Description	GenBank Accession
Fusion glycoprotein F0 [Human parainfluenza virus 3] HPIV3/ <i>Homo sapiens</i> /PER/FLA4815/2008	KJ672601.1: 4990-6609 AHX22429 (Fusion protein)
hemagglutinin-neuraminidase [Human parainfluenza virus 3] HPIV3/ <i>Homo sapiens</i> /PER/FLA4815/2008	KJ672601.1: 6724-8442 AHX22430 (HN protein)
Recombinant PIV3/PIV1 virus fusion glycoprotein (F) and hemagglutinin (HN) genes, complete cds; and RNA dependent RNA polymerase (L) gene, partial cds.	AF016281 AAC23947 (hemagglutinin)
Recombinant PIV3/PIV1 virus fusion glycoprotein (F) and hemagglutinin (HN) genes, complete cds; and RNA dependent RNA polymerase (L) gene, partial cds.	AF016281 AAC23947 (fusion protein)
hemagglutinin-neuraminidase [Human parainfluenza virus 3]	BAO32044.1
hemagglutinin-neuraminidase [Human parainfluenza virus 3]	BAO32051.1
C protein [Human parainfluenza virus 3]	NP_599251.1
C protein [Human parainfluenza virus 3]	ABZ85670.1
C protein [Human parainfluenza virus 3]	AGT75164.1
C protein [Human parainfluenza virus 3]	AAB48686.1
C protein [Human parainfluenza virus 3]	AHX22115.1
C protein [Human parainfluenza virus 3]	AGW51066.1
C protein [Human parainfluenza virus 3]	AGW51162.1
C protein [Human parainfluenza virus 3]	AGT75252.1
C protein [Human parainfluenza virus 3]	AGT75188.1
C protein [Human parainfluenza virus 3]	AGW51218.1
C protein [Human parainfluenza virus 3]	AGW51074.1
C protein [Human parainfluenza virus 3]	AGT75323.1
C protein [Human parainfluenza virus 3]	AGT75307.1
C protein [Human parainfluenza virus 3]	AHX22131.1
C protein [Human parainfluenza virus 3]	AGW51243.1
C protein [Human parainfluenza virus 3]	AGT75180.1
C protein [Human parainfluenza virus 3]	AGT75212.1
C protein [Human parainfluenza virus 3]	AGW51186.1
C protein [Human parainfluenza virus 3]	AHX22075.1
C protein [Human parainfluenza virus 3]	AHX22163.1
C protein [Human parainfluenza virus 3]	AGT75196.1
C protein [Human parainfluenza virus 3]	AHX22491.1
C protein [Human parainfluenza virus 3]	AHX22139.1
C protein [Human parainfluenza virus 3]	AGW51138.1
C protein [Human parainfluenza virus 3]	AGW51114.1
C protein [Human parainfluenza virus 3]	AGT75220.1

TABLE 7-continued

PIV3 NCBI Accession Numbers (Nucleic Acid and Amino Acid Sequences)	
Description	GenBank Accession
C protein [Human parainfluenza virus 3]	AHX22251.1
RecName: Full = Protein C; AltName: Full = VP18 protein	P06165.1
C protein [Human parainfluenza virus 3]	AHX22187.1
C protein [Human parainfluenza virus 3]	AGT75228.1
C protein [Human parainfluenza virus 3]	AHX22179.1
C protein [Human parainfluenza virus 3]	AHX22427.1
C protein [Human parainfluenza virus 3]	AGW51210.1
nonstructural protein C [Human parainfluenza virus 3]	BAA00922.1
C protein [Human parainfluenza virus 3]	AHX22315.1
C protein [Human parainfluenza virus 3]	AGW51259.1
C protein [Human parainfluenza virus 3]	AHX22435.1
C protein [Human parainfluenza virus 3]	AHX22123.1
C protein [Human parainfluenza virus 3]	AHX22299.1
C protein [Human parainfluenza virus 3]	AGW51267.1
unnamed protein product [Human parainfluenza virus 3]	CAA28430.1
C protein [Human parainfluenza virus 3]	AGW51178.1
C protein [Human parainfluenza virus 3]	AHX22411.1
RecName: Full = Protein C	P06164.1
phosphoprotein [Human parainfluenza virus 3]	NP_067149.1
phosphoprotein [Human parainfluenza virus 3]	AAB48685.1
phosphoprotein [Human parainfluenza virus 3]	AHX22498.1
phosphoprotein [Human parainfluenza virus 3]	AHX22490.1
phosphoprotein [Human parainfluenza virus 3]	AGT75259.1
phosphoprotein [Human parainfluenza virus 3]	AGW51137.1
phosphoprotein [Human parainfluenza virus 3]	AGW51145.1
phosphoprotein [Human parainfluenza virus 3]	AGT75298.1
phosphoprotein [Human parainfluenza virus 3]	AGW51113.1
phosphoprotein [Human parainfluenza virus 3]	AGT75203.1
phosphoprotein [Human parainfluenza virus 3]	AGT75163.1
phosphoprotein [Human parainfluenza virus 3]	AHX22506.1
phosphoprotein [Human parainfluenza virus 3]	AGW51129.1
phosphoprotein [Human parainfluenza virus 3]	AHX22194.1
phosphoprotein [Human parainfluenza virus 3]	AGT75211.1
phosphoprotein [Human parainfluenza virus 3]	AHX22258.1
phosphoprotein [Human parainfluenza virus 3]	AGW51121.1
phosphoprotein [Human parainfluenza virus 3]	AGT75282.1
phosphoprotein [Human parainfluenza virus 3]	AHX22146.1
phosphoprotein [Human parainfluenza virus 3]	AHX22138.1
phosphoprotein [Human parainfluenza virus 3]	AHX22322.1
phosphoprotein [Human parainfluenza virus 3]	AHX22370.1
phosphoprotein [Human parainfluenza virus 3]	AHX22098.1
phosphoprotein [Human parainfluenza virus 3]	AHX22130.1
phosphoprotein [Human parainfluenza virus 3]	AHX22418.1
phosphoprotein [Human parainfluenza virus 3]	AHX22114.1
phosphoprotein [Human parainfluenza virus 3]	AHX22410.1
phosphoprotein [Human parainfluenza virus 3]	AGT75306.1
phosphoprotein [Human parainfluenza virus 3]	AHX22170.1
phosphoprotein [Human parainfluenza virus 3]	AHX22266.1
phosphoprotein [Human parainfluenza virus 3]	AHX22090.1
phosphoprotein [Human parainfluenza virus 3]	AGT75195.1
phosphoprotein [Human parainfluenza virus 3]	AHX22226.1
phosphoprotein [Human parainfluenza virus 3]	AHX22178.1
phosphoprotein [Human parainfluenza virus 3]	AHX22122.1
phosphoprotein [Human parainfluenza virus 3]	AHX22186.1
phosphoprotein [Human parainfluenza virus 3]	AHX22066.1
phosphoprotein [Human parainfluenza virus 3]	AHX22522.1
phosphoprotein [Human parainfluenza virus 3]	AGW51225.1
phosphoprotein [Human parainfluenza virus 3]	BAN29032.1
phosphoprotein [Human parainfluenza virus 3]	ABZ85669.1
phosphoprotein [Human parainfluenza virus 3]	AHX22426.1
phosphoprotein [Human parainfluenza virus 3]	AHX22058.1
phosphoprotein [Simian Agent 10]	ADR00400.1
phosphoprotein [Human parainfluenza virus 3]	AHX22250.1
phosphoprotein [Human parainfluenza virus 3]	AHX22434.1
phosphoprotein [Human parainfluenza virus 3]	AHX22298.1
phosphoprotein [Human parainfluenza virus 3]	AHX22442.1
phosphoprotein [Human parainfluenza virus 3]	AHX22074.1
phosphoprotein [Human parainfluenza virus 3]	AGW51153.1
phosphoprotein [Human parainfluenza virus 3]	AGW51241.1
phosphoprotein [Human parainfluenza virus 3]	AHX22210.1
phosphoprotein [Human parainfluenza virus 3]	AGW51105.1
phosphoprotein [Human parainfluenza virus 3]	AGT75251.1
phosphoprotein [Human parainfluenza virus 3]	AHX22362.1

TABLE 7-continued

PIV3 NCBI Accession Numbers (Nucleic Acid and Amino Acid Sequences)	
Description	GenBank Accession
phosphoprotein [Human parainfluenza virus 3]	AHX22474.1
phosphoprotein [Human parainfluenza virus 3]	AGW51217.1
phosphoprotein [Human parainfluenza virus 3]	AIG60038.1
phosphoprotein [Human parainfluenza virus 3]	AHX22378.1
phosphoprotein [Human parainfluenza virus 3]	AGW51057.1
phosphoprotein [Human parainfluenza virus 3]	AGT75187.1
phosphoprotein [Human parainfluenza virus 3]	AGW51233.1
phosphoprotein [Human parainfluenza virus 3]	AHX22482.1
phosphoprotein [Human parainfluenza virus 3]	AGW51161.1
phosphoprotein [Human parainfluenza virus 3]	AHX22306.1
phosphoprotein [Human parainfluenza virus 3]	AHX22162.1
phosphoprotein [Human parainfluenza virus 3]	ACJ70087.1
phosphoprotein [Human parainfluenza virus 3]	AHX22466.1
phosphoprotein [Human parainfluenza virus 3]	AHX22346.1
phosphoprotein [Human parainfluenza virus 3]	AGW51089.1
phosphoprotein [Human parainfluenza virus 3]	AGW51073.1
phosphoprotein [Human parainfluenza virus 3]	AGW51185.1
phosphoprotein [Human parainfluenza virus 3]	AGW51065.1
phosphoprotein [Human parainfluenza virus 3]	ABY47603.1
phosphoprotein [Human parainfluenza virus 3]	AGW51049.1
phosphoprotein [Human parainfluenza virus 3]	AHX22330.1
phosphoprotein [Human parainfluenza virus 3]	AGW51250.1
phosphoprotein [Human parainfluenza virus 3]	AGT75227.1
phosphoprotein [Human parainfluenza virus 3]	AGW51282.1
phosphoprotein [Human parainfluenza virus 3]	AGW51209.1
phosphoprotein [Human parainfluenza virus 3]	AGW51193.1
phosphoprotein [Human parainfluenza virus 3]	AGT75322.1
phosphoprotein [Human parainfluenza virus 3]	AGT75219.1
phosphoprotein [Human parainfluenza virus 3]	AGW51258.1
phosphoprotein [Human parainfluenza virus 3]	AGW51041.1
phosphoprotein [Human parainfluenza virus 3]	ACD99698.1
phosphoprotein [Human parainfluenza virus 3]	AGW51266.1
phosphoprotein [Human parainfluenza virus 3]	AGT75179.1
phosphoprotein [Human parainfluenza virus 3]	AHX22282.1
phosphoprotein [Human parainfluenza virus 3]	AGW51169.1
phosphoprotein [Human parainfluenza virus 3]	AGW51274.1
phosphoprotein [Human parainfluenza virus 3]	AGW51201.1
phosphoprotein [Human parainfluenza virus 3]	AGW51177.1
RecName: Full = Phosphoprotein; Short = Protein P	P06162.1
P protein [Human parainfluenza virus 3]	AAA66818.1
phosphoprotein [Human parainfluenza virus 3]	AAA46866.1
phosphoprotein [Human parainfluenza virus 3]	BAA00031.1
polymerase-associated nucleocapsid phosphoprotein (version 2) - parainfluenza virus type 3 [Human parainfluenza virus 3]	RRNZP5
phosphoprotein [Human parainfluenza virus 3]	AGT75171.1
phosphoprotein [Human parainfluenza virus 3]	BAA00921.1
D protein [Human parainfluenza virus 3]	NP_599250.1
D protein [Human parainfluenza virus 3]	AHX22377.1
D protein [Human parainfluenza virus 3]	AHX22121.1
D protein [Human parainfluenza virus 3]	AGT75297.1
D protein [Human parainfluenza virus 3]	AGW51136.1
D protein [Human parainfluenza virus 3]	AGW51242.1
D protein [Human parainfluenza virus 3]	AGW51112.1
D protein [Human parainfluenza virus 3]	AHX22497.1
D protein [Human parainfluenza virus 3]	AHX22145.1
D protein [Human parainfluenza virus 3]	AGT75202.1
D protein [Human parainfluenza virus 3]	AHX22385.1
D protein [Human parainfluenza virus 3]	AGW51216.1
D protein [Human parainfluenza virus 3]	AGT75281.1
D protein [Human parainfluenza virus 3]	AGT75194.1
D protein [Human parainfluenza virus 3]	AHX22521.1
D protein [Human parainfluenza virus 3]	AGW51120.1
D protein [Human parainfluenza virus 3]	AGT75313.1
D protein [Human parainfluenza virus 3]	AHX22249.1
D protein [Human parainfluenza virus 3]	AHX22097.1
D protein [Human parainfluenza virus 3]	AGW51144.1
D protein [Human parainfluenza virus 3]	AHX22089.1
D protein [Human parainfluenza virus 3]	AHX22225.1
D protein [Human parainfluenza virus 3]	AHX22137.1
D protein [Human parainfluenza virus 3]	AHX22065.1
D protein [Human parainfluenza virus 3]	AGW51224.1
D protein [Human parainfluenza virus 3]	AGT75210.1

TABLE 7-continued

PIV3 NCBI Accession Numbers (Nucleic Acid and Amino Acid Sequences)	
Description	GenBank Accession
D protein [Human parainfluenza virus 3]	AHX22393.1
D protein [Human parainfluenza virus 3]	AGT75258.1
D protein [Human parainfluenza virus 3]	AHX22345.1
D protein [Human parainfluenza virus 3]	AGT75250.1
D protein [Human parainfluenza virus 3]	AHX22113.1
D protein [Human parainfluenza virus 3]	AGW51232.1
D protein [Human parainfluenza virus 3]	AHX22057.1
D protein [Human parainfluenza virus 3]	AHX22209.1
D protein [Human parainfluenza virus 3]	AGW51056.1
D protein [Human parainfluenza virus 3]	AHX22161.1
D protein [Simian Agent 10]	ADR00402.1
D protein [Human parainfluenza virus 3]	AHX22361.1
D protein [Human parainfluenza virus 3]	AGW51281.1
D protein [Human parainfluenza virus 3]	AGW51184.1
D protein [Human parainfluenza virus 3]	AGW51160.1
D protein [Human parainfluenza virus 3]	AHX22465.1
D protein [Human parainfluenza virus 3]	AHX22329.1
D protein [Human parainfluenza virus 3]	AGW51064.1
D protein [Human parainfluenza virus 3]	AGW51040.1
D protein [Human parainfluenza virus 3]	AGT75226.1
D protein [Human parainfluenza virus 3]	AHX22425.1
D protein [Human parainfluenza virus 3]	AHX22305.1
D protein [Human parainfluenza virus 3]	AGW51249.1
D protein [Human parainfluenza virus 3]	AHX22481.1
D protein [Human parainfluenza virus 3]	AHX22281.1
D protein [Human parainfluenza virus 3]	AGW51048.1
D protein [Human parainfluenza virus 3]	AHX22297.1
D protein [Human parainfluenza virus 3]	AGW51088.1
D protein [Human parainfluenza virus 3]	AGT75305.1
D protein [Human parainfluenza virus 3]	AHX22185.1
D protein [Human parainfluenza virus 3]	AGW51104.1
D protein [Human parainfluenza virus 3]	AHX22081.1
D protein [Human parainfluenza virus 3]	AGW51192.1
D protein [Human parainfluenza virus 3]	AHX22489.1
D protein [Human parainfluenza virus 3]	AHX22441.1
D protein [Human parainfluenza virus 3]	AHX22409.1
D protein [Human parainfluenza virus 3]	AHX22369.1
D protein [Human parainfluenza virus 3]	AHX22321.1
D protein [Human parainfluenza virus 3]	AHX22073.1
D protein [Human parainfluenza virus 3]	AGW51152.1
D protein [Human parainfluenza virus 3]	AGW51072.1
D protein [Human parainfluenza virus 3]	AGT75321.1
D protein [Human parainfluenza virus 3]	AHX22257.1
D protein [Human parainfluenza virus 3]	AHX22129.1
D protein [Human parainfluenza virus 3]	AHX22417.1
D protein [Human parainfluenza virus 3]	AGT75218.1
D protein [Human parainfluenza virus 3]	AHX22265.1
D protein [Human parainfluenza virus 3]	AGT75178.1
D protein [Human parainfluenza virus 3]	AHX22433.1
D protein [Human parainfluenza virus 3]	AGW51273.1
D protein [Human parainfluenza virus 3]	AGW51208.1
D protein [Human parainfluenza virus 3]	AGT75170.1
D protein [Human parainfluenza virus 3]	AGT75162.1
D protein [Human parainfluenza virus 3]	AGW51257.1
D protein [Human parainfluenza virus 3]	AGW51200.1
D protein [Human parainfluenza virus 3]	AGW51176.1
D protein [Human parainfluenza virus 3]	AGT75186.1
D protein [Human parainfluenza virus 3]	AGW51265.1
D protein [Human parainfluenza virus 3]	AGW51168.1

TABLE 8

Signal Peptides		
Description	Sequence	SEQ ID NO:
HuIgG _k signal peptide	METPAQLLFLLLLWLPDTTG	15
IgE heavy chain epsilon-1 signal peptide	MDWTWILFLVAAATRVHS	16
Japanese encephalitis PRM signal sequence	MLGSNSGQRVVFTILLLLVAPAYS	17
VSVg protein signal sequence	MKCLLYLAFLFIGVNCA	18
Japanese encephalitis JEV signal sequence	MWLVS LAIVTACAGA	19

TABLE 9

hMPV/PIV Cotton Rat Challenge Study Design						
Group	n	Test Article	[conc]/μg	Route	Challenge	
1	5	Placebo	n/a	IM	hMPV/A2	
2	5	hMPV vaccine mRNA	30	IM	hMPV/A2	
3	5	hMPV vaccine mRNA	15	IM	hMPV/A2	
4	5	hMPV vaccine mRNA	10	IM	hMPV/A2	
5	5	hMPV/PIV3 vaccine mRNA (15/15)	30	IM	hMPV/A2	
6	5	FI-hMPV	n/a	IM	hMPV/A2	
7	5	Placebo	n/a	IM	PIV3	
8	5	PIV3 vaccine mRNA	30	IM	PIV3	
9	5	PIV3 vaccine mRNA	15	IM	PIV3	
10	5	PIV3 vaccine mRNA	10	IM	PIV3	
11	5	hMPV/PIV3 vaccine mRNA (15/15)	30	IM	PIV3	
12	5	FI-PIV3	n/a	IM	PIV3	
60						

TABLE 10

Betacoronavirus Nucleic Acid Sequence		
Strain	Nucleic Acid Sequence	SEQ ID NO:
gb KJ156934.1 : 21405-25466 Middle East respiratory syndrome coronavirus isolate Riyadh_14_2013, spike protein (nucleotide)	ATGATACACTCAGTGTTCCTACTGATGTTCTTGTTAACACC TACAGAAAGTTACGTTGATGTAGGGCCAGATTCGTTAAG TCTGCTTGTATTGAGGTTGATATACAACAGACCTCTTTGA TAAAACCTGGCCTAGGCCAATTGATGTTCTAAGGCTGAC GGTATTATATACCCTCAAGGCCGTACATATCTAACATAA CTATCACTTATCAAGGCTTTTTCCCTATCAGGGAGACCAT GGTGATATGATGTTTACTCTGCAGGACATGCTACAGGCA CAACTCCACAAAAGTTGTTTGTAGCTAACTATCTCAGGA CGTCAAACAGTTTGCATAATGGGTTTGTCTCGTCCGTATAGGA GCAGCTGCCAATCCACTGGCACTGTTATTATTAGCCCATC TACCAGCGCTACTATACGAAAAATTTACCCTGCTTTTATGC TGGGTTCTTCAGTTGGTAATTTCTCAGATGGTAAAATGGG CCGCTTCTTCAATCATACTCTAGTTCTTTTGCCCGATGGAT GTGGCACTTTACTTAGAGCTTTTTATTGTATTCTAGAGCCT CGCTCTGGAAATCATGTCCTGCTGGCAATTCCTATACTTC TTTTGCCACTTATCACTCCTGCAACAGATTGTTCTGATG GCAATTACAATCGTAATGCCAGTCTGAACTCTTTAAGGA GTATTTTAATTTACGTAACCTTATGTACACTTATA ACATTACCGAAGATGAGATTTTAGAGTGGTTTGGCATTAC ACAAACTGCTCAAGGTGTTCACTCTTCATCTCGGTATG TTGATTTGTACGGCGCAATATGTTTCAATTTGCCACCTTG CCTGTTTATGATACTATTAAGTATTATTCTATCATTCTCA CAGTATTCGTTCTATCCAAAGTGATAGAAAAGCTTGGGCT GCCTTCTACGTATATAAACTTCAACCGTTAATTTCTGTT GGATTTTTCTGTTGATGGTTATATACGCAGAGCTATAGACT GTGGTTTTAATGATTTGTCAAACTCCACTGCTCATATGAA TCCTTCGATGTTGAATCTGGAGTTTATTAGTTTCGTCTTT CGAAGCAAACCTTCTGGCTCAGTTGTGGAACAGGCTGAA GGTGTGGAATGTGATTTTCACTCTTCGTCTGGCACACC TCCTCAGGTTTATAATTTCAAGCGTTTGGTTTTTACCAATT GCAATTATAATCTTACCAAATTGCTTTCCTTTTCTGTG AATGATTTTACTTGTAGTCAAATATCTCCAGCAGCAATTGC TAGCAACTGTTATCTTCACTGATTTTGGATTATTTTCAT ACCCACTTAGTATGAAATCCGATCTCAGTGTTAGTTCTGCT GGTCCAATATCCCAGTTAATTATAAACAGTCCTTTCTAA TCCCACATGTTTGTATCTTAGCGACTGTTCTCATAACCTTA CTACTATTACTAAGCCTCTTAAGTACAGCTATATTAACAA GTGCTCTCGTCTTCTTCTGATGATCGTACTGAAGTACCTC AGTTAGTGAACGCTAATCAATACTCACCTGTGTATCCATT GTCCCATCCACTGTGTGGGAAGACGGTGATTATTATAGGA AACAACTATCTCCACTTGAAGGTGGTGGCTGGCTTGTGTC TAGTGGCTCAACTGTTGCCATGACTGAGCAATTACAGATG GGCTTTGGTATTACAGTTC AATATGGTACAGACACCAATA GTGTTTGCCTCAAGCTTGAATTTGCTAATGACACAAAAAT	20

TABLE 10-continued

Betacoronavirus Nucleic Acid Sequence		
Strain	Nucleic Acid Sequence	SEQ ID NO:
	TGCCTCTCAATTAGGCAATTGCGTGGAATATTCCTCTATG GTGTTTCGGGCCGTGGTGTTCAGAAATGCACAGCTGTA GGTGTTCGACAGCAGCGCTTTGTTATGATGCGTACCAGA ATTTAGTTGGCTATTATCTGATGATGGCAACTACTACTGT CTGCGTGCTTGTGTTAGTGTTCCTGTTTCTGTCACTATGA TAAAGAACTAAAACCCACGCTACTCTATTTGGTAGTGTT GCATGTGAACACATTTCTTCTACCATGTCTCAATACTCCCG TTCTACGCGATCAATGCTTAAACGGCGAGATTCTACATAT GGCCCCCTCAGACACCTGTTGGTTGTGTCTTAGGACTTGT TAATTCCTCTTTGTTGTTAGAGGACTGCAAGTTGCCTCTCG GTCAATCTCTGTGCTCTTCTGACACACCTAGTACTCTC ACACCTCGCAGTGTGCGCTCTGTGCCAGGTGAAATGCGCT TGGCATCCATTGCTTTAATCATCCCATTGAGTTGATCAA CTTAATAGTAGTTATTTAAATTAAGTATACCCACTAATTT TTCTTTGGTGTGACTCAGGAGTACATTGACAAACCATT AGAAAGTTACTGTTGATTGTAAACAGTACGTTTGCAATGG TTTCAGAAAGTGTGAGCAATTACTGCGCGAGTATGGCCAG TTTTGTTCCAAAATAAACAGGCTCTCCATGGTGCCAATTT ACGCCAGGATGATTCTGTACGTAATTTGTTGCGAGCGTG AAAAGCTCTCAATCATCTCCTATCATAACAGGTTTGGAG GTGACTTTAATTTGACACTTCTAGAACCCTGTTCTATATCT ACTGGCAGTCGTAGTGCACGTAGTGTCTATTGAGGATTTGC TATTTGACAAAGTCACTATAGCTGATCCTGTTATATGCA AGGTTACGATGATTGTATGCAGCAAGGTCAGCATCAGCT CGTGATCTTATTTGTGCTCAATATGTGGCTGGTTATAAAGT ATTACCTCCTCTTATGGATGTTAATATGGAAGCCGCGTATA CTTCATCTTTGCTTGGCAGCATAGCAGGTGTTGGCTGGACT GCTGGCTTATCCTCCTTTGCTGCTATTCCATTGACAGAG TATYTTTTATAGGTTAAACGGTGTGGCATTACTCAACAG GTTCTTTGAGAGAACCAAAAGCTTATTGCCAATAAGTTTA ATCAGGCTCTGGGAGCTATGCAAACAGGCTTCACTACAAC TAATGAAGCTTTTCGGAAGGTTGAGGATGCTGTGAACAAC AATGCACAGGCTCTATCCAAATTAGCTAGCGAGCTATCTA ATACTTTTGGTGTCTATTTCCGCTCTATTGGAGACATCATA CAACGTCTTGATGTTCTCGAACAGGACGCCAAAATAGACA GACTTATTAATGGCCGTTTGACAACACTAAATGCTTTTGT GCACAGCAGCTTGTTCGTTCCGAATCAGCTGCTTTCCGC TCAATTGGCTAAAGATAAAGTCAATGAGTGTGCAAGGCA CAATCCAAGCGTTCTGGATTTGCGGTCAAGGCACACATA TAGTGTCTTTGTTGTAATGCCCCAATGGCCTTACTTT ATGCATGTTGGTTATTACCCTAGCAACCACATTGAGGTTGT TTCTGCTTATGGTCTTTGCGATGCAGCTAACCTACTAATT GTATAGCCCCGTAAATGGCTACTTTATTAACACTAATAAC ACTAGGATTGTTGATGAGTGGTCATATACTGGCTCGTCCTT CTATGCACCTGAGCCATCACCTCTCTTAATACTAAGTATG TTGCACCACAGGTGACATACCAAAACATTTCTACTAACCT CCCTCCTCCTCTCTCGGCAATTCACCGGGATTGACTTCC AAGATGAGTTGGATGAGTTTTTCAAAAATGTTAGCACCAG TATACCTAATTTTGGTCTCTAACACAGATTAATACTACAT TACTCGATCTTACCTACGAGATGTTGTCTTTCAACAAGTT GTTAAAGCCCTAATGAGTCTTACATAGACCTAAAGAGC TTGGCAATTATACTTATTACAACAAATGGCCGTGGTACAT TTGGCTGGTTTCATGCTGGCTTGTGGCTTAGCTCTAT GCGTCTTCTTACATCTGTGCTGCACTGGTTGTGGCACAAAC TGTATGGGAAAACCTAAGTGTAAATCGTTGTTGTGATAGAT ACGAGGAATACGACCTCGAGCCGATAAGGTTTATGTTCA CTAA	
MERS S FL SPIKE 2cEMC/2012 (XbaI change (T to G)) (nucleotide)	ATGATACACTCAGTGTTCCTACTGATGTTCTTGTAAACACC TACAGAAAGTTACGTTGATGTAGGGCCAGATTCTGTTAAG TCTGCTTGTATTGAGGTTGATATACAACAGACTTCTTTGA TAAACTTGGCCTAGGCCAATTGATGTTTCTAAGGCTGAC GGTATTATATACCCTCAAGGCCGTACATATTCTAACATAA CTATCACTTATCAAGGCTTTTTTCCCTATCAGGGAGACCAT GGTGATATGTATGTTTACTCTGCAGGACATGCTACAGGCA CAACTCCACAAAAGTTGTTGTAGCTAACTATTCTCAGGA CGTCAAACAGTTTGTAAATGGGTTTGTGCTCCGTATAGGA GCAGCTGCCAATTCCTGCACTGTTATTATTAGCCCATC TACCAGCGCTACTATACGAAAAATTTACCCTGCTTTTATGC TGGGTTCTTCAGTTGGTAATTTCTCAGATGGTAAATGGG CCGCTTCTCAATCATACTCTAGTTCTTTTGCCCGATGGAT GTGGCACTTTACTTAGAGCTTTTTATTGTATTCTGGAGCCT	21

TABLE 10-continued

Betacoronavirus Nucleic Acid Sequence		
Strain	Nucleic Acid Sequence	SEQ ID NO:
	CGCTCTGGAAATCATTTGCTCTGCTGGCAATTCCTATACTTC TTTTGCCACTTATCACAACCTGCAACAGATTGTTCTGATG GCAATTACAATCGTAATGCCAGTCTGAACTCTTTAAGGA GTATTTTAATTTACGTAACGCACCTTTATGTACACTTATA ACATTACCGAAGATGAGATTTTAGAGTGGTTTGGCATTAC ACAAACCTGCTCAAGGTGTTACCTCTTCTCATCTCGGTATG TTGATTTGTACGGCGCAATATGTTTCAATTTGCCACCTTG CCTGTTTATGATACTATTAAGTATTATTCTATCATTCTCA CAGTATTCGTTCTATCAAAGTGATAGAAAAGCTTGGGCT GCCTTCTACGTATATAAACTTCAACCGTTAACTTTCCTGTT GGATTTTTCTGTTGATGGTTATATACGCAGAGCTATAGACT GTGGTTTTAATGATTTGTCACAACCTCCACTGCTCATATGAA TCCTTCGATGTTGAATCTGGAGTTTATTAGTTTCGTCTTT CGAAGCAAACCTTCTGGCTCAGTTGTGGAACAGGCTGAA GGTGTTGAATGTGATTTTTCACCTCTTCTGCTGGCACACC TCCTCAGGTTTATAATTTCAAGCGTTTGGTTTTTACCAATT GCAATTATAATCTTACCAAATTGCTTTCACTTTTTCTGTG AATGATTTTACTTGTAGTCAAATATCTCCAGCAGCAATTGC TAGCAACTGTTATTCTTCACTGATTTTGGATTACTTTTTCAT ACCCACTTAGTATGAAATCCGATCTCAGTGTAGTTCTGCT GGTCCAATATCCCAGTTAATTATAAACAGTCTTTTCTAA TCCCACATGTTTGTATTTAGCGACTGTTCTCATAACCTTA CTACTATTACTAAGCCTCTTAAGTACAGCTATATAACAA GTGCTCTCGTCTTCTTCTGATGATCGTACTGAAGTACCTC AGTTAGTGAACGCTAATCAATACTCACCTGTGTATCCATT GTCCCATCCACTGTGTGGGAAGACGGTGATTATTATAGGA AACAACTATCTCCACTTGAAGGTGGTGGCTGGCTGTTGCT TAGTGGCTCAACTGTGCCATGACTGAGCAATTACAGATG GGCTTTGGTATTACAGTTCAATATGGTACAGACACCAATA GTGTTTGCCCAAGCTTGAATTTGCTAATGACACAAAAAT TGCTCTCAATTAGGCAATTGCGTGGAAATATTCCTCTATG GTGTTTCGGGCCGTGGTGTTTTTCAGAATTGCACAGCTGTA GGTGTTTCGACAGCAGCGCTTTGTTTATGATGCGTACCAGA ATTTAGTTGGCTATTATCTGATGATGGCAACTACTACTGT TTGCGTGTGTTAGTGTCTGTTTCTGTTCTGTCATCTATGAT AAAGAACTAAAACCCACGCTACTCTATTTGGTAGTGTG CATGTGAACACATTTCTTCTACCATGTCTCAATACTCCCGT TCTACGCGATCAATGCTTAAACGGCGAGATTTACATATG GCCCCCTTCAGACACCTGTGGTTGTGTCCTAGGACTTGTT AATTCCTCTTTGTTCTGAGGACTGCAAGTTGCCTCTTGG TCAATCTCTCTGTGCTCTTCTGACACACCTAGTACTCTCA CACCTCGCAGTGTGCGCTCTGTTCCAGGTGAAATGCGCTT GGCATCCATTGCTTTTAAATCATCCTATTAGGTTGATCAAC TTAATAGTAGTTATTTAAATTAAGTATACCCACTAATTTT TCCTTTGGTGTGACTCAGGAGTACATTAGACAAACCATTC AGAAAGTTACTGTTGATTGTAAACAGTACGTTTGCAATGG TTTCCAGAAGTGTGAGCAATTACTGCGCGAGTATGGCCAG TTTTGTTCAAAATAAACAGGCTCTCCATGGTGCCAATTT ACGCCAGGATGATTTCTGTACGTAATTTGTTTGGCAGCGTG AAAAGCTCTCAATCATCTCCTATCATAACAGGTTTGGAG GTGACTTTAATTTGACACTTCTGGAACCTGTTTCTATATCT ACTGGCAGTCTGATGCACGTAAGTCTATTGAGGATTTGC TATTTGACAAAGTCACTATAGCTGATCCTGGTTATATGCA AGGTACGATGATTGCATGCAGCAAGGTCCAGCATCAGCT CGTGATCTTATTTGTGCTCAATATGTGGCTGGTTACAAAGT ATTACCTCCTCTTATGGATGTTAATATGGAAGCCGCGTATA CTCATCTTTGCTTGGCAGCATAGCAGGTGTTGGCTGGACT GCTGGCTTATCCTCTTGTGCTATTCCATTTGCACAGAG TATCTTTTATAGGTTAAACGGTGTGGCATTACTCAACAGG TTCTTTAGAGAACCAAAAGCTTATTGCCAATAAGTTTAA TCAGGCTCTGGGAGCTATGCAAACAGGCTTCACTACAAC AATGAAGCTTTTTCAGAAGGTTAGGATGCTGTGAACAACA ATGCACAGGCTCTATCAAATAGCTAGCGAGCTATCTAA TACTTTTGGTGCATTTCCGCCTCTATTGGAGACATCATA AACGTCCTGATGTTCTCGAACAGGACGCCCAAATAGACAG ACTTATTAATGGCCGTTTGACAACACTAAATGCTTTTGTG CACAGCAGCTTGTTCGTTCCGAATCAGCTGCTCTTCCGCT CAATTGGCTAAAGATAAAGTCAATGAGTGTGTCAAGGCAC AATCCAAGCGTTCTGGATTTTGGCGTCAAGGCACACATAT AGTGTCTTTGTTGTAATGCCCTAATGGCTTTACTTCA TGCATGTTGGTTATTACCTAGCAACCACATTGAGGTTGTT TCTGCTTATGGTCTTTGCGATGCAGCTAACCTACTAATTG	

TABLE 10-continued

Betacoronavirus Nucleic Acid Sequence		
Strain	Nucleic Acid Sequence	SEQ ID NO:
	TATAGCCCCTGTTAATGGCTACTTTATTAATAAATAATAACA CTAGGATTGTTGATGAGTGGTCATATACTGGCTCGTCCTTC TATGCACCTGAGCCCATTACCTCCCTTAATACTAAGTATGT TGCACCACAGGTGACATACAAAACATTTCTACTAACCTC CCTCCTCCTCTTCTCGGCAATTCACCGGGATTGACTTCCA AGATGAGTTGGATGAGTTTTTCAAAAATGTTAGCACCAGT ATACCTAATTTTGGTTCCCTAACACAGATTAATACTACATT ACTCGATCTTACCTACGAGATGTTGTCTCTTCAACAAGTTG TTAAAGCCCTTAATGAGTCTTACATAGACCTTAAAGAGCT TGGCAATTATACTTATACAACAAAATGGCCGTGGTACATT TGGCTTGGTTTCATTGCTGGGCTTGTGCTTAGCTCTATG CGTCTTCTTCATACTGTGCTGCACTGGTGTGGCACAACT GTATGGGAAAACCTAAGTGAATCGTTGTTGTGATAGATA CGAGGAATACGACCTCGAGCCGCATAAGGTTTCATGTTTAC TAA	
Novel_MERS_S2_subunit_trimeric vaccine (nucleotide)	ATGATCCACTCCGTGTTCTCCTCATGTTCTGTTGACCCC CACTGAGTCAGACTGCAAGCTCCCGCTGGGACAGTCCCTG TGTGCGCTGCCTGACACTCCTAGCACTCTGACCCACGCTC CGTGGCGGTGGTGCCTGGCGAAATGCGGCTGGCCTCCATC GCCTTCAATCACCCAATCCAAGTGGATCAGCTGAATAGCT CGTATTTCAAGCTGTCCATCCCCACGAACCTCTCGTTCGGG GTCACCCAGGAGTACATCCAGACCACAATTCAGAAGGTCA CCGTGATGCAAGCAATACGTGTGCAACGGCTTCCAGAA GTGCGAGCAGCTGCTGAGAGAATACGGGCAGTTTTGCAGC AAGATCAACCAGGCGCTGCATGGAGCTAATTTGCGCCAGG ACGACTCCGTGCGCAACCTCTTTCCTCTGTGAAGTCAATC CAGTCTCCCAATCATCCCGGATTCGGAGGGGACTTCA ACCTGACCTCCTGGAGCCCGTGTGATCAGCACCGGTAG CAGATCGGCGCGCTCAGCCATTGAAGATCTTCTGTTGAC AAGGTCACCATCGCCGATCCGGGCTACATGCAGGGATACG ACGACTGTATGCAGCAGGACAGCCTCCGCGAGGGACCT CATCTGCGCGCAATACGTGGCCGGGTACAAAGTGTGCTCCT CCTCTGATGGATGTGAACATGGAGGCGCTTATACTTCGT CCCTGCTCGGCTCTATCGCCGGCGTGGGTGGACCGCCGG CCTGTCTCCTTCGCGCTATCCCTTTGCACAATCCATTT TCTACCGGCTCAACGCGTGGGCATTACTCAACAAGTCTCT GTGCGAGAACCAGAAGTTGATCGCAAACAAGTTCAATCA GGCCCTGGGGCCATGCAGACTGGATTCACTACGACTAAC GAAGCGTTCCAGAAGTCCAGGACGCTGTGAACAACAAC GCCCAGGCGCTCTCAAGCTGGCCTCCGAATCAGCAACA CCTTCGGAGCCATCAGCGCATCGATCGGTGACATAATTCA GCGGCTGGACGTGCTGGAGCAGGACGCCAGATCGACCG CCTCATCAACGGACGGCTGACCACCTTGAATGCCTTCGTG GCACAACAGCTGGTCCGAGCGAATCAGCGGCATTTCCG CCCAACTCGCCAAGGACAAAAGTCAACGAATGCGTGAAGG CCCAGTCCAAGAGGTCGGTTTTCTGCGGTCAAGGAACCCA TATTGTGTCCTTCGTGTAACGCGCCCAACGGTCTGTACT TTATGCACGTGGCTACTACCCGAGCAATCATATCGAAGT GGTGTCCGCTACGGCTGTGCGATGCCGCTAACCCCACT AACTGTATTGCCCTGTGAACGGATATTTTATTAAGACCA ACAACACCCGCATTTGGACGAATGGTCATACACCGGTTT GTCCTTCTACGCGCCGAGCCATCACTTCACTGAACACC AAATACGTGGCTCCGCAAGTGAACCTACCAGAACAATCTCCA CCAATTTGCCGCGCCGCTGCTCGGAAACAGCACCGGAAT TGATTTCCAAGATGAACTGGACGAATTTTCAAGAACGTG TCCACTTCCATTCCCAACTTCGGAAGCCTGACACAGATCA ACACCACCTTCTCGACCTGACCTACGAGATGCTGAGCCT TCAACAAGTGGTCAAGGCCCTGAACGAGAGCTACATCGAC CTGAAGGAGCTGGGCAACTATACCTACTACAACAAGTGGC CGGACAAGATTGAGGAGATCTGTGCGAAAATCTACCACAT TGAAAACGAGATCGCCAGAATCAAGAAGCTTATCGGCGA AGCC	22
MERS_S0_Full-length Spike protein (nucleotide, codon optimized)	ATGGAAACCCCTGCCAGCTGCTGTTCTGCTGCTGCTGTG GCTGCCTGATACCACCGCAGCTATGTGGACGTGGGCCCC GATAGCGTGAAGTCCGCTGTATCGAAGTGGACATCCAGC AGACCTTTTTGACAGACCTGGCCAGACCCATCGACGT GTCCAAGGCCGACGGCATCATCTATCCACAAGGCCGGACC TACAGCAACATCACCTTACCTACCAGGGCCTGTCCCAT ATCAAGGCGACCACGGGATATGTACGTGTACTCTGCCGG CCACGCCACCGGCACACACCCAGAACTGTTCTGTGGCC	23

TABLE 10-continued

Betacoronavirus Nucleic Acid Sequence		
Strain	Nucleic Acid Sequence	SEQ ID NO:
	AACTACAGCCAGGACGTGAAGCAGTTCGCCAACGGCTTCG TCGTGCGGATTGGCGCCGCTGCCAATAGCACCCGGCACAGT GATCATCAGCCCCAGCACCAGCGCCACCATCCGGAAGATC TACCCCGCCTTCATGCTGGGCAGCTCCGTGGGCAATTTCA GCGACGGCAAGATGGGCCGTTCTTCAACCACACCTGGT GCTGCTGCCCGATGGCTGTGGCACACTGCTGAGAGCCTTC TACTGCATCCTGGAACCCAGAAGCGGCAACCACTGCCCTG CCGGCAATAGCTACACCAGCTTCGCCACCTACCACACACC CGCCACCGATTGCTCCGACGGCAACTACAACCGGAACGCC AGCCTGAACAGCTTCAAAGAGTACTTCAACTGCGGAACT GCACCTTCATGTACACCTACAATATCACCGAGGACGAGAT CCTGGAATGGTTCGGCATCACCCAGACCGCCAGGGCGTG CACCTGTTTACGACGAGATACGTGGACCTGTACGGCGGCA ACATGTTCCAGTTTGCCACCCTGCCCGTGTACGACACCATC AAGTACTACAGCATCATCCCCACAGCATCCGGTCCATCC AGAGCGACAGAAAAGCCTGGGCCGCTTCTACGTGTACAA GCTGCAGCCCCGACCTTCCTGCTGGACTTCAGCGTGGAC GGCTACATCAGACGGGCATCGACTGCGGCTTCAACGACC TGAGCCAGCTGCACTGCTCCTACGAGAGCTTCGACGTGGA AAGCGGCGTGTACAGCGTGTCCAGCTTCGAGGCCAAGCCT AGCGGCAGCGTGGTGGAACAGGCTGAGGGCGTGGAAATGC GACTTCAGCCCTCTGCTGAGCGGCACCCCTCCCAGGTGT ACAACTTCAAGCGGCTGGTGTTCACCAACTGCAATTACAA CCTGACCAAGCTGCTGAGCCTGTTCTCCGTGAACGACTTC ACCTGTAGCCAGATCAGCCCTGCCGCCATTGCCAGCAACT GCTACAGCAGCCTGATCCTGGACTACTTCAGCTACCCCT GAGCATGAAGTCCGATCTGAGCGTGTCTCCGCCGACCC ATCAGCCAGTTCAACTACAAGCAGAGCTTCAGCAACCCTA CCTGCCTGATTCGCGCCACCGTGCACCAATCTGACCAC CATACCAAGCCCCGAAAGTACAGCTACATCAACAAGTGC AGCAGACTGCTGTCCGACGACCGGACCGAAGTGCACGAGC TCGTGAACGCCAACCAGTACAGCCCTGCCGTGTCCATCGT GCCCAGCACCGTGTGGGAGGACGGCGACTACTACAGAAA GCAGCTGAGCCCCCTGGAAGGCGGCGGATGGCTGGTGGCT TCTGGAAGCACAGTGGCCATGACCGAGCAGCTGCAGATG GGCTTTGGCATCACCGTGCAGTACGGCACCGACCAACA GCGTGTGCCCAAGCTGGAATTCGCAATGACACCAAGAT CGCCAGCCAGCTGGGAACTGCGTGAATACTCCCTGTAT GGCGTGTCCGGACGGGGCGTGTCCAGAATTGCACAGCAG TGGGAGTGCAGGACAGAGATTCGTGTACGATGCCTACCA GAACCTCGTGGGCTACTACAGCGACGACGGCAATTACTAC TGCTTGCAGGCTGTGTGTCCGTGCCCGTGTCCGTGATCTA CGACAAAGAGACAAAGACCCAGCCACACTGTTCCGGCTCC GTGGCCTGCGAGCACATCAGCTCCACCATGAGCCAGTACT CCCGCTCCACCCGGTCCATGCTGAAGCGGAGAGATAGCAC CTACGGCCCCCTGCAGACACCTGTGGGATGTGTGCTGGGC CTCGTGAACAGCTCCCTGTTTGTGGAAGATTGCAAGCTGC CCCTGGGCCAGAGCCTGTGTGCCCTGCCAGATAACCCCTAG CACCCTGACCCCTAGAAGCGTGCCTCTGTGCCCGCGAA ATGCGGCTGGCCTCTATCGCCTTCAATACCCCATCCAGGT GGACCAGCTGAACTCCAGCTACTTCAAGCTGAGCATCCCC ACCAACTTTCAGCTTCGGCGTGACCCAGGAGTACATCCAGA CCACAATCCAGAAAGTGACCGTGGACTGCAAGCAGTACGT GTGCAACGGCTTTCAGAAGTGCGAACAGCTGCTGCGCGAG TACGGCCAGTTCGACAGCAAGATCAACCAGGCCCTGCACG GCGCCAACCTGAGACAGGATGACAGCGTGCAGAACCTGTT CGCCAGCGTGAAGAGCAGCAGTCCAGCCCCATCATCCCT GGCTTCGGCGGCGACTTAACTGACCCCTGCTGGAACCTG TGTCCATCAGCACCGGCTCCAGAAGCGCCAGATCCGCCAT CGAGGACCTGCTGTTGACAAAGTGACCATGCGGACCC GGCTACATGCAGGGCTACGACGATTGCATGCAGCAGGGCC CAGCCAGCGCCAGGGATCTGATCTGTGCCAGTATGTGGC CGGTACAAGGTGCTGCCCCCTGATGGACGTGAACATG GAAGCCGCTACACCTCCAGCCTGCTGGGCTCTATTGCTG GCGTGGGATGGACAGCCGGCTGTCTAGCTTTGCCGCCAT CCCTTTCGCCCAGAGCATCTTCTACCGGCTGAACGGCGTG GGCATCACACAACAGGTGCTGAGCGAGAACCAGAAGCTG ATCGCCAACAAGTTTAAACAGGCACTGGGCGCCATGCAGA CCGGCTTACCACCACCAACGAGGCCTTCAGAAAGGTGCA GGACCGCGTGAACAACAACGCCAGGCTCTGAGCAAGCT GGCTCCGAGCTGAGCAATACCTTCGGCGCCATCAGCGCC TCCATCGGCGACATCATCCAGCGGCTGGACGTGCTGGAAC	

TABLE 10-continued

Betacoronavirus Nucleic Acid Sequence		
Strain	Nucleic Acid Sequence	SEQ ID NO:
	AGGACGCCAGATCGACCGGCTGATCAACGGCAGACTGA CCACCCTGAACGCCTTCGTGGCACAGCAGCTCGTGCGGAG CGAATCTGCCGCTCTGTCTGCTCAGCTGGCCAAGGACAAA GTGAACGAGTGGTGAAGGCCAGTCCAAGCGGAGCGGC TTTTGTGGCCAGGGCACCCACATCGTGTCTTCGTCTGAA TGCCCCAACGGCCTGTACTTTATGCACGTGGGCTATTACC CCAGCAACCACATCGAGGTGGTGTCCGCCTATGGCCTGTG CGACGCCGCCAATCCTACCAACTGTATCGCCCCGTGAAC GGCTACTTCATCAAGACCAACAACACCCGGATCGTGGACG AGTGGTCTTACACAGGCAGCAGCTTCTACGCCCCCGAGCC CATCACCTCCCTGAACACCAAATACGTGGCCCCCAAGTG ACATACCAGAACATCTCCACCAACCTGCCCCCTCCACTGC TGGGAAATTCCACCGGCATCGACTTCCAGGACGAGCTGGA CGAGTTCTTCAAGAACGTGTCCACCTCCATCCCAACTTCG GCAGCCTGACCCAGATCAACACCCTCTGTGGACCTGAC CTACGAGATGCTGTCCCTGCAACAGGTCTGAAAGCCCTG AACGAGAGCTACATCGACCTGAAAGAGCTGGGGAACCTAC ACCTACTACAACAAGTGGCCTTGGTACATTTGGCTGGGCT TTATCGCCGGCCTGGTGGCCCTGGCCCTGTGCGTGTCTTC ATCCTGTGCTGCACCGGCTGCGGCACCAATTGCATGGGCA AGCTGAAATGCAACCGGTGCTGCGACAGATACGAGGAAT ACGACCTGGAACCTCACAAGTGCATGTGCAC	
Betacoronavirus mRNA Sequences		
gb KJ156934.1 : 21405-25466 Middle East respiratory syndrome coronavirus isolate Riyadh_14_2013, spike protein (nucleotide)	AUGAUACACUCAGUGUUUCUACUGAUGUUCUUGUUAAC ACCUACAGAAAGUUACGUUGAUGUAGGGCCAGAUUCUG UUAAGUCUGCUUGUAUUGAGGUUGAUUAACAACAGACC UUCUUUGAUAUAAACUUGGCCUAGGCCAAUUGAUGUUUC UAAGGCUGACGGUAUUAUAUACCCUCAAGGCCGUACAU AUUCUAACAUAACUAUCACUUAUCAAGGUCUUUUUCCCU AUCAGGGAGACCAUGGUGAUAUGUAUGUUUACUCUGCA GGACAUGCUCACAGGCACAACUCCACAAAAGUUUGUUUG AGCUAACUAUUCUAGGACGUCAAACAGUUUGCUAAUG GGUUUUGUCGUCCGUUAGGAGCAGCUGCCAAUUCACUG GCACUGUUUAUUUAGCCCAUCUACCAGCGCUACUAUAC GAAAAAUUUUACCCUGCUUUUAUGCUGGGUUUCUUCAGUU GGUAUUUUCAGAUUGGUAUAAUUGGGCCGCUUCUCAA UCAUACUCUAGUUCUUUUGCCGAUGGAUGUGGCACUU UACUUAGAGCUUUUUUAUUGUAUUCUAGAGCCUCGCUUC GGAAAUCAUUGUCUGCUGGCAAUUCUUAUACUUCUUU UGCCACUUUACACUCCUGCAACAGAUUGUUUCUGAUGG CAAUUAACAUCGUAUAGCCAGUCUGAACUCUUUUUAAAGG AGUAUUUUUAUUUACGUUACUGCACCUUUUAUGUACACU UAUAACAUAUACCGAAGAUAGAGAUUUUAGAGUGGUUUUG CAUUAACAACAACUGCUCAAGGUGUUCACCUUCUUCUAC UCGGUUAGUUGAUUUUGUACGGCGGCAAUUGUUUCAU UUGCCACCUUGCCUGUUUAUGAUACUAUUAAGUAUUU UCUAUCAUUCCUCACAGUAUUCGUUCUAUCCAAAGUGAU AGAAAAGCUUGGGCUGCUUCUACGUUAUUAUAAACUUCA ACCGUUAACUUCCUGUUGGAUUUUUCUGUUGAUGGUU AUAUACGCAGAGCUAUAAGACUGUGGUUUUAUGAUUUUG UCACAACUCCACUGCUCAUAUGAAUCCUUCGAUGUUGAA UCUGGAGUUUAUUCAGUUUCGUCUUUCGAAGCAAAACC UUCUGGCUCAGUUGUGGAACAGGCUGAAGGUGUUGAAU GUGAUUUUUCACCUUCUUCUGUCUGGCACACCUCCUCAGG UUUUAUUUUCAAGCGUUUGGUUUUUACCAAUUGCAAU UAUAUCUUUACCAAUUGCUUUUCUUUUUUCUGUGAA UGAUUUUACUUGUAGUCAAAUAUCUCCAGCAGCAAUUG CUAGCAACUGUUUUUCUUCACUGAUUUUGGAUUUUUU UCAUACCCACUUAGUAUGAAUCCGAUCUCAGUGUUAG UUCUGCUGGUCCAUAUCCAGUUUAUUUAUAAACAGU CCUUUUUAUACCCACAUGUUUGAUUUUAGCGACUGUUC CUCAUAACCUUACUACUAUUACUAAGCCUCUUAAGUACA GCUAUAUUUAACAAGUGCUCUCGUCUUUCUUGAUGAU CGUACUGAAGUACCUAGUUAGUGAACGCUAUCAAUA CUCACCCUGUGUAUCUUGUCCAUCCACUGUGUGGGA AGACGGUGAUUUUAUAGGAAACAACUAUCUCCACUUG AAGGUGGUGGCUGGCUUGUUGCUAGUGGCUCAACUGUU GCCAUGACUGAGCAAUUAACAGAUGGGCUUUGGUUUUAC AGUUCAAUAUGGUACAGACACCAAUAGUUGUUGCCCA AGCUUGAAUUUGCUAAUGACACAAAUAUUGCCUCUCAA	65

TABLE 10-continued

Betacoronavirus Nucleic Acid Sequence		
Strain	Nucleic Acid Sequence	SEQ ID NO:
	UUAGGC AAUUGCGUGGAAUAUUC CCUCUAUGGUGUUUC GGGCCGUGGUGUUUUUCAGAAUUGCACAGCUGUAGGUG UUCGACAGCAGCGCUUUGUUUAUGAUGCGUACCAGAAU UUAGUUGGCUAUUAUUCUGAUGAUGGCAACUACUACUG UCUGCGUGCUUGUGUUAGUGUUCUGUUUCUGUCAUCU AUGAUAAGAAACUAAAACCCACGCUACUCUAUUUGGU AGUGUUGCAUGUGAACACAUUUCUUAACCAUGUCUCA AUACUCCCGUUCUACGCGAUCAAUGCUAAAACGGCGAGA UUCUACAUAUGGCCCCUUCAGACACCCUGUUGGUUGUGU CCUAGGACUUGUUAUUCUUCUUGUUCGUAGAGGACU GCAAGUUGCCUCUCGGUCAAUUCUCUGUGUCUUCUCUG ACACACCUAGUACUCUCACACCUCGCAGUGUGCGCUCUG UGCCAGGUGAAAUGCGCUUGGCAUCCAUGCUUUUAAU CAUCCAUUCAGGUUGAUCACUUAUAGUAGUUUUUU UAAAUAAGUAUACCCACUAAUUUUUCCUUUGGUGUGA CUCAGGAGUACAUCAGACAACCAUUCAGAAAGUUACU GUUGAUUGUAAAACAGUACGUUUGCAAUGGUUCCAGAA GUGUGAGCAAUACUGCGCGAGUAUGGCCAGUUUUGUU CCAAAUAAAACAGGCUUCUCCAUUGGUGCAAUUUACGCC AGGAUGAUUCUGUACGUAAUUGUUUGCGAGCGUGAAA AGCUCUCAAUCAUCUCCUAUCAUACCAGGUUUUGGAGGU GACUUUAAUUUGACACUUCUAGAACCUGUUUCUAUAUC UACUGGCAGUCGUAGUGCACGUAGUGCUAUUGAGGAUU UGCUAUUUUGACAAAGUCACUAUAGCUGAUCUGGUUAU AUGCAAGGUUACGAUGAUUGUAUGCAGCAAGGUCCAGC AUCAGCUCGUGAUCUUAUUUGUGCUCAAUAUGUGGCUG GUUAUAAGUAUUAUCUCCUUAUUGGAUGUUAAUUG GAAGCCGCGUAUACUUCUUCUUGCUUGGCAGCAUAGCA GGUGUUGGCUGGACUGCUGGCUUAUCCUUCUUGCUGCU AUUCCAUUUGCACAGAGUAUUUUUUAUAGGUUAAACGG UGUUGGCAUUCACUACAGGUUCUUUCAGAGAACCAAA AGCUUAUUGCCAAUAAGUUUAAUCAGGCUCUGGGAGCU AUGCAAACAGGCUUCACUACAACUAAUGAAGCUUUUCG GAAGGUUCAGGAUGCUGUGAACAAUAGCAGAGGCUC UAUCCAAUUAGCUAGCGAGCUAUCUAAUACUUUUGGU GCUAUUUUCGCCUCUUAUUGGAGACAUAACAACGUCUU GAUGUUUCGAAACAGGACGCCCAAUAAGACAGACUUUA UAAUGGCCGUUUGACAACACUAAAUGCUUUUGUUGCAC AGCAGCUUGUUCGUUCCGAAUCAGCUGCUCUUUCGCUC AAUUGGCUAAAGAUAAAGUCAUAGAGUGUGUCAAGGCA CAAUCCAAGCGUUCUGGAUUUUGCGGUAAGGCACACAU AUAGUGUCUUUGUUGUAAAUGCCCUAAUGGCCUUUA CUUUUAGCAUGUUGGUUAUUACCUAGCAACCACAUUG AGGUUGUUUCUGCUUAUGGUCUUUGCGAUGCAGCUAAC CCUACUAAUUGUAUAGCCCGUUAUUGGCUACUUUAU UAAAACUAAUAACACUAGGAUUGUUGAUGAGUGGUCAU AUACUGGCUCGUCCUUCUAGCACCUGAGCCCAUCACCU CUCUUAUACUAAGUAUGUUGCACCACAGGUGACAUACC AAAACAUUUCUACUACCUCCUCCUCCUUCUCUGGCA AUUC CACCGGAUUGACUUC CAGAUGAGUUGGAUGAG UUUUUCAAAAUGUUAGCACCAGUAUACC UAAUUUUGG UUCUCUAAACACAGAUUAUACUACAUAUCUGAUUCUAC CUACGAGAUGUUGUCUUCUUAACAAGUUGUUAAGCCC UUAUAGAGUCUUAACAUAAGCCUUAUAGAGCUUGGCAAU UAUACUUAUUACAACAAAUGGCCGUGGUACAUUUGGCU UGGUUUCAUUGCUGGGCUUGUUGCCUAGCUCUAUGCG UCUCUCUAUACUGUGCUGCACUGGUUGUGGCACAAACU GUAUGGGAAAACUUAAGUGUAUUCGUUGUUGGAUAGA UACGAGGAUACGACCUCGAGCCGCAUAGGUUCAUGU UCACUAA	
MERS S FL SPIKE 2cEMC/2012 (XBaI change (U to G)) (nucleotide)	AUGAUACACUCAGUGUUUCUACUGAUGUUCUUGUUAAC ACCUACAGAAAGUUACGUUGAUGUAGGGCCAGAUUCUG UUAAGUCUGCUUGUAUUGAGGUUGAUUAACAACAGACU UUCUUUGAUAAAACUUGGCCUAGGCCAAUUGAUGUUUC UAAGGCUGACGGUAUUUAUACCCUCAAGGCCGUACA AUUCUAACAUAACUACUUAUCAAGGUCUUUUUCCCU AUCAGGGAGACCAUGGUGAUUGUAUGUUUACUCUGCA GGACAUGCACAGGCACAACUCCACAAAAGUUGUUUGU AGCUAACUAUUCUAGGACGUCAAACAGUUUGCUAAUG GGUUUGUCGUCCGUUAUAGGAGCAGCUGCCAAUUCACUG GCACUGUUUAUUUAGCCCAUCUACCAGCGCUACUUAAC	66

TABLE 10-continued

Betacoronavirus Nucleic Acid Sequence		SEQ ID NO:
Strain	Nucleic Acid Sequence	
	GAAAAUUUACCCUGCUUUUAUGCUGGGUUCUUCAGUU GGUAAUUUCUCAGAUAGGUAUUUUGGGCCGCUUCUUCAA UCAUACUCUAGUUCUUUUGCCGAUGGAUGUGGCACUU UACUUAGAGCUUUUUUAUUGUAUUCUGGAGCCUCGCUCU GGAAUACAUGUCCUGCUGGCAAUCCUAUACUUCUUU UGCCACUUUACACACUCUGCAACAGAUUGUUCUGAUGG CAAUACAACUGAAUGCCAGUCUGAACUCUUUAAGG AGUAAUUUAAUUUACGUACUGCACC UUUAUGUACACU UAUAACAUAUACCGAAGAUGAGAUUUUAGAGUGGUUUGG CAUUACACAAACUGCUCAAGGUGUUCACCUCUUCUCAUC UCGGUAUGUUGAUUUUGUACGGCGGCAAUUGUUCAAU UUGCCACCUUGCCUGUUUAUGAUACUAUUAAGUAUUU UCUAUCAUUCUCACAGUAUUCGUUCUAUCCAAAGUGAU AGAAAAGCUUGGGCUGCCUUCUACGUUAUUAACUUC ACCGUUAAACUUCCUGUUGGAUUUUUCUGUUGAUGGUU AUUAACGCAGAGCUAUAAGACUGUGGUUUUAUGAUUUG UCACAACUCCACUGCUCAUAUGAAUCCUUCGAUGUUGAA UCUGGAGUUUAUUCAGUUUCGUCUUUCGAAGCAAACC UUCUGGCUCAGUUGUGGAACAGGCUGAAGGUGUUGAAU GUGAUUUUACCCUCUUCUGUCUGGCACACCUCUCAGG UUUAUAAUUUCAAGCGUUUGGUUUUACCAAUUGCAAU UAUAAUCUUACCAAUUGCUUUCACUUUUUUCUGUGAA UGAUUUUACUUGUAGUCAAAUAUCUCCAGCAGCAAUUG CUAGCAACUGUUUUUUCUACUGAUUUUUGGAUUACUUU UCAUACCCACUUAGUAUGAAUCCGAUCUAGUGUUAG UUCUGCUGGUCCAUAUCCAGUUUAUUUAUAAACAGU CCUUUUUAUACCCACAUGUUUGAUUUUAGGCACUGUUC CUCAUAACCUUACUACUAUUACUAAGCCUCUUAAGUACA GCUAUAUUAAACAAGUGCUCUCGUCUUCUUUCUGAUGAU CGUACUGAAGUACCUCAGUUAGUGAACGCUAUCAAUA CUCACCCUGUGUAUCUAUUGUCCAUCCACUGUGUGGGA AGACGGUGAUUAUUUAAGGAAACAUAUCUCACUUC AAGGUGGUGGCUGGCUUGUUGCUAGUGGCUCAACUGUU GCCAUGACUGAGCAAUUACAGAUUGGCUUUGGUUAUAC AGUUCAAUAUGGUACAGACACCAAUAGUUGUUGCCCA AGCUUGAAUUUGCUAUGACACAAAUAUUGCCUCUCAA UUAGGCAAUUGCGUGGAAUAUUCUUCUAUGGUGUUUC GGGCCGUGGUGUUUUUCAGAAUUGCACAGCUGUAGGUG UUCGACAGCAGCGCUUUGUUUAUGAUGCGUACAGAAU UUAGUUGGCUAUUUUUCUGAUGAUGGCAACUACUACUG UUUGCGUGCUUGUGUUAUGUUCUGUUUCUGUCAUCU AUGAUAAAGAAACUAAAACCCACGCUACUCUAUUUGGU AGUGUUGCAUGUGAACACAUUUCUUAACCAUGUCUCA AUACUCCCGUUCUACGCGAUCAAUGCUUAAACGGCGAGA UUCUACAUAUGGCCCCUUCAGACACCUGUUGGUUGUGU CCUAGGACUUGUAAUUCUUCUUUGUUCGUAGAGGACU GCAAGUUGCCUCUUGGUCAAUCUCUCUGUGCUCUUCUG ACACACCUAGUACUCUCACACCUCGCAGUGUGCGCUCUG UUCAGGUGAAUUGCGCUUGGCAUCUAUUGCUUUUAAU CAUCUAUUCAGGUUGAUCAACUUAUAGUAGUUUUUU UAAAUAAGUAUACCCACUAAUUUUUCCUUUGGUGUGA CUCAGGAGUACAUCAGACAACCAUUCAGAAAGUUACU GUUGAUUGUAAACAGUACGUUUGCAAUGGUUUCCAGAA GUGUGAGCAAUUACUGCGGAGUAUGGCCAGUUUUUGUU CCAAAUAUAAACAGGCUCUCAUUGGUGCCAAUUUACGCC AGGAUGAUUCUGUACGUAAUUUGUUUGCGAGCGUGAAA AGCUCUCAAUCAUCUCCUAUCAUACAGGUUUUGGAGGU GACUUUAUUUGACACUUCUGGAACCUGUUUCUAUAC UACUGGCAGUCGUAGUCACGUAGUGCUAUUGAGGAUU UGCUAUUUGACAAAGUCACUAUAGCUGAUUCUGGUUAU AUGCAAGGUUACGAUGAUUGCAUGCAGCAAGGUC CAGC AUCAGCUCGUGAUUUUAUUUGUGCUCAAUAUGUGGCUG GUUACAAGUAUUACCUUCUUAUGGAUGUUAAUUG GAAGCCGCGUAUACUUAUCUUUGCUUGGCAGCAUAGCA GGUGUUGGCUGGACUGCUGGCUUAUCCUUCUUUGCUGCU AUUCCAUUUGCACAGAGUAUCUUUAUAGGUUAAACGG UGUUGGCAUUCUACAGGUUCUUUCAGAGAACCAAA AGCUUAUUGCCAAUAAGUUUAUUCAGGCUCUGGGAGCU AUGCAAACAGGCUUCACUACAACUAAUGAAGCUUUUCA GAAGGUUCAGGAUGCUGGAACAACAUGCACAGGCUC UAUCCAAUUAGCUAGCGAGCUAUCUAUACUUUUGGU GCUAUUUCGCCUCUAUUGGAGACAUAACAACGUCUU	

TABLE 10-continued

Betacoronavirus Nucleic Acid Sequence		
Strain	Nucleic Acid Sequence	SEQ ID NO:
	GAUGUUCUCGAACAGGACGCCCAAUAGACAGACUUAU UAAUGGCCGUUUGACAAACUAAAUGCUUUUGUUGCAC AGCAGCUUGUUCGUUCCGAAUCAGCUGCUCUUUCGCUC AAUUGGCUAAAGAUAAAGUCAUGAGUGUGUCAAGGCA CAAUCCAAGCGUUCUGGAUUUUGCGGUCAGGCACACAU AUAGUGUCUUUGUUGUAAAUGCCCCUAAUGGCCUUUA CUUCAUGCAUGUUGGUUAUUACCCUAGCAACCACAUUGA GGUUGUUUCUGCUUAUGGUUUUUGCGAUGCAGCUAACC CUACUAAUUGUAUAGCCCCUGUUAUUGGCUACUUUAUU AAAACUAAUAACACUAGGAUUGUUGAUGAGUGGUCAUA UACUGGCUCGUCUUUAUGCACCUGAGCCAUUACCUC CCUUAUACUAAGUAUGUUGCACCACAGGUGACAUAACA AAACAUUUCUACUACCUCUCCUCCUUCUUCUGGCAA UUCCACCGGGAUUGACUUCCAAGAUGAGUUGGAUGAGU UUUUCAAAAUGUUAGCACCAGUAUACCUAUUUUGGU UCCCUAACACAGAUUAAUACUACAUUACUCGAUCUUACC UACGAGAUGUUGUCUUUCAACAAGUUGUUAAGCCCU UAAUGAGUCUUACAUAAGACCUUAAAGAGCUUGGCAAUU AUACUUAAUACAACAAGGCGUGGUACAUUUGGCUU GGUUUCAUUGCUGGGCUUGUUGCCUAGCUUAUGCGU CUUCUUCAUACUGUGCUGCACUGGUUGGGCACAACUG UAUGGGAAAACUUAAGUGUAUUCGUUGUUGAUAGAU ACGAGGAAUACGACCUCGAGCCGCAUAAGGUUCAUGUUC ACUAA	
Novel_MERS_S2_subunit_trimeric vaccine (nucleotide)	AUGAUCCACUCCGUGUUCUCCUCAUGUUCUGUUGACC CCCACUGAGUCAGACUGCAAGCUCUCCGUGGGACAGUCC CUGUGUGCGCUGCCUGACACUCCUAGCACUCUGACCCCA CGCUCGUGCGGUCGGUGCCUGGGCAAUUGCGGCUUGGCC UCCAUCGCCUUCAUACCCCAAUCCAAGUGGAUCAGCUG AAUAGCUCGUUUUCAAGCUGUCCAUCCCACGAACUUC UCGUUCGGGGUCACCAGGAGUACAUCAGACCACAAUU CAGAAGGUCACCGUCGAUUGCAAGCAAUACGUGUGCAAC GGCUUC CAGAAGUGCGAGCAGCUGCUGAGAGAAUACGG GCAGUUUUGCAGCAAGAUAACCAGGCGCUGCAUUGGAGC UAACUUGCGCCAGGACGACUCUGUGCGCAACCUUUUGC CUCUGUGAAGUCAUCCAGUCCUCCCAAUCAUCCCGGG AUUCGGAGGGGACUUCAACUUGACCUCUUGGAGCCCGU GUCGAUCAGCACCGGUAGCAGAUCCGGCGCGUCAGCCAU UGAAGAUCUUCUGUUCGACAAGGUCACCAUCGCCGAUCC GGGCUACAUGCAGGGAUACGACGACUGUAUGCAGCAGG GACCAGCCUCCGCGAGGGACCUCAUCUGCGCGCAAUACG UGGCCGGGUACAAGUGCUGCCUCCUCUGAUGGAUGUG AAAUUGGAGGCCGCUUAUACUUCGUCCUUGCUCGCGUCU AUCGCCGGCGUGGGGUGGACCGCCGGCCUGUCUCCUUC GCCGCUAUCCCCUUUGCACAACUCAAUUUCUACCGGCUC AACGGCGUGGGCAUUAUCAACAAGUCCUGUCGGGAAAC CAGAAGUUGAUCGCAAACAAGUCAAUCAGGCCUUGGG GGCCAUGCAGACUGGAUUCACUACGACUAACGAAGCGUU CCAGAAGGUCAGGACGUCUGAACAACAACGCCCAGGC GCUCUCAAGCUGGCCUCCGAACUCAGCAACACCUUCGG AGCCAUCAGCGCAUCGAUCGGUGACAUAUUUCAGCGGCU GGACGUGCUGGAGCAGGACGCCAGAUCCGCGCCUUAU CAACGGACGGCUGACCACCUUGAAUGCCUUCGUGGCACA ACAGCUGGUCGGAGCGAAUCAGCGGCACUUUCCGCCCA ACUCGCCAAGGACAAAGUCAACGAAUGCGUAAGGCCCA GUCCAAGAGGUCGGUUUCUGCGGUAAGGAACCCAUUAU UGUGUCUUCGUCGUGAACGCGCCCAACGGUCUGUACUU UAUGCACGUCGGCUACUACCCGAGCAAUCAUAUCGAAGU GGUGUCGCCUACGGCCUGUGCGAUGCCGCUAACCCAC UACUGUAUUGCCCCUGUAACGGAUAUUUUUAUUAAGA CCAACAACACCCGCAUUGUGGACGAAUGGUCAUACACCG GUUCGUCCUUCUACGCGCCCGAGCCAUCAUUCACUGA ACACCAAUACGUGGCUCCGCAAGUGACCUACAGAAACA UCUCCACCAAUUUGCCGCGCCGCGUCUCGGAAACAGCA CCGGAAUUGAUUCCAAGAUGAACUGGACGAAUUCUUC AAGAACGUGUCCACUUCUACUCCAAUCUCCGGAAGCCUG ACACAGAUCAACACCACCUUCUUGACCUAGCCUACGAG AUGCUGAGCCUUAACAAGUGGUCAAGGCCUGAACGAG	67

TABLE 10-continued

Betacoronavirus Nucleic Acid Sequence		
Strain	Nucleic Acid Sequence	SEQ ID NO:
	AGCUACAUCGACCUGAAGGAGCUGGGCAACUAUACCUAC UACAACAAGUGGCCGGACAAGAUUGAGGAGAUUCUGUC GAAAUCUACCACAUUGAAAACGAGAUCGCCAGAAUCA AGAAGCUUAUCGGCGAAGCC	
MERS_S0_Full-length Spike protein (nucleotide, codon optimized)	AUGGAAACCCUGCCAGCUGCUGUUCUGCUGCUGCUG UGGCUGCCUGAUACCACCGGCAGCUAUGUGGACGUGGGC CCC GAUAGCGUGAAGUC CGCCUGUAUCGAAGUGGACAUC CAGCAGACCUUUUCGACAAGACCUGGCCAGACCCAUC GACGUGUC CAAGGCCGACGGCAUCAUCAUCCACAAGGC CGGACCUACAGCAACAUCAACAUUACCUACCAGGGCCUG UUCCAUUAUCAAGGCGACCACGGCGAUUGUACGUGUAC UCUGCCGGCCACGCCACCGGCACCACCCCAGAAACUG UUCGUGGCCAACUACAGCCAGGACGUGAAGCAGUUCGCC AACGGCUUCGUCGUGCGGAUUGGCCCGCUGCCAAUAGC ACCGGCACAGUGAUCAUCAGCCCCAGCACCAGCGCCACC AUCCGGAAGAUCAACCCGCUUCAUGCUGGGCAGCUCC GUGGGCAAUUUCAGCGACGGCAAGAUGGGCCGGUUCUU CAACCACACCCUGGUGCUGCUGCCGAUGGCUUGGCAC ACUGCUGAGAGCCUUCUACUGCAUCUGGAACCCAGAAG CGGCAACCACUGCCUGCCGGCAAUAGCUACACCAGCUU CGCCACCUACCACACACCCGCCACCGAUUGCUCCGACGG CAACUACAACCGGAACGCCAGCCUGAACAGCUUCAAGA GUACUUAACCCUGCGGAACUGCACC UUCAUGUACACCUA CAAUAUACCCGAGGACGAGAUCCUGGAAUGGUUCGGCA UCACCCAGACCGCCAGGGCGUGCACCUGUUCAGCAGCA GAUACGUGGACCUGUACGGCGGCAACAUUUUCAGUUU GCCACCCUGCCCGUGUACGACACCAUCAAGUACUACAGC AUCAUCCCCACAGCAUCCGGUCCAUCCAGAGCGACAGA AAAGCCUGGGCCGCCUUCUACGUGUACAAGCUGCAGCCC CUGACCUUCUGCUGGACUUCAGCGUGGACGGCUACAUC AGACGGGC CAUCGACUGCGGUUCAACGAC CUGAGCCAG CUGCACUGCUCCUACGAGAGCUUCGACGUGGAAAGCGGC GUGUACAGCGUGUCCAGCUUCGAGGCCAAGCCUAGCGGC AGCGUGGUGGAACAGGCUGAGGGCGUGGAAUGCGACUU CAGCCUCUGCUGAGCGCACCCUCCCCAGGUGUACAA CUUCAAGCGGCUGGUUUACCAACUGCAAUUACAACCU GACCAAGCUGCUGAGCCUGUUCUCCGUGAACGACUUCAC CUGUAGCCAGAUCAAGCCUGCCGCAUUGCCAGCAACUG CUACAGCAGCCUGAUCCUGGACUACUUCAGCUACCCCU GAGCAUGAAGUCCGAUCUGAGCGUGUCCUCGCGCGGACC CAUCAGCCAGUUAACUACAAGCAGAGCUUCAGCAACCC UACCUGCCUGAUUCUGGCCACCGUGCCCCACAUCUGAC CACCAUCACCAAGCCCUGAAGUACAGCUACAUCAACAA GUGCAGCAGACUGCUGUCCGACGACCGGACCGAAGUGCC CCAGCUCGUGAACGCCAACAGUACAGCCCCUGCGUGUC CAUCGUGCCCAGCACCGUGUGGGAGGACGGCGACUACUA CAGAAAGCAGCUGAGCCCCUGGAAGGGCGGCGGAUGGCU GGUGGCUUCUGGAAGCACAGUGGCCAUGACCGAGCAGCU GCAGAUUGGGCUUUGGCAUCACCGUGCAGUACGGCACCGA CACCAACAGCGUGGCCCAAGCUGGAAUUCGCCAAUGA CACCAAGAUCGCCAGCCAGCUGGGAAACUGCGUGGAAUA CUCCUGUAUGGCGUGUCCGGACGGGGCGUGUUCAGAA UUGCACAGCAGUGGGAGUGCGGCAGCAGAGAUUCGUGU ACGAUGCCUACCAGAACCUCUGGGCUACUACAGCGACG ACGGCAAUUACUACUGCCUGCGGGCCUGUGUGUCCGUGC CCGUGUCCGUGAUCUACGACAAAGAGACAAAGACCACG CCACACUGUUCGGUCUCCUGGGCCUGCGAGCACAUAGCU CCACCAUGAGCCAGUACUCCGCUCCACCCGGUCCAUUC UGAAGCGGAGAGAUAGCACCUACGGCCCCCUGCAGACAC CUGUGGGAUGUGUGCUGGGCCUCGUGAACAGCUCUCCUGU UUGUGGAAGAUUGCAAGCUGCCCCUGGGCCAGAGCCUGU GUGCCCUGCCAGAUACCCUAGCACCCUGACCCCUAGAA GCGUGCGCUCUGUGCCCGGCGAAAUGCGGCUGGCCUUA UCGCCUUAUCACCCCAUCCAGGUGGACCAGCUGAACU CCAGCUACUUAAGCUGAGCAUCCACCAACUUCAGCU UCGGCGUGACCCAGGAGUACAUCAGACCACAAUCCAGA AAGUGACCGUGGACUGCAAGCAGUACGUGUGCAACGGC UUUCAGAAGUGCGAACAGCUGCUGCGGAGUACGGCCAG UUCUGCAGCAAGAUCAACCAGGCCUCGACGGCGCAAC CUGAGACAGGAUGACAGCGUGCGGAACCUUUCGCCAGC GUGAAAAGCAGCCAGUCCAGCCCCAUCAUCCUGGCUUC	68

TABLE 10-continued

Betacoronavirus Nucleic Acid Sequence		
Strain	Nucleic Acid Sequence	SEQ ID NO:
	GGCGGCGACUUUAACUGACCCUGCUGGAACCUGUGUCC AUCAGCACCGGCUCAGAAAGCGCCAGAUCCGCCAUCGAG GACCUGCUGUUCGACAAAGUGACCAUUGCCGACCCCGGC UACAUGCAGGGCUACGACGAUUGCAUGCAGCAGGGCCCA GCCAGCGCCAGGGAUUCGAUCUGUGCCCAGUAUGUGGCC GGCUACAAGGUGCUGCCCCCCCUGAUGGACGUGAACAU GAAGCCGCCUACACCUCAGCCUGCUGGGCUCUAUUGCU GGCGUGGGGAUGGACAGCCGGCCUGUCUAGCUUUGCCGCC AUCCUUUCGCCCAGAGCAUCUUCUACCGGCUGAACGGC GUGGGCAUCACACAACAGGUGCUGAGCGAGAACCAGAA GCUGAUCGCCAACAAGUUUAACCAGGCACUGGGCGCCAU GCAGACCGGCUCACCACCACCAACGAGGCCUUCAGAAA GGUGCAGGACGCCGUGAACAAACAGCCAGGCUCUGAG CAAGCUGGCCUCGAGCUGAGCAAUACCUUCGGCGCCAU CAGCGCCUCCAUCGGCGACAUAUCAGCGGCUGGACGU GCUGGAACAGGACGCCAGAUAGCAGCCGUGAUAACGG CAGACUGACCACCCUGAACGCCUUCGUGGCACAGCAGCU CGUGCGGAGCGAAUCUGCCGCUCUGUCUGCUCAGCUGGC CAAGGACAAAGUGAACGAGUGCGUGAAGGCCAGUCCA AGCGGAGCGGCUUUUGUGGCCAGGGCACCCACAUCGUGU CCUUCGUCGUGAAUGCCCCAACGGCCUGUACUUUAUGC ACGUGGGCUAUUACCCAGCAACCACAUCGAGGUGGUGU CCGCCUAUGGCCUGUGCGACCGCCCAAUCUACCAACU GUAUCGCCCCCGUGAACGGCUACUUAUCAAGACCAACA ACACCCGGAUCGUGGACGAGUGGUCUACACAGGCAGCA GCUUCUACGCCCCCGAGCCAUACCCUCCUGAACACCA AAUACGUGGGCCCCCAAGUGACAUAACAGAACAUCUCCA CCAACCUGCCCCCUCACUGCUGGGAAAUUCCACCGGCA UCGACUUCAGGACGAGCUGGACGAGUUCUUCAGAACG UGUCCACCUCUACCCCAACUUCGGCAGCCUGACCCAGA UCAACACCACUCUGCUGGACCUGACCUACGAGAUGCUGU CCCUGCAACAGGUCGUGAAAAGCCUGAACGAGAGCUACA UCGACCUGAAAGAGCUGGGGAACUACCCUACUACAACA AGUGGCCUUGGUACAUUUGGUGGGCUUUAUCGCCGGCC UGGUGGCCUGGCCUGUGCGUGUUCUUAUCUGUGCU GCACCGGCUGCGGCACCAAUUGCAUGGGCAAGCUGAAAU GCAACCGGUGCUGCGACAGAUACGAGGAUACGACCUGG AACCUCACAAAGUGCAUGUGCAC	

TABLE 11

Betacoronavirus Amino Acid Sequences		
Strain	Amino Acid Sequence	SEQ ID NO:
gb KJ156934.1 : 21405-25466 Middle East respiratory syndrome coronavirus isolate Riyadh_14_2013, spike protein (amino acid)	MIHSVFLLMFLLTPTESYVDVGPDSVKSACIEVDIQQTFDDKT WPRPIDVSKADGIIYPQGRITYSNITITYQGLFPYQGDHGDY VYSAGHATGTTpQKLFVANYSQDVKQFANGFVVRIGAAANS TGTVIIISPSTSATIRKIYPAFMLGSSVGNFSDGKMGRRFNHTL VLLPDGCGTLLRAFYCILEPRSGNHCPAGNSYTSFATYHTPA TDCSDGNYNRNASLNSFKEYFNLRNCTFMITYNI TEDEILEW FGITQTAQGVHLFSSRYVDLYGGMNFQFATLPVYDTIKYYSII PHSIRS IQSDRKAWAAFVYKQLPLTFLLDVSDGYIRRAIDC GFNDLSQLHCSYSEFDVESGVYSVSSFEAKPSGSVVEQAEV ECDFSPLLSGTPPQVYNFKRLVFTNCNYNLTKLLSLFVNDFT CSQISPAAIASNCYSILDYFSYPLSMKSDLVSSAGPISQFN YKQSFNPTCLILATVPHNLTTITKPLKYSYINKSRLSDDRT EVPQLVNAVQYSPCVSIVPSTVWEDGDYRQKLSPLEGGGW LVASGSTVAMTEQLQMGFGITVQYGTDTNSVCPKLEFANDT KIASQLGNCVEYSLYGVSGRGVFNCTAVGVRRQRFVYDA YQNLVGYYSDDGNYCLRACVSPVSVIYDKETKTHATLFG SVACEHISSTMSQYSRSTRSMLKRRDSTYGPLQTPVGCVLGL VNSSLFVEDCKLPLGQSLCALPDTPTSTLTPRSVRSVPGEMRLA SIAFNHPIQVDQLNSYFKLSIPTNFSFGVTQEIQTIIQKVTV DCKQYVCNGFQKCEQLLREYGFQFSKINqALHGANLRQDDS VRNLFASVKSSQSSPIIPGFGGDFNLTLLEPVSISTGSRARSASAI EDLLFDKVTIADPGYMQYDDCMQOGPASARDLICAQYVA GYKVLPLMDVNMEAYTSLLGSIAGVGWTAGLSSFAAIPF	24

TABLE 11-continued

Betacoronavirus Amino Acid Sequences		
Strain	Amino Acid Sequence	SEQ ID NO:
	AQSI FYRLNGVGI TQQVLS ENQKLI ANKFNQALGAMQTGFTT TNEAFrKVQDAVN NNAQALS KLA SELSNTFGAISASIGDIIQR LDVLEQDAQIDRLINGRLTTLNAFVAQQLVRS ESAALSAQLA KDKVNECVKAQSKRS GFCGQGTHIVSFV V NAPNGLYFMHV GYPSNHI EVVSAYGLCDAANPTNCIAPVNGYFIKTN NTRIV DEWSYTGSSFYAPEPITS LN TKYVAPQV TYQNI STNLPPPLLG NSTGIDFQDELDEFFKNVSTSI PNFGSLTQINTLLDLTYEMLS LQQVVKALNESYIDLKELGNYTYYNKWPWYIWLGF IAGLVA LALCVFFILCCTGCGTNCMGK LKCNRCCDRYEEYDLEPHKV HVH	
MERS S FL SPIKE 2cEMC/2012 (XBaI change (T to G)) (amino acid)	MIHSVFLLMFLLTPTESYVDVGPDSVKSACIEVDIQOTFFDKT WPRPIDVSKADGIIYPQGR TYSNITITYQGLFPYQGDHGD MY VYSAGHATGTT P QKLFVANYSDVKQFANGFVVRIGAAANS TGTVII SPSTSATIRKIYPAFMLGSSVGNFSDGKMGRFFNHTL VLLPDGCGTLLRAF YCILEPRSGNHCPAGNSYTSFATYHTPA TDCSDGNYNRNASLNSFKEYFNLRNCTFMYTYNI TEDEILEW FGITQTAQGVHLFSSRYVDLYGGNMFQFATLPVYDTIKYYSII PHSIRS IQSDRKAWAAFVYK LQPLTFLLD FSVDGYIRRAIDC GFNDLSQLHCSYESFDVESGVYSVSSFEAKPSGSVVEQAEGV ECDFSPLLSGT P P QVYNFKRLVFTNCNYNLTKLLSLFSVNDFT CSQISPAAIASNCYSSLILDYFSYPLSMKSDLSVSSAGPISQFN YKQSFNPTCLILATVPHNLTITKPLKYSYINKCSRLLSDDRT EVPQLVNANQYSPCVSIVPSTVWEDGDYRQKLSPLEGGGW LVASGSTVAMTEQLQMGFGITVQYGTDTNSVCPKLEFANDT KIASQLGNCVEYSLYGVSGRGVFQNTAVGVRQRFVYDA YQNLVGYYSDDGNYCLRACVSVPSVVIYDKETKTHATLFG SVACEHISSTMSQYSRSTRSMLKRRDSTYGPLQTPVGCVLGL VNSSLFVEDCKLPLGQSLCALPDT P STLT P RSVRSVPGEMRLA SIAFNHPIQVDQLNSYFKLSIPTNFSFGVTQEYIQTTIQKVTV DCKQYVCNGFQKCEQLLREYGFQCSKINQALHGANLRQDDS VRNLFASVKSSQSSPIIPGFGGDFNLTLLLEPVSI STGSR SARSAI EDLLFDKVTIADPGYMQGYDDCMQGGPASARDLICAQYVA GYKVL P PLMDVNMEAA YTSLLGSIAGVGW TAGLSSFAAIPF AQSI FYRLNGVGI TQQVLS ENQKLI ANKFNQALGAMQTGFTT TNEAFQKVQDAVN NNAQALS KLA SELSNTFGAISASIGDIIQR LDVLEQDAQIDRLINGRLTTLNAFVAQQLVRS ESAALSAQLA KDKVNECVKAQSKRS GFCGQGTHIVSFV V NAPNGLYFMHV GYPSNHI EVVSAYGLCDAANPTNCIAPVNGYFIKTN NTRIV DEWSYTGSSFYAPEPITS LN TKYVAPQV TYQNI STNLPPPLLG NSTGIDFQDELDEFFKNVSTSI PNFGSLTQINTLLDLTYEMLS LQQVVKALNESYIDLKELGNYTYYNKWPWYIWLGF IAGLVA LALCVFFILCCTGCGTNCMGK LKCNRCCDRYEEYDLEPHKV HVH	25
Novel_MERS_S2_subunit_trimeric vaccine (amino acid)	MIHSVFLLMFLLTPTESDCKLPLGQSLCALPDT P STLT P RSVR SVPGEMRLASIAFNHPIQVDQLNSYFKLSIPTNFSFGVTQEYI QTTIQKVTVDCKQYVCNGFQKCEQLLREYGFQCSKINQALH GANLRQDDSVRNLFASVKSSQSSPIIPGFGGDFNLTLLLEPVSI S TGSR SARSAI EDLLFDKVTIADPGYMQGYDDCMQGGPASAR DLICAQYVAGYKVL P PLMDVNMEAA YTSLLGSIAGVGWTA GLSSFAAIPFAQSI FYRLNGVGI TQQVLS ENQKLI ANKFNQAL GAMQTGFTTTNEAFQKVQDAVN NNAQALS KLA SELSNTFG AISASIGDIIQR LDVLEQDAQIDRLINGRLTTLNAFVAQQLVRS ESAALSAQLAKDKVNECVKAQSKRS GFCGQGTHIVSFV V NA PNGLYFMHVGYPSNHI EVVSAYGLCDAANPTNCIAPVNGY FIKTN NTRIVDEWSYTGSSFYAPEPITS LN TKYVAPQV TYQNI STNLPPPLLG NSTGIDFQDELDEFFKNVSTSI PNFGSLTQINTLL LDLTYEMLS LQQVVKALNESYIDLKELGNYTYYNKWPDKIE EILSKIYHIENEIARIKKLIGEA	26
Isolate Al- Hasa_1_2013 (NCBI accession #AGN70962)	MIHSVFLLMFLLTPTESYVDVGPDSVKSACIEVDIQOTFFDKT WPRPIDVSKADGIIYPQGR TYSNITITYQGLFPYQGDHGD MY VYSAGHATGTT P QKLFVANYSDVKQFANGFVVRIGAAANS TGTVII SPSTSATIRKIYPAFMLGSSVGNFSDGKMGRFFNHTL VLLPDGCGTLLRAF YCILEPRSGNHCPAGNSYTSFATYHTPA TDCSDGNYNRNASLNSFKEYFNLRNCTFMYTYNI TEDEILEW FGITQTAQGVHLFSSRYVDLYGGNMFQFATLPVYDTIKYYSII PHSIRS IQSDRKAWAAFVYK LQPLTFLLD FSVDGYIRRAIDC GFNDLSQLHCSYESFDVESGVYSVSSFEAKPSGSVVEQAEGV ECDFSPLLSGT P P QVYNFKRLVFTNCNYNLTKLLSLFSVNDFT CSQISPAAIASNCYSSLILDYFSYPLSMKSDLSVSSAGPISQFN	27

TABLE 11-continued

Betacoronavirus Amino Acid Sequences		
Strain	Amino Acid Sequence	SEQ ID NO:
	YKQSFNSPTCLILATVPHNLTTITKPLKYSYINKCSRLLSDDRT EVPQLVNANQYSPCVSIVPSTVWEDGDYRQKQLSPLEGGGW LVASGSTVAMTEQLQMGFGITVQYGTDTNSVCPKLEFANDT KIASQLGNCVEYSLYGVSGRGVFQNTAVGVRQRFVYDA YQNLVGYYSDDGNYYCLRACVSPVSVIYDKETKTHATLFG SVACEHISSTMSQYSRSTRSMLKRRDSTYGPLQTPVGCVLGL VNSSLFVEDCKLPLGQSLCALPDTPTSTLTPRSVRSVPGEMRLA SIAFNHPIQVDQLNSYFKLSIPTNFSFGVTQEYIQTTIQKVTV DCKQYVCNGFQKCEQLLREYGFQCSKINQALHGANLRQDDS VRNLFASVKSSQSSPIIPGFGGDFNLTLLEPVSISTGSRARSASAI EDLLFDKVTIADPGYMQGYDDCMQQGPASARDLICAQYVA GYKVLPPMLMDVNMEAAAYTSSLGSIAGVGWTAGLSSFAAIPF AQSI FYRLNGVGI TQQVLS ENQKLI ANKFNQALGAMQTGFTT TNEAFRKVQDAVNNAQALS KLA SELSNTFGAISASIGDIIQR LDVLEQDAQIDRLINGRLTTLNFAVQAQLVRSESAALSAQLA KDKVNECVKAQSKRSFGCGQTHIVSFVFNAPNGLYFMHV GYYPNSHIEVVSAYGLCDAANPTNCIAPVNGYFIKTMNTRIV DEWSTGSSFYAPEPITSLNTKYVAPHVTYQNI STNLPPPLLG NSTGIDFQDELDEFKNTSIPNFGSLTQINTLLDLTYEMLS LQQVVKALNESYIDLKELGNYTYNKWPWYIWLGFIAGLVA LALCVFFILCCTGCGTNCMGKLCNRCCDRYEEYDLEPHKV HVH	
Middle East respiratory syndrome coronavirus S protein UniProtKB- R9UQ53	MIHSVFLMFLLTPTESYVDVGPDSVKSACIEVDIQQTFDDKT WPRPIDVSKADGIIYPQGRYTSNITITYQGLFPYQGDHGDY VYSAGHATGTTQKLFVANYSQDVKQFANGFVVRIGAAANS TGTVII SPSTSATIRKIYPAFMLGSSVGNFSDGKMRFFNHTL VLLPDGCGTL LRAFYCI LEPRSGNHCPAGNSYTSFATYHTPA TDCSDGNYNRNASLNSFKYFNLRNCTFMYTYNI TEDEILEW FGITQTAQGVHLFSSRYVDLYGGNMFFQFATLPVYDTIKYYSII PHSIRSIQSDRKAWAAFVYKQLQPLTFLDFSDGYIRRAIDC GFNDLSQLHCSYESFDVESGVYSVSSFEAKPSGSVVEQAEGV ECDFSPLLSGTPPQVYNFKRLVFTNCNYNLTKLLSLFSVNDFT CSQISPAAIASNCYSSLILDYFSYPLSMKSDLVSSAGPISQFN YKQSFNSPTCLILATVPHNLTTITKPLKYSYINKCSRLLSDDRT EVPQLVNANQYSPCVSIVPSTVWEDGDYRQKQLSPLEGGGW LVASGSTVAMTEQLQMGFGITVQYGTDTNSVCPKLEFANDT KIASQLGNCVEYSLYGVSGRGVFQNTAVGVRQRFVYDA YQNLVGYYSDDGNYYCLRACVSPVSVIYDKETKTHATLFG SVACEHISSTMSQYSRSTRSMLKRRDSTYGPLQTPVGCVLGL VNSSLFVEDCKLPLGQSLCALPDTPTSTLTPRSVRSVPGEMRLA SIAFNHPIQVDQLNSYFKLSIPTNFSFGVTQEYIQTTIQKVTV DCKQYVCNGFQKCEQLLREYGFQCSKINQALHGANLRQDDS VRNLFASVKSSQSSPIIPGFGGDFNLTLLEPVSISTGSRARSASAI EDLLFDKVTIADPGYMQGYDDCMQQGPASARDLICAQYVA GYKVLPPMLMDVNMEAAAYTSSLGSIAGVGWTAGLSSFAAIPF AQSI FYRLNGVGI TQQVLS ENQKLI ANKFNQALGAMQTGFTT TNEAFRKVQDAVNNAQALS KLA SELSNTFGAISASIGDIIQR LDVLEQDAQIDRLINGRLTTLNFAVQAQLVRSESAALSAQLA KDKVNECVKAQSKRSFGCGQTHIVSFVFNAPNGLYFMHV GYYPNSHIEVVSAYGLCDAANPTNCIAPVNGYFIKTMNTRIV DEWSTGSSFYAPEPITSLNTKYVAPHVTYQNI STNLPPPLLG NSTGIDFQDELDEFKNTSIPNFGSLTQINTLLDLTYEMLS LQQVVKALNESYIDLKELGNYTYNKWPWYIWLGFIAGLVA LALCVFFILCCTGCGTNCMGKLCNRCCDRYEEYDLEPHKV HVH	28
Human SARS coronavirus (SARS-CoV) (Severe acute respiratory syndrome coronavirus) Spike glycoprotein UniProtKB- P59594	MFIFLLFLTLTSGSDDLDRCTTFDDVQAPNYTQHTSSMRGVY PDEIFRSDTLYLTDLFLPFYSNVTGFHTINHTFGNPVIFPKDG IYFAATEKSNVVRGWVFGSTMNKNSQSVIIINNSTNVVIRAC NFELCDNPFPAVSKPMGTQHTMIFDNAFNCTFEYISDAFSLD VSEKSGNFKHLREFVFNKNDGFLYVYKGYQPIDVVRDLPSGF NTLKPIFKLPLGINITNFRAILTAQSPAQDIWGTSAAYFVGYL KPTTFMLKYDENGITDAVDCSQNPLAELKCSVKSFEIDKGI YQTSNFRVVPVSGDVVRFNITNLCPFGEVFNATKFPVYAWE RKKISNCVADYSVLYNSTFFSTFKCYGVSATKLNLCFSNVY ADSFVVKGDDVRQIAPGQTGVIADYNYKLPDDFMGCVLAW NTRNIDATSTGNYNKYRYLRHGKLRPFERDISNVPFSPDGK PCTPPALNCYWPLNDYGFYTTTGIGYQPYRVVLSFELLNAP ATVCGPKLSTDLIKNQCVNFENGLTGTGVLTPSSKRFQPFQ QFGRDVSDFDTSVRDPKTSEILDISPCSFGGVSVITPGTNASSE VAVLYQDVNCTDVSTAIHADQLTPAWRIYSTGNVVFQTQAG	29

TABLE 11-continued

Betacoronavirus Amino Acid Sequences		
Strain	Amino Acid Sequence	SEQ ID NO:
	CLIGAHEVDTSYECDIPIGAGICASYHTVSLLRSTSQKSIVAYT MSLGADSSIAYSNTTIAIPTNFSISITTEVMPVSMAKTSVDCN MYICGDSTECANLLLQYGSFCTQLNRALSGIAAEQDRNTREV FAQVKQMYKTPTLKYFGGFNFSQILPDPLKPTKRSFIEDLLFN KVTLDAGFMKQYGECLGDINARDLICAQKFNGLTVLPPLL TDDMIAAYTAALVSGTATAGWTFGAGAALQIPFAMQMAYR FNGIGVTQNVLYENQKQIANQFNKAISSQIQESLTTSTALGKL QDVVNQNAQALNTLVKQLSSNFGAISSVLNDILSRLDKVEAE VQIDRLITGRQLQSLQTYVTQQLIRAAEIRASANLAATKMSEC VLGQSKRVDFCGKGYHLMSFPQAAPHGVVFLHVTYVPSQER NFTTAPAI CHEGKAYFPREGVVFVNGTSWFITQRNFFSPQIITT DNTFVSGNCDVIGI INNTVYDPLQPELDSFKEELD KYFKNH TSPDVDLGDISGINASVNIQKEIDRLNEVAKNLNESLIDLQE LGKYEQYIKWPWYVWLGFIAGLIAIVMVTILLCCMTSCCSCL KGACSCGSCCKFDEDDSEPV LKGVKLHYT	
Human coronavirus OC43 (HCoV-OC43) Spike glycoprotein UniProtKB- P36334	MFLILLISLPTAFVIGDLKCTSDNINDKDTGPPPISTDTVDVT NGLGTYVLDLDRVYLNNTLFLNGYYPTSGSTYRNMALKGSVL LSRLWFKPPFLSDFINGIFAKVKNTKVIKDRVMYSEFPAITIGS TFVNTSYSVVVQPRINSTQDGNKLGLEEVSVQYNMCE YPQTI CHPNLGNHRKELWHLDTGVVSCLYKRNFYDYNAD YLYFHFYQEGGTFYAYFTDTGVVTKFLFNVLGMALSHYYV MPLTCNSKLTLEYVWVPLTSRQYLLAFNQDGIIFNAEDCMSD FMSEIKCKTQSIAPPTGVYELNGYTVQPIADVRRKPNLPC NIEAWLNDKSVPSPLNWERKTFSNCFNMSLSMSFIQADSFT CNNIDAAKIYGMCFSSI TIDKFAIPNGRKVDLQGLNGLYQSF NYRIDTTATSCQLYVNLPAANVSVSRFNPS TWNKRFGFIEDS VFKPRPAGVLTNHVYVYQHCFAKPNFCPCKLNGSCVGS PGKNNIGTCTPAGTNYLTCNLTCTPDPI TFGTYKCPQTKSL VGIGEHCSGLAVKSDYCGGNSCTCRPQAFGLWSADSCLOGD KCNIFANFILHDVNSGLTCTDLQKANTDI ILGVCVNYDLYGI LGQGI FVEVNATYVNSWQNLLYDSNGNLYGFRDYI INRTFMI RSCYSGRVSAAFHANSSEPALLFRNICKNYVFNNSLTRQLQPI NYFDSYLGCVVNAYNSTAISVQTCDLTVGSGYCVDYSKNRR SRGAIITGYRFTNFEPFTVNSVNDLSEPVGGLYEIQIPSEFTIG NMVEFIQTSSPKVTIDCAAFVCGDYAACKSQLVEYGSFCDNI NAILTEVNELDTTQLQVANS LMNGVTLSTKLKDG VNFNVD DINFSPVLGCLGSECSKASSRSAIEDLLFDKVKLSDVGFVEAY NNCTGGAEIRDLICVQSYKGIKVL PPLLENQISGYTLAATSA SLFPPWTAAGVPFYLNVQYRINGLGVTMDVLSQNQKLIAN AFNNALYAIQEGFDATNSALVKIQAVVNANAEALNLLQQL SNRFGAISASLQEI LSRDLDALEAEQIDRLINGRLTALNAYVS QQLSDSTLVKFSAAQAMEKVNCEVKSQSSRINFCGNGNHIIS LVQNAPYGLYFIHFSYVPTKYVTARVSPGLCIAGDRGIAPKS GYFVNVNNTWMTYTGSGYYPPEPI TENNVVVMSTCAVNYTK APYVMLNTSIPNLDPFKEELDQWFKNQT SVAPDLSLDYINVT FLDLQVEMNRLQEAIKVLNQS YINLKDIGTYEYVWKPWYV WLLICLAGVAMLVLLFFICCTGCGTSCFKKCGGCCDDYTG YQELVIKTSHDD	30
Human coronavirus HKU1 (isolate N5) (HCoV- HKU1) Spike glycoprotein UniProtKB- Q0ZME7	MFLIIFILPTTAVIGDFNCTNSFINDYNKTI PRISEDVVDVSLG LGYVYVLRVYLNNTLFLTGYPKSGANFRDLALKGS IYLST LWYKPPFLSDFNNGIFSKVKNTKLYVNNLYSEFSTIVIGSVF VNTSYTIVVQPHNGILEITACQYTMCEYPHTVCKSKGSIRNES WHIDSSEPLCLFKKNFTYNVSADWLYFHFYQERGVFYAYYA DVGMPPTFLFSLYLGITILSHYYVMPLTCNAISSNTDNETLEY WVTPLSRRQYLLNFDEHGVITNAVDCSSFLSEIQCKTQSFAP NTGVYDLSGFTVKPVATVYRRIPNLPDCDIDNWLNNVSVSP LNWERRIFSNCFNLSLTLRLVHVD SFSCNNLDKSKIFGSCFN SITVDKFAIPNRRRDDLQLGSSGFLQSSNYKIDISSSSCQLYYS LPLVNVNTINNFNPSWNRRYGFGSFNLSYDVVYSDHCFSVN SDFCPCADPSVNVNSCAKSKPPSAICPAGTKYRHCDDLDTLYV KNWCRCCLPDPISYSPNTCPQKVVVGI GEHCPGLGINEE KCGTQLNHSSCFCSPPDAFLGWSFDCISNNRCNIFSNFIFNGIN SGTTCNDLLYSNTEISTGVCVNYDLYGITGQGI FKEVSAAY YNNWQNLLYDSNGNIGFKDFLTNKTYTILPCYSGRVSAAFY QNSSPALLYRNLKCSYVLNNSIFISQPFYFDSYLGCVLNAV LTSYSVSSCDLRMGSGFCIDYALPSRRKRRGISSPYRFVTFEP FNVSVNDSVETVGGLEFIQIPTNFTIAGHEEFIQTSSPKVTIDC SAFVCSNYAACHDLLSEYGTFCDNINSILNEVNDLLDITQLQV ANALMQGVTLSSNLNTNLHSDVDNIDFKSLLGCLGSCGSSS RSLLLEDLLFNKVKLSDVGFVEAYNNCTGGSEIRDLLCVQSFN	31

TABLE 11-continued

Betacoronavirus Amino Acid Sequences		
Strain	Amino Acid Sequence	SEQ ID NO:
	GIKVLPPIILSETQISGYTTAATVAAMFPPWSAAAGVPFSLNVQ YRINGLGVTMDVNLKNQKLIANAFNKALLSIQNGFTATNSAL AKIQSVVNANAQALNSLLQQLFNKFGAISSSLQELSRDLNLE AQVQIDRLINGRTALNAYVSQQLSDITLIKAGASRAIEKVNE CVKSQSPRINFCGNGNHILSLVQNPYGLLFIHFSYKPTSFKT VLVSPGLCLSGDRGIAPKQGYFIKQNDSSWMTGSYYYPEPIS DKNVVMNSCSVNFKAPFIYLNNSIPNLSDFEAEELSLWFKN HTSIAPNLTFNSHINATFLDLYEMNVIQESIKNLSSFINLKEI GTYEMYVWKPWYIWLIVILFIIFLMILFFICCTGCGSACFSK CHNCCDEYGGHNDVFIKASHDD	
Novel_SARS_S2	MFIFLLFLTLTSGSDDLDRALSGIAAEQDRNTREVFAQVKQMY KTPTLKYFGGFNFSQILPDPLKPTKRSFIEDLLFNKVTLADAG FMKQYGECLGDINARDLICAQKFNGLTVLPPLLTDMMIAAYT AALVSGTATAGWTFGAGAALQIPFAMQMAYRFNGIGVTQN VLYENQKQIANQFNKAI SQIQESLTTTSTALGKLQDVVNQNA QALNTLVKQLSSNFGAISSVLNDILSRDKVEAEVQIDRLITG RLQSLQTYVTQQLIRAAEIRASANLAATKMSECVLGQSKRV DFCGKGYHLMSFPQAAPHGVVFLHVTVVPSQERNFTTAPAI C HEGKAYFPREGVVFVNGTSWFITQRNFFSPQIITTDNTFVSGN CDVVIGIINNTVYDPLQPELDSFKEELDKYFKNHTSPDVDLG DISGINASVVNIQKEIDRLNEVAKNLNESLIDLQELGKYEQYI KWPWYVWLGFIAGLIAIVMVTILLCCMTSCCSCLKGACSCGS CCKFDEDDSEPVLKGVKLHYT	32
Novel_MERS_S2	MIHSVFLLMFLLTPTESDCKLPLGQSLCALPDTPTLTPRSVR SVPGEMRLASIAFNHPIQVDQLNSSFYFKLSIPTNFSFGVTQEYI QTTIQKVTVDCKQYVCNGFQKCEQLLREYGFCSKINQALH GANLRQDDSVRNLFASVKSSQSSPIIPGFGGDFNLTLLPEVSI S TGRSARSADIEDLLFDKVTIADPGYMQGYDDCMQQGPASAR DLICAQYVAGYKVLPLMDVNMEAAAYTSSLGSIAGVGTWA GLSSFAAIPFAQSI FYRLNGVGI TQQVLSENQKLIANKFNQAL GAMQTGFTTTNEAFQKVQDAVNNAQALS KLASELSNTFG AISASIGDIIQRLDVEQDAQIDRLINGRLTTLNFAVQQLVRS ESAALSAQLAKDKVNECVKAQSKRSGFCGQGTHTVSVVNA PNGLYFMHVGYYPSNHI EVVSAYGLCDAANPTNCIAPVNGY FIKTNTRIVDEWSYTGSSFYAPEPITSLNTKYVAPQVTYQNI STNLPPPLGNSGTGIDFQDELDEFFKNVSTSI PNFGSLTQINTTL LDLTYEMLSLQVVKALNESYIDLKELGNYTYYNKWP	33
Novel_Trimeric_SARS_S2	MFIFLLFLTLTSGSDDLDRALSGIAAEQDRNTREVFAQVKQMY KTPTLKYFGGFNFSQILPDPLKPTKRSFIEDLLFNKVTLADAG FMKQYGECLGDINARDLICAQKFNGLTVLPPLLTDMMIAAYT AALVSGTATAGWTFGAGAALQIPFAMQMAYRFNGIGVTQN VLYENQKQIANQFNKAI SQIQESLTTTSTALGKLQDVVNQNA QALNTLVKQLSSNFGAISSVLNDILSRDKVEAEVQIDRLITG RLQSLQTYVTQQLIRAAEIRASANLAATKMSECVLGQSKRV DFCGKGYHLMSFPQAAPHGVVFLHVTVVPSQERNFTTAPAI C HEGKAYFPREGVVFVNGTSWFITQRNFFSPQIITTDNTFVSGN CDVVIGIINNTVYDPLQPELDSFKEELDKYFKNHTSPDVDLG DISGINASVVNIQKEIDRLNEVAKNLNESLIDLQELGKYEQYI KWPWYVWLGFIAGLIAIVMVTILLCCMTSCCSCLKGACSCGS CCKFDEDDSEPVLKGVKLHYT	34

TABLE 12

Full-length Spike Glycoprotein Amino Acid Sequences (<i>Homo sapiens</i> strains)				
GenBank Accession	Country	Collection Date	Release Date	Virus Name
AFY13307	United Kingdom	2012 Sep. 11	2012 Dec. 5	Betacoronavirus England 1, complete genome
AFS88936		2012 Jun. 13	2012 Sep. 27	Human betacoronavirus 2c EMC/2012, complete genome
AGG22542	United Kingdom	2012 Sep. 19	2013 Feb. 27	Human betacoronavirus 2c England-Qatar/2012, complete genome
AHY21469	Jordan	2012	2014 May 4	Human betacoronavirus 2c Jordan-N3/2012 isolate MG167, complete genome

TABLE 12-continued

Full-length Spike Glycoprotein Amino Acid Sequences (<i>Homo sapiens</i> strains)				
GenBank Accession	Country	Collection Date	Release Date	Virus Name
AGH58717	Jordan	2012 April	2013 Mar. 25	Human betacoronavirus 2c Jordan-N3/2012, complete genome
AGV08444	Saudi Arabia	2013 May 7	2013 Sep. 17	Middle East respiratory syndrome coronavirus isolate Al-Hasa_12_2013, complete genome
AGV08546	Saudi Arabia	2013 May 11	2013 Sep. 17	Middle East respiratory syndrome coronavirus isolate Al-Hasa_15_2013, complete genome
AGV08535	Saudi Arabia	2013 May 12	2013 Sep. 17	Middle East respiratory syndrome coronavirus isolate Al-Hasa_16_2013, complete genome
AGV08558	Saudi Arabia	2013 May 15	2013 Sep. 17	Middle East respiratory syndrome coronavirus isolate Al-Hasa_17_2013, complete genome
AGV08573	Saudi Arabia	2013 May 23	2013 Sep. 17	Middle East respiratory syndrome coronavirus isolate Al-Hasa_18_2013, complete genome
AGV08480	Saudi Arabia	2013 May 23	2013 Sep. 17	Middle East respiratory syndrome coronavirus isolate Al-Hasa_19_2013, complete genome
AGN70962	Saudi Arabia	2013 May 9	2013 Jun. 10	Middle East respiratory syndrome coronavirus isolate Al-Hasa_1_2013, complete genome
AGV08492	Saudi Arabia	2013 May 30	2013 Sep. 17	Middle East respiratory syndrome coronavirus isolate Al-Hasa_21_2013, complete genome
AHI48517	Saudi Arabia	2013 May 2	2014 Feb. 6	Middle East respiratory syndrome coronavirus isolate Al-Hasa_25_2013, complete genome
AGN70951	Saudi Arabia	2013 Apr. 21	2013 Jun. 10	Middle East respiratory syndrome coronavirus isolate Al-Hasa_2_2013, complete genome
AGN70973	Saudi Arabia	2013 Apr. 22	2013 Jun. 10	Middle East respiratory syndrome coronavirus isolate Al-Hasa_3_2013, complete genome
AGN70929	Saudi Arabia	2013 May 1	2013 Jun. 10	Middle East respiratory syndrome coronavirus isolate Al-Hasa_4_2013, complete genome
AGV08408	Saudi Arabia	2012 Jun. 19	2013 Sep. 17	Middle East respiratory syndrome coronavirus isolate Bisha_1_2012, complete genome
AGV08467	Saudi Arabia	2013 May 13	2013 Sep. 17	Middle East respiratory syndrome coronavirus isolate Buraidah_1_2013, complete genome
AID50418	United Kingdom	2013 Feb. 10	2014 Jun. 18	Middle East respiratory syndrome coronavirus isolate England/2/2013, complete genome
AJD81451	United Kingdom	2013 Feb. 10	2015 Jan. 18	Middle East respiratory syndrome coronavirus isolate England/3/2013, complete genome
AJD81440	United Kingdom	2013 Feb. 13	2015 Jan. 18	Middle East respiratory syndrome coronavirus isolate England/4/2013, complete genome
AHB33326	France	2013 May 7	2013 Dec. 7	Middle East respiratory syndrome coronavirus isolate FRA/UAE, complete genome
AIZ48760	USA	2014 June	2014 Dec. 14	Middle East respiratory syndrome coronavirus isolate Florida/USA-2_Saudi Arabia_2014, complete genome
AGV08455	Saudi Arabia	2013 Jun. 4	2013 Sep. 17	Middle East respiratory syndrome coronavirus isolate Hafr-Al-Batin_1_2013, complete genome
AHI48561	Saudi Arabia	2013 Aug. 5	2014 Feb. 6	Middle East respiratory syndrome coronavirus isolate Hafr-Al-Batin_2_2013, complete genome
AHI48539	Saudi Arabia	2013 Aug. 28	2014 Feb. 6	Middle East respiratory syndrome coronavirus isolate Hafr-Al-Batin_6_2013, complete genome

TABLE 12-continued

Full-length Spike Glycoprotein Amino Acid Sequences (<i>Homo sapiens</i> strains)				
GenBank Accession	Country	Collection Date	Release Date	Virus Name
AIZ74417	France	2013 Apr. 26	2015 Mar. 10	Middle East respiratory syndrome coronavirus isolate Hu-France (UAE) - FRA1_1627-2013_BAL_Sanger, complete genome
AIZ74433	France	2013 May 7	2015 Mar. 10	Middle East respiratory syndrome coronavirus isolate Hu-France - FRA2_130569-2013_IS_HTS, complete genome
AIZ74439	France	2013 May 7	2015 Mar. 10	Middle East respiratory syndrome coronavirus isolate Hu-France - FRA2_130569-2013_InSpu_Sanger, complete genome
AIZ74450	France	2013 May 7	2015 Mar. 10	Middle East respiratory syndrome coronavirus isolate Hu-France - FRA2_130569-2013_Isolate_Sanger, complete genome
AKK52602	Saudi Arabia	2015 Feb. 10	2015 Jun. 8	Middle East respiratory syndrome coronavirus isolate Hu/Riyadh_KSA_2959_2015, complete genome
AKK52612	Saudi Arabia	2015 Mar. 1	2015 Jun. 8	Middle East respiratory syndrome coronavirus isolate Hu/Riyadh_KSA_4050_2015, complete genome
AHN10812	Saudi Arabia	2013 Nov. 6	2014 Mar. 24	Middle East respiratory syndrome coronavirus isolate Jeddah_1_2013, complete genome
AID55071	Saudi Arabia	2014 Apr. 21	2014 Nov. 12	Middle East respiratory syndrome coronavirus isolate Jeddah_C10306/KSA/2014-04-20, complete genome
AID55066	Saudi Arabia	2014	2014 Nov. 12	Middle East respiratory syndrome coronavirus isolate Jeddah_C7149/KSA/2014-04-05, complete genome
AID55067	Saudi Arabia	2014	2014 Nov. 12	Middle East respiratory syndrome coronavirus isolate Jeddah_C7569/KSA/2014-04-03, complete genome
AID55068	Saudi Arabia	2014 Apr. 7	2014 Nov. 12	Middle East respiratory syndrome coronavirus isolate Jeddah_C7770/KSA/2014-04-07, complete genome
AID55069	Saudi Arabia	2014 Apr. 12	2014 Nov. 12	Middle East respiratory syndrome coronavirus isolate Jeddah_C8826/KSA/2014-04-12, complete genome
AID55070	Saudi Arabia	2014 Apr. 14	2014 Nov. 12	Middle East respiratory syndrome coronavirus isolate Jeddah_C9055/KSA/2014-04-14, complete genome
AHE78108	Saudi Arabia	2013 Nov. 5	2014 May 1	Middle East respiratory syndrome coronavirus isolate MERS-CoV-Jeddah-human-1, complete genome
AKL59401	South Korea	2015 May 20	2015 Jun. 9	Middle East respiratory syndrome coronavirus isolate MERS-CoV/KOR/KNIH/002_05_2015, complete genome
ALD51904	Thailand	2015 Jun. 17	2015 Jul. 7	Middle East respiratory syndrome coronavirus isolate MERS-CoV/THA/CU/17_06_2015, complete genome
AID55072	Saudi Arabia	2014 Apr. 15	2014 Nov. 12	Middle East respiratory syndrome coronavirus isolate Makkah_C9355/KSA/Makkah/2014-04-15, complete genome
AHC74088	Qatar	2013 Oct. 13	2013 Dec. 23	Middle East respiratory syndrome coronavirus isolate Qatar3, complete genome

TABLE 12-continued

Full-length Spike Glycoprotein Amino Acid Sequences (<i>Homo sapiens</i> strains)				
GenBank Accession	Country	Collection Date	Release Date	Virus Name
AHC74098	Qatar	2013 Oct. 17	2013 Dec. 23	Middle East respiratory syndrome coronavirus isolate Qatar4, complete genome
AHI48572	Saudi Arabia	2013 Aug. 15	2014 Feb. 6	Middle East respiratory syndrome coronavirus isolate Riyadh_14_2013, complete genome
AGV08379	Saudi Arabia	2012 Oct. 23	2013 Sep. 17	Middle East respiratory syndrome coronavirus isolate Riyadh_1_2012, complete genome
AID55073	Saudi Arabia	2014 Apr. 22	2014 Nov. 12	Middle East respiratory syndrome coronavirus isolate Riyadh_2014KSA_683/KSA/2014, complete genome
AGV08584	Saudi Arabia	2012 Oct. 30	2013 Sep. 17	Middle East respiratory syndrome coronavirus isolate Riyadh_2_2012, complete genome
AGV08390	Saudi Arabia	2013 Feb. 5	2013 Sep. 17	Middle East respiratory syndrome coronavirus isolate Riyadh_3_2013, complete genome
AHI48605	Saudi Arabia	2013 Mar. 1	2014 Feb. 6	Middle East respiratory syndrome coronavirus isolate Riyadh_4_2013, complete genome
AHI48583	Saudi Arabia	2013 Jul. 2	2014 Feb. 6	Middle East respiratory syndrome coronavirus isolate Riyadh_5_2013, complete genome
AHI48528	Saudi Arabia	2013 Jul. 17	2014 Feb. 6	Middle East respiratory syndrome coronavirus isolate Riyadh_9_2013, complete genome
AHI48594	Saudi Arabia	2013 Jun. 12	2014 Feb. 6	Middle East respiratory syndrome coronavirus isolate Taif_1_2013, complete genome
AHI48550	Saudi Arabia	2013 Jun. 12	2014 Feb. 6	Middle East respiratory syndrome coronavirus isolate Wadi-Ad-Dawasir_1_2013, complete genome
AIY60558	United Arab Emirates	2014 Mar. 7	2014 Dec. 6	Middle East respiratory syndrome coronavirus strain Abu Dhabi/Gayathi_UAE_2_2014, complete genome
AIY60538	United Arab Emirates	2014 Apr. 10	2014 Dec. 6	Middle East respiratory syndrome coronavirus strain Abu Dhabi_UAE_16_2014, complete genome
AIY60528	United Arab Emirates	2014 Apr. 10	2014 Dec. 6	Middle East respiratory syndrome coronavirus strain Abu Dhabi_UAE_18_2014, complete genome
AIY60588	United Arab Emirates	2014 Apr. 13	2014 Dec. 6	Middle East respiratory syndrome coronavirus strain Abu Dhabi_UAE_26_2014, complete genome
AIY60548	United Arab Emirates	2014 Apr. 19	2014 Dec. 6	Middle East respiratory syndrome coronavirus strain Abu Dhabi_UAE_30_2014, complete genome
AIY60568	United Arab Emirates	2014 Apr. 17	2014 Dec. 6	Middle East respiratory syndrome coronavirus strain Abu Dhabi_UAE_33_2014, complete genome
AIY60518	United Arab Emirates	2014 Apr. 7	2014 Dec. 6	Middle East respiratory syndrome coronavirus strain Abu Dhabi_UAE_8_2014, complete genome
AIY60578	United Arab Emirates	2013 Nov. 15	2014 Dec. 6	Middle East respiratory syndrome coronavirus strain Abu Dhabi_UAE_9_2013, complete genome
AKJ80137	China	2015 May 27	2015 Jun. 5	Middle East respiratory syndrome coronavirus strain ChinaGD01, complete genome

TABLE 12-continued

Full-length Spike Glycoprotein Amino Acid Sequences (<i>Homo sapiens</i> strains)				
GenBank Accession	Country	Collection Date	Release Date	Virus Name
AHZ64057	USA	2014 May 10	2014 May 14	Middle East respiratory syndrome coronavirus strain Florida/USA-2_Saudi Arabia_2014, complete genome
AKM76229	Oman	2013 Oct. 28	2015 Jun. 23	Middle East respiratory syndrome coronavirus strain Hu/Oman_2285_2013, complete genome
AKM76239	Oman	2013 Dec. 28	2015 Jun. 23	Middle East respiratory syndrome coronavirus strain Hu/Oman_2874_2013, complete genome
AKI29284	Saudi Arabia	2015 Jan. 6	2015 May 27	Middle East respiratory syndrome coronavirus strain Hu/Riyadh-KSA-2049/2015, complete genome
AKI29265	Saudi Arabia	2015 Jan. 21	2015 May 27	Middle East respiratory syndrome coronavirus strain Hu/Riyadh-KSA-2343/2015, complete genome
AKI29255	Saudi Arabia	2015 Jan. 21	2015 May 27	Middle East respiratory syndrome coronavirus strain Hu/Riyadh-KSA-2345/2015, complete genome
AKI29275	Saudi Arabia	2015 Jan. 26	2015 May 27	Middle East respiratory syndrome coronavirus strain Hu/Riyadh-KSA-2466/2015, complete genome
AKK52582	Saudi Arabia	2015 Feb. 10	2015 Jun. 8	Middle East respiratory syndrome coronavirus strain Hu/Riyadh_KSA_2959_2015, complete genome
AKK52592	Saudi Arabia	2015 Mar. 1	2015 Jun. 8	Middle East respiratory syndrome coronavirus strain Hu/Riyadh_KSA_4050_2015, complete genome
AHZ58501	USA	2014 Apr. 30	2014 May 13	Middle East respiratory syndrome coronavirus strain Indiana/USA-1_Saudi Arabia_2014, complete genome
AGN52936	United Arab Emirates	2013	2013 Jun. 10	Middle East respiratory syndrome coronavirus, complete genome

TABLE 13

MeV Nucleic Acid Sequences		
Description	Sequence	SEQ ID NO:
GC_F_MEASLES_B3.1 Sequence, NT (5' UTR, ORF, 3' UTR) Sequence Length: 1864	TCAAGCTTTTGGACCCTCGTACAGAAGCTAATACGACT CACTATAGGGAAATAAGAGAGAAAAGAAGTAAGAA GAAATATAAGAGCCACCATGGGTCTCAAGGTGAACGTC TCTGCCGTATTTCATGGCAGTACTGTTAACTCTCCAAACA CCCGCCGGTCAAATTCATTTGGGGCAATCTCTCTAAGAT AGGGGTAGTAGGAATAGGAAGTGCAAGCTACAAAGTT ATGACTCGTTCAGCCATCAATCATTAGTCATAAAATT AATGCCCAATATAACTCTCCTCAATAACTGCACGAGGG TAGAGATTGCAGAATACAGGAGACTACTAAGAACAGTT TTGGAACCAATTAGGGATGCACTTAATGCAATGACCCA GAACATAAGGCCGGTTCAGAGCGTAGCTTCAAGTAGGA GACACAAGAGATTTGCGGGAGTAGTCTTGGCAGGTGCG GCCCTAGGTGTTGCCACAGCTGCTCAGATAACAGCCGG CATTGCACTTCACCGGTCCATGCTGAACTCTCAGGCCAT CGACAATCTGAGAGCGAGCCTGGAACTACTAATCAGG CAATTGAGGCAATCAGACAAGCAGGGCAGGAGATGAT ATTGGCTGTTCAAGGTGTCCAAGACTACATCAATAATG AGCTGATACCGTCTATGAACCAGCTATCTTGTGATCTA ATCGGTCAGAAGCTCGGGCTCAAATTGCTTAGATACTA TACAGAAATCCTGTCTATTATTTGGCCCCAGCCTACGGG ACCCCATATCTGCGGAGATATCTATCCAGGCTTTGAGTT ATGCACTTGGAGGAGATATCAATAAGGTGTTAGAAAAG	35

TABLE 13-continued

MeV Nucleic Acid Sequences		
Description	Sequence	SEQ ID NO:
	CTCGGATACAGTGGAGGCGATTTACTAGGCATCTTAGA GAGCAGAGGAATAAAGGCTCGGATAACTCACGTCGAC ACAGAGTCCTACTTCATAGTCCTCAGTATAGCCTATCCG ACGCTGTCCGAGATTAAGGGGGTATTGTCCACCGGCT AGAGGGGGTCTCGTACACATAGGCTCTCAAGAGTGGT ATACCACTGTGCCAAGTATGTTGCAACCCAAGGGTAC CTTATCTCGAATTTTGTAGTACATCATGTACTTTCATG CCAGAGGGGACTGTGTGCAGCCAAAATGCCTTGTACCC GATGAGTCCTCTGCTCCAAGAATGCCTCCGGGGTCCA CCAAGTCCTGTGCTCGTACACTCGTATCCGGGTCTTTTG GGAACCGGTTCAATTTTATCACAAGGGAACCTAATAGCC AATGTGCATCAATCTTTGTAAGTGTACACAACAGGT ACGATTATTAATCAAGACCCTGACAAGATCCTAACATA CATTGCTGCCGATCGCTGCCCGGTAGTCGAGGTGAACG GCGTGACCATCCAAGTCGGGAGCAGGAGGTATCCAGA CGCTGTGTACTTGCACAGAATTGACCTCGGTCTCCCAT ATCATTGGAGAGGTTGGACGTAGGGACAAATCTGGGG AATGCAATTGCCAAATGGAGGATGCCAAGGAATTGTT GGAATCATCGGACCAGATATTGAGAAGTATGAAAGGTT TATCGAGCACTAGCATAGTCTACATCCTGATTGCAGTG TGTCTTGGAGGGTGTATAGGGATCCCCACTTTAATATGT TGCTGCAGGGGGCGTTGTAACAAAAGGGGAGAACAAG TTGGTATGTCAAGACCAGGCTAAAGCCTGACCTTACA GGAACATCAAAATCCTATGTAAGATCGCTTTGATGATA ATAGGCTGGAGCCTCGGTGGCCAAGCTTCTTGCCCCCT GGCCCTCCCCCAGCCCCCTCTCCCTTCTGACCCCGT ACCCCGTGGTCTTTGAATAAAGTCTGAGTGGGCGGC	
GC_F_MEASLES_B3.1 ORF Sequence, NT	ATGGGTCTCAAGGTGAACGTCCTGCCGATTTCATGGC AGTACTGTTAACTCTCCAAACACCCGCGGTCAAATTC ATTGGGGCAATCTCTTAAGATAGGGGTAGTAGGAATA GGAAGTGCAAGCTACAAAGTTATGACTCGTTCAGCCA TCAATCATTAGTCATAAAATTAATGCCCAATATAACTCT CCTCAATAACTGCACGAGGGTAGAGATTGCAGAATACA GGAGACTACTAAGAACAGTTTGGAAACCAATAGGGAT GCACTTAATGCAATGACCAGAACATAAGGCCGTTCA GAGCGTAGCTTCAAGTAGGAGACACAAGAGATTTCG GGAGTAGTCTTGGCAGGTGCGGCCCTAGGTGTTGCCAC AGCTGCTCAGATAACAGCCGGCATTGCACCTCACCGGT CCATGCTGAACCTCAGGCCATCGACAATCTGAGAGCG AGCCTGGAAACTACTAATCAGGCAATTGAGGCAATCAG ACAAGCAGGGCAGGAGATGATATTGGCTGTTGAGGGTG TCCAAGACTACATCAATAATGAGCTGATACCGTCTATG AACCAGCTATCTGTGATCTAATCGGTGAGAAGCTCGG GCTCAAATTGCTTAGATACTATACAGAAATCCTGTCATT ATTTGGCCCCAGCCTACGGGACCCCATATCTGCGGAGA TATCTATCCAGGCTTTGAGTTATGCACTTGGAGGAGAT ATCAATAAGGTGTTAGAAAAGCTCGGATACAGTGGAG GCGATTTACTAGGCATCTTAGAGAGCAGAGGAATAAAG GCTCGGATAACTCACGTCGACACAGAGTCCTACTTCAT AGTCCTCAGTATAGCCTATCCGACGCTGTCCGAGATTA AGGGGGTATTGTCACCGGCTAGAGGGGGTCTCGTAC AACATAGGCTCTCAAGAGTGGTATACCACGTGCCCCAA GTATGTTGCAACCCAAGGGTACCTTATCTCGAATTTGA TGAGTCATCATGTACTTTCATGCCAGAGGGGACTGTGT GCAGCCAAAATGCCTTGTACCCGATGAGTCTCTGCTC CAAGAATGCCCTCCGGGGTCCACCAAGTCTGTGCTCG TACACTCGTATCCGGTCTTTTGGGAACCGGTTCAATTT ATCACAAGGGAACCTAATAGCCAATTGTGCATCAATTC TTTGTAAAGTGTACACAACAGGTACGATTATTAATCAA GACCTGACAAGATCCTAACATACATTGCTGCCGATCG CTGCCCGGTAGTCGAGGTGAACGGCGTGACCATCCAAG TCGGGAGCAGGAGGTATCCAGACGCTGTGTACTTGCAC AGAATTGACCTCGGTCTCCCATATCATTGGAGAGGTT GGACGTAGGGACAAATCTGGGAATGCAATTGCCAAA TTGGAGGATGCCAAGGAATTGTTGGAATCATCGGACCA GATATTGAGAAGTATGAAAGGTTTATCGAGCACTAGCA TAGTCTACATCCTGATGTCAGTGTGTCTTGGAGGGTGA TAGGGATCCCCACTTTAATATGTTGCTGCAGGGGGCGT TGTAACAAAAGGGGAGAACAAGTTGGTATGTCAAGAC CAGGCCTAAAGCCTGACCTTACAGGAACATCAAAATCC TATGTAAGATCGCTTTGA	36

TABLE 13-continued

MeV Nucleic Acid Sequences		
Description	Sequence	SEQ ID NO:
GC_F_MEASLES_B3.1 mRNA Sequence (assumes T100 tail) mRNA Sequence Length: 1925	G*GGGAAATAAGAGAGAAAAAGAAGAGTAAGAAGAAAT ATAAGAGCCACCATGGGTCTCAAGGTGAACGTCCTCTGC CGTATTCATGGCAGTACTGTAACTCTCCAAACACCCG CCGGTCAAATTCATTGGGGCAATCTCTCTAAGATAGGG GTAGTAGGAATAGGAAGTGCAAGCTACAAAGTTATGA CTCGTTCAGCCATCAATCATTAGTCATAAAATTAATGC CCAATATAACTCTCCTCAATAACTGCACGAGGGTAGAG ATTGCAGAATACAGGAGACTACTAAGAACAGTTTGGGA ACCAATTAGGGATGCACTTAATGCAATGACCCAGAACA TAAGGCCGGTTCAGAGCGTAGCTTCAAGTAGGAGACAC AAGAGATTTGCGGGAGTAGTCCTGGCAGGTGCGGCCCT AGGTGTTGCCACAGCTGCTCAGATAACAGCCGGCATTG CACTTCACCGGTCCATGCTGAACCTCAGGCCATCGAC AATCTGAGAGCGAGCCTGGAACTACTAATCAGGCAAT TGAGGCAATCAGACAAGCAGGGCAGGAGATGATATTG GCTGTTCAAGGTGTCCAAGACTACATCAATAATGAGCT GATACCGTCTATGAACCAGCTATCTTGTGATCTAATCG GTCAGAAGCTCGGGCTCAAATTGCTTAGATACTATACA GAAATCCTGTCAATTATTTGGCCCCAGCCTACGGGACCC CATATCTGCGGAGATATCTATCCAGGCTTTGAGTTATGC ACTTGGAGGAGATATCAATAAGGTGTTAGAAAAGCTCG GATACAGTGGAGGCGATTTACTAGGCATCTTAGAGAGC AGAGGAATAAAGGCTCGGATAACTCACGTCGACACAG AGTCTACTTTCATAGTCTCAGTATAGCCTATCCGACGC TGTCCGAGATTAAGGGGTGATTGTCCACCGGTAGAG GGGTCTCGTACAACATAGGCTCTCAAGAGTGGTATAC CACTGTGCCCAAGTATGTTGCAACCCAAGGTACCTTA TCTCGAATTTTGATGAGTCATCATGTACTTTCATGCCAG AGGGACTGTGTGCAGCCAAAATGCCTTGTACCCGATG AGTCTCTGCTCCAAGATGCCTCCGGGGTCCACCAA GTCCTGTGCTCGTACACTCGTATCCGGGTCTTTGGGAA CCGGTTCATTTTATCACAAGGGAACCTAATAGCCAATT GTGCATCAATTCCTTGTAAAGTGTACACAACAGGTACG ATTATTAATCAAGACCTTGACAAGATCCTAACATACAT TGCTGCCGATCGCTGCCCGGTAGTCGAGGTGAACGCG TGACCATCCAAGTCGGGAGCAGGAGGTATCCAGACGCT GTGTACTTGCACAGAATTGACCTCGGTCTCCCATATCA TTGGAGAGGTTGGACGTAGGGACAAATCTGGGGAATG CAATTGCCAAATGGAGGATGCCAAGGAATTGTTGGAA TCATCGGACCAGATATGAGAAGTATGAAAGTTTATC GAGCACTAGCATAGTCTACATCCTGATTGCAGTGTGTC TTGGAGGGTTGATAGGGATCCCCTTTAATATGTTGCT GCAGGGGGCGTTGTAACAAAAAGGGAGAACAAGTTGG TATGTCAGAGACCAGGCCTAAAGCCTGACCTTACAGGAA CATCAAAATCCTATGTAAGATCGCTTTGATGATAATAG GCTGGAGCCTCGGTGGCCAAGCTTCTTGCCCCCTGGGC CTCCCCCAGCCCCCTCCCTCCCTTCTGCACCCGTACCC CCGTGGTCTTTGAATAAAGTCTGAGTGGGCGGCAAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAATCTAG	37
GC_F_MEASLES_D8 Sequence, NT (5' UTR, ORF, 3' UTR) Sequence Length: 1864	TCAAGCTTTTGGACCTCGTACAGAAGCTAATACGACT CACTATAGGGAAATAAGAGAGAAAAAGAAGTAAGAA GAAATATAAGAGCCACCATGGGTCTCAAGGTGAACGTC TCTGTCAATTCATGGCAGTACTGTAACTCTTCAAACA CCCACCGTCAAATCCATTGGGGCAATCTCTTAAGAT AGGGGTGGTAGGGTAGGAAGTGCAAGCTACAAAGTT ATGACTCGTTCAGCCATCAATCATTAGTCATAAAGTT AATGCCCAATATAACTCTCCTCAACAATTGCACGAGGG TAGGGATTGCAGAATACAGGAGACTACTGAGAACAGTT CTGGAACCAATTAGAGATGCACTTAATGCAATGACCCA GAATATAAGACCGGTTCAAGTGTAGCTTCAAGTAGGA GACACAAGAGATTTGCGGGAGTTGTCTGGCAGGTGCG GCCCTAGGCGTTGCCACAGCTGCTCAAATAACAGCCGG TATTGCACTTCACCAGTCCATGCTGAACCTCAAGCCAT CGACAATCTGAGAGCGAGCCTAGAACTACTAATCAGG CAATTGAGGCAATCAGACAAGCAGGGCAGGAGATGAT ATTGGCTGTTCAAGGTGTCCAAGACTACATCAATAATG AGCTGATACCGTCTATGAATCAACTATCTTGTGATTTAA TCGGCCAGAAGCTAGGGCTCAAATTGCTCAGATACTAT	38

TABLE 13-continued

MeV Nucleic Acid Sequences		
Description	Sequence	SEQ ID NO:
	ACAGAAATCCTGTCATTATTTGGCCCCAGCTTACGGGA CCCCATATCTGCGGAGATATCTATCCAGGCTTTGAGCT ATGCGCTTGGAGGAGATATCAATAAGGTGTTGGAAAAG CTCGGATACAGTGGAGGTGATCTACTGGGCATCTTAGA GAGCAGAGGAATAAAGGCCGGATAACTCACGTGAC ACAGAGTCCTACTTCATGTACTCAGTATAGCCTATCCG ACGCTATCCGAGATTAAGGGGGTATTGTCCACCGGCT AGAGGGGGTCTCGTACAACATAGGCTCTCAAGAGTGGT ATACCACTGTGCCAAGTATGTTGCAACCCAAGGGTAC CTTATCTCGAATTTTGATGAGTCATCATGCACTTTCATG CCAGAGGGGACTGTGTGCAGCCAGAATGCCTTGTAACC GATGAGTCCTCTGCTCCAAGAATGCCTCCGGGGGTCCA CTAAGTCCTGTGCTCGTACACTCGTATCCGGGTCTTTCG GGAACCGGTTCAATTTATCACAGGGGAACCTAATAGCC AATTGTGCATCAATCCTTTGCAAGTGTACACAACAGG AACAATCATTAAATCAAGACCCTGACAAGATCCTAACAT ACATTGCTGCCGATCACTGCCCGGTGGTTCGAGGTGAAT GGCGTGACCATCCAAGTCGGGAGCAGGAGGTATCCGG ACGCTGTGTAATGTCACAGGATTGACCTCGGTCTCTCC ATATCTTTGGAGAGGTTGGACGTAGGGACAAATCTGGG GAATGCAATTGCTAAGTTGGAGGATGCCAAGGAATTGT TGGAGTCATCGGACCAGATATTGAGGAGTATGAAAGGT TTATCGAGCACTAGTATAGTTTACATCCTGATTGCAAGT TGTCTTGGAGGATTGATAGGGATCCCCGCTTTAATATGT TGCTGCAGGGGGCGTTGTAACAAGAAGGGAGAACAAG TTGGTATGTCAAGACCAGGCCTAAAGCCTGATCTTACA GGAACATCAAAATCCTATGTAAGGTCACTCTGATGATA ATAGGCTGGAGCCTCGGTGGCCAAGCTTCTTGCCCTT GGGCCTCCCCCAGCCCTCCTCCCTTCTGCAACCCGT ACCCCGTGGTCTTTGAATAAAGTCTGAGTGGGCGGC	
GC_F_MEASLES_D8 ORF Sequence, NT	ATGGGTCTCAAGGTGAACGTCTCTGTCATATTCATGGC AGTACTGTTAACTCTTCAAACACCCACCGGTCAAATCC ATTGGGGCAATCTCTCAAGATAGGGGTGGTAGGGGTA GGAAGTGCAAGCTACAAAGTTATGACTCGTTCAGCCA TCAATCATTAGTCATAAAGTTAATGCCAATATAACTCT CCTCAACAATTGCACGAGGGTAGGGATTGCAGAAACA GGAGACTACTGAGAACAGTTCTGGAACCAATTAGAGAT GCACTTAATGCAATGACCAGAAATAAAGACCGGTTCA GAGTGTAGCTTCAAGTAGGAGACACAAGAGATTTGCGG GAGTTGTCTGGCAGGTGCGGCCCTAGGCGTTGCCACA GCTGCTCAAATAACAGCCGGTATTGCACTTCAACAGTC CATGCTGAACCTCAAGCCATCGACAATCTGAGAGCGA GCCTAGAACTACTAATCAGGCAATTGAGGCAATCAGA CAAGCAGGGCAGGAGATGATATTGGCTGTTTCAGGGTGT CCAAGACTACATCAATAATGAGCTGATACCGTCTATGA ATCAACTATCTTGTGATTTAATCGGCCAGAAGCTAGGG CTCAAATTGCTCAGATACTATACAGAAATCCTGTCATT ATTTGGCCCCAGCTTACGGGACCCATATCTGCGGAGA TATCTATCCAGGCTTTGAGCTATGCGCTTGGAGGAGAT ATCAATAAGGTGTTGGAAAAGCTCGGATACAGTGGAG GTGATCTACTGGGCATCTTAGAGAGCAGAGGAATAAAG GCCCGGATAACTCACGTCGACACAGAGTCTTACTTCAT TGTAATCAGTATAGCCTATCCGACGCTATCCGAGATTA AGGGGGTATTGTTCCACCGGCTAGAGGGGGTCTCGTAC AACATAGGCTCTCAAGAGTGGTATACCCTGTGCCCAA GTATGTTGCAACCCAAGGGTACCTTATCTCGAATTTGA TGAGTCATCATGCACCTTCATGCCAGAGGGGACTGTGT GCAGCCAGAATGCCCTTGTACCCGATGAGTCTCTGCTC CAAGAATGCCCTCCGGGGTCCACTAAGTCTGTGCTCG TACACTCGTATCCGGGTCTTTCGGGAACCGGTTCAATTT ATCACAGGGGAACCTAATAGCCAATTGTGCATCAATCC TTTGCAAGTGTACACAACAGGAACAATCATTAATCAA GACCCTGACAAGATCCTAACATACATTGCTGCCGATCA CTGCCCGGTGGTTCGAGGTGAATGGCGTGACCATCCAAG TCGGGAGCAGGAGGTATCCGGACGCTGTGTACTTGCAC AGGATTGACCTCGGTCCTCCATATCTTTGGAGAGGTT GGACGTAGGGACAAATCTGGGGAATGCAATTGCTAAGT TGGAGGATGCCAAGGAATTGTTGGAGTCATCGGACCAG ATATTGAGGAGTATGAAAGGTTTATCGAGCACTAGTAT AGTTTACATCCTGATTGCAGTGTGTCTTGGAGGATTGAT AGGGATCCCCGCTTTAATATGTTGCTGCAGGGGGCGTT	39

TABLE 13-continued

MeV Nucleic Acid Sequences		
Description	Sequence	SEQ ID NO:
	GGAGACCAGAACAACCCTCAGTTCCTAGCTGTCTCAA AGGGAAACTGCTCAGGGCCCACTACAATCAGAGGTCA ATTCTCAAACATGTCGCTGTCTTGTGGACTTGTACTT AGGTCGAGGTTACAATGTGTATCTATAGTCACTATGA CATCCCAGGGAATGTATGGGGGAACCTACCTAGTTGAA AAGCCTAATCTGAACAGCAAAGGGTCAGAGTTGTCA ACTGAGCATGTACCGAGTGTGTTGAAGTAGGTGTGATCA GAAACCCGGGTTTGGGGGCTCCGGTGTTCATATGACA AACTATTTTGGAGCAACCAGTCAGTAATGGTCTCGGCAA CTGTATGGTGGCTTTGGGGGAGCTCAAACCTCGCAGCCC TTTGTACGGGGACGATTCATCATAATTCCCTATCAGG GATCAGGGAAAGGTGTCAGCTTCCAGCTCGTCAAGCTG GGTGTCTGGAAATCCCCAACCGACATGCAATCCTGGGT CCCCTTATCAACGGATGATCCAGTGGTAGACAGGCTTT ACCTCTCATCTCACAGAGGTGTCATCGCTGACAAATCAA GCAAAATGGGCTGTCCCGACAACACGAACAGATGACA AGTTGCGAATGGAGACATGCTTCCAGCAGGCGGTGAAA GGTAAAATCCAAGCACTCTGCGAGAATCCCGAGTGGGT ACCATTGAAGGATAACAGGATTCCTTCATACGGGGTCC TGTCTGTTGATCTGAGTCTGACGGTTGAGCTTAAAATCA AAATTGCTTCGGGATTCGGGCCATTGATCACACACGGC TCAGGGATGGACCTATACAAATCCAACGCAACAATGT GTATTGGCTGACTATTCGGCCAATGAGAAATCTAGCCT TAGGCGTAATCAACACATTGGAGTGGATACCGAGATTC AAGGTTAGTCCCAACCTCTTCACTGTCCCAATTAAGGA AGCAGGCGAAGACTGCCATGCCCCAACATACTACCTG CGGAGGTGGACGGTGTGTCAAACTCAGTTCCAACCTG GTGATTCTACCTGGTCAAGATCTCCAATATGTTTGGCA ACCTACGATACTCCAGGGTTGAGCATGCTGTGGTTTA TTACGTTTACAGCCCAAGCCGCTCATTTTCTTACTTTTA TCCTTTTAGGTTGCCTATAAAGGGGGTCCCAATCGAAC TACAAGTGAATGCTTACATGGGATCAAAAACCTGG TGCCGTCACCTTCTGTGTGCTTGGGACTCAGAATCCGGT GGACTTATCACTCACTCTGGGATGGTGGGCATGGGAGT CAGCTGCACAGCTACCCGGGAAGATGGAACCAATCGC AGATAATGATAATAGGCTGGAGCCTCGGTGGCCAGCT TCTTGCCCTTGGGCTCCCCCAGCCCTCCTCCCTT CCTGCACCCGTACCCCGTGGTCTTTGAATAAAGTCTG AGTGGGCGGC	
GC_H_MEASLES_B3 ORF Sequence, NT	ATGTCACCGCAACGAGACCGGATAAATGCCTTCTACAA AGATAACCCTTATCCCAAGGGAAGTAGGATAGTTATTA ACAGAGAACATCTTATGATTGACAGACCCTATGTTCTG CTGGCTGTTCTGTTGTCATGTTTCTGAGCTTGATCGGA TTGCTGGCAATTGCAGGCATTAGACTTCATCGGGCAGC CATCTACACCGCGGAGATCCATAAAAGCCTCAGTACCA ATCTGGATGTGACTAACTCCATCGAGCATCAGGTCAAG GACGTGCTGACACCACTCTTTAAAATCATCGGGGATGA AGTGGGCTGAGAACACCTCAGAGATTCAGTACCTAG TGAAATTCATCTCGGACAAGATTAATTCCTTAATCCG GATAGGGAGTACGACTTCAGAGATCTCACTTGGTGCAT CAACCCGCCAGAGAGGATCAAACCTAGATTATGATCAAT ACTGTGCAGATGTGGCTGCTGAAGAGCTCATGAATGCA TTGGTGAACCTCAACTCTACTGGAGACCAGAACAACAC TCAGTTCCTAGCTGTCTCAAAGGGAAACTGCTCAGGGC CCACTACAATCAGAGGTCAATTCTCAAACATGTCGCTG TCCTTGTGGACTTGTACTTAGGTCGAGGTTACAATGTG TCATCTATAGTCACTATGACATCCAGGGAATGTATGG GGGAACCTACCTAGTTGAAAAGCCTAATCTGAACAGCA AAGGGTCAGAGTTGTCACTGAGCATGTACCGAGTG TTTGAAGTAGGTGTGATCAGAAACCCGGGTTTGGGGC TCCGGTGTTCATATGACAAACTATTTTGGAGCAACCAG TCAGTAATGGTCTCGGCAACTGTATGGTGGCTTTGGGG GAGCTCAAACCTCGCAGCCCTTTGTACGGGGACGATTC TATCATAATTCCCTATCAGGGATCAGGGAAAGGTGTCA GCTTCCAGCTCGTCAAGCTGGGTGTCTGGAAATCCCA ACCGACATGCAATCCTGGTCCCCTTATCAACGGATGA TCCAGTGGTAGACAGGCTTTACCTCTCATCTCACAGAG GTGTCATCGCTGACAATCAAGCAAAATGGGCTGTCCCG ACAACACGAACAGATGACAAGTTGCGAATGGAGACAT GCTTCCAGCAGGCGTAAAGGTAATCCAAAGCACTC TGCGAGAATCCCGAGTGGGTACCATTGAAGGATAACAG	42

TABLE 13-continued

MeV Nucleic Acid Sequences		
Description	Sequence	SEQ ID NO:
	AA AAATC TAG	
GC_H_MEASLES_D8 Sequence, NT (5' UTR, ORF, 3' UTR) Sequence Length: 2065	TCAAGCTTTTGGACCTCGTACAGAAGCTAATACGACT CACTATAGGGAAATAAGAGAGAAAAGAAGTAAGAA GAAATATAAGAGCCACCATGTACCACAACGAGACCG GATAAATGCCTTCTACAAAGACAACCCCATCCTAAGG GAAGTAGGATAGTTATTAACAGAGAACATCTTATGATT GATAGACCTTATGTTTTGCTGGCTGTTCTATTCTCATG TTTCTGAGCTTGATCGGGTTGCTAGCCATTGCAGGCATT AGACTTCATCGGGCAGCCATCTACACCGCAGAGATCCA TAAAAGCCTCAGCACCAATCTGGATGTAACCTAACTCAA TCGAGCATCAGGTTAAGGACGTGCTGACACCCTCTTC AAGATCATCGGTGATGAAGTGGGCTTGAGGACACCTCA GAGATTCACCTGACCTAGTGAAGTTCATCTCTGACAAGA TTAAATTCCTTAATCCGGACAGGGAATACGACTTCAGA GATCTCACTTGGTGTATCAACCCGCCAGAGAGAATCAA ATTGGATTATGATCAATACTGTGCAGATGTGGCTGCTG AAGAACTCATGAATGCATTGGTGAACCTCACTCTACTG GAGACCAGGGCAACCAATCAGTTCCTAGCTGTCTCAA GGAAACTGCTCAGGGCCACTACAATCAGAGGCCAAT TCTCAAACATGTCGCTGTCCCTGTTGGACTTGTATTTAA GTCGAGGTTACAATGTGTCATCTATAGTCACTATGACA TCCCAGGGAATGTACGGGGAACTTACCTAGTGGAAAA GCCTAATCTGAGCAGCAAAGGGTCAGAGTTGTCAACA TGAGCATGCACCGAGTGTGTTGAAGTAGGTGTTATCAGA AATCCGGGTTTGGGGGCTCCGGTATTCATATGACAAA CTATCTTGAGCAACCAGTCAGTAATGATTTTCAGCAACT GCATGGTGGCTTTGGGGGAGCTCAAGTTCGCAGCCCTC TGTCACAGGGAAGATTCTATCACAATTCCTATCAGGG ATCAGGGAAAGGTGTCAGCTTCCAGCTTGTCAAGCTAG GTGCTGGAATCCCAACCGACATGCAATCCTGGGTC CCCCTATCAACGGATGATCCAGTGTAGACAGGCTTTA CCTCTCATCTCACAGAGGCGTTATCGCTGACAATCAAG CAAAATGGGCTGTCCGACAACACGGACAGATGACAA GTTGCGAATGGAGACATGCTTCCAGCAGGCGTGAAGG GTAAAATCCAAGCACTTTGCGAGAATCCCGAGTGGACA CCATTGAAGGATAACAGGATTCCTTCATACGGGGTCTT GTCTGTTGATCTGAGTCTGACAGTTGAGCTTAAAATCA AAATTGTTTCAGGATTCGGGCCATTGATCACACACGGT TCAGGGATGGACCTATACAAAATCCAACCACAACAATAT GTATTGGCTGACTATCCCGCAATGAAGAACCCTGGCCT TAGGTGTAATCAACACATGGAGTGGATACCGAGATTC AAGGTTAGTCCCAACCTCTTCACTGTTCCAATTAAGGA AGCAGGCGAGGACTGCCATGCCCCAACATACCTACCTG CGGAGGTGGATGGTGTGTCAAACTCAGTTCCAATCTG GTGATTCTACCTGGTCAAGATCTCCAATATGTTCTGGCA ACCTACGATACTCCAGAGTTGAACATGCTGTAGTTTAT TACGTTTACAGCCCAAGCCGCTCATTTTCTACTTTTAT CCTTTTAGGTTGCCGTGAAGGGGGTCCCCATTGAATTA CAAGTGAATGCTTCACATGGGACCAAAAACCTGGTG CCGTCACCTTCTGTGTGCTTGGGACTCAGAATCTGGTGG ACATATCACTCACTCTGGGATGGTGGGCATGGGAGTCA GCTGCACAGCCACTCGGGAAGATGGAACCAGCCGCAG ATAGTGATAATAGGCTGGAGCCTCGGTGGCCAAGCTTC TTGCCCCTTGGGCCCCCCCAGCCCCCTCCCTCCCTTCC TGCACCCGTACCCCGTGGTCTTTGAATAAAGTCTGAG TGGGCGGC	44
GC_H_MEASLES_D8 ORF Sequence, NT	ATGTCACCACAACGAGACCGGATAAATGCCTTCTACAA AGACAACCCCCATCCTAAGGGAAGTAGGATAGTTATTA ACAGAGAACATCTTATGATTGATAGACCTTATGTTTTGC TGGCTGTTCTATTCTCATGTTTCTGAGCTTGATCGGGT TGCTAGCCATTGCAGGCATTAGACTTCATCGGGCAGCC ATCTACACCGCAGAGATCCATAAAAGCCTCAGCACCAA TCTGGATGTAACCTCAATCGAGCATCAGGTTAAGG ACGTGCTGACACCACTCTCAAGATCATCGGTGATGAA GTGGGCTTGAGGACACCTCAGAGATTCCTGACCTAGT GAAGTTCATCTCTGACAAGATTAATTCCTTAATCCGG ACAGGGAATACGACTTCAGAGATCTCACTTGGTGTATC AACCCGCCAGAGAGAATCAAATTGGATTATGATCAATA	45

TABLE 13-continued

MeV Nucleic Acid Sequences		
Description	Sequence	SEQ ID NO:
	CTGTGCAGATGTGGCTGCTGAAGAACTCATGAAATGCAT TGGTGAACCTCAACTCTACTGGAGACCAGGGCAACCAAT CAGTTCCTAGCTGTCTCAAAGGGAACTGCTCAGGGCC CACTACAATCAGAGGCCAATTCTCAAACATGTCGCTGT CCCTGTTGGACTTGTATTTAAGTCGAGGTTACAATGTGT CATCTATAGTCACTATGACATCCCAGGGAATGTACGGG GGAACCTACCTAGTGGAAAAGCCTAATCTGAGCAGCAA AGGGTCAGAGTTGTCACAACCTGAGCATGCACCGAGTGT TTGAAGTAGGTGTTATCAGAAATCCGGGTTTGGGGGCT CCGGTATTCCATATGACAACTATCTTGAGCAACCAGT CAGTAATGATTTTCAGCAACTGCATGGTGGCTTTGGGGG AGCTCAAGTTCGCAGCCCTCTGTACAGGGGAAGATTCT ATCACAATTTCCCTATCAGGGATCAGGGAAAGGTGTCAG CTTCCAGCTTGTCAAGCTAGGTGTCTGGAAATCCCCAA CCGACATGCAATCCTGGGTCCCCCTATCAACGGATGAT CCAGTGATAGACAGGCTTTACCTCTCATCTCACAGAGG CGTTATCGCTGACAATCAAGCAAAATGGGCTGTCCCGA CAACACGGACAGATGACAAGTTGCGAATGGAGACATG CTTCCAGCAGGCGTGTAAAGGGTAAAATCCAAGCACTTT GCGAGAATCCCGAGTGGACACCATTGAAGGATAACAG GATTCCTTCATACGGGGTCTGTCTGTTGATCTGAGTCT GACAGTTGAGCTTAAAATCAAATTTGTTTCAGGATTCG GGCCATTGATCACACACGGTTCAGGGATGGACCTATAC AAATCCAACCACAACAATATGTATTGGCTGACTATCCC GCCAATGAAGAACCCTGGCCTTAGGTGTAATCAACACAT TGGAGTGGATAACCGAGATCAAGGTAGTCCCAACCTC TTCACTGTTCCAATTAAGGAAGCAGGCGAGGACTGCCA TGCCCCAACATACCTACCTGCGGAGGTGGATGGTGATG TCAAACCTCAGTTCCAATCTGGTGATTCTACCTGGTCAAG ATCTCCAATATGTTCTGGCAACCTACGATACTTCCAGA GTTGAACATGCTGTAGTTTATTACGTTTACAGCCCAAGC CGCTCATTTTCTTACTTTTATCCTTTTAGGTTGCCTGTAA GGGGGTCCCCATTGAATTACAAGTGAATGCTTCACA TGGGACCAAAAACCTGGTGCCGTCACCTCTGTGTGCTT GCGGACTCAGAATCTGGTGGACATATCACTCACTCTGG GATGGTGGGCATGGGAGTCAGCTGCACAGCCACTCGGG AAGATGGAACCAGCCGAGATAG	
GC_H_MEASLES_D8 mRNA Sequence (assumes T100 tail) Sequence Length: 2126	G*GGGAAATAAGAGAGAAAAGAAGAGTAAGAAGAAAT ATAAGAGCCACCATGTACCACAACGAGACCGGATAA ATGCCTTCTACAAAGACAACCCCATCCTAAGGGAAAGT AGGATAGTTATTAACAGAGAACATCTTATGATTGATAG ACCTTATGTTTTGCTGGCTGTTCTATTCTGTCATGTTTCTG AGCTTGATCGGGTTGCTAGCCATTGCAGGCATTAGACT TCATCGGGCAGCCATCTACACCGCAGAGATCCATAAAA GCCTCAGCACC AATCTGGATGTAAC TAACTCAATCGAG CATCAGGTTAAGGACGTGCTGACACCACTCTTCAAGAT CATCGGTGATGAAGTGGGCTTGAGGACACCTCAGAGAT TCACTGACCTAGTGAAGTTCATCTCTGACAAGATTA TTCCTTAATCCGGACAGGGAATACGACTTCAGAGATCT CACTTGGTGTATCAACCCGCCAGAGAGAATCAAATTTGG ATTATGATCAATACTGTGCAGATGTGGCTGCTGAAGAA CTCATGAATGCATTGGTGAAC TCAACTCTACTGGAGAC CAGGGCAACCAATCAGTTCCTAGCTGTCTCAAAGGGAA ACTGCTCAGGGCCCACTACAATCAGAGGCCAATTTCTCA AACATGTGCTGTCCCTGTTGGACTTGTATTTAAGTCGA GGTTACAATGTGTCATCTATAGTCACTATGACATCCA GGAATGTACGGGGAACTTACCTAGTGGAAAAGCCT AATCTGAGCAGCAAAGGTCAGAGTTGTCACAACCTGAG CATGCACCGAGTGTTTGAAGTAGGTGTTATCAGAAATC CGGGTTTGGGGGCTCCGGTATTCCATATGACAACTAT CTTGAGCAACCAGTCAGTAATGATTTTCAGCAACTGCAT GGTGGCTTTGGGGGAGCTCAAGTTCGCAGCCCTCTGTC ACAGGGAAGATTCTATCACAATTCCTATCAGGGATCA GGGAAAGGTGTCAGCTTCCAGCTTGTCAAGCTAGGTGT CTGGAAATCCCCAACCGACATGCAATCCTGGGTCCCC TATCAACGGATGATCCAGTGATAGACAGGCTTTACCTC TCATCTCACAGAGGCTTATCGCTGACAATCAAGCAA ATGGGCTGTCCCGACAACACGGACAGATGACAAGTTGC GAATGGAGACATGCTTCCAGCAGGCGTGTAAAGGGTAA AATCCAAGCACTTTGCGAGAATCCCGAGTGGACACCAT TGAAGGATAACAGGATTCCTTCATACGGGGTCTTGTCT	46

TABLE 13-continued

MeV Nucleic Acid Sequences		
Description	Sequence	SEQ ID NO:
	GTTGATCTGAGTCTGACAGTTGAGCTTAAAATCAAAT TGTTTCAGGATTCGGGCCATTGATCACACACGGTTCAG GGATGGACCTATACAAATCCAACCACAACAATATGTAT TGGCTGACTATCCCGCAATGAAGAACCCTGGCCTTAGG TGTAATCAACACATTGGAGTGGATACCGAGATTCAAGG TTAGTCCCAACCTCTTCACTGTTCCAATTAAGGAAGCA GGCGAGGACTGCCATGCCCAACATACTACCTGCGGA GGTGGATGGTGTGTCAAACTCAGTTCCAATCTGGTGA TTCTACCTGGTCAAGATCTCCAATATGTTCTGGCAACCT ACGATACTTCCAGAGTGAACATGCTGTAGTTTATTAC GTTTACAGCCCAAGCCGCTCATTCTTACTTTTATCCT TTTAGGTTGCCGTGTAAGGGGGTCCCCATTGAATTACA AGTGAATGCTTCACATGGGACCAAAAACCTGGTGCC GTCACTTCTGTGTGCTGCGGACTCAGAATCTGGTGGA CATATCACTCACTCTGGGATGGTGGGCATGGGAGTCAG CTGCACAGCCACTCGGGAAGATGGAACCAGCCGCGAGA TAGTGATAATAGGCTGGAGCCTCGGTGGCCAAGCTTCT TGCCCCCTTGGGCCCTCCCCAGCCCCTCTCCCTTCTCT GCACCCGTACCCCGTGGTCTTTGAATAAAGTCTGAGT GGGCGGCAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAT CTAG	
MeV mRNA Sequences		
GC_F_MEASLES_B3.1 Sequence, NT (5' UTR, ORF, 3' UTR) Sequence Length: 1864	UCAAGCUUUUGGACCCUCGUACAGAAGCUAAUACGAC UCACUUAUAGGGAAUUAAGAGAGAAAAGAAGAGUAG AAGAAAUUAAGAGCCACCAUGGGUCUCAAGGUGAA CGUCUCUGCCGUAUUCAUGGCAGUACUGUUAACUCUC CAAACACCCGCCGGUCAAAUUCUUAUGGGGCAUUCUCU CUAAGAUAGGGGUAGUAGGAAUAGGAAGUGCAAGCU ACAAAGUUUAGACUCGUUCCAGCCAUCAAUCAUUAAGU CAUAAAAUUUAGCCCAAUUAUACUCUCCUCAAUUAC UGCACGAGGGUAGAGAUUGCAGAAUACAGGAGACUA CUAAGAACAGUUUUGGAACCAAUUAAGGAUGCACUU AAUGCAAUGACCCAGAACAUUAGGC CGGUUCAGAGCG UAGCUUCAAGUAGGAGACACAAGAGAUUUGCGGGAG UAGUCCUGGCAGGUGCGGCCUAGGUGUUGCCACAGC UGCUCAGAUUACAGCCGGCAUUGCACUUCACCGGUCC AUGCUGAACUCUCAGGCCAUUCGACAAUCUGAGAGCGA GCCUGGAAACUACUAAUCAGGCAAUUGAGGCAAUCAG ACAAGCAGGGCAGGAGAUGAUUAUGGUCUUCAGGG UGUCCAAGACUACAUCAAUUAUGAGCUGAUACCGUCU AUGAACAGCUAUCUUGUGAUCUAAUCGGUCAGAAAGC UCGGGCUCAAUUGCUUAGAUACUUAACAGAAUCCU GUCAUUUAUUGGCCCCAGCCUACGGGACCCCAUUAUCU GCGGAGAUUAUCUUAUCCAGGCUUUGAGUUAUGCACUU GGAGGAGAUUAUUAAGGUGUUAGAAAAGCUCGGA UACAGUGGAGGCGAUUUAUAGGCAUCUUAAGAGAGC AGAGGAAUUAAGGCUCGGAUAACUCACGUCGACACAG AGUCCUACUUAUAGUCCUCAGUUAUAGCCUAUCCGAC GCUGUCCGAGAUUAAGGGGUGAUUGUCCACCGGCUA GAGGGGUCUCGUACAACAUAGGCUUCAAGAGUGG UAUACCACUGUGCCCAAGUAUGUUGCAACCCAAGGGU ACCUUAUCUCGAAUUUUGAUGAGUCAUCAUGUACUU UCAUGCCAGAGGGGACUGUGUCAGCCAAAUGCCUU GUACCCGAGAGUCCUCUGUCUCCAAGAAUGCCUCCGG GGGUCCACCAAGUCUGUGUCGUACACUCGUUACCG GGUCUUUUGGAACCGGUUCAUUUUAUCAAGGGA ACCUAAUAGCCAAUUGUGCAUCAAUUCUUGUAAGU GUUACACAACAGGUACGAUUAUUAUUAAGACCUGA CAAGAUCUAACAUACAUUGCUGCCGAUCGUCGCCCCG GUAGUCGAGGUGAACCGGUGACCAUCCAAGUCGGGA GCAGGAGGUUACAGACGUCUGUACUUGCACAGAAU UGACCUCCGGUCCUCCAUUAUUAUGGAGAGGUUGGAC GUAGGGACAAUCUGGGGAAUGCAAUUGCCAAUUG GAGGAUGCCAAGGAAUUGUUGAAUCAUCGGACCAG AUAUUGAGAAGUAUGAAAGGUUUAUCGAGCACUAGC AUAGUCUACAUCUGAUUGCAGUGUGUCUUGGAGGG UUGAUAGGGAUCCCAUUUAUUAUGUUGCUGCAGG GGGCGUUGUAACAAAAGGGAGAACAAGUUGGUAUG	69

TABLE 13-continued

MeV Nucleic Acid Sequences		
Description	Sequence	SEQ ID NO:
	UCAAGACCAGGCCUAAAGCCUGACCUACAGGAACAU CAAAAUCCUAUGUAAGAUCGCUUUGAUGAUAAUAGG CUGGAGCCUCGGUGGCCAAGCUUCUUGCCCCUUGGGC CUCCCCCAGCCCCUCUCCCCUUCUGCACCCGUACC CCCUGGUCUUUGAAUAAAGUCUGAGUGGGCGGC	
GC_F_MEASLES_B3.1 ORF Sequence, NT	AUGGGUCUCAAGGUGAACGUCUCUGCCGUAUUCAUGG CAGUACUGUUAACUCUCCAAACACCCGCCGGUCAAAU UCAUUGGGGCAUUCUCUAAGAUAGGGUAGUJAGG AAUAGGAAGUGCAAGCUACAAGUUAUGACUCGUUC CAGCCAUAUUAUAGUCAUAAAAUUAUGCCCAAU AUAACUCUCCUCAAUACUGCACGAGGGUAGAGAUUG CAGAAUACAGGAGACUACUAAGAACAGUUUUGGAAC CAAUUAGGGAUGCACUUAUGCAAUGACCAGAACAU AAGGCCGGUUCAGAGCGUAGCUUCAAGUAGGAGACAC AAGAGAUUUGCGGGAGUAGUCCUGGCAGGUGCGGCC UAGGUGUUGCCACAGCUGCUCAGAUAAACAGCCGGCAU UGCACUUCACCGGUCCAUGCUGAACUCUCAGGCCAUC GACAAUCUGAGAGCGAGCCUGGAAACUACUAAUCAGG CAAUUGAGGCAAUCAGACAAGCAGGGCAGGAGAUGA UAUUGGCUGUUCAGGGUGUC CAAGACUACAUCAAUA AUGAGCUGAUACCGUCUAUGAACAGCUAUCUUGUGA UCUAAUCGGUCAGAAGCUCGGGCUCAAAUUGCUUAGA UACUAUACAGAAUCCUGUCAUUAUUUGGCCCCAGCC UACGGGACCCCAUUCUGCGGAGAUUAUCCAGGC UUUGAGUUAUGCACUUGGAGGAGAUUAUAAAGGU GUUAGAAAAGCUCGGAUACAGUGGAGGCGAUUUACU AGGCAUCUUAGAGAGCAGAGGAUAAAGGCUCGGAU AACUCACGUCGACACAGAGUCCUACUUAUAGUCCUC AGUAUAGCCUUAUCCGACGUCUGCCGAGAUUAAGGGG UGAUUGUCCACCGGCUAGAGGGGUCUCGUACAACA AGGCUUCUAAAGAGUGGUUAUACCACUGUGCCAAAGUA GUUGCAACCAAGGGUACCUUAUCUCGAAUUUUGAUG AGUCAUCAUGUACUUUAUGCCAGAGGGGACUGUGU GCAGCCAAAUGCCUUGUACCCGAGAGUCCUCUGCU CCAAGAAUGCCUCCGGGGUCCACCAAGUCCUGUGCU CGUACACUCGUUUCGGGUCUUUUGGAACCGGUUCA UUUUUAUCAAGGGAACCUAAUAGCCAAUUGUGCAUC AAUUCUUUGUAAGUGUUAACAACAGGUACGAUUAU UAAUCAAGACCCUGACAAGAUCUAAUACAUUGCU GCCGAUCGUCGCCCGUAGUCGAGGUGAACGGCGUGA CCAUCCAAGUCGGGAGCAGGAGGUUUCAGACGUCUG GUACUUGCACAGAAUUGACCUCGGUCCUCCAUUAUCA UUGGAGAGGUUGGACGUAGGGACAAAUCUGGGGAAU GCAAUUGCCAAAUUGGAGGAUGCCAAGGAUUGUUG GAAUCAUCGGACCAGAUUUGAGAAGUAUGAAAGGU UUAUCGAGCACUAGCAUAGUCUACAUCUGAUUGCAG UGUGUCUUGGAGGGUUGAUAGGGAUCCCACUUUAA UAUGUUGCUGCAGGGGGCUUGUAACAAAAGGGAG AACAAGUUGGUAUGUCAAGACCAGGCCUAAAGCCUGA CCUUAACAGGAACAUCAAAAUCUUAUGUAAGAUCGCUU UGA	70
GC_F_MEASLES_B3.1 mRNA Sequence (assumes T100 tail) mRNA Sequence Length: 1925	G*GGGAAUAAGAGAGAAAAGAAGAGUAAGAAGAAA UAUAAGAGCCACCAUGGGUCUAAGGUGAACGUCUCU GCCGUUAUCAUGGCAGUACUGUUAACUCUCCAAACAC CCGCCGGUCAAAUUAUUGGGGCAAUCUCUAAGAU AGGGGUAGUAGGAUAGGAAGUGCAAGCUACAAAGU UAUGACUCGUUCCAGCCAUAUUAUAGUCAUAAAA UUAUUGCCAAUUAACUCUCCUCAAUAACUGCACGA GGGUAGAGAUUGCAGAAUACAGGAGACUACUAGAA CAGUUUUUGGAACCAAUUAAGGGAUGCACUUAUGCAA UGACCCAGAACAUAAGGCCGGUUCAGAGCGUAGCUUC AAGUAGGAGACACAAGAGAUUUGCGGGAGUAGUCCU GGCAGGUGCGGCCUAGGUGUUGCCACAGCUGCUCAG AUAACAGCCGGCAUUGCACUUCACCGGUCCAUGCUGA ACUCUCAGGCCAUCGACAAUCUGAGAGCGAGCCUGGA AACUACUAAUCAGGCAAUUGAGGCAAUCAGACAAGCA GGGCAGGAGAUGAUUUGGCUGUUCAGGGUGUCCAA GACUACAUAUAAUAGAGCUGAUACCGUCUAUGAAC AGCUAUCUUGUGAUCAAUCGGUCAGAAGCUCGGGCU CAAAUUGCUUAGAUACUUAACAGAAAUCUGUCAU	71

TABLE 13-continued

MeV Nucleic Acid Sequences			
Description	Sequence	SEQ ID NO:	
	AUUUGGCCCCAGCCUACGGGACCCCAUAUCUGCGGAG AUAUCUAUCCAGGCUUUGAGUUAUGCACUUGGAGGA GAUAUCAUAAGGUGUUAGAAAAGCUCGGAUACAGU GGAGGCGAUUUACUAGGCAUCUUAGAGAGCAGAGGA AUAAGGCUCGGAUAAUCACGUCGACACAGAGUCCU ACUUCAUAGUCCUCAGUAUAGCCUAUCGACGCUGUC CGAGAUUAAGGGGUGAUUGUCCACCGGCUAGAGGG GGUCUCGUACAACAUAAGGCUCUCAAGAGUGGUUAC ACUGUGCCCAAGUAUGUUGCAACCCAAGGGUACCUA UCUCGAAUUUGAUGAGUCAUCAUGUACUUUCAUGCC AGAGGGGACUGUGGCAGCCAAAUGCCUUGUACCCG AUGAGUCCUCUGCUCCAAGAAUGCCUCGGGGGUCCA CCAAGUCCUGUGCUCGUACACUCGUAUCCGGGUCUUU UGGGAACCGGUUCAUUUAUCACAAGGGAACCUAAU AGCCAAUUGUGCAUCAAUUCUUUGUAAGUGUUACAC AACAGGUACGAUUAUUAUCAAGACCCUGACAAGAUC CUAACAUACAUAUGCUGCCGAUCGUGCCCGGUAGUCG AGGUGAACGGCGUGACCAUCAAGUCGGGAGCAGGAG GUAUCAGACGCUGUGUACUUGCACAGAAUUGACCCU GGUCCUCCAUACAUAUGGAGAGGUUGGACGUAGGG ACAAAUCUGGGGAAUGCAAUUGCCAAAUUGGAGGAU GCCAAGGAAUUGUUGGAAUCAUCGGACCAGAUUUG AGAAGUAUGAAAGGUUAUCGAGCACUAGCAUAGUC UACAUCCUGAUUGCAGUGUGUCUUGGAGGGUUGAUA GGGAUCCCCACUUUAUAUGUUGCUGCAGGGGGCGUU GUAACAAAAGGGAGAACAAGUUGGUUUGUCAAGAC CAGGCCUAAAGCCUGACCUACAGGAACAUCAAAUC CUAUGUAAGAUCGCUUUGAUGAUAAUAGGCUGGAGC CUCGGUGGCCAAGCUUCUUGCCCCUUGGGCCUCCCC CAGCCCCUCCUCCUUCUGCACCCGUACCCCGUGG UCUUUGAAUAAAGUCUGAGUGGGCGGCAAAAAAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAUCUAG		
GC_F_MEASLES_D8 Sequence, NT (5' UTR, ORF, 3' UTR) Sequence Length: 1864	UCAAGCUUUUGACCCUCGUACAGAAGCUAAUACGAC UCACUAUAGGGAAAUAAGAGAGAAAAGAAGAGUAG AAGAAAUAUAAGAGCCACCAUGGGUCUCAAGGUGAA CGUCUCUGUCAUAUUAUGGCAGUACUGUUAACUCUU CAAACACCCACCGGUCAAAUCUUGGGGCAUUCUCU CUAAGAUAGGGGUGGUAGGGGUAAGGAGUCAAGCU ACAAAGUUAUGACUCGUUCCAGCCAUCAUUAUAGU CAUAAAGUUAUGCCCAAUAUAACUCUCCUCAACAAU UGCACGAGGGUAGGGAUUGCAGAAUACAGGAGACUA CUGAGAACAGUUCUGGAACCAAUAAGAGAUGCACUU AAUGCAAUGACCCAGAAUAUAAGACCGGUUCAGAGU GUAGCUUCAAGUAGGAGACACAAGAGAUUUGCGGGA GUUGUCCUGGCAGGUGCGGCCUAGGCGUUGCCACAG CUGUCUCAAUAACAGCCGUUUGCAGUUCACCAGUC CAUGCUGAACUCUCAAGCCAUUCGACAAUCUGAGAGCG AGCCUAGAAAACUAAUACAGGCAAUUGAGGCAAUCA GACAAGCAGGGCAGGAGAUGAUUUGGCUUUCAGG GUGUCCAAGACUACAUAUAUAGAGCUGAUACCUCU UAUGAAUCAACUAUCUUGUGAUUUAUCGGCCAGAA GCUAGGGCUCAAAUUGCUCAGAUACUAACAGAAAUC CUGUCAUUAUUGGCCCCAGCUUACGGGACCCCAUAU CUGCGGAGAUUAUCUACAGGCUUUGAGCUAUGCGCU UGGAGGAGAUUAUAAGGUGUUGGAAAAGCUCGG AUACAGUGGAGGUGAUCUACUGGGCAUCUAGAGAG CAGAGGAAUAAAGGCCCGGAUAACUCACGUCGACACA GAGUCCUACUUAUUGUACUCAGUAUAGCCUAUCCGA CGCUAUCGAGAUUAAGGGGUGAUUGUCCACCGGCU AGAGGGGUCUCGUACAACAUAAGGCUCUCAAGAGUG GUAUACCACUGUGCCCAAGUAUGUUGCAACCCAGGG UACCUUAUCUCGAAUUUGAUGAGUCAUAUGCACUU UCAUGCCAGAGGGGACUGUGGCAGCCAGAAUGCCUU GUACCCGAGAGUCCUCUGCUCCAAGAAUGCCUCCGG GGGUCACUAAGUCCUGUGCUCGUACACUCGUUCCG GGUCUUUCGGGAACCGGUUCAUUUAUCACAGGGGA ACCUAUAGCCAAUUGUGCAUAUCCUUUGCAAGUG UUACACAACAGGAACAUAUUAUCAAGACCCUGAC AAGAUCCUAACAUAUAUUGCUGCCGAUCACUGCCCGG	72	

TABLE 13-continued

MeV Nucleic Acid Sequences		
Description	Sequence	SEQ ID NO:
	UGGUCGAGGUGAAUGGCGUGACCAUCCAAGUCGGGA GCAGGAGGUAUCCGGACGCUGUGUACUUGCACAGGAU UGACCUCGGUCCUCCCAUAUCUUUGGAGAGGUUGGAC GUAGGGACAAUUCUGGGGAAUGCAAUUGCUAAGUUG GAGGAUGCCAAGGAAUUGUUGGAGUCAUCGGACCAG AUAUUGAGGAGUAUGAAAGGUUUUUCGAGCACUAGU AUAGUUUACAUCUGAUUGCAGUGUGUCUUGGAGGA UUGAUAGGGAUCCCGCUUUAAUUGUUGUCUGCAGG GGGCGUUGUAACAAGAAGGGAGAACAAGUUGGUAUG UCAAGAC CAGGCCUAAAAGCCUGAUUUACAGGAACA CAAAAUCUAUGUAAGGUCACUCUGAUGAUAAUAGG CUGGAGCCUCGGUGGCCAAGCUUCUUGCCCCUUGGGC CUCCCCCAGCCCCUCUCCCCUUCUGCACCCGUACC CCCGUGGUCUUUGAAUAAAGUCUGAGUGGGCGGC	
GC_F_MEASLES_D8 ORF Sequence, NT	AUGGGUCUCAAGGUGAACGUCUCUGUCAUAUUC AUG GCAGUACUGUUAACUCUCAAACACCCACCGUCAA UCCAUUGGGGCAAUCUCUUAAGAUAGGGGUGGUAG GGUAGGAAGUGCAAGCUACAAGUUAUGACUCGUU CCAGCCAUAUUAUAGUCAUAAAGUUAUUGCCCAA UAUAAUCUCUCUCAACAAUUGCACGAGGGUAGGGAUU GCAGAAUACAGGAGACUACUGAGAACAGUUCUGGAA CCAAUUGAGAGUACUUAUUGCAAUGACCCAGAAUA UAAGACCGGUUCAGAGUGUAGCUUCAAGUAGGAGAC ACAAGAGAUUUGCGGGAGUUGUCUGGCAGGUGCGG CCCUAGGCGUUGCCACAGCUGUCUCAAUAACAGCCGG UAUUGCACUUCACCAGUCCAUUGCUGAACUCUCAAGCC AUCGACAAUCUGAGAGCGAGCCUAGAAACUACUAAUC AGGCAAUUGAGGCAAUCAGACAAGCAGGGCAGGAGA UGAUAUUGGCGUUCAGGGUGUC CAAGACUACAUCA AUAUUGAGCUGAUACCGUCUAUGAAUCAACUUCU GUGAUUUAAUCGGCCAGAAGCUAGGGCUCAAUUGC UCAGAUACUAUACAGAAAUCUGUCAUUAUUUGGCC CAGCUUACGGGACCCCAUAUCUGCGGAGAUUAUCU CAGGCUUUGAGCUAUGCGCUUGGAGGAGAUUAUCAA AAGGUGUUGGAAAAGCUCGGAUACAGUGGAGGUGAU CUACUGGGCAUCUUAGAGAGCAGAGGAUAAAGGCC GGAAACUCACGUCGACACAGAGUCUACUUCUUGU ACUCAGUAUAGCCUAUCCGACGCUAUCGAGAUUAAG GGGUGAUUGUCCACCGGCUAGAGGGGGUCUCGUACA ACAUAGGCUCUCAAGAGUGGUUAUAC CACUGGCCCAA GUAUGUUGCAACCCAGGGUACCUUAUCUGAAUUUU GAUGAGUCAUCAUGCACUUUCAUGCCAGAGGGGACUG UGUCAGCCAGAAUGCCUUGUACCCGAUGAGUCCUCU GCUCCAAGAAUGCCUC CGGGGUCACUAAGUCUGU GCUCGUACACUCGUUCCGGGUCUUUCGGGAACCGGU UCAUUUUUAUCACAGGGGAACCUAAUAGCCAAUUGUC AUCAAUCUUUGCAAGUGUUAACAACAGGAACAAUC AUUAUCAAGACCCUGACAAGAUCUAACAUACAUUG CUGCCGAUCAUGCCCGUGGUCGAGGUGAAUGGCGU GACCAUCCAAGUCGGGAGCAGGAGGUAUCCGGACGCU GUGUACUUGCACAGGAUUGACCUUGUCUCCCAUAU CUUUGGAGAGGUUGGACGUAGGGACAAUUCUGGGGA AUGCAAUUGCUAAGUUGGAGGAUGC CAAGGAUUUGU UGGAGUCAUCGGACCAGAUUAUUGAGGAGUAUGAAAG GUUUUUCGAGCACUAGUAUAGUUUAUUCUGAUUG CAGUGUGUCUUGGAGGAUUGAUAGGGAUCCCGCUU UAAUAUGUUGCUGCAGGGGGCGUUGUAACAAGAAGG GAGAACAAGUUGGUUGUCAAGACCAGGCCUAAAAGCC UGAUCUUAACAGGAACAUCAAAAUCCUAUGUAAGGUC ACUCUGA	73
GC_F_MEASLES_D8 mRNA Sequence (assumes T100 tail) Sequence Length: 1925	G*GGGAAUAAGAGAGAAAAGAAGAGUAAGAAGAAA UAUAAGAGCCACCAUGGGUCUAAGGUGAACGUCUCU GUCAUAUUAUGGCAGUACUGUUAACUCUCAAACAC CCACCGGUCAAUCCAUUGGGGCAAUCUCUCAAGAU AGGGGUGGUAGGGUAGGAAGUGCAAGCUACAAGU UAUGACUCGUUCCAGCCAUAUUAUAGUCAUAAAG UUAUUGCCAAUAUAACUCUCCUCAACAAUUGCACGA GGGUAGGGAUUGCAGAAUACAGGAGACUACUGAGAA CAGUUCUGGAACCAAUAGAGAUAGCACAUAUGCAA UGACCCAGAAUAUAAGACCGGUUCAGAGUGUAGCUUC	74

TABLE 13-continued

MeV Nucleic Acid Sequences		
Description	Sequence	SEQ ID NO:
	AAGUAGGAGACACAAGAGAUUUGCGGGAGUUGUCCU GGCAGGUGCGGCCCUAGGCGUUGCCACAGCUGCUCAA AUAACAGCCGGUAUUGCACUUCACCAGUCCAUGCUGA ACUCUCAAGCCAUCGACAAUCUGAGAGCGAGCCUAGA AACUACUAAUCAGGCAAUUGAGGCAAUCAGACAAGCA GGGCAGGAGAUGAUUUGGCUGUUCAGGGUGUCCAA GACUACAUAUAAUGAGCUGAUACCGUCUAUGAAUC AACUAUCUUGUGAUUUAAUCGGCCAGAAGCUAGGGC UCAAAUUGCUCAGAUACUAAACAGAAAUCUGUCAUU AUUUGGCCCCAGCUUACGGGACCCCAUAUCUGCGGAG AUAUCUAUCCAGGCUUUGAGCUAUGCGCUUGGAGGA GAUAUCAUAAGGUGUUGGAAAAGCUCGGAUACAGU GGAGGUGAUCUACUGGGCAUCUAGAGAGCAGAGGA AUAAGGCCCGGAUAACUCACGUCGACACAGAGUCCU ACUUCAUUGUACUCAGUAUAGCCUAUCGACGCUAUC CGAGAUUAAGGGGGUGAUUGUCCACCGGCUAGAGGG GGUCUCGUACAACAUAAGGCUCUCAAGAGUGGUUACC ACUGUGCCCAAGUAUGUUGCAACCAAGGGUACCUUA UCUCGAAUUUGAUGAGUCAUCAUGCACUUUCAUGCC AGAGGGGACUGUGGCGAGCCAGAAUGCCUUGUACCCG AUGAGUCCUCUGCUCCAAGAAUGCCUCGGGGGUCCA CUAAGUCCUGUGCUCGUACACUCGUAUCCGGGUUUU CGGGAACCGGUUCAUUUAUCACAGGGGAACCUAAUA GCCAAUUGUGCAUCAUCCUUGCAAGUGUACACAA CAGGAACAAUCAUUAUCAAGACCUGACAAGAUCU AACAUACAUUGCUGCCGAUCACUGCCCGGUGGUCGAG GUGAAUGGCGUGACCAUCCAAGUCGGGAGCAGGAGG UAUCGGGACGCGUGUACUUGCACAGGAUUGACCUCG GUCUCCCAUAUCUUUGGAGAGGUUGGACGUAGGGAC AAAUCUGGGGAAUGCAAUUGCUAAGUUGGAGGAUGC CAAGGAAUUGUUGGAGUCAUCGGACCAGAUUUGAG GAGUAUGAAAGGUUUUAUCGAGCACUAGUAUAGUUUA CAUCCUGAUUGCAGUGUGUCUUGGAGGAUUGAUAGG GAUCCCCGCUUUAUAUGUUGCUGCAGGGGGCGUUGU AACAAAGAGGGAGAACAAGUUGGUAUGUCAAGACCA GGCCUAAAGCCUGAUCUACAGGAACAUAUUUUCCU AUGUAAGGUCACUCUGAUGAUAAUAGGCUGGAGCCU CGGUGGCCAAGCUUCUUGCCCCUUGGGCCUCCCCCA GCCCUCCUCCCCUUCUGCACCCGUACCCCGUGGUC UUUGAAUAAAGUCUGAGUGGGCGGCAAAAAAAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAUCUAG	
GC_H_MEASLES_B3 Sequence, NT (5' UTR, ORF, 3' UTR) Sequence Length: 2065	UCAAGCUUUUGACCCUCGUACAGAAGCUAAUACGAC UCACUAUAGGGAAUAAGAGAGAAAAGAAGAGUAAG AAGAAAUUAAGAGCCACCAUGUCACCGCAACGAGAC CGGAUAAAUGCCUUCUACAAAGAUAAACCUUAUCCCA AGGGAAGUAGGAUAGUUUAUAACAGAGAACAUCUUA UGAUUGACAGACCCUAUGUUCUGCUGGCUGUUCUGUU CGUCAUGUUUCUGAGCUUGAUCCGGAUUGCUGGCAAU UGCAGGCAUUAGACUUAUCGGGCAGCCAUUACACC GCGGAGAUCCAUAAGCCUCAGUACCAUUCUGGAUG UGACUAACUCCAUCGAGCAUCAGGUCAAGGACGUGCU GACACCACUCUUUAAAAUCAUCGGGGAUGAAGUGGGC CUGAGAACCUCAGAGAUUCACUGACCUAGUGAAAU UCAUCUCGGACAAGAUUAAAUCCUUAUCCGGAUAG GGAGUACGACUUCAGAGAUUCACUUGGUGCAUCAAC CCGCCAGAGAGGAUCAACUAGAUUAUGAUCAAUACU GUGCAGAUGUGGCUGCUGAAGAGCUAUGAAUGCAU UGGUGAACUCAACUCUACUGGAGACCAGAACAACCAC UCAGUUCUAGCUGUCUCAAAGGGAAACUGCUCAGGG CCCACUACAUCAGAGGUCAAUUCUCAAACAUGUCGC UGUCCUUGUUGGACUUGUACUUAGGUCGAGGUUACA AUGUGUCAUCUAUAGUCACUAUGACAUCCAGGGAAU GUAUGGGGGAACCUACCUAGUUGAAAAGCCUAAUCU GAACAGCAAAGGGUCAGAGUUGUCACAACUGAGCAU GUACCGAGUGUUUGAAGUAGGUGUGAUCAGAAACC GGGUUUGGGGUCUCGGUGUUCUAUAGACAAACUA UUUUGAGCAACCAGUCAGUAAUGGUCUCGGCAACUGU AUGGUGGCUUUGGGGAGCUCAAACUCGCAGCCUUU GUCACGGGGACGAUUCUAUCAUAAUCCUAUCAGGG	75

TABLE 13-continued

MeV Nucleic Acid Sequences		
Description	Sequence	SEQ ID NO:
	AUCAGGGAAAGGUGUCAGCUUCCAGCUCGUCAAGCUG GGUGUCUGGAAAUCCCAACCGACAUGCAAUCCUGGG UCCCUUAUCAACGGAUGAUCCAGUGGUAGACAGGCU UUACCUCUCAUCUCACAGAGGUGUCAUCGUCGACAAU CAAGCAAAUUGGGCUGUCCGACAACACGAACAGAUG ACAAGUUGCGAAUGGAGACAUGCUUCCAGCAGGCGUG UAAAGGUAAAAUCCAAGCACUCUGCGAGAAUCCCGAG UGGGUACCAUUGAAGGAUAACAGGAUUCUUAUAC GGGUCUUGUCUGUUGAUUCGAGUCGACGGUUGAG CUAAAAUCAAUUGCUUCGGGAUUCGGGCCAUUG AUCACACACGGCUCAGGGAUGGACUAUACAAAUCCA ACUGCAACAUGUGUAUUGGCUGACUAUCCGCCAAU GAGAAUCUAGCCUUAAGGCGUAAUCAACACAUUGGA GUGGAUACCGAGAUUCAGGUUAGUCCCAACCUUUC ACUGUCCAAUUAAGGAAGCAGGCGAAGACUGCCAUG CCCACCAUACCUACCGCGGAGGUGGACGGUGAUGU CAAACUCAGUCCAACCGGUGAUUCUACUGGUCAA GAUCUCCAUAUGUUUUGGCAACCUACGAUACCUCCA GGGUUGAGCAUGCUGUGGUUUUAUACGUUUACAGCC CAAGCCGCUCAUUUUCUUAUUUUUAUCUUUUAGGUU GCCUAUAAAGGGGGUCCAAUCGAACUACAAGUGGAA UGCUCACAUUGGGAUCAAACUCUGGUGCCGUCACU UCUGUGUCUUGCGGACUCAGAAUCGGUGGACUUAU CACUCACUCUGGGAUGGUGGGCAUGGGAGUCAGCUGC ACAGCUACCCGGGAAGAUUGGAACCAUCGCAGAUAAU GAUAAUAGGCUGGAGCCUCGGUGGCCAAGCUUCUUGC CCUUGGGCCUCCCCAGCCCCUCUCCCUUCCUGC ACCCGUACCCCGUGGUCUUUGAAUAAAGUCUGAGUG GGCGGC	
GC_H_MEASLES_B3 ORF Sequence, NT	AUGUCACCGCAACGAGACCGGAUAAAUGCCUUCUACA AAGAUAAACCCUUAUCCCAAGGGAAGUAGGAUAGUUA UUAACAGAGAACAUCUUAUGAUUGACAGACCUAUG UUCUGCUGGCUGUUCUGUUCGUAUGUUUCUGAGCUU GAUCGGAUUGCUGGCAAUUGCAGGCAUUAAGACUUA UCGGGCAGCCAUCUACACCGCGGAGAUCCAUAAGC CUCAGUACCAUUCUGGAUGUGACUAACUCCAUCGAGC AUCAGGUCAAGGACGUGCUGACACCACUCUUAAAAU CAUCGGGAUGAAGUGGGCCUGAGAACCUCAGAGA UUCACUGACCUAGUGAAAUCUUCUGGACAAGAUUA AAUUCUUAUCCGGAUAGGGAGUACGACUUCAGAG AUCUCACUUGGUGCAUCAAACCCGCCAGAGAGGAUCAA ACUAGAUUAUGAUCAAUACUGUGCAGAUGUGGCUGC UGAAGAGCUCUAGAAUGCAUUGGUGAACUACACUCU ACUGGAGACCAGAACAACCACUCAGUUCUAGCUGUC UCAAAAGGGAACUGCUCAGGGCCACUACAAUCAGAG GUCAAUUCUCAAACAUUGUCGUCUUGUUGGACUU GUACUUAGGUCGAGGUUACAAGUGUCAUCUAUAGU CACUAUGACAUCCAGGGAUUGAUGGGGGAACCUAC CUAGUUGAAAAGCCUAAUCUGAACAGCAAAGGGUCA GAGUUGUCACAACUGAGCAUGUACCGAGUGUUUGAA GUAGGUGUGAUCAGAAACCCGGGUUUGGGGCUCCG GUGUUCCAUAUGACAAACUAAUUUGAGCAACAGUCA GUAUUGGUCUCGGCAACUGUAUGGUGGCUUUGGGG AGCUCAAACUCGCAGCCUUUGUCACGGGGACGAUUC UAUCAUAAUCCCUAUCAGGGAUCAGGGAAGGUGU CAGCUUCAGCUCGUAAGCUGGGUGUCUGGAAUCC CCAACCGACAUGCAAUCCUGGGUCCCUUAUCAACGG AUGAUCCAGUGGUAGACAGGCUUUAACUCUCAUCA CAGAGGUGUCAUCGUCGACAAUCAAGCAAAUUGGGCU GUCCCGACAACACGAACAGAUGACAAGUUGCGAAUGG AGACAUGCUUCCAGCAGGCGUGUAAAGGUAAAAUCCA AGCACUCUGCGAGAUCUCCGAGUGGUACCAUUGAAG GAUAAACAGGAUUCUUAUACGGGGUCUGUCUGUUG AUCUGAGUCUGACGGUUGAGCUUAAAAUCAAAUUG CUUCGGGAUUCGGGCCAUUGAUCACACACGGCUCAGG GAUGGACCUAUACAAUCCAAUCGCAACAUGUGUAU UGGCUGACUAUCCGCCAAUGAGAAUUCUAGCCUAG GCGUAAUCAACACAUUGGAGUGGAUACCGAGAUUCA AGGUUAGUCCCAACCUUCACUGUCCAAUUAAGGA AGCAGGCGAAGACUGCCAUGCCCCAACAUACCUACCU GCGGAGGUGGACGGUGAUGUCAACUCAGUUCCAACC	76

TABLE 13-continued

MeV Nucleic Acid Sequences		
Description	Sequence	SEQ ID NO:
	UGGUGAUUCUACCUGGUCAAGAUUCUCAAUAUGUUU UGGCAACCUACGAUACCUCCAGGGUUGAGCAUGCUGU GGUUUAUUACGUUUACAGCCCAAGCCGCUCAUUUUCU UACUUUUUACCUUUUAGGUUGCCUAUAAAGGGGGUC CCAAUCGAACUACAAGUGGAAUGCUUCACAUGGGAUC AAAAACUCUGGUGCCGUCACUUCUGUGUGCUUGCGGA CUCAGAAUCCGGUGGACUUAUCACUCACUCUGGGAUG GUGGGCAUGGGAGUCAGCUGCACAGCUACCCGGGAAG AUGGAACCAAUCGCAGAUAA	
GC_H_MEASLES_B3 mRNA Sequence (assumes T100 Tail) Sequence Length: 2126	G*GGGAAAUAAGAGAGAAAAGAAGAGUAAGAAGAAA UAUAAGAGCCACCAUGUCACCGCAACGAGACCGGAUA AAUGCCUUCUACAAAGAUAAACCUUAUCCCAAGGGAA GUAGGAUAGUUAUUAACAGAGAAACAUUAUGAUUG ACAGACCCUAUGUUCUGCUGGCUGUUCUGUUCGUAU GUUUCUGAGCUUGAUCGGAUUGCUGGCAAUUGCAGG CAUUAGACUUCUACCGGGCAGCCAUCUACCCGCGGAG AUCCAUAAAAGCCUCAGUACCAAUCUGGAUGUGACUA ACUCCAUCGAGCAUCAGGUCAAGGACGUGCUGACACC ACUCUUUAAAUAUCGCGGAUGAAGUGGGCCUGAG AACACCUCAGAGAUUCACUGACCUAGUGAAAUUCAUC UCGGACAAGAUUAAAUUCUUAUUCGGAUAGGGAG UACGACUUCAGAGAUUCACUUGGUGCAUCAACCCGC CAGAGAGGAUCAAACUAGAUUAUGAUCAAUCUGUG CAGAUGUGGCUGCUGAAGAGCUCAUGAAUGCAUUGG UGAACUCAACUCUACUGGAGACCAGAACAACCACUCA GUUCCUAGCUGUCUCAAGGGAAACUGCUCAGGGCCC ACUACAAUCAGAGGUCAAUUCUCAAACAUUGCUGU CCUUGUUGGACUUGUACUUAAGGUCGAGGUUACAAUG UGUCAUCUAUAGUCACUAUGACAUCACAGGGAAUGUA UGGGGGAACCUACCUAGUUGAAAAGCCUAUCUGAAC AGCAAAGGGUCAGAGUUGUCACAACUGAGCAUGUACC GAGUGUUUGAAGUAGGUGUGAUCAGAAACCCGGGUU UGGGGGCUCGCGGUGUCCAUUAGCAAACUAUUUUG AGCAACCAGUCAGUAAUGGUCUCGGCAACUGUAUGGU GGCUUUGGGGAGCUCAAACUCGCAGCCUUUGUCAC GGGGACGAUUCUAUCAUAAUUCUUAUCAGGGAUACG GGAAAGGUGUCAGCUCAGCUCGUAAGCUGGGUGU CUGGAAAUCCCAACCGACAUGCAAUCUGGGUCCCC UUAUCAACGGAUGAUCAGUGGUAGACAGGCUUUACC UCUCAUUCACAGAGGUGUAUCGCUGACAAUCAAGC AAAAUGGGCUGUCCGACAACACGAACAGAUACAAG UUGCGAAUGGAGACAUGCUUCCAGCAGGCUGUAAA GGUAAAUAUCCAAGCACUCUGCGAGAAUCCGAGUGGG UACCAUUGAAGGAUAACAGGAUUCUUAUACCGGG UCCUGUCUGUUGAUUCUGAGUCUGACGGUUGAGCUUA AAAUCAAAUUGCUUCGGGAUUCGGGCCAUUGAUCAC ACACGGCUCAGGGAUGGACCUAUACAAUCCAACUGC AACAAUGUGUAUUGGCUGACUAUUCGCAAUUGAGA AAUCUAGCCUUAAGGCGUAAUCAACACAUUGGAGUGG AUACCGAGAUUCAAGGUUAGUCCCAACCUCUUCACUG UCCCAAUUAAGGAAGCAGGCGAAGACUGCCAUGCCCC AACAUACCUACCGCGGAGGUGGACGGUGAUGUCAA CUCAGUCCAACUGGUGAUUCUACUGGUCAGAUC UCCAAUAUGUUUUGGCAACCUACGAUACCUCCAGGGU UGAGCAUGCUGUGGUUUUAUACGUUUAACAGCCCAAGC CGCUCAUUUUCUACUUUUUACCUUUUAGGUUGCCUA UAAAGGGGGUCCAAUCGAACUACAAGUGGAAUGCU UCACAUGGGAUCAAAAACUCUGGUGCCGUCACUUCUG UGUGCUUGCGGACUCAGAAUCCGGUGGACUUAUCACU CACUCUGGGAUGGUGGGCAUGGGAGUCAGCUGCACAG CUACCCGGGAAGAUGGAACCAAUCGCAGAUAAUGAUA AUAGGCUGGAGCCUCGGUGGCAAGCUUCUUGCCCCU UGGGCCUCCCCCAGCCCCUCCUCCCCUCCUGCACCC GUACCCCGUGGUCUUUGAAUAAAGUCUGAGUGGGCG GCAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAUCUAG	77

TABLE 13-continued

MeV Nucleic Acid Sequences		
Description	Sequence	SEQ ID NO:
GC_H_MEASLES_D8 Sequence, NT (5' UTR, ORF, 3' UTR) Sequence Length: 2065	UCAAGCUUUUGGACCCUCGUACAGAAGCUAAUACGAC UCACUAUAGGGAAAUAAGAGAGAAAAGAAGAGUAAG AAGAAAUAUAAGAGCCACCAUGUCACCACAACGAGAC CGGAUAAAUGCCUUCUACAAAGACAACCCCAUCCUA AGGGAAGUAGGAUAGUUUAUAACAGAGAACAUCUUA UGAUUGAUAGACCUUAUGUUUUGCUGGCUGUUCUUAU UCGUC AUGUUUCUGAGCUUGAUCGGGUUGCUAGCCAU UGCAGGCAUUAGACUUCUACGGGCAGCCAUUCACACC GCAGAGAUCCAUAAAAGCCUCAGCACCAUUCUGGAUG UAACUAACUCAUUCGAGCAUCAGGUUAAGGACGUGCU GACACCACUCUUAAGAUCAUCGGUGAUGAAGUGGGC UUGAGGACACCUCAGAGAUUCACUGACCUAGUGAAGU UCAUCUCUGACAAGAUAAAUUCUUAUCCGGACAG GGAAUACGACUUCAGAGAUCUACUUGGUGUAUCAAC CCGCCAGAGAGAAUCAAUUGGAUUAUGAUCAAUAC UGUGCAGAUGGGCUGCUGAAGAACUCAUGAAUGCA UUGGUGAACUCAACUCUACUGGAGACCAGGGCAACCA AUCAGUUCUAGCUGUCUCAAAGGGAAACUGCUCAGG GCCACUCAAUUCAGAGGCCAAUUCUCAAACUUGUCG CUGUCCUGUUGGACUUGUAUUUAAGUCGAGGUUAC AAUGUGUCAUCUAUAGUCACUAUGACAUCACAGGGAA UGUACGGGGGAACUUAACUAGUGGAAAAGCCUAAUC UGAGCAGCAAAGGGUCAGAGUUGUCACAACUGAGCA UGCACCGAGUGUUUGAAGUAGGUGUUAUCAGAAAUC CGGUUUUGGGGCUCCGGUAUUCUUAUGACAAAACUA UCUUGAGCAACCAGUCAGUAUUGAUUUUCAGCAACUCG AUGGUGGCUUUGGGGAGCUCAGAUUCGACGCCUCU GUCACAGGGAAGAUUCUAUCACAAUCCUUAUCAGGG AUCAGGGAAAGGUGUCAGCUUCAGCUUGUCAAGCUA GGUGUCUGGAAAUCCCCAACCGACAUGCAAUCCUGGG UCCCCUAUCAACCGAUGAUCCAGUGAUAGACAGGCU UUACCUCUCAUCUCACAGAGGCGUUAUCGUCGACAAU CAAGCAAAUUGGGCUGUCCCGACAACACGGACAGAUG ACAAGUUGCGAAUGGAGACAUGCUUCAGCAGGCGUG UAAGGGUAAAUCCAAAGCACUUUGCGAGAUAUCCGAG UGGACACCAUUGAAGGAUAACAGGAUUCUUAUACG GGGUCUUGUCUGUUGAUCUGAGUCUGACAGUUGAGC UUAAAACAAAUUGUUUCAGGAUUCGGGCCAUUGA UCACACACGGUUCAGGGAUGGACCUAUACAAUCCAA CCACAACAUAUGUAUUGGCUGACUAUCCCGCCAAUG AAGAACCUGGCCUUAGGUGUAUUAACACAUUGGAG UGGAUACCGAGAUUCAAGGUUAGUCCAAACCUUUA CUGUUCCAAUUAAGGAAGCAGGCGAGGACUGCCAUGC CCCAACAUAACCUACUCGCGAGGUGGAUGGUGAUGUC AAACUCAGUUCCAAUCUGGUGAUUCUACCGGUCAG AUCUCCAAUAUGUUCUGGCAACCUACGAUACUUCAG AGUUGAACAUUCUGUAGUUUAUACGUUUACAGCCC AAGCCGCUCAUUUUCUUAUUUUUACCUUUUAGGUUG CCUGUAAGGGGGUCCCAUUGAAUUA CAAGUGGAA UGCUCACAUGGGACCAAAAACUCUGGUGCCGUCACU UCUGUGUCUUGCGGACUCAGAAUCUGGUGGACAU UCACUCACUCUGGGAUGGUGGGCAUGGGAGUCAGCUG CACAGCCACUCGGGAAGAUUGGAACCAGCCGCAGAUAG UGAUAAUAGGCUGGAGCCUCGGUGGCCAAGCUUCUUG CCCCUUGGGCCUCCCCCAGCCCCUCCUCCUCCUCCUG CACCCGUACCCCGUGGUCUUUGAAUAAAGUCUGAGU GGCGGC	78
GC_H_MEASLES_D8 ORF Sequence, NT	AUGUCACCACAACGAGACCGGAUAAAUGCCUUCUACA AAGACAACCCCAUCCUAAGGGAAGUAGGAUAGUUUAU UAACAGAGAACAUCUUAUGAUUGAUAGACCUUAUGU UUUGCUGGCUGUUCUAUUCGUCAUGUUUCUGAGCUU GAUCGGGUUGCUAGCCAUUCAGGCAUUAAGACUUCAU CGGGCAGCCAUCUACACCCGAGAGAUCCAUAAAAGCC UCAGCACCAAUCUGGAUGUAACUAACUCAAUCGAGCA UCAGGUUAAGGACGUGCUGACACCACUCUUAAGAU AUCGGUGAUGAAGUGGGCUUGAGGACACCUCAGAGA UUCACUGACCUAGUGAAGUUCAUCUCUGACAAGAUUA AAUUCUUAUCCGGACAGGGAUACGACUUCAGAGA UCUCACUUGGUGUAUCAACCCGCGAGAGAAUCAA UUGGAUUAUGAUCAAUACUGUGCAGAUGGUGGUCU	79

TABLE 13-continued

MeV Nucleic Acid Sequences		
Description	Sequence	SEQ ID NO:
	GAAGAACUCAUGAAUGCAUUGGUGAACUCAACUCUAC UGGAGACCAGGGCAACCAAUCAGUUCUAGCUGUCUC AAAGGGAAACUGCUCAGGGCCACUACAAUCAGAGGC CAAUUCUCAAACAUUGCGCUGUCCUGUUGGACUUGU AUUUUAGUCGAGGUUACAUGUGUCAUCUAUAGUCA CUAUGACAUCUCCAGGGAAUGUACGGGGGAACUUACCU AGUGGAAAAGCCUAAUCUGAGCAGCAAAGGGUCAGA GUUGUCACAACUGAGCAUGCACCGAGUGUUGAAGU AGGUGUUUUCAGAAAUCGGGUUUGGGGGCUCGGU AUUCCAUAUGACAAACUAUCUUGAGCAACCAGUCAGU AAUGAUUUCAGCAACUGCAUGGUGGCUUUGGGGAG CUCAAGUUCGAGCCUCUGUCACAGGGAAGAUUCUA UCACAAUUCUUAUCAGGGAUCAGGGAAGGUGUCAG CUUCCAGCUUGUCAAGCUAGGUGUCUGGAAUCCCCA ACCGACAUGCAAUCUGGGUCCCCUAUCAACCGAUG AUCAGUGAUAGACAGGCUUUAUCUCUACUCACAG AGGCGUUAUCGUGACAAUCAAGCAAAUUGGGCUGUC CCGACAACACGGACAGAUACAAGUUGCGAAUGGAGA CAUGCUUCCAGCAGGCUGUAAGGGUAAAUCCAAGC ACUUUGCGAGAAUCCGAGUGGACACCAUUGAAGGAU AACAGGAUUCUUAUCAGGGGUCUUGUCUGUUGAUC UGAGUCUGACAGUUGAGCUUAAAUCAAAUUGUUU CAGGAUUCGGGCCAUUGAUCACACAGGUUCAGGGAU GGACCUAUAACAAUCCAACCAACAUAUGUAUUGG CUGACUAUCCCGCCAAUGAAGAACUGGCCUUAAGGUG UAAUCAACACAUUGGAGUGGAUACCGAGAUUCAAGG UUAGUCCCAACCUCUUCACUGUUCUUAUUAAGGAAGC AGGCGAGGACUGCCAUGCCCCAACAUAACCUACCGC GAGGUGGAUGGUGAUGUCAAAUCAGUUCUUAUCUG GUGAUUCUACUGGUCAGAUCUCCAUAUGUUCUGG CAACCUACGAUACUUCAGAGUUGAACAUUCUGUAGU UUUUUACGUUACAGCCAAAGCCGCUCAUUUUCUUA UUUUUACUUUUAGGUUGCCUGUAAGGGGGGUCCCCA UUGAAUUAACAAGUGGAAUGCUUCACUUGGGACAAA AACUCUGGUGCCGUCACUUCUGUGUCUUGCGGACUC AGAAUCUGGUGGACAUACACUCACUCUGGGAUGGU GGCAUGGGAGUCAGCUGCACAGCCACUCGGGAAGAU GGAACCAGCCGCAGAUAG	
GC_H_MEASLES_D8 mRNA Sequence (assumes T100 tail) Sequence Length: 2126	G*GGGAAUAAGAGAGAAAAGAAGAGUAAGAAGAAA UAUAAGAGCCACCAUGUCACCACAACGAGACCGGAUA AAUGCCUUCUACAAAGACAACCCCAUCCUAAAGGGAA GUAGGAUAGUUAUUAACAGAGAACAUUCUUAUGAUUG AUAGACCUUAUGUUUGCUGGCUGUUCUAUUCGUCA UGUUUCUGAGCUUGAUCGGGUUGCUAGCCAUUGCAG GCAUUAGACUUCUACGGGCAGCCAUCUACACCGCAGA GAUCCAUAAGCCUCAGCACCAUCUGGAUGUAACU AACUCAUUCGAGCAUCAGGUUAAGGACGUGCUGACAC CACUCUUAAGAUAUCGUGAUGAAGUGGGCUUGA GGACACCUAGAGAUUCACUGACCUAGUGAAGUUCAU CUCUGACAAGAUAAAUUCUUAUUCGGACAGGGAA UACGACUUCAGAGAUUCACUUGGUGUAUCAACCCGC CAGAGAGAAUCAAUUGGAUUAUGAUAUAUCUGUG CAGAUUGGCUGCUGAAGAACUAUGAAUGCAUUGG UGAACUCAACUCUACUGGAGACCAGGGCAACCAAUA GUUCCUAGCUGUCUCAAAGGGAAACUGCUCAGGGCCC ACUACAAUCAGAGGCCAAUUCUCAAACAUUGCGCUGU CCCUGUUGGACUUGUAUUUAAGUCGAGGUUACAAUG UGUCAUCUAUAGUCACUAUGACAUCUCCAGGGAAUGUA CGGGGGAACUUAUAGUGGAAAAGCCUAAUCUGAGC AGCAAAGGGUCAGAGUUGUCACAACUGAGCAUGCACC GAGUGUUUAAGUAGGUGUUAUCAGAAAUCGGGUU UGGGGGCUCGGUAUUCCAUAUGACAAACUAUCUUGA GCAACCAGUCAGUAAUGAUUUCAGCAACUGCAUGGUG GCUUUGGGGAGCUCAAGUUCGACAGCCUCUGUCACA GGGAAGAUUCUAUCACAAUCCUUAUCAGGGAUCAGG GAAAGGUGUCAGCUUCAGCUUGUCAAGCUAGGUGUC UGGAAAUCCCCAACCGACAUGCAAUCCUGGGUCCCC UAUCAACGGAUGAUCCAGUGAUAGACAGGCUUUAACCU CUCAUCUCACAGAGGCGUUAUCGUGACAAUCAAGCA AAAUGGGCUGUCCGACAACACGGACAGAUAGCAAGU UGCGAAUGGAGACAUGCUUCCAGCAGGCGUGUAAGG	80

TABLE 13-continued

MeV Nucleic Acid Sequences		
Description	Sequence	SEQ ID NO :
	GUAAAAUCCAAGCACUUUGCGAGAAUCCCGAGUGGAC ACCAUUGAAGGAUAACAGGAUUCUUAUACGGGGUC UUGUCUGUUGAUCUGAGUCUGACAGUUGAGCUUAAA AUCAAAAUUGUUUCAGGAUUCGGGCCAUUGAUCACAC ACGGUUCAGGGAUGGACCUAUACAAAUCCAACCACAA CAAUAUGUAUUGGCUGACUAUCCCGCAAUGAAGAAC CUGGCCUUAGGUGUAAUCAACACAUUGGAGUGGAUA CCGAGAUUCAAGGUUAGUCCCAACCUCUUCACUGUUC CAAUUAAGGAAGCAGGCGAGGACUGCCAUGCCCCAAC AUACCUACCGGAGGUGGAUGGUGAUGUCAACUC AGUUCCAAUCUGGUGAUUCUACCUGGUCAAGAUCC AAUAUGUUCUGGCAACCUACGAUACUCCAGAGUUGA ACAUGCUGUAGUUUAUACGUUUACAGCCCAAGCCGC UCAUUUUUUACUUUUUACUUUUUAGGUUGCCUGUA AGGGGGUCCCAUUGAAUACAAGUGGAAUGCUUC ACAUGGGACCAAAAACUCUGGUGCCGUCACUUCUGUG UGCUUGCGGACUCAGAAUCUGGUGGACAUACACUCA CUCUGGGAUGGUGGGCAUGGGAGUCAGCUGCACAGCC ACUCGGGAAGAUGGAACCAGCCGAGAUAGUGAUA UAGGCUGGAGCCUCGGUGGCCAAGCUUCUUGCCCCU GGGCCUCCCCCAGCCCCUCUCCCCUUCUGCACCCG UACCCCCGUGGUCUUGAAUAAAGUCUGAGUGGGCGG CAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA	

TABLE 14

MeV Amino Acid Sequences		
Description	Sequence	SEQ ID NO :
GC_F_MEASLES_B3.1 ORF Sequence, AA	MGLKVNVS AVFMAVLLTLQTPAGQIHWGNLSKIGVV GIGSASYKVMTRSSHQSLVIKLMNPNTLLNNCTRVEIA EYRLLRRTVLEPIRDALNAMTQNI RPVQSVASSRRHK RFAGVLAGAALGVATAAQITAGIALHRSMLNSQAID NLRASLETTNQAI EAIRQAGQEMILAVQGVQDYINNE LIPSMNQLSCDLIGQKLGKLLRYYTEILSLFGPSLRDP ISAEISIQALS YALGGDINKVLEKLGYSGGDLLGILES R GIKARITHVDTE SYFIVLSIAYPTLSEIKGVIVHRLEGVS YNIGSQEWYTTVPKYVATQGYLISNFDESSCTFMPEG TVCSQNALYPMSPLLQECLRGSTKSCARTLVSGSFGN RFILSQGNLIANCASILCKCYTTGTIINQDPDKILTYYIAA DRCPVVEVNGVTIQVGSRRYPDAVYLHRIDLGPPI SLE RLDVGTNLGNAI AKLEDAKELLESDQILRSMKGLSST SIVYILIAVCLGGLIGIPTLICCRGRCNKKGEQVGMSR PGLKPDLTGTSKSYVRS L*	47
GC_F_MEASLES_D8 ORF Sequence, AA	MGLKVNVS VIFMAVLLTLQTPAGQIHWGNLSKIGVVG VGSASYKVMTRSSHQSLVIKLMNPNTLLNNCTRVGIAE YRLLRRTVLEPIRDALNAMTQNI RPVQSVASSRRHKR FAGVLAGAALGVATAAQITAGIALHQSMNSQAIDN LRASLETTNQAI EAIRQAGQEMILAVQGVQDYINNELI PSMNQLSCDLIGQKLGKLLRYYTEILSLFGPSLRDPIS AEISIQALS YALGGDINKVLEKLGYSGGDLLGILES RGI KARITHVDTE SYFIVLSIAYPTLSEIKGVIVHRLEGVS Y NIGSQEWYTTVPKYVATQGYLISNFDESSCTFMPEGT VCSQNALYPMSPLLQECLRGSTKSCARTLVSGSFGNR FILSQGNLIANCASILCKCYTTGTIINQDPDKILTYYIAAD HCPVVEVNGVTIQVGSRRYPDAVYLHRIDLGPPI SLER LDVGTNLGNAI AKLEDAKELLESDQILRSMKGLSSTS IVYILIAVCLGGLIGIPALICCRGRCNKKGEQVGMSRP GLKPDLTGTSKSYVRS L*	48
GC_H_MEASLES_B3 ORF Sequence, AA	MSPQRDRINAFYKDNYPYKGSRIVINREHLMIDRPYVL LAVLFVMFLSLIGLLAIAGIRLHRAAIYTAIEIHKSLSTN LDVTNSIEHQVKDVLTPLFKIIGDEVGLRTPQRFDTLV KFISDKIKFLNPDREYDFRDLTWCINPPERIKLDYDQY	49

TABLE 14-continued

MeV Amino Acid Sequences		
Description	Sequence	SEQ ID NO:
	CADVAAEELMNALVNSTLLETTRTTQFLAVSKGNCS GPTTIRGQFSNMSLSLLDLYLGRGYNVSSIVTMTSQG MYGGTYLVEKPNLNSKGSSELSQLSMYRVFEVGVIRNP GLGAPVFHMTNYFEQPVSNGLGNCMVALGELKLAAL CHGDDSIIPYQSGKGVSFQLVKLGWKSPTDMQSW VPLSTDDPVVDRLYLSHRGVIADNQAQWAVPTTRT DDKLRMETCFQACKGKIQALCENPEWVPLKDNRIPS YGVLSVDLSLTVELKIKIASGFGPLITHGSGMDLYKSN CNNVYWLTIIPMRNLALGVINTLEWI PRFKVSPNLFTV PIKEAGEDCHAPTYLPAEVDGDVLSNLVILPGQDL QYVLATYDTSRVEHAVVYVYSPSRFSYFYPFRLPIK GVPIELQVECFTWDQKLWCRHFCVLADSESGGLITHS GMVGMGVSCTATREDGTNR*	
GC_H_MEASLES_D8 ORF Sequence, AA	MSPQRDRINAFYKDNPHPKGSRIVINREHLMIDRPYVL LAVLFVMFLSLIGLLAIAGIRLHRAAIYTAEIHKSLSTN LDVTNSIEHQVKDVLTPFKIIGDEVGLRTPQRFTDLV KFISDKIKFLNPDREYDFRDLTWCINPPERIKLDYDQY CADVAAEELMNALVNSTLLETTRATNQFLAVSKGNCS GPTTIRGQFSNMSLSLLDLYLSRGYNVSSIVTMTSQGM YGGTYLVEKPNLSSKGSSELSQLSMHRVFEVGVIRNPG LGAPVFHMTNYEQPVSNDFSNCMVALGELKFAALC HREDSITIPYQSGKGVSFQLVKLGWKSPTDMQSW VPLSTDDPVIDRLYLSHRGVIADNQAQWAVPTTRTD DKLRMETCFQACKGKIQALCENPEWVPLKDNRIPSY GVLSVDLSLTVELKIKIVSGFGPLITHGSGMDLYKSNH NNMYWLTIIPMKNLALGVINTLEWI PRFKVSPNLFTV PIKEAGEDCHAPTYLPAEVDGDVLSNLVILPGQDL QYVLATYDTSRVEHAVVYVYSPSRFSYFYPFRLPV RGVPIELQVECFTWDQKLWCRHFCVLADSESGGHITH SGMVGVSCTATREDGTSRR*	50

TABLE 15

MeV NCBI Accession Numbers (Amino Acid Sequences)		
Type	Virus Name	GenBank Accession
hemagglutinin	hemagglutinin [Measles virus strain Moraten]	AAF85673.1
hemagglutinin	hemagglutinin [Measles virus strain Rubeovax]	AAF85689.1
hemagglutinin	hemagglutinin [Measles virus]	AAF89824.1
hemagglutinin	hemagglutinin protein [Measles virus]	CAA91369.1
hemagglutinin	hemagglutinin [Measles virus]	BAJ23068.1
hemagglutinin	hemagglutinin protein [Measles virus]	BAB39848.1
hemagglutinin	hemagglutinin [Measles virus]	AAA50551.1
hemagglutinin	RecName: Full = Hemagglutinin glycoprotein	P08362.1
hemagglutinin	hemagglutinin [Measles virus]	AAB63802.1
hemagglutinin	hemagglutinin [Measles virus]	AAA56650.1
hemagglutinin	hemagglutinin [Measles virus]	AAA56642.1
hemagglutinin	hemagglutinin [Measles virus]	AAA74936.1
hemagglutinin	hemagglutinin protein [Measles virus]	BAH56665.1
hemagglutinin	hemagglutinin [Measles virus]	ACC86105.1
hemagglutinin	hemagglutinin [Measles virus strain Edmonston-Zagreb]	AAF85697.1
hemagglutinin	hemagglutinin [Measles virus]	AAR89413.1
hemagglutinin	hemagglutinin [Measles virus]	AAA56653.1
hemagglutinin	RecName: Full = Hemagglutinin glycoprotein	P35971.1
hemagglutinin	Hemagglutinin [Measles virus]	CAB94916.1
hemagglutinin	hemagglutinin [Measles virus]	AAC03036.1
hemagglutinin	hemagglutinin [Measles virus]	AAF85681.1
hemagglutinin	Hemagglutinin [Measles virus]	CAB94927.1
hemagglutinin	Hemagglutinin [Measles virus]	CAB94925.1
hemagglutinin	hemagglutinin protein [Measles virus]	BAB39835.1
hemagglutinin	Hemagglutinin [Measles virus]	CAB94931.1
hemagglutinin	hemagglutinin [Measles virus genotype A]	AFO84712.1
hemagglutinin	hemagglutinin [Measles virus]	AAA56639.1
hemagglutinin	Hemagglutinin [Measles virus]	CAB94926.1
hemagglutinin	hemagglutinin protein [Measles virus]	BAB39836.1
hemagglutinin	Hemagglutinin [Measles virus]	CAB94929.1
hemagglutinin	RecName: Full = Hemagglutinin glycoprotein	P06830.1

TABLE 15-continued

MeV NCBI Accession Numbers (Amino Acid Sequences)		
Type	Virus Name	GenBank Accession
hemagglutinin	Hemagglutinin [Measles virus]	CAB94928.1
hemagglutinin	hemagglutinin protein [Measles virus]	BAB39837.1
hemagglutinin	hemagglutinin [Measles virus]	AAA74935.1
hemagglutinin	hemagglutinin protein [Measles virus]	CAB43780.1
hemagglutinin	hemagglutinin [Measles virus]	BAA09952.1
hemagglutinin	hemagglutinin protein [Measles virus]	CAB43815.1
hemagglutinin	hemagglutinin [Measles virus]	AAF28390.1
hemagglutinin	Hemagglutinin [Measles virus]	CAB94923.1
hemagglutinin	hemagglutinin protein [Measles virus]	CAB43785.1
hemagglutinin	hemagglutinin [Measles virus]	ABD34001.1
hemagglutinin	hemagglutinin protein [Measles virus]	CAB43782.1
hemagglutinin	hemagglutinin protein [Measles virus]	CAB43781.1
hemagglutinin	hemagglutinin [Measles virus]	BAH22353.1
hemagglutinin	hemagglutinin [Measles virus]	AAC35878.2
hemagglutinin	hemagglutinin protein [Measles virus]	AAL86996.1
hemagglutinin	hemagglutinin [Measles virus]	CAA76066.2
hemagglutinin	hemagglutinin [Measles virus]	AAA46428.1
hemagglutinin	hemagglutinin protein [Measles virus]	CAB43803.1
hemagglutinin	Hemagglutinin [Measles virus]	CAB94918.1
hemagglutinin	hemagglutinin [Measles virus]	AAF72162.1
hemagglutinin	hemagglutinin [Measles virus]	AAM70154.1
hemagglutinin	hemagglutinin protein [Measles virus]	CAB43776.1
hemagglutinin	hemagglutinin [Measles virus genotype D4]	ACT78395.1
hemagglutinin	hemagglutinin [Measles virus genotype D7]	AAL02030.1
hemagglutinin	hemagglutinin protein [Measles virus]	CAB43789.1
hemagglutinin	hemagglutinin protein [Measles virus]	CAB43774.1
hemagglutinin	Hemagglutinin [Measles virus]	CAB94920.1
hemagglutinin	Hemagglutinin [Measles virus]	CAB94922.1
hemagglutinin	hemagglutinin [Measles virus]	ABB59491.1
hemagglutinin	hemagglutinin protein [Measles virus]	BAB39843.1
hemagglutinin	hemagglutinin protein [Measles virus]	CAB43804.1
hemagglutinin	hemagglutinin [Measles virus]	AAX52048.1
hemagglutinin	Hemagglutinin [Measles virus]	CAB94930.1
hemagglutinin	hemagglutinin [Measles virus]	AAA74526.1
hemagglutinin	hemagglutinin protein [Measles virus]	CAB43814.1
hemagglutinin	hemagglutinin [Measles virus]	ABB59493.1
hemagglutinin	hemagglutinin [Measles virus genotype D4]	AAL02019.1
hemagglutinin	Hemagglutinin [Measles virus]	CAB94919.1
hemagglutinin	hemagglutinin protein [Measles virus]	AAL86997.1
hemagglutinin	hemagglutinin [Measles virus genotype C2]	AAL02017.1
hemagglutinin	hemagglutinin protein [Measles virus]	CAB43769.1
hemagglutinin	hemagglutinin protein [Measles virus]	CAB43808.1
hemagglutinin	hemagglutinin [Measles virus]	BAO97032.1
hemagglutinin	hemagglutinin protein [Measles virus]	CAB43805.1
hemagglutinin	hemagglutinin protein [Measles virus]	CAB43777.1
hemagglutinin	hemagglutinin [Measles virus]	AAL67793.1
hemagglutinin	hemagglutinin [Measles virus]	AAF89816.1
hemagglutinin	hemagglutinin [Measles virus genotype D4]	AAL02020.1
hemagglutinin	hemagglutinin protein [Measles virus]	CAB43786.1
hemagglutinin	hemagglutinin protein [Measles virus strain MVi/New Jersey.USA/45.05]	AEP40452.1
hemagglutinin	hemagglutinin [Measles virus]	AAA74531.1
hemagglutinin	hemagglutinin [Measles virus]	AAB63800.1
hemagglutinin	hemagglutinin [Measles virus]	AAO21711.1
hemagglutinin	hemagglutinin [Measles virus genotype D8]	ALE27189.1
hemagglutinin	hemagglutinin protein [Measles virus]	CAB43810.1
hemagglutinin	hemagglutinin [Measles virus]	AAF89817.1
hemagglutinin	hemagglutinin [Measles virus genotype D6]	AAL02022.1
hemagglutinin	hemagglutinin protein [Measles virus]	CAB43800.1
hemagglutinin	hemagglutinin protein [Measles virus genotype B3]	AGA17219.1
hemagglutinin	hemagglutinin protein [Measles virus]	CAB43770.1
hemagglutinin	hemagglutinin protein [Measles virus strain MVi/Texas.USA/4.07]	AEP40444.1
hemagglutinin	hemagglutinin [Measles virus]	AAX52047.1
hemagglutinin	hemagglutinin [Measles virus]	AAB63794.1
hemagglutinin	hemagglutinin [Measles virus]	AAB63796.1
hemagglutinin	hemagglutinin [Measles virus]	AAA74528.1
hemagglutinin	hemagglutinin [Measles virus]	AAB63774.1
hemagglutinin	hemagglutinin [Measles virus]	AAB63795.1
hemagglutinin	hemagglutinin [Measles virus]	AAA74519.1
hemagglutinin	hemagglutinin protein [Measles virus]	CAB43778.1
fusion protein	fusion protein [Measles virus strain Moraten]	AAF85672.1
fusion protein	fusion protein [Measles virus]	AAA56645.1

TABLE 15-continued

MeV NCBI Accession Numbers (Amino Acid Sequences)		
Type	Virus Name	GenBank Accession
fusion protein	fusion protein [Measles virus strain Rubeovax]	AAF85688.1
fusion protein	fusion protein [Measles virus]	AAF85680.1
fusion protein	fusion protein [Measles virus]	AEF30359.1
fusion protein	fusion protein [Measles virus]	BAA09957.1
fusion protein	fusion protein [Measles virus]	AAV84957.1
fusion protein	fusion protein [Measles virus MeV-eGFP_Edm-tag]	AII16636.1
fusion protein	fusion protein [Measles virus]	ABY58018.1
fusion protein	fusion protein [Measles virus]	BAA19838.1
fusion protein	fusion protein [Measles virus]	AAA56641.1
fusion protein	F protein [Measles virus]	ABK40529.1
fusion protein	fusion protein [Measles virus]	AAA56652.1
fusion protein	fusion protein [Measles virus]	ABY58017.1
fusion protein	fusion protein [Measles virus]	ABB71645.1
fusion protein	fusion protein [Measles virus]	NP_056922.1
fusion protein	fusion protein [Measles virus strain AIK-C]	AAF85664.1
fusion protein	fusion protein [Measles virus]	BAB60865.1
fusion protein	fusion protein [Measles virus]	BAA09950.1
fusion protein	fusion protein [Measles virus strain MVi/New York.USA/26.09/3]	AEP40403.1
fusion protein	fusion protein [Measles virus]	AAA74934.1
fusion protein	fusion protein [Measles virus]	CAB38075.1
fusion protein	fusion protein [Measles virus strain MVi/Texas.USA/4.07]	AEP40443.1
fusion protein	fusion protein [Measles virus]	AAF02695.1
fusion protein	fusion protein [Measles virus]	AAF02696.1
fusion protein	fusion protein [Measles virus]	AAT99301.1
fusion protein	fusion protein [Measles virus]	ABB71661.1
fusion protein	fusion protein [Measles virus]	BAK08874.1
fusion protein	fusion protein [Measles virus]	AAF02697.1
fusion protein	fusion protein [Measles virus genotype D4]	AFY12704.1
fusion protein	fusion protein [Measles virus strain MVi/California.USA/16.03]	AEP40467.1
fusion protein	fusion protein [Measles virus genotype D8]	AHN07989.1
fusion protein	fusion protein [Measles virus]	AAA46421.1
fusion protein	fusion protein [Measles virus]	AAA56638.1
fusion protein	fusion protein [Measles virus strain MVi/Virginia.USA/15.09]	AEP40419.1
fusion protein	fusion protein [Measles virus genotype D8]	ALE27200.1
fusion protein	fusion protein [Measles virus genotype D8]	AFY12695.1
fusion protein	fusion protein [Measles virus genotype D8]	ALE27248.1
fusion protein	fusion protein [Measles virus genotype D8]	ALE27224.1
fusion protein	fusion protein [Measles virus]	AAT99300.1
fusion protein	fusion protein [Measles virus]	BAH96592.1
fusion protein	fusion protein [Measles virus strain MVi/California.USA/8.04]	AEP40459.1
fusion protein	fusion protein [Measles virus genotype D8]	AIG94081.1
fusion protein	fusion protein [Measles virus]	BAA09951.1
fusion protein	fusion protein [Measles virus genotype D8]	ALE27194.1
fusion protein	fusion protein [Measles virus]	BAA33871.1
fusion protein	fusion protein [Measles virus strain MVi/Washington.USA/18.08/1]	AEP40427.1
fusion protein	fusion protein [Measles virus]	ABY21182.1
fusion protein	fusion protein [Measles virus genotype D8]	ALE27284.1
fusion protein	fusion protein [Measles virus]	ACA09725.1
fusion protein	fusion protein [Measles virus genotype D8]	ALE27314.1
fusion protein	fusion protein [Measles virus genotype G3]	AFY12712.1
fusion protein	fusion protein [Measles virus genotype D8]	ALE27368.1
fusion protein	RecName: Full = Fusion glycoprotein F0; Contains: RecName: Full = Fusion glycoprotein F2; Contains: RecName: Full = Fusion glycoprotein F1; Flags: Precursor	P35973.1
fusion protein	fusion protein [Measles virus genotype H1]	AIG53713.1
fusion protein	unnamed protein product [Measles virus]	CAA34588.1
fusion protein	fusion protein [Measles virus]	CAA76888.1
fusion protein	fusion protein [Measles virus genotype B3.1]	AIY55563.1
fusion protein	fusion protein [Measles virus]	ADO17330.1
fusion protein	fusion protein [Measles virus genotype H1]	AIG53703.1
fusion protein	fusion protein [Measles virus genotype B3]	AGA17208.1
fusion protein	fusion protein [Measles virus]	AAL29688.1
fusion protein	fusion protein [Measles virus genotype H1]	AIG53706.1
fusion protein	fusion protein [Measles virus genotype H1]	AIG53701.1
fusion protein	fusion protein [Measles virus genotype B3]	ALE27092.1
fusion protein	fusion protein [Measles virus genotype H1]	AIG53714.1
fusion protein	fusion protein [Measles virus genotype H1]	AIG53694.1

TABLE 15-continued

MeV NCBI Accession Numbers (Amino Acid Sequences)		
Type	Virus Name	GenBank Accession
fusion protein	fusion protein [Measles virus genotype H1]	AIG53668.1
fusion protein	fusion protein [Measles virus]	ACC86094.1
fusion protein	fusion protein [Measles virus genotype H1]	AIG53670.1
fusion protein	fusion protein [Measles virus genotype H1]	AIG53707.1
fusion protein	fusion protein [Measles virus genotype B3]	AGA17216.1
fusion protein	fusion protein [Measles virus genotype H1]	AIG53671.1
fusion protein	fusion protein [Measles virus strain MVi/New Jersey.USA/45.05]	AEP40451.1
fusion protein	fusion protein [Measles virus genotype H1]	AIG53684.1
fusion protein	fusion protein [Measles virus genotype H1]	AIG53688.1
fusion protein	fusion protein [Measles virus genotype B3]	AGA17214.1
fusion protein	fusion protein [Measles virus genotype H1]	AIG53683.1
fusion protein	fusion protein [Measles virus genotype H1]	AIG53667.1
fusion protein	fusion protein [Measles virus genotype H1]	AIG53686.1
fusion protein	fusion protein [Measles virus genotype H1]	AIG53685.1
fusion protein	fusion protein [Measles virus genotype H1]	AIG53681.1
fusion protein	unnamed protein product [Measles virus]	CAA34589.1
fusion protein	fusion protein [Measles virus genotype H1]	AIG53678.1
fusion protein	fusion protein [Measles virus genotype H1]	AIG53710.1
fusion protein	fusion protein [Measles virus genotype H1]	AIG53669.1
fusion protein	fusion protein [Measles virus genotype H1]	AIG53664.1
fusion protein	fusion protein [Measles virus]	AAA50547.1
fusion protein	fusion protein [Measles virus genotype H1]	AIG53679.1
fusion protein	fusion protein [Measles virus genotype H1]	AIG53709.1
fusion protein	fusion protein [Measles virus genotype H1]	AIG53672.1
fusion protein	fusion protein [Measles virus genotype H1]	AIG53697.1
fusion protein	fusion protein [Measles virus genotype H1]	AIG53689.1
fusion protein	fusion protein [Measles virus genotype H1]	AIG53676.1
fusion protein	fusion protein [Measles virus genotype H1]	AIG53675.1
fusion protein	fusion protein [Measles virus genotype H1]	AIG53663.1
fusion protein	fusion protein [Measles virus]	BAA19841.1
fusion protein	fusion protein [Measles virus]	AAF02701.1
fusion protein	fusion protein [Measles virus genotype H1]	AIG53680.1
fusion protein	fusion protein [Measles virus genotype H1]	AIG53674.1
C protein	C protein [Measles virus strain Moraten]	AAF85670.1
C protein	RecName: Full = Protein C	P03424.1
C protein	C protein [Measles virus]	ACN54404.1
C protein	C protein [Measles virus]	ACN54412.1
C protein	RecName: Full = Protein C	P35977.1
C protein	C protein [Measles virus]	AAF85678.1
C protein	C protein [Measles virus]	ABD33998.1
C protein	unnamed protein product [Measles virus]	CAA34586.1
C protein	C protein [Measles virus]	BAJ51786.1
C protein	C protein [Measles virus]	BAA33869.1
C protein	virulence factor [Measles virus]	ABO69700.1
C protein	C protein [Measles virus]	NP_056920.1
C protein	C protein [Measles virus]	ADO17333.1
C protein	C protein [Measles virus]	ACC86082.1
C protein	C protein [Measles virus]	BAA33875.1
C protein	C protein [Measles virus]	ABY21189.1
C protein	C protein [Measles virus]	BAE98296.1
C protein	C protein [Measles virus]	ADU17782.1
C protein	C protein [Measles virus strain MVi/Virginia.USA/15.09]	AEP40417.1
C protein	C protein [Measles virus]	ADU17814.1
C protein	C protein [Measles virus]	ADU17798.1
C protein	C protein [Measles virus genotype D4]	AFY12700.1
C protein	C protein [Measles virus]	ADU17784.1
C protein	C protein [Measles virus strain MVi/California.USA/16.03]	AEP40465.1
C protein	C protein [Measles virus]	ABB71643.1
C protein	C protein [Measles virus]	AEI91027.1
C protein	C protein [Measles virus]	ADU17874.1
C protein	C protein [Measles virus]	ADU17903.1
C protein	C protein [Measles virus]	CAA34579.1
C protein	C protein [Measles virus]	ADU17790.1
C protein	C protein [Measles virus]	ADU17800.1
C protein	C protein [Measles virus]	ABB71667.1
C protein	unnamed protein product [Measles virus]	CAA34572.1
C protein	C protein [Measles virus strain MVi/Arizona.USA/11.08/2]	AEP40433.1
C protein	C protein [Measles virus]	ADU17830.1
C protein	C protein [Measles virus]	ADU17947.1

TABLE 15-continued

MeV NCBI Accession Numbers (Amino Acid Sequences)		
Type	Virus Name	GenBank Accession
C protein	C protein [Measles virus]	ADU17818.1
C protein	C protein [Measles virus strain MVi/New Jersey.USA/45.05]	AEP40449.1
C protein	C protein [Measles virus strain MVi/Texas.USA/4.07]	AEP40441.1
C protein	C protein [Measles virus]	ADU17864.1
C protein	C protein [Measles virus]	ADU17838.1
C protein	C protein [Measles virus]	ADU17881.1
C protein	C protein [Measles virus strain MVi/Washington.USA/18.08/1]	AEP40425.1
C protein	C protein [Measles virus]	ADU17927.1
C protein	C protein [Measles virus]	ADU17953.1
C protein	C protein [Measles virus]	ADU17889.1
C protein	C protein [Measles virus]	ADU17963.1
C protein	C protein [Measles virus]	ADU17893.1
C protein	C protein [Measles virus]	ADU17820.1
C protein	C protein [Measles virus]	ABB71651.1
C protein	C protein [Measles virus]	ADU17786.1
C protein	C protein [Measles virus]	ADU17862.1
C protein	C protein [Measles virus]	ADU17923.1
C protein	C protein [Measles virus]	ADU17959.1
C protein	C protein [Measles virus]	ADU17951.1
C protein	C protein [Measles virus]	ADU17916.1
C protein	C protein [Measles virus]	ADU17957.1
C protein	C protein [Measles virus]	ADU17925.1
C protein	C protein [Measles virus]	ADU17901.1
C protein	C protein [Measles virus]	ADU17887.1
C protein	C protein [Measles virus]	ADU17832.1
C protein	C protein [Measles virus]	ADU17891.1
C protein	C protein [Measles virus]	ADU17961.1
C protein	C protein [Measles virus]	ADU17872.1
C protein	C protein [Measles virus]	ADU17929.1
C protein	C protein [Measles virus]	ADU17908.1
C protein	C protein [Measles virus]	ADU17910.1
C protein	C protein [Measles virus]	ADU17921.1
C protein	C protein [Measles virus]	ADU17824.1
C protein	C protein [Measles virus strain MVi/Pennsylvania.USA/20.09]	AEP40473.1
C protein	C protein [Measles virus]	ADU17828.1
C protein	C protein [Measles virus]	ADU17812.1
C protein	C protein [Measles virus genotype D8]	AFY12692.1
C protein	nonstructural C protein [Measles virus]	ABA59559.1
C protein	RecName: Full = Protein C	Q00794.1
C protein	nonstructural C protein [Measles virus]	ADO17934.1
C protein	nonstructural C protein [Measles virus]	ACJ66773.1
C protein	C protein [Measles virus genotype G3]	AFY12708.1
C protein	RecName: Full = Protein C	P26035.1
C protein	C protein [Measles virus]	BAA84128.1
nucleoprotein	RecName: Full = Nucleoprotein; AltName: Full = Nucleocapsid protein; Short = NP; Short = Protein N	Q77M43.1
nucleoprotein	nucleocapsid protein [Measles virus strain Rubeovax]	AAF85683.1
nucleoprotein	RecName: Full = Nucleoprotein; AltName: Full = Nucleocapsid protein; Short = NP; Short = Protein N	Q89933.1
nucleoprotein	nucleocapsid protein [Measles virus strain AIK-C]	AAF85659.1
nucleoprotein	nucleoprotein [Measles virus]	ABI54102.1
nucleoprotein	nucleoprotein [Measles virus]	AAA56643.1
nucleoprotein	nucleoprotein [Measles virus]	AAC03050.1
nucleoprotein	nucleoprotein [Measles virus]	AAA18990.1
nucleoprotein	nucleoprotein [Measles virus]	AAA56640.1
nucleoprotein	RecName: Full = Nucleoprotein; AltName: Full = Nucleocapsid protein; Short = NP; Short = Protein N	P35972.1
nucleoprotein	RecName: Full=Nucleoprotein; AltName: Full = Nucleocapsid protein; Short = NP; Short = Protein N	P10050.1
nucleoprotein	N protein [Measles virus]	BAB60956.1
nucleoprotein	RecName: Full = Nucleoprotein; AltName: Full = Nucleocapsid protein; Short = NP; Short = Protein N	B1AAA7.1
nucleoprotein	nucleoprotein [Measles virus]	AAA18991.1
nucleoprotein	nucleoprotein [Measles virus]	CAB46894.1

TABLE 15-continued

MeV NCBI Accession Numbers (Amino Acid Sequences)		
Type	Virus Name	GenBank Accession
nucleoprotein	nucleoprotein [Measles virus]	CAB46871.1
nucleoprotein	nucleoprotein [Measles virus]	CAB46872.1
nucleoprotein	nucleoprotein [Measles virus]	ABU49606.1
nucleoprotein	nucleocapsid protein [Measles virus]	AAA75494.1
nucleoprotein	nucleoprotein [Measles virus]	CAB46883.1
nucleoprotein	nucleoprotein [Measles virus]	CAB46892.1
nucleoprotein	unnamed protein product [Measles virus]	CAA34584.1
nucleoprotein	nucleoprotein [Measles virus]	AAA18997.1
nucleoprotein	nucleoprotein [Measles virus]	CAB46863.1
nucleoprotein	nucleoprotein [Measles virus]	AEF30352.1
nucleoprotein	nucleoprotein [Measles virus]	ABI54103.1
nucleoprotein	nucleocapsid protein [Measles virus]	AAA46433.1
nucleoprotein	nucleoprotein [Measles virus]	CAB46902.1
nucleoprotein	nucleoprotein [Measles virus]	CAB46873.1
nucleoprotein	nucleoprotein [Measles virus]	CAB46906.1
nucleoprotein	nucleoprotein [Measles virus]	AAA74547.1
nucleoprotein	nucleoprotein [Measles virus]	AAA74537.1
nucleoprotein	nucleoprotein [Measles virus]	CAB46862.1
nucleoprotein	nucleocapsid protein [Measles virus]	BAA09961.1
nucleoprotein	nucleoprotein [Measles virus]	AAO15875.1
nucleoprotein	nucleoprotein [Measles virus]	AAO15871.1
nucleoprotein	nucleoprotein [Measles virus]	CAB46882.1
nucleoprotein	nucleoprotein [Measles virus]	CAB60124.1
nucleoprotein	nucleoprotein [Measles virus]	ABI54104.1
nucleoprotein	nucleoprotein [Measles virus]	CAB46869.1
nucleoprotein	nucleoprotein [Measles virus]	CAB46880.1
nucleoprotein	nucleoprotein [Measles virus]	AAA74541.1
nucleoprotein	nucleocapsid protein [Measles virus strain MVi/New Jersey.USA/45.05]	AEP40446.1
nucleoprotein	nucleoprotein [Measles virus]	ABI54110.1
nucleoprotein	nucleoprotein [Measles virus]	CAB46903.1
nucleoprotein	nucleoprotein [Measles virus]	CAB46899.1
nucleoprotein	nucleoprotein [Measles virus]	CAB46901.1
nucleoprotein	nucleocapsid protein [Measles virus]	ABB71640.1
nucleoprotein	nucleoprotein [Measles virus]	CAB60113.1
nucleoprotein	nucleoprotein [Measles virus]	CAB60114.1
nucleoprotein	nucleoprotein [Measles virus]	CAB60116.1
nucleoprotein	nucleoprotein [Measles virus]	CAB46895.1
nucleoprotein	nucleoprotein [Measles virus]	CAB60121.1
nucleoprotein	nucleoprotein [Measles virus]	ABI54111.1
nucleoprotein	nucleoprotein [Measles virus]	CAB46889.1
nucleoprotein	nucleoprotein [Measles virus]	CAB46898.1
nucleoprotein	nucleoprotein [Measles virus genotype B3]	ALE27083.1
nucleoprotein	nucleoprotein [Measles virus]	CAB60118.1
nucleoprotein	nucleocapsid protein [Measles virus]	CAA34570.1
nucleoprotein	nucleoprotein [Measles virus]	AAC29443.1
nucleoprotein	nucleocapsid protein [Measles virus strain MVi/Washington.USA/18.08/1]	AEP40422.1
nucleoprotein	nucleoprotein [Measles virus]	AAO15872.1
nucleoprotein	nucleoprotein [Measles virus]	CAB46874.1
nucleoprotein	nucleoprotein [Measles virus]	AAA74550.1
nucleoprotein	nucleocapsid protein [Measles virus]	ABB71648.1
nucleoprotein	nucleoprotein [Measles virus]	CAB46900.1
nucleoprotein	nucleoprotein [Measles virus]	BAH22440.1
nucleoprotein	nucleocapsid protein [Measles virus]	AAA46432.1
nucleoprotein	nucleocapsid protein [Measles virus]	BAA33867.1
nucleoprotein	nucleoprotein [Measles virus]	AAA74539.1
nucleoprotein	nucleoprotein [Measles virus]	CAB60115.1
nucleoprotein	nucleoprotein [Measles virus]	CAB60123.1
nucleoprotein	nucleocapsid protein [Measles virus]	ABB71664.1
nucleoprotein	nucleoprotein [Measles virus]	CAB60125.1
nucleoprotein	nucleoprotein [Measles virus]	AAA74546.1
nucleoprotein	nucleoprotein [Measles virus]	CAB46886.1
nucleoprotein	nucleoprotein [Measles virus]	BAH22350.1
nucleoprotein	nucleoprotein [Measles virus]	CAB46867.1
nucleoprotein	nucleocapsid protein [Measles virus]	BAA09954.1
nucleoprotein	nucleoprotein [Measles virus]	AAO15873.1
nucleoprotein	nucleocapsid protein [Measles virus]	AEP95735.1
nucleoprotein	nucleoprotein [Measles virus]	AAL37726.1
nucleoprotein	nucleoprotein [Measles virus]	AAA74549.1
nucleoprotein	RecName: Full = Nucleoprotein; AltName: Full = Nucleocapsid protein; Short = NP; Short = Protein N	P26030.1

TABLE 15-continued

MeV NCBI Accession Numbers (Amino Acid Sequences)		
Type	Virus Name	GenBank Accession
nucleoprotein	nucleoprotein [Measles virus ETH55/99]	AAK07777.1
nucleoprotein	nucleoprotein [Measles virus genotype B3]	AGA17238.1
nucleoprotein	nucleoprotein [Measles virus]	AEF30351.1
nucleoprotein	nucleoprotein [Measles virus genotype B3]	AGA17242.1
nucleoprotein	nucleoprotein [Measles virus ETH54/98]	AAK07776.1
nucleoprotein	nucleoprotein [Measles virus]	AAA74548.1
nucleoprotein	nucleoprotein [Measles virus]	AAA19221.1
nucleoprotein	nucleoprotein [Measles virus]	AAC03039.1
nucleoprotein	nucleoprotein [Measles virus]	AAA19223.1
nucleoprotein	nucleoprotein [Measles virus genotype B3]	AGA17241.1
nucleoprotein	nucleoprotein [Measles virus]	CAB60122.1
nucleoprotein	nucleoprotein [Measles virus]	CAC34599.1
nucleoprotein	nucleoprotein [Measles virus]	AAC03042.1
nucleoprotein	nucleoprotein [Measles virus]	CAC34604.1
nucleoprotein	nucleoprotein [Measles virus]	AAA74544.1
nucleoprotein	nucleocapsid protein [Measles virus]	NP_056918.1
V Protein	RecName: Full = Non-structural protein V	Q9IC37.1
V Protein	RecName: Full = Non-structural protein V	Q9EMA9.1
V Protein	V protein [Measles virus]	ACN54411.1
V Protein	V protein [Measles virus]	ACN54403.1
V Protein	V protein [Measles virus]	AEP95742.1
V Protein	V protein [Measles virus strain MVi/Virginia.USA/15.09]	AEP40416.1
V Protein	V protein [Measles virus]	ADU17801.1
V Protein	V protein [Measles virus]	ADU17849.1
V Protein	V protein [Measles virus]	ABB71642.1
V Protein	V protein [Measles virus genotype D8]	AFY12693.1
V Protein	V protein [Measles virus]	YP_003873249.2
V Protein	V protein [Measles virus strain MVi/Arizona.USA/11.08/2]	AEP40432.1
V Protein	RecName: Full = Non-structural protein V	P26036.1
V Protein	V protein [Measles virus strain MVi/California.USA/16.03]	AEP40464.1
V Protein	V protein [Measles virus strain MVi/California.USA/8.04]	AEP40456.1
V Protein	V protein [Measles virus]	ABY21188.1
V Protein	V protein [Measles virus strain MVi/Washington.USA/18.08/1]	AEP40424.1
V Protein	V protein [Measles virus]	BAH96581.1
V Protein	V protein [Measles virus]	ABB71666.1
V Protein	RecName: Full = Non-structural protein V	P60168.1
V Protein	V protein [Measles virus]	BAH96589.1
V Protein	V protein [Measles virus]	ADU17954.1
V Protein	V protein [Measles virus strain MVi/New York.USA/26.09/3]	AEP40400.1
V Protein	V protein [Measles virus]	ABY21196.1
V Protein	virulence factor [Measles virus]	ABO69701.1
V Protein	V protein [Measles virus]	ABB71650.1
V Protein	V protein [Measles virus]	ACC86086.1
V Protein	V protein [Measles virus genotype D4]	AFY12702.1
V Protein	V protein [Measles virus strain MVi/New Jersey.USA/45.05]	AEP40448.1
V Protein	V protein [Measles virus]	BAE98295.1
V Protein	V protein [Measles virus]	ACC86083.1
V Protein	V protein [Measles virus]	ACU5139.1
V Protein	V protein [Measles virus]	ADO17334.1
V Protein	V protein [Measles virus]	ADU17930.1
V Protein	V protein [Measles virus genotype G3]	AFY12710.1
V Protein	V protein [Measles virus strain MVi/Pennsylvania.USA/20.09]	AEP40472.1
V Protein	phosphoprotein [Measles virus]	ADU17839.1
V Protein	V protein [Measles virus]	ADU17894.1
V Protein	V protein [Measles virus]	ACN50010.1
V Protein	V protein [Measles virus]	ADU17892.1
V Protein	unnamed protein product [Measles virus]	CAA34585.1
V Protein	V protein [Measles virus]	ABD33997.1

TABLE 16

Name	Sequence	SEQ ID NO:
Flagellin Nucleic Acid Sequences		
NT (5' UTR, ORF, 3' UTR)	TCAAGCTTTTGGACCCTCGTACAGAAGCTAATACGACTCACTAT AGGGAAATAAGAGAGAAAAGAGTAAGAAGAAATATAAG AGCCACCATGGCACAAGTCATTAATACAAACAGCCTGTCGCTG TTGACCAGAATAACCTGAACAAATCCCAGTCCGCACTGGGCA CTGTATCGAGCGTTTGTCTTCCGGTCTGCGTATCAACAGCGCG AAAGACGATGCGGCAGGACAGGCGATTGCTAACCGTTTACCG CGAACATCAAAGGTCGACTCAGGCTTCCCGTAACGCTAACGA CGGTATCTCCATTGCGCAGACCACTGAAGGCGCGCTGAACGAA ATCAACAACAACCTGCAGCGTGTGCGTGAACCTGGCGGTTCACT CTGCGAATGGTACTAACTCCCAGTCTGACCTCGACTCCATCCAG GCTGAAATCACCCAGCGCCTGAACGAAATCGACCGTGTATCCG GCCAGACTCAGTTCAACGGCGTGAAAGTCTGGCGCAGGACAA CACCTGACCATCCAGGTTGGTGCCAACGACGGTGAACACTATC GATATTGATTTAAAAGAAATCAGCTCTAAAACACTGGGACTTG ATAAGCTTAATGTCCAAGATGCCTACACCCGAAAGAACTGC TGTAACCGTTGATAAAACTACCTATAAAAATGGTACAGATCCT ATTACAGCCCAGAGCAATACTGATATCAAAC TGCAATTGGCG GTGGTGCAACGGGGTTACTGGGGCTGATATCAAATTTAAAGA TGGTCAATACTATTTAGATGTTAAAGGCGGTGCTTCTGCTGGTG TTTATAAAGCCACTTATGATGAAACTACAAAGAAAGTTAATAT TGATACGACTGATAAACTCCGTTGGCAACTGCGGAAGCTACA GCTATTTCGGGGAACGGCCACTATAACCCACAACCAAATGCTG AAGTAACAAAAGAGGGTGTGATACGACCACAGTTGCGGCTCA ACTTGCTGCAGCAGGGGTTACTGGCGCCGATAAGGACAATACT AGCCTTGTAAAACTATCGTTTGGAGATAAAAACGGTAAAGGTTA TTGATGGTGGCTATGCAGTGAAAATGGGCGACGATTTCTATGC CGTACATATGATGAGAAAACAGGTGCAATTACTGCTAAAACC ACTACTTATACAGATGGTACTGGCGTTGCTCAAAC TGAGCTGT GAAATTTGGTGGCGCAAATGGTAAATCTGAAGTTGTTACTGCT ACCGATGGTAAGACTTACTTAGCAAGCGACCTTGACAAACATA ACTTCAGAACAGGCGGTGAGCTTAAAGAGGTTAATACAGATAA GACTGAAAACCCACTGCAGAAAATGATGCTGCCTTGGCACAG GTTGATACACTTCGTTCTGACCTGGGTGCGGTTTCAGAACCGTTT CAACTCCGCTATCACCAACCTGGGCAATACCGTAAATAACCTG TCTTCTGCCCCTAGCCGATCGAAGATTCCGACTACGCAACCGA AGCTTCCAACATGTCCTGCGCGCAGATTCTGCAGCAGGCGGCT ACCTCCGTTCTGGCGCAGGCGAACAGGTTCCGCAAAACGTTCC TCTCTTTACTGCGTTGATAATAGGCTGGAGCCTCGGTGGCCATG CTTCTTGGCCCTTGGGCTCCCCCAGCCCCCTCCCTCCCTTCTG CACCCGTACCCCCGTGGTCTTTGAATAAAGTCTGAGTGGGCGGC	51
ORF Sequence, NT	ATGGCACAAGTCATTAATACAAACAGCCTGTCGCTGTTGACCC AGAATAACCTGAACAAATCCCAGTCCGCACTGGGCACTGCTAT CGAGCGTTTGTCTTCCGGTCTGCGTATCAACAGCGCGAAAGAC GATGCGGCAGGACAGGCGATTGCTAACCGTTTTACCGGAACA TCAAAGGTCTGACTCAGGCTTCCCGTAACGCTAACGACGGTAT CTCCATTGCGCAGACCACTGAAGGCGCGCTGAACGAAATCAAC AACAACTGCAGCGTGTGCGTGAACCTGGCGGTTCACTGCGA ATGGTACTAACTCCCAGTCTGACCTCGACTCCATCCAGGCTGAA ATCACCCAGCGCCTGAACGAAATCGACCGTGTATCCGCCAGA CTCAGTTCAACGGCGTGAAAGTCTGGCGCAGGACAACACCCCT GACCATCCAGGTTGGTGCCAACGACGGTGAACACTATCGATATT GATTTAAAAGAAATCAGCTCTAAAACACTGGGACTTGATAAGC TTAATGTCCAAGATGCCACACCCGAAAGAACTGCTGTAAAC CGTTGATAAACTACCTATAAAAATGGTACAGATCCTATTACA GCCCAGAGCAATACTGATATCAAACCTGCAATTGGCGGTTGGTG CAACGGGGTTACTGGGGCTGATATCAAATTTAAAGATGGTCA ATACTATTTAGATGTTAAAGGCGGTGCTTCTGCTGGTGTTTATA AAGCCACTTATGATGAAACTACAAAGAAAGTTAATATTGATAC GACTGATAAACTCCGTTGGCAACTGCGGAAGCTACAGCTATT CGGGGAACGGCCACTATAACCCACAACCAAATGCTGAAGTAA CAAAGAGGGTGTGATACGACCACAGTTGCGGCTCAACTTGC TGAGCAGGGGTTACTGGCGCCGATAAGGACAATACTAGCCTT GTAAAACCTATCGTTTGGAGATAAAAACGGTAAGGTTATTGATG GTGGCTATGCAGTGAAAATGGGCGACGATTTCTATGCCGCTAC ATATGATGAGAAAACAGGTGCAATTACTGCTAAAACCACTACT TATACAGATGGTACTGGCGTTGCTCAAACCTGGAGCTGTGAAAT TTGGTGGCGCAAATGGTAAATCTGAAGTTGTTACTGCTACCGAT GGTAAGACTTACTTAGCAAGCGACCTTGACAAACATAACTTCA GAACAGGCGGTGAGCTTAAAGAGGTTAATACAGATAAGACTG AAAACCACTGCAGAAAATGATGCTGCCTTGGCACAGGTTGA TACACTTCGTTCTGACCTGGGTGCGGTTTCAGAACCGTTTCAACT	52

TABLE 16-continued

Name	Sequence	SEQ ID NO :
	CCGCTATCACCAACCTGGGCAATACCGTAAATAACCTGTCTTCT GCCCGTAGCCGTATCGAAGATTCCGACTACGCAACCGAAGTCT CCAACATGTCTCGCGCGCAGATTCTGCAGCAGGCCGGTACCTC CGTTCTGGCGCAGGCGAACAGGTTCCGCAAACGTCTCTCTT TACTGCGT	
mRNA Sequence (assumes T100 tail)	G*GGGAAUAAGAGAGAAAAGAAGAGUAAGAAGAAUUAUA GAGCCACCAUGGCACAAGUCAUUAUACAACAGCCUGUCGC UGUUGACCCAGAAUAACCUGAACAAUCCAGUCCGCACUGG GCACUGCUAUCGAGCGUUUGUCUUCGGUCUGCGUAUCAACA GCGGAAAGACGAUGCGGCAGGACAGGCGAUUGCUAACCGUU UUAACCGCAACAUCAAAGGUCUGACUCAGGCUUCCGUAACG CUAACGACGGUAUCUCCAUUGCGCAGACCACUGAAGGCGCGC UGAACGAAUACAACAACACUCCAGCGUGUGCGUGAACUGG CGGUUCAGUCUGCGAAUGGUACUAACUCCAGUCUGACCUCG ACUCCAUCAGGCGUAAUACCCAGCGCCUGAACGAAUCCG ACCGUGUAUCCGGCCAGACUCAGUUAACGGCGUGAAAGUCC UGGCGCAGGACAACCCUGACCAUCCAGGUUGGUGCCAACG ACGGUGAAACUAUCGAUAUUGAUUUAAAAGAAUCAGCUCU AAAACACUGGGACUUGAUAGCUUAAUGUCCAGAUGCCUAC ACCCGAAAGAAACUGCUGUAACCGUUGAUAAAACUACCUAU AAAAAUGGUACAGAUCCUAUACAGCCAGAGCAAUACUGAU AUCCAAACUGCAAUUGGCGGUGGUGCAACGGGGUUACUGG GGCUGAUACAUAUUAAAAGAUUGGUAUAUUAUAGAU UUAAGGCGGUGCUUCUGCUGGUGUUUAUAAAGCCACUUAU GAUGAAACUACAAGAAAGUUAAUUAUGAUACGACUGAUAA AACUCCGUUGGCAACUGCGGAAGCUACAGCUAUUCGGGGAAC GGCCACUAUAACCCACAACCAAUUGCUGAAGUAACAAAAGA GGGUUGAUACGACCACAGUUGCGGCUCAACUUGCUGCAGC AGGGGUACUGGCGCCGAUAAGGACAUAUAGCCUUGUAA AACUAUCGUUUGAGGAUAAAAACGGUAAGGUUAUUGAUGGU GGCUAUGCAGUGAAAUGGGCGACGAUUUCUAUGCCGCUACA UAUGAUGAGAAAACAGGUGCAAUACUGCUAAAACCAUAC UUAUACAGAUUGUACUGGCGUUGCUAAACUGGAGCUGUGA AAUUUGGUGGCGCAAUUGGUAAAUCUGAAGUUGUACUGCU ACCGAUGGUAAAGACUUAUACUAGCAAGCGACCUUGACAAAACU AACUUCAGAACAGGCGGUGAGCUUAAAGAGGUUAUACAGA UAAGACUGAAAACCCACUGCAGAAAUAUGAUGCUGCCUUGGC ACAGGUUGAUACACUUCGUUCUGACCUGGGUGCGGUUCAGAA CCGUUUCAACUCCGCUAUCACCAACCUGGGCAAUACCGUAAA UAACUGUCUUCUGCCCGUAGCCGUAUCGAAGAUUCCGACUA CGCAACCGAAGUCUCAACAUUCUCGCGCGCAGAUUCUGCA GCAGGCCGGUACCUCCGUUCUGGCGCAGGCGAACAGGUUCC GCAAAACGUCCUCUUAUCUGCGUUGAUAAUAGGCUUGGAGC CUCGGUGGCCAUGCUUCUUGCCCCUUGGGCCUCCCCCAGCC CCUCUCCCCUUCUGCACCCGUACCCCGUGGUCUUGAAU AAAGUCUGAGUGGGCGCAAAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAUCUAG	53
Flagellin mRNA Sequences		
NT (5' UTR, ORF, 3' UTR)	UCAAGCUUUUGGACCCUCGUACAGAAGCUAAUACGACUCACU AUAGGGAAUAAGAGAGAAAAGAAGAGUAAGAAGAAUUAUA AGAGCCACCAUGGCACAAGUCAUUAUACAACAGCCUGUCG CUGUUGACCCAGAAUAACCUGAACAAUCCAGUCCGCACUG GGCACUGCUAUCGAGCGUUUGUCUUCGUCUGCGUAUCAAC AGCGCGAAAGACGAUGCGGCAGGACAGGCGAUUGCUAACCGU UUUACCAGCAACAUCAAAGGUCUGACUCAGGCUUCCCGUAA GCUAACGACGGUAUCUCAUUGCGCAGACCACUGAAGGCGCG CUGAACGAAUACAACAACACUCCAGCGUGUGCGUGAACUG GCGGUUCAGUCUGCGAAUGGUACUAACUCCAGUCUGACCUC GACUCCAUCAGGCGUAAAUCACCCAGCGCCUGAACGAAUCC GACCGUGUAUCGGCCAGACUCAGUUAACGGCGUGAAAGUC CUGGCGCAGGACAACACCCUGACCAUCCAGGUUGGUGCCAAC GACGGUGAAACUAUCGAUAUUGAUUUAAAAGAAUACGUC UAAAACACUGGGACUUGAUAGCUUAAUGUCCAGAUGCCU ACACCCGAAAGAAACUGCUGUAACCGUUGAUAAAACUACCU AUAAAAUGGUACAGAUCCUAUACAGCCAGAGCAAUACUG AUUCCAAACUGCAAUUGGCGGUGGUGCAACGGGGUUACU GGGGCUGAUAUCAAUUUAAAAGAUUGGUAUAUUAUAGA UGUUAAAGGCGGUGCUUCUGCUGGUGUUUAUAAAGCCACUU AUGAUGAAACUACAAGAAAGUUAAUUAUGAUACGACUGAU AAAACUCCGUUGGCAACUGCGGAAGCUACAGCUAUUCGGGGA ACGGCCACUAUAACCCACAACCAAUUGCUGAAGUAACAAA	81

TABLE 16-continued

Name	Sequence	SEQ ID NO :
	GAGGGUGUUGAUACGACCACAGUUGCGGCUCAACUUGCUGCA GCAGGGGUUACUGGCGCCGAUAAGGACAAUACUAGCCUUGUA AAACUAUCGUUUGAGGAUAAAAACGGUAAGGUUAUUGAUGG UGGCUAUGCAGUGAAAAUGGGCGACGAUUUCUUGCCGCUAC AUAUGAUGAGAAAACAGGUGCAAUACUGCUAAAACCACUA CUUAUACAGAUGGUACUGGCGUUGCUAAAACUGGAGCUGUG AAAUUUGGUGGCGCAAUGGUAAAUCUGAAGUUGUUAUCUGC UACCGAUGGUAAGACUUACUUAGCAAGCGACCUUGACAAAACA UAACUUACAGAACAGGCGGUGAGCUUAAAAGAGGUUAAUACAG AUAAGACUGAAAACCACUGCAGAAAUAUGAUGCUGCCUUGG CACAGGUUGAUACACUUCGUUCUGACCGGGUGCGGUUCAGA ACCGUUUCAACUCGCUAUCACCAACCGGGCAAUACCGUAA AUAACCUGUCUUCUGCCGUAAGCGUAUCGAAGAUUCGACU ACGCAACCGAAGUCUCCAACAUGUCUCGCGCGCAGAUUCUGC AGCAGGCCGGUACCUCCGUUCUGGCGCAGGCGAACAGGUUC CGAAAACGUCUCUCUUUACUGCGUUGAUAAUAGGCUGGAG CCUCGGUGGCCAUGCUUCUUGCCCUUGGGCCUCCCCCAGC CCCUCCUCCCCUUCUGCACCCGUAACCCCGUGGUUUUGAA UAAAGUCUGAGUGGGCGGC	
ORF Sequence, NT	AUGGCACAAGUCAUUAUACAAAACAGCCUGUCGCUUGUAGCC CAGAAUAACCUGAACAAUCCAGUCCGCACUGGGCACUGCU AUCGAGCGUUUGUCUUCGGUCUGCGUAUCAACAGCGCGAAA GACGAUGCGGCAGGACAGGCGAUUGCUAACCGUUUACCGCG AAACAUCAAAGGUCUGACUCAGGCUUCGUAACGCUAACGAC GGUAUCUCUUAUGCGCAGACCACUGAAGGCGCGCUAACGAA AUCAAACAACCCUGCAGCGUGUGCGUGAACUGGGCGGUUCAG UCUGCGAAUGGUACUAAUCUCCAGUCUGACCUAGCUCCAU CAGGCUGAAAUCACCCAGCGCCUGAACGAAUACGACCGUGUA UCCGGCCAGACUCAGUUCACCGGCGUGAAAGUCCUGGCGCAG GACAACACCCUGACCAUCCAGGUUGGUGCCAACGACCGUGAA ACUAUCGAUUAUGAUUUAAAAGAAAUCAGCUCUAAAACACU GGGACUUGAUAAAGCUAAUUGUCCAAGAUGCCUACACCCGAA AGAAACUGCUGUAACCGUUGAUAAAACUACCUAUAAAACUG GUACAGAUCCUUAUACAGCCCAGAGCAAUACUGAUUCCAAA CUGCAAUUGGCGGUGGUGCAACGGGGGUUACUGGGGCUAGU AUCAAAUUUAAAGAUUGGUCAAUACUAAUUAGAUGUUAAAGG CGUGUCUUCUGCUGGUGUUUAAAAGCCACUUAUGAUGAAA CUACAAAAGAAAGUAAUUAUUGAUACGACUGAUAAAACUCCG UUGGCAACUGCGGAAGCUACAGCUAUUCGGGGAACGGCCACU AUAACCACAACCAAUUGCUAAGUAACAAAAGAGGGUGU UGAUACGACCACAGUUGCGGCUAACUUGCUGCAGCAGGGGU UACUGGCGCCGAUAAGGACAAUACUAGCCUUGUAAAACUUAUC GUUUGAGGAUAAAACGGUAAGGUUAUUGAUGGUGGCUAUG CAGUGAAAUGGGCGACGAUUUCUAGCCGCUACAUAUGAU GAGAAAACAGGUGCAAUACUGCUAAAACCACUACUUAUACA GAUGGUACUGGCGUUGCUCAAACUGGAGCUGUGAAAUUUGG UGGCGCAAUUGGUAAAUCUGAAGUUGUUAUCUGCUACCGAUG GUAAGACUUAUCUAGCAAGCGACCUUGACAAACAUAAUUA GAACAGGCGGUGAGCUUAAAGAGGUUAAUACAGAUAAAGCU GAAAACCCACUGCAGAAAUAUGAUGCUGCCUUGGCACAGGUU GAUACACUUCGUUCUGACCUUGGUGCGGUUCAGAACCGUUUC AACUCCGCUAUCACCAACCGGGCAAUACCGUAAAUAACUG UCUUCUGCCCGUAGCCGUAUCGAAGAUUCGACUACGCAACC GAAGUCUCCAACAUGUCUCGCGCGCAGAUUCUGCAGCAGGCC GGUACCUCGUUCUGGCGCAGGCGAACAGGUUCCGCAAAAC GUCCUCUCUUUACUGCGU	82
mRNA Sequence (assumes T100 tail)	G*GGGAAAUAAGAGAGAAAAGAAGAGUAAGAAGAAAUAUAA GAGCCACCAUGGCACAAGUCAUUAUACAAACAGCCUGUCGC UGUUGACCCAGAAUAACCGAACAAAUCACAGUCCGCACUGG GCACUGCUAUCGAGCGUUUGUCUUCGGUCUGCGUAUCAACA GCGCGAAAGACGAUGCGGCAGGACAGGCGAUUGCUAACCGUU UUACCGCGAACAUCAAAGGUCUGACUCAGGCUUCCGUAACG CUAACGACGGUAUCUCCAUUGCGCAGACACUGAAGGCGCGC UGAACGAAAUCAACAACCAACUCCAGCGUGUGCGUGAACUGG CGGUUCAGUCUGCGAAUGGUACUAAUCCAGUCUGACCUUG ACUCCAUCAGGCUGAAUACCCAGCGCCUGAACGAAAUCG ACCGUGUAUCGGCCAGACUCAGUUCACGGCGUGAAAGUCC UGGCGCAGGACAACCCUGACCAUCCAGGUUGGUGCCAACG ACGGUGAAACUUAUCGAUUAUGAUUUAAAAGAAAUCAGCUCU AAAACACUGGGACUUGAUAAAGCUUAAUGUCCAAGAUGCCUAC ACCCGAAAGAAACUGCUGUAACCGUUGAUAAAACUACCUAU AAAAAUGGUACAGAUCCUUAUACAGCCAGAGCAAUACUGAU	83

TABLE 16-continued

Name	Sequence	SEQ ID NO :
	AUCCAAACUGCAAUUGGCGGUGGUGCAACGGGGUUAUCUGG GGCUGAUUAUCAAUUUAAAGAUGGUCAAUUAUUUAGAUG UUAAGGCGGUGCUUCUGCUGGUGUUUAAAAGCCACUUAU GAUGAAACUACAAGAAAGUUAAUUAUGAUACGACUGAUAA AACUCCGUUGGCAACUGCGGAAGCUACAGCUAUUCGGGGAAC GGCCACUAUAACCCACAACCAAUUGCUGAAGUACAAAAGA GGGUGUUGAUACGACCACAGUUGCGGCUCAACUUGCUGCAGC AGGGGUUACUGGCGCGAUAGGACAUAUACUAGCCUUGUAA AACUAUCGUUUGAGGAUAAAAACGGUAAGGUUAUUGAUGGU GGCUAUGCAGUAAAAUGGCGACGAUUUCUAUGCCGCUACA UAUGAUGAGAAAACAGGUGCAAUACUGCUAAAACACUAC UUAUACAGAUGGUACUGGCGUUGCUAAACUGGAGCUGUGA AAUUUGGUGGCGCAAUGGUAAAUCUGAAGUUGUUAUCUGCU ACCGAUGGUAAGACUUAUAGCAAGCGACCUUGACAAACAU AACUUCAGAACAGGCGGUGAGCUUAAAGAGGUAAUACAGA UAAGACUGAAAACCCACUGCAGAAAAUUGAUGCUGCCUUGGC ACAGUUGAUACACUUCGUUCUGACCUGGGUGCGGUUCAGAA CCGUUUAACUCCGCUAUCACCAACCUGGGCAAUACCGUAAA UAACCUGUCUUCUGCCCGUAGCCGUAUCGAAGAUUCGACUA CGCAACCGAAGUCUCAACAUGUCUCGCGCGCAGAUUCUGCA GCAGGCCGGUACCUCGUUCUGGCGCAGGCGAACAGGUUCC GCAAAACGUCCUCUCUUUACUGCGUUGAAUAGGCUUGGAGC CUCGGUGGCCAUGCUUCUUGCCCCUUGGGCCUCCCCCAGCC CCUCCUCCCCUUCUGCACCCGUACCCCGUGGUCUUUGAAU AAAGUCUGAGUGGCGGCAAAAAAAAAAAAAAAAAAAAAAA AA AAUCUAG	

TABLE 17

Flagellin Amino Acid Sequences

Name	Sequence	SEQ ID NO :
ORF Sequence, AA	MAQVINTNSLSLLTQNNLNKSQSALGTAIERLSSGLRINSKDDAA GQAIANRFTANI KGLTQASRNANDGIS IAQTTEGALNEINNNLQRV RELAVQSANGTNSQSDLDS IQAEITQRLNEIDRVSGQTQFNGVKVL AQDNTLTIQVGANDGETIDIDLKEISSKTLGLDKLVQDAYTPKET AVTVDKTTYKNGTDPI TAQSNTDIQTAIGGGATGVTGADIKFKDG QYYLDVKGASAGVYKATYDETTKKVNIDTDTKTPLATAEATAI RGTATI THNQIAEV TKEGVDTTTVAQAAGVTGADKDNTSLV KLSFEDKNGKVIDGGYAVKMGDDFYAATYDEKTGAI TAKTTTTY DGTGVAQTGAVKFGGANGKSEVV TATDGKTYLASDLKHNFR GGELKEVNTDKTENPLQKIDAALAQVDTLRSDLGAVQNRFN NLGNTVNNLSSARSRI EDSYATEVSNMSRAQILQQAGTSVLAQA NQVPQNVLSLLR	54
Flagellin- GS linker- circumsporozoite protein (CSP)	MAQVINTNSLSLLTQNNLNKSQSALGTAIERLSSGLRINSKDDAA GQAIANRFTANI KGLTQASRNANDGIS IAQTTEGALNEINNNLQRV RELAVQSANGTNSQSDLDS IQAEITQRLNEIDRVSGQTQFNGVKVL AQDNTLTIQVGANDGETIDIDLKQINSQTLGLDNLNVQKYKVS TAATVTGYADTTIALDNSTFKASATGLGGTDQKIDGDLKFDDTTG KYYAKVTVTGGTGKDGYYEVSVDKTNGEVTLAGGATSPLTGGLP ATATEDVKNVQVANADLTEAKAALTAAGVTGTASVVKMSYTDN NGKTIDGGLAVKVGDDYYSATQNKDGS ISINTTKYTADDGTSKTA LNKLGADGKTEVVSIGGKTYAASKAEGHNFKAQPDLAEEAATT TENPLQKIDAALAQVDTLRSDLGAVQNRFN ARSRIEDSYATEVSNMSRAQILQQAGTSVLAQANQVPQNVLSLL <u>RGGGGSGGGSMAPDPNANPNANPNANPNANPNANPNANPNAN</u> <u>NPANPNANPNANPNANPNANPNANPNANPNANPNANPNANPN</u> <u>ANPNANPNKNNQNGQGHNMPNDPNRNVDENANANNVAVKNNN</u> <u>NEEPSDKHIEQYLKIKNSISTEWSPCSVTCGNGIQVRIKPGSANKP</u> <u>KDELVDYENDIEKKICKMEKCSSVFNVVNS</u>	55
Flagellin- RPVT linker- circumsporozoite protein (CSP)	MMAPDPNANPNANPNANPNANPNANPNANPNANPNANPNANPNANPN ANPNANPNANPNANPNANPNANPNANPNANPNANPNANPNKNN QNGQGHNMPNDPNRNVDENANANNVAVKNNNNEEPSDKHIEQY LKKIKNSISTEWSPCSVTCGNGIQVRIKPGSANKPKDELVDYENDIEK KICKMEKCSSVFNVVNSRPVTMAQVINTNSLSLLTQNNLNKSQSA <u>LGTAIERLSSGLRINSKDDAAGQAIANRFTANI KGLTQASRNAND</u>	56

TABLE 17-continued

Flagellin Amino Acid Sequences		
Name	Sequence	SEQ ID NO:
	<u>GISIAQTTEGALNEINNNLQRVRELAVQSANSTNSQSDLDSIQAEIT</u> <u>ORLNEIDRVSGQTQFNGVKVLAQDNLTITQVGANDGETIDIDLKQI</u> <u>NSQTLGLDTLNVQQKYKVSDTAATVTGYADTTIALDNSTFKASAT</u> <u>GLGGTDQKIDGDLKFDTTGKYYAKVTVTGGTGKDGYYEVSVD</u> <u>KTNGEVTLAGGATSPLTGGLPATATEDVKNVQVANADLTEAKAA</u> <u>LTAAGVTGTASVVKMSYTDNNGKTIIDGGLAVKVGDDYYSATQN</u> <u>KDGSISINTTKYTADDGTSKTALNKLGGADGKTEVVSIGGKTYAA</u> <u>SKAEGHNFKAQPDLAEEAATTENPLQKIDAALAQVDTLRSDLG</u> <u>AVQNRFNSAITNLGNTVNNLTSARSRIEDSDYATEVSNMSRAQILO</u> <u>QAGTSVLAQANQVPQNVLSSLR</u>	

TABLE 18

Human Metapneumovirus Mutant Amino Acid Sequences		
Strain	Sequence	SEQ ID NO:
HMPV_SC_DSCAV1_4MMV	MSWKVVIIIFSLLI TPQHGLKESYLEESCSTITEGYLSVLR TGWYTNVFTLEVG DVENLTCSDGPSLIKTELDTLKSALRELKTVSADQLAREEQIENPGSGSFVLG AIALGVAAAAAVTAGVAICKTIRLESEVTAINNALKKTNEAVSTLGNVVRV LAFVRELKDFVSKNLTRALNKNKCDIDDLKMAVSFSQFNRRFLNVVRQFS DNAGITPAISLDLMTDAELARAVPNMPTSAGQIKLMLN RAMVRRKGFIL CGVYGSSVIYMQLP IFGVIDTPCWIVKAAPSCSEKKGNYACLLREDQGWY CQNAGSTVYYPNEKDCETR GDHVFCDTAAGINVAEQSKECNINISTTNYPC KVSTGRHPISMVALSPLGALVACYKGVSCSIGSNRVGIIKQLNKGCSYITNQ DADTVTIDNTVYQLSKVEGEQHVIKGRPVSSSFDPIKFPEDQFNVALDQVFE NIENSQALVDQSNRILSSAEKNTGFIIVILIAVLGSSMILVSI FIIKTKK PTGAPPELSGVTNNGFIPHN	85
HMPV_SC_DSTRIC_4MMV	MSWKVVIIIFSLLI TPQHGLKESYLEESCSTITEGYLSVLR TGWYTNVFTLEVG DVENLTCSDGPSLIKTELDTLKSALRELKTVSADQLAREEQIENPGSGSFVLG AIALGVAAAAAVTAGVAICKTIRLESEVTAINNALKKTNEAVSTLGNVVRV LATAVRELKDFVSKNLTRAIKKNKCDIDDLKMAVSFSQFNRRFLNVVRQFS DNAGITPAISLDLMTDAELARAVPNMPTSAGQIKLMLN RAMVRRKGFIL CGVYGSSVIYMQLP IFGVIDTPCWIVKAAPSCSEKKGNYACLLREDQGWY CQNAGSTVYYPNEKDCETR GDHVFCDTAAGINVAEQSKECNINISTTNYPC KVSTGRHPISMVALSPLGALVACYKGVSCSIGSNRVGIIKQLNKGCSYITNQ DADTVTIDNTVYQLSKVEGEQHVIKGRPVSSSFDPIKFPEDQFNVALDQVFE NIENSQALVDQSNRILSSAEKNTGFIIVILIAVLGSSMILVSI FIIKTKK PTGAPPELSGVTNNGFIPHN	86
HMPV_SC_DM_Krarup_T74LD185P	MSWKVVIIIFSLLI TPQHGLKESYLEESCSTITEGYLSVLR TGWYTNVFTLEVG DVENLTCSDGPSLIKTELDTLKSALRELKTVSADQLAREEQIENPGSGSFVLG AIALGVAAAAAVTAGVAIAKTIRLESEVTAINNALKKTNEAVSTLGNVVRV LATAVRELKDFVSKNLTRAIKKNKCDIPDLKMAVSFSQFNRRFLNVVRQFS DNAGITPAISLDLMTDAELARAVPNMPTSAGQIKLMLN RAMVRRKGFIL GVYGS SVIYMQLP IFGVIDTPCWIVKAAPSCSEKKGNYACLLREDQGWYC QNAGSTVYYPNEKDCETR GDHVFCDTAAGINVAEQSKECNINISTTNYPC VSTGRHPISMVALSPLGALVACYKGVSCSIGSNRVGIIKQLNKGCSYITNQ ADTVTIDNTVYQLSKVEGEQHVIKGRPVSSSFDPIKFPEDQFNVALDQVFENI ENSQALVDQSNRILSSAEKNTGFIIVILIAVLGSSMILVSI FIIKTKK TGAPPELSGVTNNGFIPHN	87
HMPV_SC_TM_Krarup_T74LD185PD454N	MSWKVVIIIFSLLI TPQHGLKESYLEESCSTITEGYLSVLR TGWYTNVFTLEVG DVENLTCSDGPSLIKTELDTLKSALRELKTVSADQLAREEQIENPGSGSFVLG AIALGVAAAAAVTAGVAIAKTIRLESEVTAINNALKKTNEAVSTLGNVVRV LATAVRELKDFVSKNLTRAIKKNKCDIPDLKMAVSFSQFNRRFLNVVRQFS DNAGITPAISLDLMTDAELARAVPNMPTSAGQIKLMLN RAMVRRKGFIL GVYGS SVIYMQLP IFGVIDTPCWIVKAAPSCSEKKGNYACLLREDQGWYC QNAGSTVYYPNEKDCETR GDHVFCDTAAGINVAEQSKECNINISTTNYPC VSTGRHPISMVALSPLGALVACYKGVSCSIGSNRVGIIKQLNKGCSYITNQ ADTVTIDNTVYQLSKVEGEQHVIKGRPVSSSFDPIKFPEDQFNVALDQVFENI ENSQALVDQSNRILSSAEKNTGFIIVILIAVLGSSMILVSI FIIKTKK TGAPPELSGVTNNGFIPHN	88

TABLE 18-continued

Human Metapneumovirus Mutant Amino Acid Sequences		
Strain	Sequence	SEQ ID NO :
HMPV_SC_4M_Krarup_T74LS170LD185P	MSWKVVIIFSLLI TPQHGLKESYLEESCSTITEGYLSVLR TGWYTNVFTLEVG DVENLTCS DGPLIKTEL DLLKSALRELKTVSADQLAREEQIENPGSGSFVLG AIALGVAAAAAVTAGVAIAKTIRLESEVTA INNALKKTNEAVSTLGN GVRV LATAVRELKDFV LKNLTRAINKNKCDIPDLKMAVSFSQFNRRFLNVVRQFS DNAGITPAISLDLMTDAELARAVPNMPT SAGQIKLML ENRAMVRRKGFGLI GVYGSSVI YMVQLPIFGVIDTPCWIVKAAPSCSEKKGNYACLLREDQGWYC QNAGSTVYYPNEKDCETR GDHVFCDTAAGINVAEQSKECNINI STTNYPC K VSTGRHPI SMVALSPLGALVACYKGVSCSIGSNRVGI IKQLNKGCSYITNQD ADTVTIDNTVYQLSKVEGEQHVIKGRPVSSSFDPIKFPEDQFQVALDQVFENI ENSQALVDQSNRILSSAEKGTGFIIVI ILI AVLGS SMI LVSIFIIKKT KKP TGAPPELSGVTNNGFIPHN	89
HMPV_SC_5M_Krarup_T74LS170LD185PD454N	MSWKVVIIFSLLI TPQHGLKESYLEESCSTITEGYLSVLR TGWYTNVFTLEVG DVENLTCS DGPLIKTEL DLLKSALRELKTVSADQLAREEQIENPGSGSFVLG AIALGVAAAAAVTAGVAIAKTIRLESEVTA INNALKKTNEAVSTLGN GVRV LATAVRELKDFV LKNLTRAINKNKCDIPDLKMAVSFSQFNRRFLNVVRQFS DNAGITPAISLDLMTDAELARAVPNMPT SAGQIKLML ENRAMVRRKGFGLI GVYGSSVI YMVQLPIFGVIDTPCWIVKAAPSCSEKKGNYACLLREDQGWYC QNAGSTVYYPNEKDCETR GDHVFCDTAAGINVAEQSKECNINI STTNYPC K VSTGRHPI SMVALSPLGALVACYKGVSCSIGSNRVGI IKQLNKGCSYITNQD ADTVTIDNTVYQLSKVEGEQHVIKGRPVSSSFDPIKFPENQFQVALDQVFENI ENSQALVDQSNRILSSAEKGTGFIIVI ILI AVLGS SMI LVSIFIIKKT KKP TGAPPELSGVTNNGFIPHN	90
HMPV_SC_DM_Krarup_E51PT74L	MSWKVVIIFSLLI TPQHGLKESYLEESCSTITEGYLSVLR TGWYTNVFTLPVG DVENLTCS DGPLIKTEL DLLKSALRELKTVSADQLAREEQIENPGSGSFVLG AIALGVAAAAAVTAGVAIAKTIRLESEVTA INNALKKTNEAVSTLGN GVRV LATAVRELKDFVSKNLTRAINKNKCDIDDLKMAVSFSQFNRRFLNVVRQFS DNAGITPAISLDLMTDAELARAVPNMPT SAGQIKLML ENRAMVRRKGFGLI GVYGSSVI YMVQLPIFGVIDTPCWIVKAAPSCSEKKGNYACLLREDQGWYC QNAGSTVYYPNEKDCETR GDHVFCDTAAGINVAEQSKECNINI STTNYPC K VSTGRHPI SMVALSPLGALVACYKGVSCSIGSNRVGI IKQLNKGCSYITNQD ADTVTIDNTVYQLSKVEGEQHVIKGRPVSSSFDPIKFPEDQFQVALDQVFENI ENSQALVDQSNRILSSAEKGTGFIIVI ILI AVLGS SMI LVSIFIIKKT KKP TGAPPELSGVTNNGFIPHN	91
HMPV_SC_TM_Krarup_E51PT74LD454N	MSWKVVIIFSLLI TPQHGLKESYLEESCSTITEGYLSVLR TGWYTNVFTLPVG DVENLTCS DGPLIKTEL DLLKSALRELKTVSADQLAREEQIENPGSGSFVLG AIALGVAAAAAVTAGVAIAKTIRLESEVTA INNALKKTNEAVSTLGN GVRV LATAVRELKDFVSKNLTRAINKNKCDIDDLKMAVSFSQFNRRFLNVVRQFS DNAGITPAISLDLMTDAELARAVPNMPT SAGQIKLML ENRAMVRRKGFGLI GVYGSSVI YMVQLPIFGVIDTPCWIVKAAPSCSEKKGNYACLLREDQGWYC QNAGSTVYYPNEKDCETR GDHVFCDTAAGINVAEQSKECNINI STTNYPC K VSTGRHPI SMVALSPLGALVACYKGVSCSIGSNRVGI IKQLNKGCSYITNQD ADTVTIDNTVYQLSKVEGEQHVIKGRPVSSSFDPIKFPENQFQVALDQVFENI ENSQALVDQSNRILSSAEKGTGFIIVI ILI AVLGS SMI LVSIFIIKKT KKP TGAPPELSGVTNNGFIPHN	92
HMPV_SC_StabilizeAlpha_T74L	MSWKVVIIFSLLI TPQHGLKESYLEESCSTITEGYLSVLR TGWYTNVFTLEVG DVENLTCS DGPLIKTEL DLLKSALRELKTVSADQLAREEQIENPGSGSFVLG AIALGVAAAAAVTAGVAIAKTIRLESEVTA INNALKKTNEAVSTLGN GVRV LATAVRELKDFVSKNLTRAINKNKCDIDDLKMAVSFSQFNRRFLNVVRQFS DNAGITPAISLDLMTDAELARAVPNMPT SAGQIKLML ENRAMVRRKGFGLI GVYGSSVI YMVQLPIFGVIDTPCWIVKAAPSCSEKKGNYACLLREDQGWYC QNAGSTVYYPNEKDCETR GDHVFCDTAAGINVAEQSKECNINI STTNYPC K VSTGRHPI SMVALSPLGALVACYKGVSCSIGSNRVGI IKQLNKGCSYITNQD ADTVTIDNTVYQLSKVEGEQHVIKGRPVSSSFDPIKFPEDQFQVALDQVFENI ENSQALVDQSNRILSSAEKGTGFIIVI ILI AVLGS SMI LVSIFIIKKT KKP TGAPPELSGVTNNGFIPHN	93
HMPV_SC_StabilizeAlpha_V55L	MSWKVVIIFSLLI TPQHGLKESYLEESCSTITEGYLSVLR TGWYTNVFTLEVG DLENLTCS DGPLIKTEL DLTKSALRELKTVSADQLAREEQIENPGSGSFVLG AIALGVAAAAAVTAGVAIAKTIRLESEVTA INNALKKTNEAVSTLGN GVRV LATAVRELKDFVSKNLTRAINKNKCDIDDLKMAVSFSQFNRRFLNVVRQFS DNAGITPAISLDLMTDAELARAVPNMPT SAGQIKLML ENRAMVRRKGFGLI GVYGSSVI YMVQLPIFGVIDTPCWIVKAAPSCSEKKGNYACLLREDQGWYC QNAGSTVYYPNEKDCETR GDHVFCDTAAGINVAEQSKECNINI STTNYPC K VSTGRHPI SMVALSPLGALVACYKGVSCSIGSNRVGI IKQLNKGCSYITNQD	94

TABLE 18-continued

Human Metapneumovirus Mutant Amino Acid Sequences		
Strain	Sequence	SEQ ID NO :
	ADTVTIDNTVYQLSKVEGEQHVIKGRPVSSSFDPIKFPEDQFQVALDQVFENI ENSQALVDQSNRILSSAEKGTGFIIVIILIAVLGSSMILVSIIFI I I K K T K K P TGAPPELSGVTNNGFIPHN	
HMPV_SC_StabilizeAlpha_S170L	MSWKVVII FSLLI TPQHGLKESYLEESCSTITEGYLSVLRTGWYTNVFTLEVG DVENLTCS DGP SLIKTELDLTKSALRELKTVSADQLAREEQIENPGSGSFVLG AIALGVAAAAAVTAGVAIAKTIRLESEVTA INNALKKTNEAVSTLGNVVRV LATAVRELKDFV LKNLTRAINKNKCDIDDLKMAVSFSQFNRRFLNVVRQFS DNAGITPAISLDLMTDAELARAVPNMPT SAGQIKLML ENRAMVRRKGFGLI GVYGS SVI YMVQLPIFGVIDTPCWIVKAAPSCSEKKNYACLLREDQGWYC QNAGSTVYYPNEKDCETR GDHVFCDTAAGINVAEQSKECNINI STTNYPCK VSTGRHPI SMVALSPLGALVACYKGVSCS IGSNRVGI I KQLNKGCSYITNQD ADTVTIDNTVYQLSKVEGEQHVIKGRPVSSSFDPIKFPEDQFQVALDQVFENI ENSQALVDQSNRILSSAEKGTGFIIVIILIAVLGSSMILVSIIFI I I K K T K K P TGAPPELSGVTNNGFIPHN	95
HMPV_SC_StabilizeAlpha_T174W	MSWKVVII FSLLI TPQHGLKESYLEESCSTITEGYLSVLRTGWYTNVFTLEVG DVENLTCS DGP SLIKTELDLTKSALRELKTVSADQLAREEQIENPGSGSFVLG AIALGVAAAAAVTAGVAIAKTIRLESEVTA INNALKKTNEAVSTLGNVVRV LATAVRELKDFVSKNLWRAINKNKCDIDDLKMAVSFSQFNRRFLNVVRQFS DNAGITPAISLDLMTDAELARAVPNMPT SAGQIKLML ENRAMVRRKGFGLI GVYGS SVI YMVQLPIFGVIDTPCWIVKAAPSCSEKKNYACLLREDQGWYC QNAGSTVYYPNEKDCETR GDHVFCDTAAGINVAEQSKECNINI STTNYPCK VSTGRHPI SMVALSPLGALVACYKGVSCS IGSNRVGI I KQLNKGCSYITNQD ADTVTIDNTVYQLSKVEGEQHVIKGRPVSSSFDPIKFPEDQFQVALDQVFENI ENSQALVDQSNRILSSAEKGTGFIIVIILIAVLGSSMILVSIIFI I I K K T K K P TGAPPELSGVTNNGFIPHN	96
HMPV_SC_4M_StabilizeAlpha_V55LT74LS170LT174W	MSWKVVII FSLLI TPQHGLKESYLEESCSTITEGYLSVLRTGWYTNVFTLEVG DLENLTCS DGP SLIKTELDLTKSALRELKTVSADQLAREEQIENPGSGSFVLG AIALGVAAAAAVTAGVAIAKTIRLESEVTA INNALKKTNEAVSTLGNVVRV LATAVRELKDFV LKNLWRAINKNKCDIDDLKMAVSFSQFNRRFLNVVRQFS DNAGITPAISLDLMTDAELARAVPNMPT SAGQIKLML ENRAMVRRKGFGLI GVYGS SVI YMVQLPIFGVIDTPCWIVKAAPSCSEKKNYACLLREDQGWYC QNAGSTVYYPNEKDCETR GDHVFCDTAAGINVAEQSKECNINI STTNYPCK VSTGRHPI SMVALSPLGALVACYKGVSCS IGSNRVGI I KQLNKGCSYITNQD ADTVTIDNTVYQLSKVEGEQHVIKGRPVSSSFDPIKFPEDQFQVALDQVFENI ENSQALVDQSNRILSSAEKGTGFIIVIILIAVLGSSMILVSIIFI I I K K T K K P TGAPPELSGVTNNGFIPHN	97
HMPV_ProlineStab_E51P	MSWKVVII FSLLI TPQHGLKESYLEESCSTITEGYLSVLRTGWYTNVFTLPVG DVENLTCS DGP SLIKTELDLTKSALRELKTVSADQLAREEQIENPGSGSFVLG AIALGVAAAAAVTAGVAIAKTIRLESEVTA INNALKKTNEAVSTLGNVVRV LATAVRELKDFVSKNLTRAINKNKCDIDDLKMAVSFSQFNRRFLNVVRQFS DNAGITPAISLDLMTDAELARAVPNMPT SAGQIKLML ENRAMVRRKGFGLI GVYGS SVI YMVQLPIFGVIDTPCWIVKAAPSCSEKKNYACLLREDQGWYC QNAGSTVYYPNEKDCETR GDHVFCDTAAGINVAEQSKECNINI STTNYPCK VSTGRHPI SMVALSPLGALVACYKGVSCS IGSNRVGI I KQLNKGCSYITNQD ADTVTIDNTVYQLSKVEGEQHVIKGRPVSSSFDPIKFPEDQFQVALDQVFENI ENSQALVDQSNRILSSAEKGTGFIIVIILIAVLGSSMILVSIIFI I I K K T K K P TGAPPELSGVTNNGFIPHN	98
HMPV_ProlineStab_D185P	MSWKVVII FSLLI TPQHGLKESYLEESCSTITEGYLSVLRTGWYTNVFTLEVG DVENLTCS DGP SLIKTELDLTKSALRELKTVSADQLAREEQIENPGSGSFVLG AIALGVAAAAAVTAGVAIAKTIRLESEVTA INNALKKTNEAVSTLGNVVRV LATAVRELKDFVSKNLTRAINKNKCDIPDLKMAVSFSQFNRRFLNVVRQFS DNAGITPAISLDLMTDAELARAVPNMPT SAGQIKLML ENRAMVRRKGFGLI GVYGS SVI YMVQLPIFGVIDTPCWIVKAAPSCSEKKNYACLLREDQGWYC QNAGSTVYYPNEKDCETR GDHVFCDTAAGINVAEQSKECNINI STTNYPCK VSTGRHPI SMVALSPLGALVACYKGVSCS IGSNRVGI I KQLNKGCSYITNQD ADTVTIDNTVYQLSKVEGEQHVIKGRPVSSSFDPIKFPEDQFQVALDQVFENI ENSQALVDQSNRILSSAEKGTGFIIVIILIAVLGSSMILVSIIFI I I K K T K K P TGAPPELSGVTNNGFIPHN	99
HMPV_ProlineStab_D183P	MSWKVVII FSLLI TPQHGLKESYLEESCSTITEGYLSVLRTGWYTNVFTLEVG DVENLTCS DGP SLIKTELDLTKSALRELKTVSADQLAREEQIENPGSGSFVLG AIALGVAAAAAVTAGVAIAKTIRLESEVTA INNALKKTNEAVSTLGNVVRV LATAVRELKDFVSKNLTRAINKNKCPIDDLKMAVSFSQFNRRFLNVVRQFS DNAGITPAISLDLMTDAELARAVPNMPT SAGQIKLML ENRAMVRRKGFGLI GVYGS SVI YMVQLPIFGVIDTPCWIVKAAPSCSEKKNYACLLREDQGWYC QNAGSTVYYPNEKDCETR GDHVFCDTAAGINVAEQSKECNINI STTNYPCK	100

TABLE 18-continued

Human Metapneumovirus Mutant Amino Acid Sequences		
Strain	Sequence	SEQ ID NO:
	VSTGRHPI SMVALSPLGALVACYKGVSCSIGSNRVGI IKQLNKGCSYITNQD ADTVTIDNTVYQLSKVEGEQHVIKGRPVSSSFDPIKFPEDQFQVALDQVFENI ENSQALVDQSNRILSSAEKGTGFI I VI ILI AVL GSSMILVSI F I I KKT KKP TGAPPELSGVTNNGFIPHN	
HMPV_ProlineStab_E131P	MSWKVVI I FSLLI TPQHGLKESYLEESCSTITEGYLSVLR TGWYTNVFTLEVG DVENLTCS DGP SLIKTELDLTKSALRELKTVSADQLAREEQIENPGSGSFVLG AIALGVAAAAAVTAGVAIAKTIRLPSEVTAINNALKKTNEAVSTLGN GVRV LATAVRELKDFVSKNLTRAINKNKCDIDDLKMAVSFSQFNRRFLNVVRQFS DNAGITPAISLDLMTDAELARAVPNMPTSAGQIKLML ENRAMVRRKGFGLI GVYGS SVI YMVQLPIFGVIDTPCWIVKAAPSCSEKKGNYACLLREDQGWYC QNAGSTVYYPNEKDCETR GDHVFCDTAAGINVAEQSKECNINI STTNYPC K VSTGRHPI SMVALSPLGALVACYKGVSCSIGSNRVGI IKQLNKGCSYITNQD ADTVTIDNTVYQLSKVEGEQHVIKGRPVSSSFDPIKFPEDQFQVALDQVFENI ENSQALVDQSNRILSSAEKGTGFI I VI ILI AVL GSSMILVSI F I I KKT KKP TGAPPELSGVTNNGFIPHN	101
HMPV_ProlineStab_D447P	MSWKVVI I FSLLI TPQHGLKESYLEESCSTITEGYLSVLR TGWYTNVFTLEVG DVENLTCS DGP SLIKTELDLTKSALRELKTVSADQLAREEQIENPGSGSFVLG AIALGVAAAAAVTAGVAIAKTIRLESEVTAINNALKKTNEAVSTLGN GVRV LATAVRELKDFVSKNLTRAINKNKCDIDDLKMAVSFSQFNRRFLNVVRQFS DNAGITPAISLDLMTDAELARAVPNMPTSAGQIKLML ENRAMVRRKGFGLI GVYGS SVI YMVQLPIFGVIDTPCWIVKAAPSCSEKKGNYACLLREDQGWYC QNAGSTVYYPNEKDCETR GDHVFCDTAAGINVAEQSKECNINI STTNYPC K VSTGRHPI SMVALSPLGALVACYKGVSCSIGSNRVGI IKQLNKGCSYITNQD ADTVTIDNTVYQLSKVEGEQHVIKGRPVSSSFPPIKFPEDQFQVALDQVFENI ENSQALVDQSNRILSSAEKGTGFI I VI ILI AVL GSSMILVSI F I I KKT KKP TGAPPELSGVTNNGFIPHN	102
HMPV_TrimerRepulsionD454N	MSWKVVI I FSLLI TPQHGLKESYLEESCSTITEGYLSVLR TGWYTNVFTLEVG DVENLTCS DGP SLIKTELDLTKSALRELKTVSADQLAREEQIENPGSGSFVLG AIALGVAAAAAVTAGVAIAKTIRLESEVTAINNALKKTNEAVSTLGN GVRV LATAVRELKDFVSKNLTRAINKNKCDIDDLKMAVSFSQFNRRFLNVVRQFS DNAGITPAISLDLMTDAELARAVPNMPTSAGQIKLML ENRAMVRRKGFGLI GVYGS SVI YMVQLPIFGVIDTPCWIVKAAPSCSEKKGNYACLLREDQGWYC QNAGSTVYYPNEKDCETR GDHVFCDTAAGINVAEQSKECNINI STTNYPC K VSTGRHPI SMVALSPLGALVACYKGVSCSIGSNRVGI IKQLNKGCSYITNQD ADTVTIDNTVYQLSKVEGEQHVIKGRPVSSSFDPIKFPENQFQVALDQVFENI ENSQALVDQSNRILSSAEKGTGFI I VI ILI AVL GSSMILVSI F I I KKT KKP TGAPPELSGVTNNGFIPHN	103
HMPV_TrimerRepulsionE453N	MSWKVVI I FSLLI TPQHGLKESYLEESCSTITEGYLSVLR TGWYTNVFTLEVG DVENLTCS DGP SLIKTELDLTKSALRELKTVSADQLAREEQIENPGSGSFVLG AIALGVAAAAAVTAGVAIAKTIRLESEVTAINNALKKTNEAVSTLGN GVRV LATAVRELKDFVSKNLTRAINKNKCDIDDLKMAVSFSQFNRRFLNVVRQFS DNAGITPAISLDLMTDAELARAVPNMPTSAGQIKLML ENRAMVRRKGFGLI GVYGS SVI YMVQLPIFGVIDTPCWIVKAAPSCSEKKGNYACLLREDQGWYC QNAGSTVYYPNEKDCETR GDHVFCDTAAGINVAEQSKECNINI STTNYPC K VSTGRHPI SMVALSPLGALVACYKGVSCSIGSNRVGI IKQLNKGCSYITNQD ADTVTIDNTVYQLSKVEGEQHVIKGRPVSSSFDPIKFPQDQFQVALDQVFENI ENSQALVDQSNRILSSAEKGTGFI I VI ILI AVL GSSMILVSI F I I KKT KKP TGAPPELSGVTNNGFIPHN	104
HMPV_StabilizeAlphaF196W	MSWKVVI I FSLLI TPQHGLKESYLEESCSTITEGYLSVLR TGWYTNVFTLEVG DVENLTCS DGP SLIKTELDLTKSALRELKTVSADQLAREEQIENPGSGSFVLG AIALGVAAAAAVTAGVAIAKTIRLESEVTAINNALKKTNEAVSTLGN GVRV LATAVRELKDFVSKNLTRAINKNKCDIDDLKMAVSFSQFNRRFLNVVRQFS DNAGITPAISLDLMTDAELARAVPNMPTSAGQIKLML ENRAMVRRKGFGLI GVYGS SVI YMVQLPIFGVIDTPCWIVKAAPSCSEKKGNYACLLREDQGWYC QNAGSTVYYPNEKDCETR GDHVFCDTAAGINVAEQSKECNINI STTNYPC K VSTGRHPI SMVALSPLGALVACYKGVSCSIGSNRVGI IKQLNKGCSYITNQD ADTVTIDNTVYQLSKVEGEQHVIKGRPVSSSFDPIKFPEDQFQVALDQVFENI ENSQALVDQSNRILSSAEKGTGFI I VI ILI AVL GSSMILVSI F I I KKT KKP TGAPPELSGVTNNGFIPHN	105

TABLE 19

Strain	Nucleic Acid Sequence	SEQ ID NO:
Human Metapneumovirus Mutant Nucleic Acid Sequences		
HMPV_SC_DSCAV1_4MMV	ATGAGCTGGAAGGTGGTCATCATCTTCAGCCTGCTGATCA CACCTCAGCACGGCCTGAAAGAGAGCTACCTGGAAGAGT CCTGCAGCACCATCACAGAGGGCTACCTGTCTGTGCTGAG AACCGGCTGGTACACCAACGTGTTCACTGGAAGTGGGC GACGTCGAGAATCTGACATGCTCTGATGGCCCTAGCCTGA TCAAGACCGAGCTGGATCTGACCAAGAGCGCCCTGAGAG AACTCAAGACCGTGTCTGCCGATCAGCTGGCCAGAGAGGA ACAGATCGAGAATCCTGGCAGCGGCAGCTTTGTGCTGGGA GCCATTGCTCTTGGAGTGGCTGCTGCTGCAGCTGTTACAG CAGGCGTGGCCATCTGCAAGACCATCAGACTGGAAAGCG AAGTGACCGCCATCAACAACGCCCTGAAGAAGACAAACG AGGCCGTCAGCACACTCGGCAATGGCGTTAGAGTGTGGC CTTTGCCTGCGCGAGCTGAAGGACTTCGTGTCCAAGAAC CTGACACGGGCCCTGAACAAGAACAGTGCAGCATCGAC GACCTGAAGATGGCCGTGTCTTTAGCCAGTTCAACCGGC GGTTCGTAACGTCGTGCGGCAGTTTAGCGACAACGCCGG AATCACACCAGCCATCAGCCTGGACCTGATGACAGATGCT GAGCTGGCTAGAGCCGTGCCAACATGCCTACATCTGCCG GCCAGATCAAGCTGATGCTCGAGAATAGAGCCATGGTCCG ACGGAAAGGCTTCGGCATTCTGTGTGGCGTGTACGGCAGC AGCGTGATCTATATGGTGCAGCTGCCATCTTCGGCGTGA TCGACACACCCTGCTGGATTGTGAAGCCGCTCCTAGCTG TAGCGAGAAGAAGGGCAATTACGCCTGCCTGCTGAGAGA GGACCAAGGCTGGTATTGTGAGAAGCCGGCAGCACCCGTG TACTACCTAACGAGAAGGACTGCGAGACAAGAGGGCGAC CACGTGTTCTGTGATAACCGCCGTGGAATCAATGTGGCCG AGCAGAGCAAAGAGTGCAACATCAACATCAGCACACCACA ACTATCCCTGCAAGGTGTCCACCGGCAGGCACCCTATTTT TATGGTGGCTCTGTCTCCTCTGGGAGCCCTGGTGGCTTGT ATAAGGGCGTGTCTGTAGCATCGGCAGCAACAGAGTGG GCATCATCAAGCAGCTGAACAAGGGTGCAGCTACATCAC CAACCAGGACCGCGATACCGTGACCATCGACAACACCGTG TATCAGCTGAGCAAGGTGGAAGGCGAACAGCACGTGATC AAGGGCAGACCTGTGTCCAGCAGCTTCGACCCATCAAGT TCCCTGAGGATCAGTTCAACGTGGCCCTGGACCAGGTGTT CGAGAACATCGAGAATCCAGGCTCTGGTGGACCAGTCC AACAGAATCCTGTCTAGCGCCGAGAAGGGAAACACCGGC TTCATCATCGTGATCATCTGATCGCCGTGCTGGGCAGCTC CATGATCCTGGTGTCCATCTTCATCATTATCAAGAAGACC AAGAAGCCACCGGCGCTCCTCCAGAACTGAGCGGAGTG ACCAACAATGGCTTCATCCCTCACAAC	106
HMPV_SC_DSTRIC_4MMV	ATGAGCTGGAAGGTGGTCATCATCTTCAGCCTGCTGATCA CACCTCAGCACGGCCTGAAAGAGAGCTACCTGGAAGAGT CCTGCAGCACCATCACAGAGGGCTACCTGTCTGTGCTGAG AACCGGCTGGTACACCAACGTGTTCACTGGAAGTGGGC GACGTCGAGAATCTGACATGCTCTGATGGCCCTAGCCTGA TCAAGACCGAGCTGGATCTGACCAAGAGCGCCCTGAGAG AACTCAAGACCGTGTCTGCCGATCAGCTGGCCAGAGAGGA ACAGATCGAGAATCCTGGCAGCGGCAGCTTTGTGCTGGGA GCCATTGCTCTTGGAGTGGCTGCTGCTGCAGCTGTTACAG CAGGCGTGGCCATCTGCAAGACCATCAGACTGGAAAGCG AAGTGACCGCCATCAACAACGCCCTGAAGAAGACAAACG AGGCCGTCAGCACACTCGGCAATGGCGTTAGAGTGTGGC CACAGCCGTGCGCGAGCTGAAGGACTTCGTGTCCAAGAAC CTGACACGGGCCATTAACAAGAACAAGTGCAGCATCGAC GACCCTGAAGATGGCCGTGTCTTTAGCCAGTTCAACCGGC GGTTCGTAACGTCGTGCGGCAGTTTAGCGACAACGCCGG AATCACACCAGCCATCAGCCTGGACCTGATGACAGATGCT GAGCTGGCTAGAGCCGTGCCAACATGCCTACATCTGCCG GCCAGATCAAGCTGATGCTCGAGAATAGAGCCATGGTCCG ACGGAAAGGCTTCGGCATTCTGTGTGGCGTGTACGGCAGC AGCGTGATCTATATGGTGCAGCTGCCATCTTCGGCGTGA TCGACACACCCTGCTGGATTGTGAAGCCGCTCCTAGCTG TAGCGAGAAGAAGGGCAATTACGCCTGCCTGCTGAGAGA GGACCAAGGCTGGTATTGTGAGAAGCCGGCAGCACCCGTG TACTACCTAACGAGAAGGACTGCGAGACAAGAGGGCGAC CACGTGTTCTGTGATAACCGCCGTGGAATCAATGTGGCCG AGCAGAGCAAAGAGTGCAACATCAACATCAGCACACCACA ACTATCCCTGCAAGGTGTCCACCGGCAGGCACCCTATTTT TATGGTGGCTCTGTCTCCTCTGGGAGCCCTGGTGGCTTGT ATAAGGGCGTGTCTGTAGCATCGGCAGCAACAGAGTGG	107

TABLE 19-continued

Strain	Nucleic Acid Sequence	SEQ ID NO:
HMPV_SC_DM_Krarup_T74LD185P	GCATCATCAAGCAGCTGAACAAGGGCTGCAGCTACATCAC CAACCAGGACGCCGATACCGTGACCATCGACAACACCGTG TATCAGCTGAGCAAGGTGGAAGGCGAACAGCACGTGATC AAGGGCAGACCTGTGTCCAGCAGCTTCGACCTATCAAGT TCCCTGAGCACCAGTGGCATGTGGCCCTGGACCAGGTGTT CGAGAACATCGAGAATCCCAGGCTCTGGTGGACCAGTCC AACAGAATCCTGTCTAGCGCCGAGAAGGAAACACCGGC TTCATCATCGTGATCATCCTGATCGCCGTGCTGGGCAGCTC CATGATCCTGGTGTCCATCTTCATCATTATCAAGAAGACC AAGAAGCCACCGGCGCTCCTCCAGAACTGAGCGGAGTG ACCAACAAATGGCTTCATCCCTCACAAC	108
HMPV_SC_TM_Krarup_T74LD185PD454N	ATGAGCTGGAAGGTGGTTCATCATCTTCAGCCTGCTGATCA CACCTCAGCACGGCCTGAAAGAGAGCTACCTGGAAGAGT CCTGCAGCACCATCACAGAGGGCTACCTGTCTGTGCTGAG AACCGGCTGGTACACCAACGTGTTCACTGGAAGTGGGC GACGTCGAGAATCTGACATGCTCTGATGGCCCTAGCCTGA TCAAGACCGAGCTGGATCTGCTCAAGAGCGCCCTGAGAGA ACTCAAGACCGTGTCTGCCGATCAGCTGGCCAGAGAGGAA CAGATCGAGAATCCTGGCAGCGGCAGCTTTGTGCTGGGAG CCATTGCTCTTGGAGTGGCTGCTGCTGCAGCTGTTACAGC AGGCGTGGCCATCGCTAAGACCATCAGACTGGAAAGCGA AGTGACCGCCATCAACAACGCCCTGAAGAAGACAAACGA GGCCGTGAGCACACTCGGCAATGGCGTTAGAGTGCTGGCC ACAGCCGTGCGGAGCTGAAGGACTTCGTGTCCAAGAACC TGACACGGGCCATTAACAAGAACAAGTGCAGCATCCCTGA CCTGAAGATGGCCGTGTCTTTAGCCAGTTCAACCGGCGG TTTCTGAACGTGCTGCGGCAGTTTAGCGACAACCGCGGAA TCACACCAGCCATCAGCCTGGACCTGATGACAGATGCTGA GCTGGCTAGAGCCGTGCCTAACATGCCTACATCTGCCGGC CAGATCAAGCTGATGCTCGAGAATAGAGCCATGGTCCGAC GGAAAGGCTTCGGCATTCTGATTGGCGTGTACGGCAGCAG CGTGATCTATATGGTGCAGCTGCCATCTTCGGCGTGATCG ACACACCCCTGCTGGATTGTGAAGGCCGCTCCTAGCTGTAG CGAGAAGAAGGGCAATTACGCCTGCCTGCTGAGAGAGGA CCAAGGCTGGTATTGTGAGAACGCCCGGCAGCACCGTGTAC TACCTAACGAGAAGGACTGCCGAGACAAGAGGCGACCAC GTGTTCTGTGATACCGCCGCTGGAATCAATGTGGCCGAGC AGAGCAAAGAGTGCAACATCAACATCAGCACCACTCAACT ATCCCTGCAAGGTGTCCACCGGCAGGCACCTATTTCTAT GGTGGCTCTGTCTCTCTGGGAGCCCTGGTGGCTTGTTATA AGGGCGTGTCTGTAGCATCGGCAGCAACAGAGTGGGCAT CATCAAGCAGCTGAACAAGGGCTGCAGCTACATCACCAC CAGGACGCCGATACCGTGACCATCGACAACACCGTGTATC AGCTGAGCAAGGTGGAAGGCGAACAGCAGCTGATCAAGG GCAGACCTGTGTCAGCAGCTTCGACCTATCAAGTTCCC TGAGGATCAGTTCAGGTGGCCCTGGACCAGGTGTTTCGAG AACATCGAGAATCCCAGGCTCTGGTGGACCAGTCCAACA GAATCCTGTCTAGCGCCGAGAAGGGAAAACCGGCTTCAT CATCGTATCATCCTGATCGCCGTGCTGGGCAGCTCCATG ATCCTGGTGTCCATCTTCATCATTATCAAGAAGACCAAGA AGCCACCGGCGCTCCTCCAGAACTGAGCGGAGTGACCAA CAATGGCTTCATCCCTCACAAC	109

TABLE 19-continued

Strain	Nucleic Acid Sequence	SEQ ID NO:
HMPV_SC_4M_Krarup_T74LS170LD185P	CGTGATCTATATGGTGCAGCTGCCTATCTTCGGCGTGATCG ACACACCCCTGCTGGATTGTGAAGGCCGCTCCTAGCTGTAG CGAGAAGAAGGGCAATTACGCCCTGCCCTGCTGAGAGAGGA CCAAGGCTGGTATTGTCAGAACGCCGGCAGCACCGTGTAC TACCCTAACGAGAAGGACTGCGAGACAAGAGGCGACCAC GTGTTCTGTGATACCGCCGCTGGAATCAATGTGGCCGAGC AGAGCAAAGAGTGCAACATCAACATCAGCACCACCAACT ATCCCTGCAAGGTGTCCACCGGCAGGCACCCTATTTCTAT GGTGGCTCTGTCTCCTCTGGGAGCCCTGGTGGCTTGTATA AGGGCGTGTCTGTAGCATCGGCAGCAACAGAGTGGGCAT CATCAAGCAGCTGAACAAGGGCTGCAGCTACATCACCAAC CAGGACGCCGATACCGTGACCATCGACAACACCGTGTATC AGCTGAGCAAGGTGGAAGGCGAACAGCACGTGATCAAGG GCAGACCTGTGTCCAGCAGCTTCGACCCTATCAAGTTCCC TGAGAACCAGTTCAGGTGGCCCTGGACCAGGTGTTCCGAG AACATCGAGAATTCCAGGCTCTGGTGGACCAGTCCAACA GAATCCTGTCTAGCGCCGAGAAGGGAAAACCCGGCTTCAT CATCGTGATCATCCTGATCGCCGTGCTGGGCAGCTCCATG ATCCTGGTGTCCATCTTCATCATTATCAAGAAGACCAAGA AGCCACCCGGCGCTCCTCCAGAACTGAGCGGAGTGACCAA CAATGGCTTCATCCCTCACAAC	110
HMPV_SC_5M_Krarup_T74LS170LD185PD454N	ATGAGCTGGAAGGTGGTTCATCATCTTCAGCCTGCTGATCA CACCTCAGCACGGCCTGAAAGAGAGCTACCTGGAAGAGT CCTGCAGCACCATCACAGAGGGCTACCTGTCTGTGCTGAG AACCGGCTGGTACACCAACGTGTTCACTGGAAGTGGGC GACGTCGAGAATCTGACATGCTCTGATGGCCCTAGCCTGA TCAAGACCGAGCTGGATCTGCTCAAGAGCGCCCTGAGAGA ACTCAAGACCGTGTCTGCCGATCAGCTGGCCAGAGAGGAA CAGATCGAGAATCCTGGCAGCGGCAGCTTTGTGCTGGGAG CCATTGCTCTTGGAGTGGCTGCTGCTGCAGCTGTTACAGC AGGCGTGGCCATCGCTAAGACCATCAGACTGGAAAGCGA AGTGACCGCCATCAACAACGCCCTGAAGAAGACAAACGA GGCCGTGAGCAGACTCGGCAATGGCGTTAGAGTGCTGGCC ACAGCCGTGCGGAGCTGAAGGACTTCGTGCTTAAGAACC TGACACGGGCCATTAACAAGAACAAGTGCGACATCCCTGA CCTGAAGATGGCCGTGTCTTTAGCCAGTTCAACCGGCGG TTTCTGAACGTGCTGCCGAGTTTAGCGACAACCGCGGAA TCACACCAGCCATCAGCCTGGACCTGATGACAGATGCTGA GCTGGCTAGAGCCGTGCCTAACATGCCTACATCTGCCGGC CAGATCAAGCTGATGCTCGAGAATAGAGCCATGGTCCGAC GGAAAGGCTTCGGCATTCTGATTGGCGTGTACGGCAGCAG CGTGATCTATATGGTGCAGCTGCCTATCTTCGGCGTGATCG ACACACCCCTGCTGGATTGTGAAGGCCGCTCCTAGCTGTAG CGAGAAGAAGGGCAATTACGCCCTGCCCTGCTGAGAGAGGA CCAAGGCTGGTATTGTCAGAACGCCGGCAGCACCGTGTAC TACCCTAACGAGAAGGACTGCGAGACAAGAGGCGACCAC GTGTTCTGTGATACCGCCGCTGGAATCAATGTGGCCGAGC AGAGCAAAGAGTGCAACATCAACATCAGCACCACCAACT ATCCCTGCAAGGTGTCCACCGGCAGGCACCCTATTTCTAT GGTGGCTCTGTCTCCTCTGGGAGCCCTGGTGGCTTGTATA AGGGCGTGTCTGTAGCATCGGCAGCAACAGAGTGGGCAT CATCAAGCAGCTGAACAAGGGCTGCAGCTACATCACCAAC CAGGACGCCGATACCGTGACCATCGACAACACCGTGTATC AGCTGAGCAAGGTGGAAGGCGAACAGCACGTGATCAAGG GCAGACCTGTGTCCAGCAGCTTCGACCCTATCAAGTTCCC TGAGGATCAGTTCAGGTGGCCCTGGACCAGGTGTTCCGAG AACATCGAGAATTCCAGGCTCTGGTGGACCAGTCCAACA GAATCCTGTCTAGCGCCGAGAAGGGAAAACCCGGCTTCAT CATCGTGATCATCCTGATCGCCGTGCTGGGCAGCTCCATG ATCCTGGTGTCCATCTTCATCATTATCAAGAAGACCAAGA AGCCACCCGGCGCTCCTCCAGAACTGAGCGGAGTGACCAA CAATGGCTTCATCCCTCACAAC	111

TABLE 19-continued

Strain	Nucleic Acid Sequence	SEQ ID NO:
	AGTGACCGCCATCAACAACGCCCTGAAGAAGACAAACGA GGCCGTGAGCAGCACTCGGCAATGGCGTTAGAGTGCTGGCC ACAGCCGTGCGGAGCTGAAGGACTTCGTGCTTAAGAACC TGACACGGGCCATTAACAAGAACAAGTGCAGATCCCTGA CCTGAAGATGGCCGTGCTTTAGCCAGTTCAACCGGCGG TTTCTGAACGTGTCGGCAGTTTAGCGACAACGCCGGAA TCACACCAGCCATCAGCCTGGACCTGATGACAGATGCTGA GCTGGCTAGAGCCGTGCCTAACATGCCTACATCTGCCGGC CAGATCAAGCTGATGCTCGAGAATAGAGCCATGGTCCGAC GGAAAGGCTTCGGCATTCTGATTGGCGTGTACGGCAGCAG CGTGATCTATATGGTGCAGCTGCCTATCTTCGGCGTGATCG ACACACCCCTGCTGGATTGTGAAGGCCGCTCCTAGCTGTAG CGAGAAGAAGGGCAATTACGCCTGCCTGCTGAGAGAGGA CCAAGGCTGGTATTGTCAGAACGCCGGCAGCACCGTGTAC TACCCTAACGAGAAGGACTGCGAGACAAGAGGCGACCAC GTGTTCTGTGATACCGCCGCTGGAATCAATGTGGCCGAGC AGAGCAAAGAGTGCAACATCAACATCAGCACCACCAACT ATCCCTGCAAGGTGTCCACCGGCAGGCACCCTATTTCTAT GGTGGCTCTGTCTCCTCTGGGAGCCCTGGTGGCTTGTATA AGGGCGTGCTCTGTAGCATCGGCAGCAACAGAGTGGGCAT CATCAAGCAGCTGAACAAGGGCTGCAGCTACATCACCAC CAGGACGCCGATACCGTGACCATCGACAACACCGTGTATC AGCTGAGCAAGGTGGAAGGCGAACAGCACGTGATCAAGG GCAGACCTGTGTCAGCAGCTTCGACCTATCAAGTTCCC TGAGAACCAGTTCAGGTGGCCCTGGACCAGGTGTTTCGAG AACATCGAGAATTCCAGGCTCTGGTGGACCAGTCCAACA GAATCCTGTCTAGCGCCGAGAAGGGAAAACCGGCTTCAT CATCGTGATCATCCTGATCGCCGTGCTGGGCAGCTCCATG ATCCTGGTGTCCATCTTCATCATTATCAAGAAGACCAAGA AGCCACCGCGCTCCTCCAGAACTGAGCGGAGTGACCAA CAATGGCTTCATCCCTCACAAC	
HMPV_SC_DM_Krarup_E51PT74L	ATGAGCTGGAAGGTGGTTCATCATCTTCAGCCTGCTGATCA CACCTCAGCACGGCCTGAAAGAGAGCTACCTGGAAGAGT CCTGCAGCACCATCACAGAGGGCTACCTGTCTGTGCTGAG AACCGGCTGGTACACCAACGTGTTCACTGCCTGTGGGC GACGTCGAGAACTGACATGCTCTGATGGCCCTAGCCTGA TCAAGACCGAGCTGGATCTGCTCAAGAGCGCCCTGAGAGA ACTCAAGACCGTGTCTGCCGATCAGCTGGCCAGAGAGGAA CAGATCGAGAATCCTGGCAGCGGCAGCTTTGTGCTGGGAG CCATTGCTCTTGGAGTGGCTGCTGCTGCAGCTGTTACAGC AGGCGTGGCCATCGCTAAGACCATCAGACTGGAAGCGA AGTGACCGCCATCAACAACGCCCTGAAGAAGACAAACGA GGCCGTGAGCAGCACTCGGCAATGGCGTTAGAGTGCTGGCC ACAGCCGTGCGGAGCTGAAGGACTTCGTGCTCAAGAACC TGACACGGGCCATTAACAAGAACAAGTGCAGATCGACG ACCTGAAGATGGCCGTGCTCTTTAGCCAGTTCAACCGGCG GTTTCTGAACGTGTCGGCAGTTTAGCGACAACGCCGGAA ATCACACCAGCCATCAGCCTGGACCTGATGACAGATGCTG AGCTGGCTAGAGCCGTGCCTAACATGCCCTACATCTGCCGG CCAGATCAAGCTGATGCTCGAGAATAGAGCCATGGTCCGA CGGAAAGGCTTCGGCATTCTGATTGGCGTGTACGGCAGCA GCGTGATCTATATGGTGCAGCTGCCTATCTTCGGCGTGATC GACACACCCCTGCTGGATTGTGAAGGCCGCTCCTAGCTGTA GCGAGAAGAAGGGCAATTACGCCTGCCTGCTGAGAGAGG ACCAAGGCTGGTATTGTCAGAACGCCGGCAGCACCGTGT CTACCCTAACGAGAAGGACTGCGAGACAAGAGGCGACCA CGTGTCTGTGATACCGCCGCTGGAATCAATGTGGCCGAG CAGAGCAAAGAGTGCAACATCAACATCAGCACCACCAAC TATCCCTGCAAGGTGTCCACCGGCAGGCACCCTATTTCTAT GGTGGCTCTGTCTCCTCTGGGAGCCCTGGTGGCTTGTATA AGGGCGTGCTCTGTAGCATCGGCAGCAACAGAGTGGGCAT CATCAAGCAGCTGAACAAGGGCTGCAGCTACATCACCAC CAGGACGCCGATACCGTGACCATCGACAACACCGTGTATC AGCTGAGCAAGGTGGAAGGCGAACAGCACGTGATCAAGG GCAGACCTGTGTCAGCAGCTTCGACCTATCAAGTTCCC TGAGGATCAGTTCAGGTGGCCCTGGACCAGGTGTTTCGAG AACATCGAGAATTCCAGGCTCTGGTGGACCAGTCCAACA GAATCCTGTCTAGCGCCGAGAAGGGAAAACCGGCTTCAT CATCGTGATCATCCTGATCGCCGTGCTGGGCAGCTCCATG ATCCTGGTGTCCATCTTCATCATTATCAAGAAGACCAAGA AGCCACCGCGCTCCTCCAGAACTGAGCGGAGTGACCAA CAATGGCTTCATCCCTCACAAC	112

TABLE 19-continued

Strain	Nucleic Acid Sequence	SEQ ID NO:
HMPV_SC_TM_Krarup_E51PT74LD454N	<p>ATGAGCTGGAAGGTGGTCATCATCTTCAGCCTGCTGATCA CACCTCAGCACGGCCTGAAAGAGAGCTACCTGGAAGAGT CCTGCAGCACCATCACAGAGGGCTACCTGTCTGTGCTGAG AACCGGCTGGTACACCAACGTGTTCACTGCCTGTGGGC GACGTCGAGAATCTGACATGCTCTGATGGCCCTAGCCTGA TCAAGACCAGCTGGATCTGCTCAAGAGCGCCCTGAGAGA ACTCAAGACCGTGTCTGCCGATCAGCTGGCCAGAGAGGAA CAGATCGAGAATCCTGGCAGCGGCAGCTTTGTGCTGGGAG CCATTGCTCTTGGAGTGGCTGCTGCTGCAGCTGTTACAGC AGGCGTGGCCATCGCTAAGACCATCAGACTGGAAAGCGA AGTGACCGCCATCAACAACGCCCTGAAGAAGACAAACGA GGCCGTGAGCACTCGGCAATGGCGTTAGAGTGTGGCC ACAGCCGTGCGGAGCTGAAGGACTTCGTGTCCAAGAACC TGACACGGGCCATTAACAAGAACAAGTGCACATCGACG ACCTGAAGATGGCCGTGTCCTTTAGCCAGTTCAACCGGCG GTTTCTGAACGTCGTGCGGCAGTTTAGCGACAACGCCGGA ATCACACCAGCCATCAGCCTGGACCTGATGACAGATGCTG AGCTGGCTAGAGCCGTGCCTAACATGCCTACATCTGCCGG CCAGATCAAGCTGATGCTCGAGAATAGAGCCATGGTCCGA CGGAAAGGCTTCGGCATTCTGATTGGCGTGTACGGCAGCA GCGTGATCTATATGGTGCAGCTGCCTATCTTCGGCGTGATC GACACACCCTGCTGGATTGTGAAGGCCGCTCCTAGCTGTA GCGAGAAGAAGGGCAATTACGCCCTGCCTGCTGAGAGAGG ACCAAGGCTGGTATTGTGAGAAGCCGGCAGCACCGTGTA CTACCCTAACGAGAAGGACTGCGAGACAAGAGGCGACCA CGTGTTCTGTGATAACCGCCGCTGGAATCAATGTGGCCGAG CAGAGCAAAGAGTGCAACATCAACATCAGCACCAACCAAC TATCCCTGCAAGGTGTCCACCGGCAGGCACCCATTTCTAT GGTGGCTCTGTCTCCTCTGGGAGCCCTGGTGGCTTGTATA AGGGCGTGTCTGTAGCATCGGCAGCAACAGAGTGGGCAT CATCAAGCAGCTGAACAAGGGCTGCAGCTACATCACCAC CAGGACGCCGATACCGTGACCATCGACAACCCGTGTATC AGCTGAGCAAGGTGGAAGGCGAACAGCACGTGATCAAGG GCAGACCTGTGTCAGCAGCTTCGACCCTATCAAGTTCCC TGAGAACCAGTTCAGGTGGCCCTGGACCAGGTGTTCCGAG AACATCGAGAATCCCAGGCTCTGGTGGACCAGTCCAACA GAATCCGTCTAGCGCCGAGAAGGGAAACACCGGCTTCAT CATCGTGATCATCCTGATCGCCGTGCTGGCCAGCTCCATG ATCCTGGTGTCCATCTTCATATTATCAAGAAGACCAAGA AGCCACCGGCGCTCCTCCAGAACGAGCGGAGTGACCAA CAATGGCTTCATCCCTCACAAC</p>	113
HMPV_SC_StabilizeAlpha_T74L	<p>ATGAGCTGGAAGGTGGTCATCATCTTCAGCCTGCTGATCA CACCTCAGCACGGCCTGAAAGAGAGCTACCTGGAAGAGT CCTGCAGCACCATCACAGAGGGCTACCTGTCTGTGCTGAG AACCGGCTGGTACACCAACGTGTTCACTGGAAGTGGGC GACGTCGAGAATCTGACATGCTCTGATGGCCCTAGCCTGA TCAAGACCAGCTGGATCTGCTCAAGAGCGCCCTGAGAGA ACTCAAGACCGTGTCTGCCGATCAGCTGGCCAGAGAGGAA CAGATCGAGAATCCTGGCAGCGGCAGCTTTGTGCTGGGAG CCATTGCTCTTGGAGTGGCTGCTGCTGCAGCTGTTACAGC AGGCGTGGCCATCGCTAAGACCATCAGACTGGAAAGCGA AGTGACCGCCATCAACAACGCCCTGAAGAAGACAAACGA GGCCGTGAGCACTCGGCAATGGCGTTAGAGTGTGGCC ACAGCCGTGCGGAGCTGAAGGACTTCGTGTCCAAGAACC TGACACGGGCCATTAACAAGAACAAGTGCACATCGACG ACCTGAAGATGGCCGTGTCCTTTAGCCAGTTCAACCGGCG GTTTCTGAACGTCGTGCGGCAGTTTAGCGACAACGCCGGA ATCACACCAGCCATCAGCCTGGACCTGATGACAGATGCTG AGCTGGCTAGAGCCGTGCCTAACATGCCTACATCTGCCGG CCAGATCAAGCTGATGCTCGAGAATAGAGCCATGGTCCGA CGGAAAGGCTTCGGCATTCTGATTGGCGTGTACGGCAGCA GCGTGATCTATATGGTGCAGCTGCCTATCTTCGGCGTGATC GACACACCCTGCTGGATTGTGAAGGCCGCTCCTAGCTGTA GCGAGAAGAAGGGCAATTACGCCCTGCCTGCTGAGAGAGG ACCAAGGCTGGTATTGTGAGAAGCCGGCAGCACCGTGTA CTACCCTAACGAGAAGGACTGCGAGACAAGAGGCGACCA CGTGTTCTGTGATAACCGCCGCTGGAATCAATGTGGCCGAG CAGAGCAAAGAGTGCAACATCAACATCAGCACCAACCAAC TATCCCTGCAAGGTGTCCACCGGCAGGCACCCATTTCTAT GGTGGCTCTGTCTCCTCTGGGAGCCCTGGTGGCTTGTATA AGGGCGTGTCTGTAGCATCGGCAGCAACAGAGTGGGCAT CATCAAGCAGCTGAACAAGGGCTGCAGCTACATCACCAC CAGGACGCCGATACCGTGACCATCGACAACCCGTGTATC</p>	114

TABLE 19-continued

Strain	Nucleic Acid Sequence	SEQ ID NO:
HMPV_SC_StabilizeAlpha_V55L	AGCTGAGCAAGGTGGAAGGCGAACAGCACGTGATCAAGG GCAGACCTGTGTCCAGCAGCTTCGACCTATCAAGTTCCC TGAGGATCAGTTCAGGTGGCCCTGGACCAGGTGTTTCGAG AACATCGAGAATTCCAGGCTCTGGTGGACCAGTCCAACA GAATCCTGTCTAGCGCCGAGAAGGGAAAACCCGGCTTCAT CATCGTGATCATCCTGATCGCCGTGCTGGGCAGCTCCATG ATCCTGGTGTCCATCTTCATCATTATCAAGAAGACCAAGA AGCCACCCGGCGCTCCTCCAGAAGTGAAGCGGAGTGACCAA CAATGGCTTCATCCCTCACAAC	115
HMPV_SC_StabilizeAlpha_S170L	ATGAGCTGGAAGGTGGTTCATCATCTTCAGCCTGCTGATCA CACCTCAGCACGGCCTGAAAGAGAGCTACCTGGAAGAGT CCTGCAGCACCATCACAGAGGGCTACCTGTCTGTGCTGAG AACCCGGCTGGTACACCAACGTGTTCACTGGAAGTGGGC GACGTCGAGAATCTGACATGCTCTGATGGCCCTAGCCTGA TCAAGACCGAGCTGGATCTGACCAAGAGCGCCCTGAGAG AACTCAAGACCGTGTCTGCCGATCAGCTGGCCAGAGAGGA ACAGATCGAGAATCCTGGCAGCGGCAGCTTTGTGCTGGGA GCCATTGCTCTTGGAGTGGCTGCTGCTGCAGCTGTTACAG CAGGCGTGGCCATCGCTAAGACCATCAGACTGGAAAGCG AAGTGACCGCCATCAACAACGCCCTGAAGAAGACAAACG AGGCCGTCAGCACACTCGGCAATGGCGTTAGAGTGTGGC CACAGCCGTGCGCGAGCTGAAGGACTTCGTGTCCAAGAAC CTGACACGGGCCATTAACAAGAACAAGTGCACATCGAC GACCTGAAGATGGCCGTGTCTTTAGCCAGTTCAACCCGGC GGTTTCGAACGTCTGTGCGGCAGTTTAGCGACAACGCCGG AATCACACCAGCCATCAGCCTGGACCTGATGACAGATGCT GAGCTGGCTAGAGCCGTGCCTAACATGCCTACATCTGCCG GCCAGATCAAGCTGATGCTCGAGAATAGAGCCATGGTCCG ACGGAAAGGCTTCGGCATTCTGATTGGCGTGTACGGCAGC AGCGTGATCTATATGGTGCAGCTGCCTATCTTCGGCGTGA TCGACACACCCTGCTGGATTGTGAAGCCGCTCCTAGCTG TAGCGAGAAGAAGGGCAATTACGCCTGCCTGCTGAGAGA GGACCAAGGCTGGTATTGTGAGAAGCGCCGAGCACCCGTG TACTACCTAACGAGAAGGACTGCGAGACAAGAGGCGAC CACGTGTTCTGTGATAACCGCCGCTGGAATCAATGTGGCCG AGCAGAGCAAAGAGTGCAACATCAACATCAGCACCAACA ACTATCCCTGCAAGGTGTCCACCGGCAGGCACCCATTTTC TATGGTGGCTCTGTCTCCTCTGGGAGCCCTGGTGGCTTGT ATAAGGGCGTGTCTGTAGCATCGGCAGCAACAGAGTGG GCATCATCAAGCAGCTGAACAAGGGCTGCAGCTACATCAC CAACCAGGACGCCGATACCGTGACCATCGACAACACCGTG TATCAGCTGAGCAAGGTGGAAGGCGAACAGCACGTGATC AAGGGCAGACCTGTGTCCAGCAGCTTCGACCCATCAAGT TCCCTGAGGATCAGTTCAGGTGGCCCTGGACCAGGTGTT CGAGAACATCGAGAATCCCAGGCTCTGGTGGACCAGTCC AACAGAATCCTGTCTAGCGCCGAGAAGGGAAAACCCGGC TTCATCATCGTGATCATCCTGATCGCCGTGCTGGGCAGCTC CATGATCCTGGTGTCCATCTTCATCATTATCAAGAAGACC AAGAAGCCACCGCGCTCCTCCAGAAGTGAAGCGGAGTG ACCAACAATGGCTTCATCCCTCACAAC	116

TABLE 19-continued

Strain	Nucleic Acid Sequence	SEQ ID NO:
	<p>TAGCGAGAAGAAGGGCAATTACGCCTGCCTGCTGAGAGA GGACCAAGGCTGGTATTGTGTCAGAACGCCGGCAGCACCGTG TACTACCCTAACGAGAAGGACTGCGAGACAAGAGGCGAC CACGTGTTCTGTGATAACGCCGCTGGAATCAATGTGGCCG AGCAGAGCAAAGAGTGCAACATCAACATCAGCACCACCA ACTATCCCTGCAAGGTGTCCACCGGCAGGCACCCTATTTT TATGGTGGCTCTGTCTCCTCTGGGAGCCCTGGTGGCTTGT ATAAGGGCGTGTCTGTAGCATCGGCAGCAACAGAGTGG GCATCATCAAGCAGCTGAACAAGGGCTGCAGCTACATCAC CAACCAGGACGCCGATAACCGTGACCATCGACAACACCGTG TATCAGCTGAGCAAGGTGGAAGGGCAACAGCACGTGATC AAGGGCAGACCTGTGTCCAGCAGCTTCGACCCATCAAGT TCCCTGAGGATCAGTTCAGGTGGCCCTGGACCAGGTGTT CGAGAACATCGAGAATCCAGGCTCTGGTGGACCAGTCC AACAGAATCCTGTCTAGCGCCGAGAAGGGAAACACCGGC TTCATCATCGTGATCATCCTGATCGCCGTGCTGGGCAGCTC CATGATCCTGGTGTCCATCTTCATCATTATCAAGAAGACC AAGAAGCCACCGGCGCTCCTCCAGAACTGAGCGGAGTG ACCAACAATGGCTTCATCCCTCACAAAC</p>	
HMPV_SC_StabilizeAlpha_T174W	<p>ATGAGCTGGAAGGTGGTTCATCATCTTCAGCCTGCTGATCA CACCTCAGCACGGCCTGAAAGAGAGCTACCTGGAAGAGT CCTGCAGCACCATCACAGAGGGCTACCTGTCTGTGCTGAG AACCGGCTGGTACACCAACGTGTTCACTGGAAGTGGGC GACCTCGAGAATCTGACATGCTCTGATGGCCCTAGCCTGA TCAAGACCGAGCTGGATCTGACCAAGAGCGCCCTGAGAG AACTCAAGACCGTGTCTGCCGATCAGCTGGCCAGAGAGGA ACAGATCGAGAATCCTGGCAGCGGCAGCTTTGTGCTGGGA GCCATTGCTCTTGGAGTGGCTGCTGCTGCAGCTGTTACAG CAGGCGTGGCCATCGCTAAGACCATCAGACTGGAAGCG AAGTGACCGCCATCAACAACGCCCTGAAGAAGACAAACG AGGCCGTCAGCACACTCGGCAATGGCGTTAGAGTGTGGC CACAGCCGTGCGGAGCTGAAGGACTTCGTGTCCAAGAAC CTGTGGCGGCCATTAACAAGAACAAGTGCACATCGAC GACCTGAAGATGGCCGTGTCTTTAGCCAGTTCAACCGGC GGTTTCGAACGTCTGTGCGGCAGTTTAGCGACAACGCCGG AATCACACCAGCCATCAGCCTGGACCTGATGACAGATGCT GAGCTGGCTAGAGCCGTGCCTAACATGCCTACATCTGCCG GCCAGATCAAGCTGATGCTCGAGAATAGAGCCATGGTCCG ACGGAAAGGCTTCGGCATTCTGATTGGCGTGTACGGCAGC AGCGTGATCTATATGGTGCAGCTGCCATCTTCGGCGTGA TCGACACACCCTGCTGGATTGTGAAGCCGCTCCTAGCTG TAGCGAGAAGAAGGGCAATTACGCCTGCCTGCTGAGAGA GGACCAAGGCTGGTATTGTGAGAACGCCGGCAGCACCGTG TACTACCCTAACGAGAAGGACTGCGAGACAAGAGGCGAC CACGTGTTCTGTGATAACGCCGCTGGAATCAATGTGGCCG AGCAGAGCAAAGAGTGCAACATCAACATCAGCACCACCA ACTATCCCTGCAAGGTGTCCACCGGCAGGCACCCTATTTT TATGGTGGCTCTGTCTCCTCTGGGAGCCCTGGTGGCTTGT ATAAGGGCGTGTCTGTAGCATCGGCAGCAACAGAGTGG GCATCATCAAGCAGCTGAACAAGGGCTGCAGCTACATCAC CAACCAGGACGCCGATAACCGTGACCATCGACAACACCGTG TATCAGCTGAGCAAGGTGGAAGGGCAACAGCACGTGATC AAGGGCAGACCTGTGTCCAGCAGCTTCGACCCATCAAGT TCCCTGAGGATCAGTTCAGGTGGCCCTGGACCAGGTGTT CGAGAACATCGAGAATCCAGGCTCTGGTGGACCAGTCC AACAGAATCCTGTCTAGCGCCGAGAAGGGAAACACCGGC TTCATCATCGTGATCATCCTGATCGCCGTGCTGGGCAGCTC CATGATCCTGGTGTCCATCTTCATCATTATCAAGAAGACC AAGAAGCCACCGGCGCTCCTCCAGAACTGAGCGGAGTG ACCAACAATGGCTTCATCCCTCACAAAC</p>	117
HMPV_SC_4M_StabilizeAlpha_V55LT74LS170LT174W	<p>ATGAGCTGGAAGGTGGTTCATCATCTTCAGCCTGCTGATCA CACCTCAGCACGGCCTGAAAGAGAGCTACCTGGAAGAGT CCTGCAGCACCATCACAGAGGGCTACCTGTCTGTGCTGAG AACCGGCTGGTACACCAACGTGTTCACTGGAAGTGGGC GACCTCGAGAATCTGACATGCTCTGATGGCCCTAGCCTGA TCAAGACCGAGCTGGATCTGCTCAAGAGCGCCCTGAGAGA ACTCAAGACCGTGTCTGCCGATCAGCTGGCCAGAGAGGAA CAGATCGAGAATCCTGGCAGCGGCAGCTTTGTGCTGGGAG CCATTGCTCTTGGAGTGGCTGCTGCTGCAGCTGTTACAGC AGGCCGTGGCCATCGCTAAGACCATCAGACTGGAAGCGA AGTGACCGCCATCAACAACGCCCTGAAGAAGACAAACGA GGCCGTGAGCACACTCGGCAATGGCGTTAGAGTGTGGCC</p>	118

TABLE 19-continued

Strain	Nucleic Acid Sequence	SEQ ID NO:
	ACAGCCGTGCGCGAGCTGAAGGACTTCGTGCTTAAGAACC TGTGGCGGGCCATTAACAAGAACAAGTGCACATCGACG ACCTGAAGATGGCCGTGTCCTTTAGCCAGTTCAACCGGC GTTTCTGAACGTCGTGCGGCAGTTTAGCGACAACCGCGA ATCACACCAGCCATCAGCCTGGACCTGATGACAGATGCTG AGCTGGCTAGAGCCGTGCCTAACATGCCTACATCTGCCG CCAGATCAAGCTGATGCTCGAGAATAGAGCCATGGTCCGA CGGAAAGGCTTCGGCATTCTGATTGGCGTGTACGGCAGCA GCGTGATCTATATGGTGCAGCTGCCTATCTTCGGCGTGATC GACACACCCTGCTGGATTGTGAAGCCGCTCCTAGCTGTA GCGAGAAGAAGGGCAATTACGCCTGCCTGCTGAGAGAGG ACCAAGGCTGGTATTGTGAGAACGCCGGCAGCACCGTGTA CTACCCTAACGAGAAGGACTGCGAGACAAGAGGCGACCA CGTGTTCTGTGATAACGCCGCTGGAATCAATGTGGCCGAG CAGAGCAAAGAGTGCAACATCAACATCAGCACCACCAAC TATCCCTGCAAGGTGTCCACCGGCAGGCACCCTATTTCTAT GGTGGCTCTGTCTCCTCTGGGAGCCCTGGTGGCTTGTATA AGGGCGTGCTCTGTAGCATCGGCAGCAACAGAGTGGGCAT CATCAAGCAGCTGAACAAGGGCTGCAGCTACATCACCAC CAGGACGCCGATACCGTGACCATCGACAACCCGTGTATC AGCTGAGCAAGGTGGAAGGCGAACAGCACGTGATCAAGG GCAGACCTGTGTCAGCAGCTTCGACCCATCAAGTTCCC TGAGGATCAGTTCAGGTGGCCCTGGACCAGGTGTTGAG AACATCGAGAATCCAGGCTCTGGTGGACCAGTCCAACA GAATCCTGTCTAGCGCCGAGAAGGGAAACACCGGCTTCAT CATCGTGATCATCCTGATCGCCGTGCTGGGCAGCTCCATG ATCCTGGTGTCCATCTTCATCATTATCAAGAAGACCAAGA AGCCACCGCGCTCCTCCAGAAGTGAAGGAGTGACCAA CAATGGCTTCATCCCTCACAAC	
HMPV_ProlineStab_E51P	ATGAGCTGGAAGGTGGTCATCATCTTCAGCCTGCTGATCA CACCTCAGCACGGCCTGAAAGAGAGCTACCTGGAAGAGT CCTGCAGCACCATCACAGAGGGCTACCTGTCTGTGCTGAG AACCGGCTGGTACACCAACGTGTTCACTGCCTGTGGGC GACGTCGAGAACTGACATGCTCTGATGGCCCTAGCCTGA TCAAGACCGAGCTGGATCTGACCAAGAGCGCCCTGAGAG AACTCAAGACCGTGTCTGCCGATCAGCTGGCCAGAGAGGA ACAGATCGAGAATCCTGGCAGCGGCAGCTTTGTGCTGGGA GCCATTGCTCTTGGAGTGGCTGCTGCTGCAGCTGTTACAG CAGGCGTGGCCATCGCTAAGACCATCAGACTGGAAAGCG AAGTGACCGCCATCAACAACGCCCTGAAGAAGACAAACG AGGCCGTCAGCACACTCGGCAATGGCGTTAGAGTGTGGC CACAGCCGTGCGGAGCTGAAGGACTTCGTGTCCAAGAAC CTGACACGGCCATTAACAAGAACAAGTGCACATCGAC GACC TGAAGATGGCCGTGTCCTTTAGCCAGTTCAACCGGC GGTTTCTGAACGTCGTGCGGCAGTTTAGCGACAACGCCGG AATCACACCAGCCATCAGCCTGGACCTGATGACAGATGCT GAGCTGGCTAGAGCCGTGCCTAACATGCCTACATCTGCCG GCCAGATCAAGCTGATGCTCGAGAATAGAGCCATGGTCCG ACGGAAAGGCTTCGGCATTCTGATTGGCGTGTACGGCAGC AGCGTGATCTATATGGTGCAGCTGCCTATCTTCGGCGTGA TCGACACACCCTGCTGGATTGTGAAGCCGCTCCTAGCTG TAGCGAGAAGAAGGGCAATTACGCCTGCCTGCTGAGAGA GGACCAAGGCTGGTATTGTGAGAACGCCGGCAGCACCGTG TACTACCTAACGAGAAGGACTGCGAGACAAGAGGCGAC CACGTGTTCTGTGATAACGCCGCTGGAATCAATGTGGCCG AGCAGAGCAAAGAGTGCAACATCAACATCAGCACCACCA ACTATCCCTGCAAGGTGTCCACCGGCAGGCACCCTATTTCT TATGGTGGCTCTGTCTCCTCTGGGAGCCCTGGTGGCTTGT ATAAGGGCGTGTCTGTAGCATCGGCAGCAACAGAGTGG GCATCATCAAGCAGCTGAACAAGGGCTGCAGCTACATCAC CAACCAGGACGCCGATACCGTGACCATCGACAACCCGTG TATCAGCTGAGCAAGGTGGAAGGCGAACAGCACGTGATC AAGGGCAGACCTGTGTCAGCAGCTTCGACCCATCAAGT TCCCTGAGGATCAGTTCAGGTGGCCCTGGACCAGGTGTT CGAGAACATCGAGAATCCAGGCTCTGGTGGACCAGTCC AACAGAATCCTGTCTAGCGCCGAGAAGGGAAACACCGGC TTCATCATCGTGATCATCCTGATCGCCGTGCTGGGCAGCTC CATGATCCTGGTGTCCATCTTCATCATTATCAAGAAGACC AAGAAGCCACCGCGCTCCTCCAGAAGTGAAGGAGTG ACCAACAATGGCTTCATCCCTCACAAC	119

TABLE 19-continued

Strain	Nucleic Acid Sequence	SEQ ID NO:
HMPV_ProlineStab_D185P	ATGAGCTGGAAGGTGGTCATCATCTTCAGCCTGCTGATCA CACCTCAGCACGGCTGAAAGAGAGCTACCTGGAAGAGT CCTGCAGCACCATCACAGAGGGCTACCTGTCTGTGCTGAG AACCGGCTGGTACACCAACGTGTTCACTGGAAGTGGGC GACGTCGAGAATCTGACATGCTCTGATGGCCCTAGCCTGA TCAAGACCGAGCTGGATCTGACCAAGAGCGCCCTGAGAG AACTCAAGACCGTGTCTGCCGATCAGCTGGCCAGAGAGGA ACAGATCGAGAATCCTGGCAGCGGCAGCTTTGTGCTGGGA GCCATTGCTCTTGGAGTGGCTGCTGCTGCAGCTGTTACAG CAGGCGTGGCCATCGCTAAGACCATCAGACTGGAAAGCG AAGTGACCGCCATCAACAACGCCCTGAAGAAGACAAACG AGGCCGTCAGCACACTCGGCAATGGCGTTAGAGTGTGGC CACAGCCGTGCGGAGCTGAAGGACTTCGTGTCCAAGAAC CTGACACGGGCCATTAACAAGAACAAGTGGACATCCCTG ACCTGAAGATGGCCGTGTCTTTAGCCAGTTCAACCGGCG GTTTCTGAACGTCGTGCGGCAGTTTAGCGACAACGCCGGA ATCACACCAGCCATCAGCCTGGACCTGATGACAGATGCTG AGCTGGCTAGAGCCGTGCCTAACATGCCTACATCTGCCGG CCAGATCAAGCTGATGCTCGAGAATAGAGCCATGGTCCGA CGGAAAGGCTTCGGCATTCTGATTGGCGTGTACGGCAGCA GCGTGATCTATATGGTGCAGCTGCCTATCTTCGGCGTGATC GACACACCCTGCTGGATTGTGAAGGCCGCTCCTAGCTGTA GCGAGAAGAAGGGCAATTACGCCCTGCCTGCTGAGAGAGG ACCAAGGCTGGTATTGTGAGAAGCCGGCAGCACCGTGTA CTACCCTAACGAGAAGGACTGCGAGACAAGAGGCGACCA CGTGTTCTGTGATACCGCCGTGGAAATCAATGTGGCCGAG CAGAGCAAAGAGTGCAACATCAACATCAGCACCACCAAC TATCCCTGCAAGGTGTCCACCGGCAGGCACCCATTTTCTAT GGTGGCTCTGTCTCTCTGGGAGCCCTGGTGGCTTGTATA AGGGCGTGTCTGTAGCATCGGCAGCAACAGAGTGGGCAT CATCAAGCAGCTGAACAAGGGCTGCAGCTACATCACCAAC CAGGACGCCGATACCGTGACCATCGACAACACCGTGTATC AGCTGAGCAAGGTGGAAGGCGAACAGCACGTGATCAAGG GCAGACCTGTGTCAGCAGCTTCGACCCATCAAGTTCCC TGAGGATCAGTTCAGGTGGCCCTGGACCAGGTGTTGAG AACATCGAGAATTCCAGGCTCTGGTGGACCAGTCCAACA GAATCCGTCTAGCGCCGAGAAGGGAAACACCGGCTTCAT CATCGTGATCATCCTGATCGCCGTGCTGGGCAGCTCCATG ATCCTGGTGTCCATCTTCATCATTATCAAGAAGACCAAGA AGCCACCGGCGCTCCTCCAGAAGTGAAGGAGTGACCAA CAATGGCTTCATCCCTCACAAAC	120
HMPV_ProlineStab_D183P	ATGAGCTGGAAGGTGGTCATCATCTTCAGCCTGCTGATCA CACCTCAGCACGGCTGAAAGAGAGCTACCTGGAAGAGT CCTGCAGCACCATCACAGAGGGCTACCTGTCTGTGCTGAG AACCGGCTGGTACACCAACGTGTTCACTGGAAGTGGGC GACGTCGAGAATCTGACATGCTCTGATGGCCCTAGCCTGA TCAAGACCGAGCTGGATCTGACCAAGAGCGCCCTGAGAG AACTCAAGACCGTGTCTGCCGATCAGCTGGCCAGAGAGGA ACAGATCGAGAATCCTGGCAGCGGCAGCTTTGTGCTGGGA GCCATTGCTCTTGGAGTGGCTGCTGCTGCAGCTGTTACAG CAGGCGTGGCCATCGCTAAGACCATCAGACTGGAAAGCG AAGTGACCGCCATCAACAACGCCCTGAAGAAGACAAACG AGGCCGTCAGCACACTCGGCAATGGCGTTAGAGTGTGGC CACAGCCGTGCGGAGCTGAAGGACTTCGTGTCCAAGAAC CTGACACGGGCCATTAACAAGAACAAGTGCCTATCGACG ACCTGAAGATGGCCGTGTCTTTAGCCAGTTCAACCGGCG GTTTCTGAACGTCGTGCGGCAGTTTAGCGACAACGCCGGA ATCACACCAGCCATCAGCCTGGACCTGATGACAGATGCTG AGCTGGCTAGAGCCGTGCCTAACATGCCTACATCTGCCGG CCAGATCAAGCTGATGCTCGAGAATAGAGCCATGGTCCGA CGGAAAGGCTTCGGCATTCTGATTGGCGTGTACGGCAGCA GCGTGATCTATATGGTGCAGCTGCCTATCTTCGGCGTGATC GACACACCCTGCTGGATTGTGAAGGCCGCTCCTAGCTGTA GCGAGAAGAAGGGCAATTACGCCCTGCCTGCTGAGAGAGG ACCAAGGCTGGTATTGTGAGAAGCCGGCAGCACCGTGTA CTACCCTAACGAGAAGGACTGCGAGACAAGAGGCGACCA CGTGTTCTGTGATACCGCCGTGGAAATCAATGTGGCCGAG CAGAGCAAAGAGTGCAACATCAACATCAGCACCACCAAC TATCCCTGCAAGGTGTCCACCGGCAGGCACCCATTTTCTAT GGTGGCTCTGTCTCTCTGGGAGCCCTGGTGGCTTGTATA AGGGCGTGTCTGTAGCATCGGCAGCAACAGAGTGGGCAT CATCAAGCAGCTGAACAAGGGCTGCAGCTACATCACCAAC	121

TABLE 19-continued

Strain	Nucleic Acid Sequence	SEQ ID NO:
HMPV_ProlineStab_E131P	CAGGACGCCGATACCGTGACCATCGACAACACCGTGTATC AGCTGAGCAAGGTGGAAGGCGAACAGCACGTGATCAAGG GCAGACCTGTGTCCAGCAGCTTCGACCCTATCAAGTTCCC TGAGGATCAGTTCCAGGTGGCCCTGGACCAGGTGTTCCGAG AACATCGAGAATTCCAGGCTCTGGTGGACCAGTCCAACA GAATCCTGTCTAGCGCCGAGAAGGGAAACACCGGCTTCAT CATCGTGATCATCCTGATCGCCGTGCTGGGCAGCTCCATG ATCCTGGTGTCCATCTTCATCATTATCAAGAAGACCAAGA AGCCACCGGCGCTCCTCCAGAACTGAGCGGAGTGACCAA CAATGGCTTCATCCCTCACAAC	122
HMPV_ProlineStab_D447P	ATGAGCTGGAAGGTGGTTCATCATCTTCAGCCTGCTGATCA CACCTCAGCACGGCCTGAAAGAGAGCTACCTGGAAGAGT CCTGCAGCACCATCACAGAGGGCTACCTGTCTGTGCTGAG AACCGGCTGGTACACCAACGTGTTCACTGGAAGTGGGC GACGTCGAGAATCTGACATGCTCTGATGGCCCTAGCCTGA TCAAGACCGAGCTGGATCTGACCAAGAGCGCCCTGAGAG AACTCAAGACCGTGTCTGCCGATCAGCTGGCCAGAGAGGA ACAGATCGAGAATCCTGGCAGCGGCAGCTTTGTGCTGGGA GCCATTGCTCTTGGAGTGGCTGCTGCTGCAGCTGTTACAG CAGGCGTGGCCATCGCTAAGACCATCAGACTGGAAAGCG AGTGACCGCCATCAACAACGCCCTGAAGAAGACAAACGA GGCCGTGAGCACACTCGGCAATGGCGTTAGAGTGTGGCC ACAGCCGTGCGGAGCTGAAGGACTTCGTGTCCAAGAACC TGACACGGGCCATTAACAAGAACAAGTGCGACATCGACG ACCTGAAGATGGCCGTGTCTTTAGCCAGTTCAACCGGCG GTTCTGAAACGTCGTGCGGCAGTTTAGCGACAACGCCGGA ATCACACCAGCCATCAGCCTGGACCTGATGACAGATGCTG AGCTGGCTAGAGCCGTGCCAATCATGCTACATCTGCCGG CCAGATCAAGCTGATGCTCGAGAATAGAGCCATGGTCCGA CGGAAAGGCTTCGGCATTCTGATTGGCGTGTACGGCAGCA GCGTGATCTATATGGTGCAGCTGCCTATCTTCGGCGTGATC GACACACCCTGCTGGATTGTGAAGGCGCTCCTAGCTGTA GCGAGAAGAAGGGCAATTACGCCTGCCTGCTGAGAGAGG ACCAAGGCTGGTATTGTGAGAAGCGCCGCGCAGCACCGTGT CTACCTAACGAGAAGGACTGCGAGACAAGAGGCGACCA CGTGTCTGTGATACCGCCGCTGGAATCAATGTGGCCGAG CAGAGCAAAGAGTGCAACATCAACATCAGCACCAACCAAC TATCCCTGCAAGGTGTCCACCGGCAGGCACCTATTTCTAT GGTGGCTCTGTCTCCTCTGGGAGCCCTGGTGGCTTGTATA AGGGCGTGTCTGTAGCATCGGCAGCAACAGAGTGGGCAT CATCAAGCAGCTGAACAAGGGCTGCAGCTACATCACCAAC CAGGACGCCGATAACCGTGACCATCGACAACACCGTGTATC AGCTGAGCAAGGTGGAAGGCGAACAGCACGTGATCAAGG GCAGACCTGTGTCCAGCAGCTTCGACCCTATCAAGTTCCC TGAGGATCAGTTCAGGTGGCCCTGGACCAGGTGTTCCGAG AACATCGAGAATTCCAGGCTCTGGTGGACCAGTCCAACA GAATCCTGTCTAGCGCCGAGAAGGGAAACACCGGCTTCAT CATCGTGATCATCCTGATCGCCGTGCTGGGCAGCTCCATG ATCCTGGTGTCCATCTTCATCATTATCAAGAAGACCAAGA AGCCACCGGCGCTCCTCCAGAACTGAGCGGAGTGACCAA CAATGGCTTCATCCCTCACAAC	123

TABLE 19-continued

Strain	Nucleic Acid Sequence	SEQ ID NO:
HMPV_TrimerRepulsionD454N	<p>TCGACACACCCTGCTGGATTGTGAAGGCCGCTCCTAGCTG TAGCGAGAAGAAGGGCAATTACGCCTGCCTGCTGAGAGA GGACCAAGGCTGGTATTGTGAGAACGCCGGCAGCACCGTG TACTACCCTAACGAGAAGGACTGCGAGACAAGAGGCGAC CACGTGTTCTGTGATAACGCCGCTGGAATCAATGTGGCCG AGCAGAGCAAAGAGTGCAACATCAACATCAGCACACCA ACTATCCCTGCAAGGTGTCCACCGGCAGGCACCCTATTTT TATGGTGGCTCTGTCTCCTCTGGGAGCCCTGGTGGCTTGT ATAAGGGCGTGTCTGTAGCATCGGCAGCAACAGAGTGG GCATCATCAAGCAGCTGAACAAGGGCTGCAGCTACATCAC CAACCAGGACGCCGATAACCGTGACCATCGACAACACCGTG TATCAGCTGAGCAAGGTGGAAGGCCAACAGCACGTGATC AAGGGCAGACCTGTGTCCAGCAGCTTCCACCTATCAAGT TCCCTGAGGATCAGTTCAGGTGGCCCTGGACCAGGTGTT CGAGAACATCGAGAATTCCAGGCTCTGGTGGACCAGTCC AACAGAATCCTGTCTAGCGCCGAGAAGGGAAACACCGGC TTCATCATCGTGATCATCTGATCGCCGTGCTGGGCAGCTC CATGATCCTGGTGTCCATCTTCATCATTATCAAGAAGACC AAGAAGCCACCGGCGCTCCTCCAGAAGTGAAGCGGAGTG ACCAACAATGGCTTCATCCCTCACAAC</p>	124
HMPV_TrimerRepulsionE453N	<p>ATGAGCTGGAAGGTGGTTCATCATCTTCAGCCTGCTGATCA CACCTCAGCACGGCCTGAAAGAGAGCTACCTGGAAGAGT CCTGCAGCACCATCACAGAGGGCTACCTGTCTGTGCTGAG AACCGGCTGGTACACCAACGTGTTCACTGGAAGTGGGC GACGTCGAGAATCTGACATGCTCTGATGGCCCTAGCCTGA TCAAGACCGAGCTGGATCTGACCAAGAGCGCCCTGAGAG AACTCAAGACCGTGTCTGCCGATCAGCTGGCCAGAGAGGA ACAGATCGAGAATCCTGGCAGCGGCAGCTTTGTGCTGGGA GCCATTGCTCTTGGAGTGGCTGCTGTCAGCTGTTACAG CAGGCGTGGCCATCGCTAAGACCATCAGACTGGAAAGCG AAGTGACCGCCATCAACAACGCCCTGAAGAAGACAAACG AGGCCGTCAGCACACTCGGCAATGGCGTTAGAGTGTGGC CACAGCCGTGCGCGAGCTGAAGGACTTCGTGTCCAAGAAC CTGACACGGGCCATTAACAAGAACAAGTGCACATCGAC GACCTGAAGATGGCCGTGTCTTTAGCCAGTTCAACCGGC GGTTTCGAACGTCTGTGCGGCAGTTTAGCGACAACGCCGG AATCACACCAGCCATCAGCCTGGACCTGATGACAGATGCT GAGCTGGCTAGAGCCGTGCCTAACATGCCTACATCTGCCG GCCAGATCAAGCTGATGCTCGAGAATAGAGCCATGGTCCG ACGGAAGGCTTCGGCATTCTGATGGCGTGTACGGCAGC AGCGTGATCTATATGGTGCAGCTGCCTATCTTCGGCGTGA TCGACACACCCTGCTGGATTGTGAAGGCCGCTCCTAGCTG TAGCGAGAAGAAGGGCAATTACGCCTGCCTGCTGAGAGA GGACCAAGGCTGGTATTGTGAGAACGCCGGCAGCACCGTG TACTACCCTAACGAGAAGGACTGCGAGACAAGAGGCGAC CACGTGTTCTGTGATAACGCCGCTGGAATCAATGTGGCCG AGCAGAGCAAAGAGTGCAACATCAACATCAGCACACCA ACTATCCCTGCAAGGTGTCCACCGGCAGGCACCCTATTTT TATGGTGGCTCTGTCTCCTCTGGGAGCCCTGGTGGCTTGT ATAAGGGCGTGTCTGTAGCATCGGCAGCAACAGAGTGG GCATCATCAAGCAGCTGAACAAGGGCTGCAGCTACATCAC CAACCAGGACGCCGATAACCGTGACCATCGACAACACCGTG TATCAGCTGAGCAAGGTGGAAGGCCAACAGCACGTGATC AAGGGCAGACCTGTGTCCAGCAGCTTCGACCCTATCAAGT TCCCTGAGAACCAGTTCAGGTGGCCCTGGACCAGGTGTT CGAGAACATCGAGAATTCCAGGCTCTGGTGGACCAGTCC AACAGAATCCTGTCTAGCGCCGAGAAGGGAAACACCGGC TTCATCATCGTGATCATCTGATCGCCGTGCTGGGCAGCTC CATGATCCTGGTGTCCATCTTCATCATTATCAAGAAGACC AAGAAGCCACCGGCGCTCCTCCAGAAGTGAAGCGGAGTG ACCAACAATGGCTTCATCCCTCACAAC</p>	125

TABLE 19-continued

Strain	Nucleic Acid Sequence	SEQ ID NO:
HMPV_StabilizeAlphaF196W	<p>AGGCCGTCAGCACACTCGGCAATGGCGTTAGAGTGCTGGC CACAGCCGTGCGGAGCTGAAGGACTTCGTGTCCAAGAAC CTGACACGGGCCATTAACAAGAACAAGTGCACATCGAC GACCTGAAGATGGCCGTGTCCTTAGCCAGTTCAACCGGC GGTTTCGAACTCGTGCAGCAGTTAGCGACAACGCCGG AATCACACCAGCCATCAGCCTGGACCTGATGACAGATGCT GAGCTGGCTAGAGCCGTGCCTAACATGCCTACATCTGCCG GCCAGATCAAGCTGATGCTCGAGAATAGAGCCATGGTCCG ACGGAAAGGCTTCGGCATTCTGATTGGCGTGTACGGCAGC AGCGTGATCTATATGGTGCAGCTGCCTATCTTCGGCGTGA TCGACACACCCTGCTGGATTGTGAAGCCGCTCCTAGCTG TAGCGAGAAGAAGGGCAATTACGCCTGCCTGCTGAGAGA GGACCAAGGCTGGTATTGTGAGAAGCCGGCAGCACCGTG TACTACCCTAACGAGAAGGACTGCGAGACAAGAGGCGAC CACGTGTTCTGTGATAACGCCGCTGGAATCAATGTGGCCG AGCAGAGCAAAGAGTGCAACATCAACATCAGCACACCACCA ACTATCCCTGCAAGGTGTCCACCGGCAGGCACCCTATTTT TATGGTGGCTCTGTCTCCTCTGGGAGCCCTGGTGGCTTGT ATAAGGGCGTGTCTGTAGCATCGGCAGCAACAGAGTGG GCATCATCAAGCAGCTGAACAAGGGCTGCAGCTACATCAC CAACCAGGACGCCGATAACCGTGACCATCGACAACACCGTG TATCAGCTGAGCAAGGTGGAAGGCGAACAGCACGTGATC AAGGGCAGACCTGTGTCCAGCAGCTTCGACCCATCAAGT TCCCTCAGGATCAGTTCAGGTGGCCCTGGACCAGGTGTT CGAGAACATCGAGAATTCACAGGCTCTGGTGGACCAGTCC AACAGAATCCTGTCTAGCGCCGAGAAGGGAAACACCGGC TTCATCATCGTGATCATCTGATCGCCGTGCTGGGCAGCTC CATGATCCTGGTGTCCATCTTCATCATATCAAGAAGACC AAGAAGCCACCGGCGCTCCTCCAGAAGTGAAGCGGAGTG ACCAACAATGGCTTCATCCCTCACAAC</p>	126

TABLE 19-continued

Strain	Nucleic Acid Sequence	SEQ ID NO:
Human Metapneumovirus mRNA Sequences		
HMPV_SC_DSCAV1_4MMV	<p>AUGAGCUGGAAGGUGGUCAUCAUCUUCAGCCUGCUGAU CACACCUCAGCACGGCCUGAAAGAGAGCUACCUGGAAGA GUCCUGCAGCACCACACAGAGGGCUACCUGUCUGUGCU GAGAACCGGCUGGUACACCAACGUGUUCACACUGGAAGU GGGCGACGUCGAGAAUCUGACAUGCUUGAUGGCCUAG CCUGAUCAGACCAGCUGGAUCUGACCAAGAGCGCCCU GAGAGAUCUACAGACCGUGUCUGCCGAUCAGCUGGCCAG AGAGGAACAGAUUCGAGAAUCCUGGCAGCGGCAGCUUUG UGCUGGGAGCCAUUGCUCUUGGAGUGGCUGCUGCUGCA GCUGUACAGCAGGCGUGGCCAUCUGCAAGACCAUCAGA CUGGAAAGCGAAGUGACCGCCAUCACAACGCCCUGAAG AAGACAAACGAGGCCGUCAGCACACUCGGCAAUGGCGUU AGAGUGCUGGCCUUGCCGUGCGGAGCUGAAGGACUUC GUGUCCAAGAACCUGACACGGGCCUGAACAGAACAAG UGCAGAUUCGACGACCUGAAGAUGGCCGUGUCUUUAGC CAGUUCACCGGCGGUUCUGAACGUCGUGCGGCAGUUU AGCGACAACGCGGAAUCACACCAGCCAUACAGCCUGGAC CUGAUGACAGAUUCUGAGCUGGCUAGAGCCGUGCCUAAC AUGCCUACAUUCGCGGCCAGAUCAAGCUGAUGCUCGAG AAUAGAGCCAUUGGUCGACGGAAGGCUUCGGCAUUCU GUGUGGCGUGUACGGCAGCAGCGUGAUCUAUAUGGUGC AGCUGCCUAUCUUCGGCGUGAUCGACACACCUCUGGGA UUGUGAAGGCCGCUCUAGCUGUAGCGAGAAGAAGGGC AAUACGCCUGCCUGCUGAGAGAGGACCAAGGCUGGUA UUGUCAGAACGCCCGCAGCACCGUGUACUACCUAACGA GAAGGACUGCGAGACAAGAGGCGACCACGUGUUCUGUG AUACCGCCGUGGAAUCAUUGUGGCCGAGCAGAGCAAAG AGUGCAACAUACAUCAGCACCAACCUAUCCUGCA AGGUGUCCACCGCAGGCACCCUAUUUCUAUGGUGGCUC UGUCUCCUCUGGGAGCCUGGUGGCUGUUUAUAGGGC GUGUCCUGUAGCAUCGGCAGCAACAGAGUGGGCAUCAUC AAGCAGCUGAACAAAGGGCUGCAGCUACAUCACCAACCAG GACGCCGAUACCGUGACCAUCGACAAACCCGUGUAUCAG CUGAGCAAGGUGGAAGGCGAACAGCACGUGAUCAGGG CAGACCUGUGUCCAGCAGCUUCGACCUAUCAAGUUCUCC UGAGGAUCAGUUAACGUGGCCUGGACCAGGUGUUCG AGAACAUCGAGAAUUCAGGCUCUGGUGGACCAGUCCA ACAGAAUCUGUCUAGCGCCGAGAAGGAAACACCGGCU UCAUCAUCGUGAUCUUCUGAUCGCCGUGCUGGGCAGCU CCAUGAUCUGGUGUCCAUCUUAUCAUUAUCAAGAAGA CCAAGAAGCCCACCGGCUCUCCAGAACUGAGCGGAG UGACCAACAAUGGCUUCAUCCUCACAAC</p>	127
HMPV_SC_DSURIC_4MMV	<p>AUGAGCUGGAAGGUGGUCAUCAUCUUCAGCCUGCUGAU CACACCUCAGCACGGCCUGAAAGAGAGCUACCUGGAAGA GUCCUGCAGCACCACACAGAGGGCUACCUGUCUGUGCU GAGAACCGGCUGGUACACCAACGUGUUCACACUGGAAGU GGGCGACGUCGAGAAUCUGACAUGCUUGAUGGCCUAG CCUGAUCAGACCAGCUGGAUCUGACCAAGAGCGCCCU GAGAGAUCUACAGACCGUGUCUGCCGAUCAGCUGGCCAG AGAGGAACAGAUUCGAGAAUCCUGGCAGCGGCAGCUUUG UGCUGGGAGCCAUUGCUCUUGGAGUGGCUGCUGCUGCA GCUGUACAGCAGGCGUGGCCAUCUGCAAGACCAUCAGA CUGGAAAGCGAAGUGACCGCCAUCACAACGCCCUGAAG AAGACAAACGAGGCCGUCAGCACACUCGGCAAUGGCGUU AGAGUGCUGGCCACAGCCGUGCGGAGCUGAAGGACUUC GUGUCCAAGAACCUGACACGGGCCAUUAACAAGAACAAG UGCAGAUUCGACGACCUGAAGAUGGCCGUGUCUUUAGC CAGUUCACCGGCGGUUCUGAACGUCGUGCGGCAGUUU AGCGACAACGCGGAAUCACACCAGCCAUACAGCCUGGAC CUGAUGACAGAUUCUGAGCUGGCUAGAGCCGUGCCUAAC AUGCCUACAUUCGCGGCCAGAUCAAGCUGAUGCUCGAG AAUAGAGCCAUUGGUCGACGGAAGGCUUCGGCAUUCU GUGUGGCGUGUACGGCAGCAGCGUGAUCUAUAUGGUGC AGCUGCCUAUCUUCGGCGUGAUCGACACACCUCUGGGA UUGUGAAGGCCGCUCUAGCUGUAGCGAGAAGAAGGGC AAUACGCCUGCCUGCUGAGAGAGGACCAAGGCUGGUA UUGUCAGAACGCCCGCAGCACCGUGUACUACCUAACGA GAAGGACUGCGAGACAAGAGGCGACCACGUGUUCUGUG AUACCGCCGUGGAAUCAUUGUGGCCGAGCAGAGCAAAG AGUGCAACAUACAUCAGCACCAACCUAUCCUGCA AGGUGUCCACCGCAGGCACCCUAUUUCUAUGGUGGCUC</p>	128

TABLE 19-continued

Strain	Nucleic Acid Sequence	SEQ ID NO:
HMPV_SC_DM_Krarup_U74LD185P	UGUCUCCUCUGGGAGCCUGGUGGCUUGUUUAAGGGC GUGUCCUGUAGCAUCGGCAGCAACAGAGUGGGCAUCAUC AAGCAGCUGAACAAAGGGCUGCAGCUACAUCACCAACCAG GACGCCGAUACCGUGACCAUCGACAACACCGUGUAUCAG CUGAGCAAGGUGGAAGGCGAACAGCACGUGAUCAAGGG CAGACCUGUGUCCAGCAGCUUCGACCUAUCAAGUUC UGAGCACCAGUGGCAUGUGGCCUGGACCAGGUGUUCGA GAACAUCCGAGAAUUCACAGGCUCUGGUGGACCAGUCCAA CAGAAUCCUGUCUAGCGCCGAGAAGGAAACACCGGCUU CAUCAUCGUGAUCAUCCUGAUCGCGGUGCUGGGCAGCUC CAUGAUCUGGUGUCCAUUUCAUCAUUAUCAAGAAGAC CAAGAAGCCACCGGCGCUCUCCAGAACUGAGCGGAGU GACCAACAAUGGCUUCAUCCUCACAAC	129
HMPV_SC_UM_Krarup_U74LD185PD454N	AUGAGCUGGAAGGUGGUCAUCAUCUUCAGCCUGCUGAU CACACCUCAGCACGGCCUGAAAGAGAGCUACCUGGAAGA GUCCUGCAGCACCACACAGAGGGCUACCUGUCUGUGCU GAGAACCGGCUGGUACACCAACGUGUUCACACUGGAAGU GGGCGACGUCGAGAAUCUGACAUGCUUGAUGGCCUAG CCUGAUCAAGACCGAGCUGGAUCUGCUAAGAGCGCCU GAGAGAACUCAAGACCGUGUCUGCCGAUCAGCUGGCCAG AGAGGAACAGAUCCGAGAAUCCUGGACGGCAGCUUUG UGCGGGAGCCAUUGCUUUGGAGUGGCUUGCUGCUGCA GCUGUACAGCAGGCGUGGCCAUCGCUAAGACCAUCAGA CUGGAAAGCGAAGUGACCGCCAUACAACGCCUGAAG AAGACAAACGAGGCCGUCAGCACACUCGGCAAUGGCGUU AGAGUGCUGGCCACAGCCGUGCGCGAGCUGAAGGACUUC GUGUCCAAGAACCGACACGGGCCAUUAACAAGAACAAG UGCGACAUCCUGACCUGAAGAUGGCCGUGUCCUUUAGC CAGUUAACCGGCGGUUUCUGAACGUCGUGCGGCAGUUU AGCGACAACCGGAAUCACACCAGCCAUACAGCCUGGAC	130

TABLE 19-continued

Strain	Nucleic Acid Sequence	SEQ ID NO:
	CUGAUGACAGAUGCUGAGCUGGCUAGAGCCGUGCCUAAC AUGCCUACAUCUGCCGGCCAGAUAAGCUGAUGCUCGAG AAUAGAGCCAUGGUCGACGGAAAGGCUUCGGCAUUCU GAUUGGCGUGUACGGCAGCAGCGUGAUCUAUAUGGUGC AGCUGCCUAUCUUCGGCGUGAUCGACACACCUCUGGGA UUGUGAAGGCCGCUCUAGCUGUAGCGAGAAGAAGGGC AAUACGCCUGCCUGCUGAGAGAGGACCAAGGCUGGUA UUGUCAGAACGCCGGCAGCACCGUGUACUACCCUAACGA GAAGGACUGCGAGACAAGAGGGCACCACGUGUUCUGUG AUACCGCCGUGGAAUCAUUGUGGCCGAGCAGAGCAAAG AGUGCAACAUCAACAUCAGCACCAACCUAUCUCCUGCA AGGUGUCCACCGGCAGGCACCCUAUUUCUAUGGUGGCUC UGUCUCUCUGGGAGCCUGGUGGCUUGUUAUAAGGGC GUGUCCUGUAGCAUCGGCAGCAACAGAGUGGGCAUCAUC AAGCAGCUGAACAAAGGGCUGCAGCUACAUCACCAACCAG GACGCCGAUACCGUGACCAUCGACAAACCCGUGUAUCAG CUGAGCAAGGUGGAAGGCGAACAGCACGUGAUCAGGG CAGACCUGUGUCCAGCAGCUUCGACCUAUCAAGUUCUCC UGAGAACCAGUUC CAGGUGGCCUGGAC CAGGUGUUCGA GAACAU CGAGAAUUC CAGGCUCUGGUGGACCAGUCCAA CAGAAUCCUGUCUAGCGCCGAGAAGGAAACACCGGCUU CAUCAUCGUGAUCAUCCUGAUCGCGGUGCUGGGCAGCUC CAUGAUCCUGGUGUCCAUUCUAUCAUUAUCAAGAAGAC CAAGAAGCCACCGGCGUCCUCCAGAACUGAGCGGAGU GACCAACAAUGGCUUCAUCCUCACAAC	
HMPV_SC_4M_Krarup_U74LS170LD185P	AUGAGCUGGAAGGUGGUCAUCAUCUUCAGCCUGCUGAU CACACCUCAGCACGGCCUGAAAGAGAGCUACCUGGAAGA GUCCUGCAGCACC AUACAGAGGGCUACCUGUCUGUGCU GAGAACCGGCUGGUACACCAACGUGUUCACACUGGAAGU GGGCGACGUCGAGAAUCUGACAUGCUCUGAUGGCCUAG CCUGAUC AAGACCGAGCUGGAUCUGCUCAAGAGCGCCU GAGAGAACUCAAGACCGUGUCUGCCGAUCAGCUGGCCAG AGAGGAACAGAU CGAGAAUCCUGGCAGCGGCAGCUUUG UGCUGGGAGCCAUUGCUUUGGAGUGGCUGCUGCUGCA GCUGUACAGCAGGCGUGGCCAUCGCUAAGACCAUCAGA CUGGAAAGCGAAGUGACCGCCAUACAACGCCUUGAAG AAGACAAACGAGGCCGUCAGCACACUCGGCAUUGGCGUU AGAGUGCUGGCCACAGCCGUGCGCGAGCUGAAGGACUUC GUGCUUAAGAACCUGACACGGGCCAUUAACAAGAACA GUGCGACAUCCUGACCUGAAGAUGGCCGUGUCCUUAG CCAGUUC AACC GGCGUUUCUGAACGUCGUGCGGCAGUU UAGCGACAACGCCGGAUACACCCAGCCAU CAGCUGGA CCUGAUGACAGAU CUGAGCUGGCUGAGCCGUGCCUAA CAUGCCUACAUCUGCCGGCCAGAUCAAGCUGAUGCUCGA GAAUAGAGCCAUGGUCGACGGAAAGGCUUCGGCAUUC UGAUUGGCGUGUACGGCAGCAGCGUGAUCUAUAUGGUG CAGCUGCCUAUCUUCGGCGUGAUCGACACACCUCUGCUGG AUUGUGAAGGCCGCUCCUAGCUGUAGCGAGAAGAAGGG CAUUAACGCCUGCCUGCUGAGAGAGGACCAAGGCUGGUA UUGUCAGAACGCCGGCAGCACCGUGUACUACCCUAACGA GAAGGACUGCGAGACAAGAGGGCACCACGUGUUCUGUG AUACCGCCGUGGAAUCAUUGUGGCCGAGCAGAGCAAAG AGUGCAACAUCAACAUCAGCACCAACCUAUCUCCUGCA AGGUGUCCACCGGCAGGCACCCUAUUUCUAUGGUGGCUC UGUCUCUCUGGGAGCCUGGUGGCUUGUUAUAAGGGC GUGUCCUGUAGCAUCGGCAGCAACAGAGUGGGCAUCAUC AAGCAGCUGAACAAAGGGCUGCAGCUACAUCACCAACCAG GACGCCGAUACCGUGACCAUCGACAAACCCGUGUAUCAG CUGAGCAAGGUGGAAGGCGAACAGCACGUGAUCAGGG CAGACCUGUGUCCAGCAGCUUCGACCUAUCAAGUUCUCC UGAGGAUCAGUUC CAGGUGGCCUGGAC CAGGUGUUCG AGAACAU CGAGAAUUC CAGGCUCUGGUGGACCAGUCCA ACAGAAUCCUGUCUAGCGCCGAGAAGGAAACACCGGCU UCAUCAUCGUGAUCAUUCUGAUCGCGGUGCUGGGCAGCU CCAUGAUCCUGGUGUCCAUUCUAUCAUUAUCAAGAAGA CCAAGAAGCCACCGGCGUCCUCCAGAACUGAGCGGAG UGACCAACAAUGGCUUCAUCCUCACAAC	131
HMPV_SC_5M_Krarup_U74LS170LD185PD454N	AUGAGCUGGAAGGUGGUCAUCAUCUUCAGCCUGCUGAU CACACCUCAGCACGGCCUGAAAGAGAGCUACCUGGAAGA GUCCUGCAGCACC AUACAGAGGGCUACCUGUCUGUGCU GAGAACCGGCUGGUACACCAACGUGUUCACACUGGAAGU GGGCGACGUCGAGAAUCUGACAUGCUCUGAUGGCCUAG	132

TABLE 19-continued

Strain	Nucleic Acid Sequence	SEQ ID NO:
HMPV_SC_DM_Krarup_E51PU74L	<p>CCUGAUC AAGACCGAGCUGGAUCUGUCU AAGAGCGCCU GAGAGA ACUCAAGACCGUGUCUGCCGAUCAGCUGGCCAG AGAGGA ACAGAU CGAGAAUCCUGGCAGCGGCAGCUUUG UGCUGG GAGCCAUUGUCUUGGAGUGGCUGCUGCUGCA GCUGUU ACAGCAGGCGUGGCCAUCGCUAAGACCAUCAGA CUGGAA AGCGAAGUGACCGCCAUCAACAACGCCUGAAG AAGACA AACGAGGCCGUCAGCACACUCGGCAAUGGCGUU AGAGUG CUGGCCACAGCCGUGCGGAGCUGAAGGACUUC GUGUCU AAGAACCUGACACGGGCCAUUAACAAGAACA GUGCGA CAUCCUGACCUGAAGAUGGCCGUGUCUUUAG CCAGUU CAACCGGCGUUUCUGAACGUCGUGCGGCAGUU UAGCGA CAACCGCGAAUCACACCAGCCAUCAGCUGGA CCUGAU GACAGAUGCUGAGCUGGCUGAGCCGUGCCUAA CAUGCC UACAUCUGCCGGCCAGAUCAAGCUGAUGCUCGA GAAUAG AGCCAUGGUCCGACGGAAGGCUUCGGCAUUC UGAUUG GCUGUACGGCAGCAGCGUGAUCUAUAUGGUG CAGCUG CCUAUCUUCGGCGUGAUCGACACACCCUGCUGG AUUGUG AAGGCCGUCUAGCUGUAGCGAGAAGAAGGG CAAUUA CGCCUGCCUGCUGAGAGAGGACCAAGGCUGGUA UUUGUC AGAACGCCCGGCGAGCACCGUGUACUCCUAACGA GAAGGA CUGCGAGACAAGAGGCGACCAGUGUUCUGUG AUACCG CCGCUGGAAUCAUGUGGCCGAGCAGAGCAAAG AGUGCA ACAUCAACAUCAGCACCAACCUAUCUCCUGCA AGGUGU CCACCGGCAGGCACCCUAUUUCUAUGGUGGCUC UGUCUC CUCUGGGAGCCUGGUGGCUUGUUAUAAGGGC GUGUCC UGUAGCAUCGGCAGCAACAGAGUGGGCAUCAUC AAGCAG CUGAAACAGGGCUGCAGCUACAUCACCAACCAG GACGCC GAUACCGUGACCAUCGACAACACCGUGUAUCAG CUGAGC AAGGUGGAAGGCGAACAGCACGUGAUC AAGGG CAGACC UGUGUCCAGCAGCUUCGACCUAUCAAGUUCUCC UGAGA ACCAGUUC CAGGUGGCCUGGAC CAGGUGUUCGA GAACAU CGAGAAUUC CAGGCUCUGGUGGACCAGUCCAA CAGAAU CCUGUCUAGCGCCGAGAAGGAAACACCGGCUU CAUCAU CGUGAUCAUCCUGAUCGCGUGCUGGGCAGCUC CAUGAU CCUGGUGUCAUCUUCAUCAUAUCAAGAAGAC CAAGA AGCCACCGGCGUCUCCAGAACUGAGCGGAGU GACCA ACAAUUGGCUUCAUCCUCACAAC</p> <p>AUGAGC UGGAAGGUGGUCAUCAUCUUCAGCCUGCUGAU CACACC UCAGCACGGCCUGAAAGAGAGCUACCUGGAAGA GUCCUG CAGCACCAUCACAGAGGGCUACUGUCUGUGCU GAGAAC CCGCUGGUACACCAACGUGUUCACACUGCCUGU GGGCGA CGUCGAGAAUCUGACAUGCUCUGAUGGCCUAG CCUGAU CAAGACCGAGCUGGAUCUGCUAAGAGCGCCU GAGAGA ACUCAAGACCGUGUCUGCCGAUCAGCUGGCCAG AGAGGA ACAGAU CGAGAAUCCUGGCAGCGGCAGCUUUG UGCUGG GAGCCAUUGUCUUGGAGUGGCUGCUGCUGCA GCUGUU ACAGCAGGCGUGGCCAUCGCUAAGACCAUCAGA CUGGAA AGCGAAGUGACCGCCAUCAACAACGCCUGAAG AAGACA AACGAGGCCGUCAGCACACUCGGCAAUGGCGUU AGAGUG CUGGCCACAGCCGUGCGGAGCUGAAGGACUUC GUGUCU AAGAACCUGACACGGGCCAUUAACAAGAACAAG UGCAGC AUCCGACCGAUGAAGAUGGCCGUGUCUUUAGC CAGUUC AACCGGCGUUUCUGAACGUCGUGCGGCAGUUU AGCGAC AACCGCGAAUCACACCAGCCAUCAGCCUGGAC CUGAUG ACAGAUGCUGAGCUGGCUGAGCCGUGCUAAC AUGCCU ACAUCUGCCGGCCAGAUCAAGCUGAUGCUCGAG AAUAGG ACCAUGGUCCGACGGAAGGCUUCGGCAUUCU GAUUGG CGUGUACGGCAGCAGCGUGAUCUAUAUGGUGC AGCUGC CUAUUCUGGCGUGAUCGACACACCCUGCUGGA UUUGUA AGGCCGUCUAGCUGUAGCGAGAAGAAGGGC AAUUAC GCUGCCUGCUGAGAGAGGACCAAGGCUGGUA UUUGUC AGAACGCCCGGCGAGCACCGUGUACUCCUAACGA GAAGGA CUGCGAGACAAGAGGCGACCAGUGUUCUGUG AUACCG CCGCUGGAAUCAUGUGGCCGAGCAGAGCAAAG AGUGCA ACAUCAACAUCAGCACCAACCUAUCUCCUGCA AGGUGU CCACCGGCAGGCACCCUAUUUCUAUGGUGGCUC UGUCUC CUCUGGGAGCCUGGUGGCUUGUUAUAAGGGC GUGUCC UGUAGCAUCGGCAGCAACAGAGUGGGCAUCAUC AAGCAG CUGAAACAGGGCUGCAGCUACAUCACCAACCAG GACGCC GAUACCGUGACCAUCGACAACACCGUGUAUCAG CUGAGC AAGGUGGAAGGCGAACAGCACGUGAUC AAGGG CAGACC UGUGUCCAGCAGCUUCGACCUAUCAAGUUCUCC UGAGGA UCAGUUC CAGGUGGCCUGGACCAGGUGUUCG</p>	133

TABLE 19-continued

Strain	Nucleic Acid Sequence	SEQ ID NO:
HMPV_SC_UM_Krarup_E51PU74LD454N	AGAACAU CGAGAAUCCAGGCUCUGGUGGACCAGUCCA ACAGAAUCCUGUCUAGCGCCGAGAAGGAAACACCGGCU UCAUCAUCGUGAUCAUCUGAUCGCCGUGCUGGGCAGCU CCAUGAUCCUGGUGUCCAUCUUAUCAUUAUCAAGAAGA CCAAGAAGCCACCGGCGCUCUCCAGAACUGAGCGGAG UGACCAACAAUGGCUUCAUCCUCACAAC	134
HMPV_SC_SUabilizeAlpha_U74L	AUGAGCUGGAAGGUGGUCAUCAUCUUCAGCCUGCUGAU CACACCUCAGCACGGCCUGAAAGAGAGCUACCUGGAAGA GUCCUGCAGCACCACAGAGGGCUACCUGUCUGUGCU GAGAACCGGCUUGUACACCAACGUGUUCACACUGGAAGU GGGCGACGUCGAGAAUCUGACAUGCUUGAUGGCCCUAG CCUGAUC AAGACCGAGCUGGAUCUGCUAAGAGCGCCU GAGAGAUCU AAGACCGUGUCUGCCGAUCAGCUGGCCAG AGAGGAACAGAU CGAGAAUCCUGGCAGCGGCAGCUUUG UGCUGGGAGCCAUUGCUUUGGAGUGGCUGCUGCUGCA GCUGUUCAGCAGGCGUGGCAUCGCUAAGACCAUCAGA CUGGAAAGCGAAGUGACCGCAUCAACAACGCCUGAAG AAGACAAACGAGGCGGUCAGCACACUCGGCAAUGGCGUU AGAGUGCUGGCCACAGCCGUGCGGAGCUGAAGGACUUC GUGUCCAAGAACCUGACACGGGCCAUUAACAAGAACAAG UGCGACAU CGACGACCUGAAGAUGGCUGUGUCUUUAGC CAGUUC AACCGGCGGUUCUGAACGUCGUGCGGCAGUUU AGCGACAACGCGGAAUCACACCAGCCAUCAGCCUGGAC CUGAUGACAGAU CGAGCUGGCUAGAGCCGUGCCUAAC AUGCCUACAUUCGCGGCCAGAUCAAGCUGAUGCUCGAG AAUAGAGCCAUGGUCGACGGAAGGCUUCGGCAUUCU GAUUGGCGUGUACGGCAGCAGCGUGAUCUAUAUGGUGC AGCUGCCUAUCUUCGGCGUGAUCGACACACCUCUGGGA UUGUGAAGGCCGUCUAGCUGUAGCGAGAAGAAGGGC AAUUCAGCCUGCCUGCUGAGAGAGGACCAAGGCUGGUA	135

TABLE 19-continued

Strain	Nucleic Acid Sequence	SEQ ID NO:
HMPV_SC_SUabilizeAlpha_V55L	<p>UUGUCAGAACGCCGGCAGCACCGUGUACUACCCUAACGA GAAGGACUGCGAGACAAGAGGGCACCACGUGUUCUGUG AUACCGCCGUGGAAUCAUGUGGCCGAGCAGAGCAAAG AGUGCAACAACAUCAGCACCCACCAUAUCCUGCA AGGUGUCCACCGGCAGGCACCCUAUUUCUAUGGUGGCUC UGUCUCUCUGGGAGCCUGGUGGCUGUUUAUAGGGC GUGUCCUGUAGCAUCGGCAGCAACAGAGUGGGCAUCAUC AAGCAGCUGAACAAAGGGCUGCAGCUACAUCACCAACCAG GACGCCGAUACCGUGACCAUCGACAAACCCGUGUAUCAG CUGAGCAAGGUGGAAGGCGAACAGCACGUGAUCAAGGG CAGACCUGUGUCCAGCAGCUUCGACCUAUCAAGUUC UGAGGAUCAGUUCAGGUGGCCUGGACCAGGUGUUCG AGAACAUCGAGAAUCCAGGCUCUGGUGGACCAGUCCA ACAGAAUCUGUCUAGCGCCGAGAAGGGAAACACCGGCU UCAUCAUCGUGAUCAUCUGAUCGCCGUGCUGGGCAGCU CCAUGAUCUGGUGUCCAUCUUAUCAUUAUCAAGAAGA CCAAGAAGCCACCGGCUCUCUCAGAACUGAGCGGAG UGACCAACAAGGCUUCAUCCUCACAAC</p>	136
HMPV_SC_SUabilizeAlpha_S170L	<p>AUGAGCUGGAAGGUGGUCAUCAUCUUCAGCCUGCUGAU CACACCUCAGCACGGCCUGAAAGAGAGCUACCCUGGAAGA GUCCUGCAGCACCAUCACAGAGGGCUACCCUGUCUGUGCU GAGAACCGGCUGGUACACCAACGUGUUCACACUGGAAGU GGGCAGCUGCAGAAUCUGACAUGCUUGAUGGCCCUAG CCUGAUCAGACCGAGCUGGAUCUGACCAAGAGCGCCCU GAGAGAACUCAAGACCGUGUCUGCCGAUCAGCUGGCCAG AGAGGAACAGAUCCAGAAUCCUGGCAGCGGCAGCUUUG UGCUGGGAGCCAUUGCUUUGGAGUGGCUGCUGCUGCA GCUGUACAGCAGGCGUGGCCAUCGCUAAGACCAUCAGA CUGGAAAGCGAAGUGACCGCAUCAACAACGCCUGAAG AAGACAAACGAGGCCGUCAGCACACUCGGCAAUGGCGUU</p>	137

TABLE 19-continued

Strain	Nucleic Acid Sequence	SEQ ID NO:
HMPV_SC_SUabilizeAlpha_U174W	<p>AGAGUGCUGGCCACAGCCGUGCGGAGCUGAAGGACUUC GUGC UUAAGAACCUGACACGGGCCAUUAACAAGAACA GUGCGACAUCGACGACCUGAAGAUGGCCGUGUCCUUUAG CCAGUUC AACCGGCGUUUCUGAACGUCGUGCGGCAGUU UAGCGACAACGCCGGAUACACACCAGCCAU CAGCCUGGA CCUGAUGACAGAUGCUGAGCUGGCUAGAGCCGUGCCUAA CAUGCCUACAUCUGCCGGCCAGAUCAAGCUGAUGCUCGA GAUAGAGCCAUGGUCCGACGGAAGGCUUCGGCAUUC UGAUUGGCCUGUACGGCAGCAGCGUGAUCUAUAUGGUG CAGCUGCCUAUCUUCGGCGUGAUCGACACACCUGCUGG AUUGUGAAGGCCGCUCCUAGCUGUAGCGAGAAGAAGGG CAAUUACGCCUGCCUGCUGAGAGAGGACCAAGGCUUGUA UUGUCAGAACGCCGGCAGCACCGUGUACUACCUAACGA GAAGGACUGCGAGACAAGAGGGGACCCAGUGUUCUGUG AUACCGCCGUGGAAUCAUUGUGGCCGAGCAGAGCAAAG AGUGCAACAUACAUCAGCACCACCAUAUCCUGCA AGGUGUCCACCGGCAGGCACCCUAUUUCUAUGGUGGCUC UGUCUCCUCUGGGAGCCUGGUGGCUGUUAUAAGGGC GUGUCCUGUAGCAUCGGCAGCAACAGAGUGGGCAUCAUC AAGCAGCUGAACAGGGCUGCAGCUACAUCACCAACCAG GACGCCGAUACCGUGACCAUCGACAAACCGUGUAUCAG CUGAGCAAGGUGGAAGGCGAACAGCACGUGAUC AAGGG CAGACCUGUGUCCAGCAGCUUCGACCUAUCAAGUUC C UGAGGAUCAGUUC CAGGUGGCCUGGACCAGGUGUUCG AGAACAUCGAGAAUCCAGGCUCUGGUGGACCAGUCCA ACAGAAUCUGUCUAGCGCCGAGAAGGGAAACACCGGCU UCAUCAUCGUGAUCAUUCUGAUCGCCGUGCUGGGCAGCU CCAUGAUCUGGUGUCCAUCUUAUCAUUAUCAAGAAGA CCAAGAAGCCACCGGCGCUCUCCAGAACUGAGCGGAG UGACCAACAUGGCUUCAUCCUCACAAC</p>	138

TABLE 19-continued

Strain	Nucleic Acid Sequence	SEQ ID NO:
HMPV_SC_4M_SUabilizeAlpha_V55LU74LS170LU174W	<p>AUGAGCUGGAAGGUGGUCAUCAUCUUCAGCCUGCUGAU CACACCUCAGCACGGCCUGAAAGAGAGCUACCUGGAAGA GUCCUGCAGCACCAUCACAGAGGGCUACCUGUCUGUGCU GAGAACCGGCUGGUACACCAACGUGUUCACACUGGAAGU GGGCAGCCUCGAGAAUCUGACAUGCUUGAUGGCCCUAG CCUGAUC AAGACCGAGCUGGAUCUGCUAAGAGCGCCCU GAGAGAUC AAGACCGUGUCUGCCGUAUCAGCUGGCCAG AGAGGAACAGAUUCGAGAAUCCUGGCAGCGGCAGCUUUG UGCUGGGAGCCAUUGCUUUGGAGUGGCUGCUGCUGCA GCUGUACAGCAGGCGUGGCCAUCGCUAAGACCAUCAGA CUGGAAAGCGAAGUGACCGCCAUCAACAACGCCUGAAG AAGACAAACGAGGCCGUCAGCACACUCGGCAAUGGCGUU AGAGUGCUGGCCACAGCCGUGCGGAGCUGAAGGACUUC GUGCUAAGAACCUGUGGGGGCCAUUAACAAGAACA GUGCGACAUCGACGACCUGAAGAUGGCCGUGUCCUUAG CCAGUUC AACC GGCGUUUCUGAACGUCGUGCGGCAGUU UAGCGACAACGCCGGAUUCACACCAGCCAUAGCCUGGA CCUGAUGACAGAUUCGAGCUGGCCUAGAGCCGUGCCUAA CAUGCCUACAUCUGCCGGCCAGAUCAAGCUGAUGCUCGA GAUAGAGCCAUGGUCCGACGGAAGGCUUCGGCAUUC UGAUUGGCUGUACGGCAGCAGCGUGAUCUAUAUGGUG CAGCUGCCUAUCUUCGGCGUGAUCGACACACCCUGCUGG AUUGUGAAGGCCGCUCCUAGCUGUAGCGAGAAGAAGGG CAAUUACGCCUGCCUGCUGAGAGAGGACCAAGGCUGGUA UUGUCAGAACGCCGGCAGCACCGUGUACUACCUAACGA GAAGGACUGCGAGACAAGAGGGGACCCAGUUCUGUG AUACCGCCGUGGAAUCAUUGUGGCCGAGCAGAGCAAAG AGUGCAACAUACAUCAGCACCAACCUAUCUCCUGCA AGGUGUCCACCGGCAGGCACCCUAUUUCUAUGGUGGCUC UGUCUCUCUGGGAGCCUGGUGGCUUGUUAUAAGGGC GUGUCCUGUAGCAUCGGCAGCAACAGAGUGGGCAUCAUC AAGCAGCUGAACAGGGCUGCAGCUACAUCACCAACCAG GACGCCGAUACCGUGACCAUCGACACACCGUGUAUCAG CUGAGCAAGGUGGAAGGCGAACAGCACGUGAUC AAGGG CAGACCUGUUCAGCAGCUUCGACCUAUCAAGUUCUCC UGAGGAUCAGUUC CAGGUGGCCUGGAC CAGGUGUUCG AGAACAUCGAGAAUUC CAGGCUCUGGUGGAC CAGUCCA ACAGAAUCUGUCUAGCGCCGAGAAGGGAACACCGGCU UCAUCAUCGUGAUCAUUCUGAUCGCCGUGCUGGGCAGCU CCAUGAUC CUGGUGCCAUCUUAUCAUAUCAAGAAGA CCAAGAAGCCACCGGCUCUCC CAGAUCUGAGCGGAG UGACCAACAAGGCUUCAUCCUCACAAC</p>	139
HMPV_ProlineSUab_E51P	<p>AUGAGCUGGAAGGUGGUCAUCAUCUUCAGCCUGCUGAU CACACCUCAGCACGGCCUGAAAGAGAGCUACCUGGAAGA GUCCUGCAGCACCAUCACAGAGGGCUACCUGUCUGUGCU GAGAACCGGCUGGUACACCAACGUGUUCACACUGCCUGU GGGCAGCGUCGAGAAUCUGACAUGCUUGAUGGCCCUAG CCUGAUC AAGACCGAGCUGGAUCUGACCAAGAGCGCCCU GAGAGAUC AAGACCGUGUCUGCCGUAUCAGCUGGCCAG AGAGGAACAGAUUCGAGAAUCCUGGCAGCGGCAGCUUUG UGCUGGGAGCCAUUGCUUUGGAGUGGCUGCUGCUGCA GCUGUACAGCAGGCGUGGCCAUCGCUAAGACCAUCAGA CUGGAAAGCGAAGUGACCGCCAUCAACAACGCCUGAAG AAGACAAACGAGGCCGUCAGCACACUCGGCAAUGGCGUU AGAGUGCUGGCCACAGCCGUGCGGAGCUGAAGGACUUC GUGUCCAAGAACCUGACACGGGCCAUUAACAAGAACAAG UGCGACAUCGACGACCUGAAGAUGGCCGUGUCCUUAGC CAGUUAACCGCGGUUCUGAACGUCGUGCGGCAGUUU AGCGACAACCGCGGAUUCACACCAGCCAUCAGCCUGGAC CUGAUGACAGAUUCGAGCUGGCCUAGAGCCGUGCUAAC AUGCCUACAUCUGCCGGCCAGAUCAAGCUGAUGCUCGAG AAUAGAGCCAUGGUCCGACGGAAGGCUUCGGCAUUCU GAUUGGCGUGUACGGCAGCAGCGUGAUCUAUAUGGUGC AGCUGCCUAUCUUCGGCGUGAUCGACACACCCUGCUGGA UUGUGAAGGCCGUCUAGCUGUAGCGAGAAGAAGGGC AAUACGCCUGCCUGCUGAGAGAGGACCAAGGCUGGUA UUGUCAGAACGCCGGCAGCACCGUGUACUACCUAACGA GAAGGACUGCGAGACAAGAGGGGACCCAGUUCUGUG AUACCGCCGUGGAAUCAUUGUGGCCGAGCAGAGCAAAG AGUGCAACAUACAUCAGCACCAACCUAUCUCCUGCA AGGUGUCCACCGGCAGGCACCCUAUUUCUAUGGUGGCUC UGUCUCUCUGGGAGCCUGGUGGCUUGUUAUAAGGGC GUGUCCUGUAGCAUCGGCAGCAACAGAGUGGGCAUCAUC</p>	140

TABLE 19-continued

Strain	Nucleic Acid Sequence	SEQ ID NO:
HMPV_ProlineSUab_D185P	<p>AAGCAGCUGAACAAAGGGCUGCAGCUACAUCACCAACCAG GACGCCGAUACCGUGACCAUCGACAACACCGUGUAUCAG CUGAGCAAGGUGGAAGGCGAACAGCACGUGAUC AAGGG CAGACCUGUGUCCAGCAGCUUCGACCCUAUCAAGUUC UGAGGAUCAGUUC CAGGUGGCCUGGACCAGGUGUUCG AGAACAUCGAGAAUCC CAGGCUCUGGUGGACCAGUCCA ACAGAAUCUGUCUAGCGCCGAGAAGGAAACACCGGCU UCAUCAUCGUGAUC AUCUGAUCGCCGUGCUGGGCAGCU CCAUGAUC CUGGUGUCCAUCUUAUCAUAAGAAGA CCAAGAAGCCCACCGGCUCUC CAGAACUGAGCGGAG UGACCAACAAUGGCUUCAUCCUCACAAC</p>	141
HMPV_ProlineSUab_D183P	<p>AUGAGCUGGAAGGUGGUCAUCAUCUUCAGCCUGCUGAU CACACCUCAGCACGGCCUGAAAGAGAGCUACCUGGAAGA GUCCUGCAGCACCAUCACAGAGGGCUAC CUGUCUGUGCU GAGAACCGGCUGGUACACCAACGUGUUCACACUGGAAGU GGGCGACGUCGAGAAUCUGACAUGCUCUGAUGGCCCUAG CCUGAUC AAGACCAGCUGGAUCUGACCAAGAGCGCCCU GAGAGAUCUCAAGACCUGUCUGCCGAUCAGCUGGCCAG AGAGGAACAGAUCCGAGAAUCCUGGCAGCGGCAGCUUUG UGCUGGGAGCCAUUGCUCUUGGAGUGGCUCUGCUGCA GCUGUUAACAGCAGGCGUGGCCAUCGCUAAGACCAUCAGA CUGGAAAGCGAAGUGACCGCCAUCAACAACGCCUGAAG AAGACAAACGAGGCCGUCAGCACACUCGGCAAUGGCGUU AGAGUCUGGCCACAGCCGUGCGGAGCUGAAGGACUUC GUGUCCAAGAACCUGACACGGGCCAUUAACAAGAACAAG UGCCCUAUCGACGAC CUGAAGAUGGCCGUGUCUUUAGC CAGUUAACCGGCGGUUUCUGAACGUCGUGCGGCAGUUU AGCGACAACGCCGGAUACACACCAGCCAUCAGCCUGGAC CUGAUGACAGAUCCUGAGCUGGCUAGAGCCGUGCUAAC AUGCCUACAUCUGCCGGCCAGAUCAAGCUGAUGCUCGAG AAUAGAGCCAUGGUCGACGGAAGGCUUCGGCAUUCU GAUUGGCGUGUACGGCAGCAGCGUGAUCUAUAUGGUGC AGCUGCCUAUCUUCGGCGUGAUCGACACACCUCUGGGA UUGUGAAGGCCGUCUCUAGCUGUAGCGAGAAGAAGGGC AAUUAACGCCUGCCUGCUGAGAGAGGACCAAGGCUGGUA UUGUCAGAACGCCCGGCAGCACCGUGUACUACCUAACGA GAAGGACUGCGAGACAAGAGGCGACCAGUGUUCUGUG AUACCGCCGUCUGGAUCAAUGUGGCCGAGCAGAGCAAAG AGUGCAACAUCAACAUCAGCACCAACCUAUCUCUGCA AGGUGUCCACCGGCAGGCACCCUAUUUCUAUGGUGGCUC UGUCUCUCUGGGAGCCUGGUGGCUCUUAUAAGGGC GUGUCCUGUAGCAUCGGCAGCAACAGAGUGGGCAUCAUC AAGCAGCUGAACAAAGGGCUGCAGCUACAUCACCAACCAG GACGCCGAUACCGUGACCAUCGACAACACCGUGUAUCAG CUGAGCAAGGUGGAAGGCGAACAGCACGUGAUC AAGGG CAGACCUGUGUCCAGCAGCUUCGACCCUAUCAAGUUC UGAGGAUCAGUUC CAGGUGGCCUGGACCAGGUGUUCG AGAACAUCGAGAAUCC CAGGCUCUGGUGGACCAGUCCA ACAGAAUCUGUCUAGCGCCGAGAAGGAAACACCGGCU UCAUCAUCGUGAUC AUCUGAUCGCCGUGCUGGGCAGCU CCAUGAUC CUGGUGUCCAUCUUAUCAUAAGAAGA CCAAGAAGCCCACCGGCUCUC CAGAACUGAGCGGAG UGACCAACAAUGGCUUCAUCCUCACAAC</p>	142

TABLE 19-continued

Strain	Nucleic Acid Sequence	SEQ ID NO:
HMPV_ProlineSUab_E131P	AAUAGAGCCAUGGUCGACGGAAAGGCUUCGGCAUUCU GAUUGGCGUGUACGGCAGCAGCGUGAUCUAUAUGGUGC AGCUGCCUAUCUUCGGCGUGAUCGACACACCCUGCUGGA UUGUGAAGGCCGCUCUAGCUGUAGCGAGAAGAAGGGC AAUACGCCUGCCUGCUGAGAGAGGACCAAGGCUGGUA UUGUCAGAACGCCGGCAGCACCGUGUACUACCCUAACGA GAAGGACUGCGAGACAAGAGGGCACCACGUGUUCUGUG AUACCGCCGUGGAAUCAUUGUGGCCGAGCAGAGCAAAG AGUGCAACAUACAUCAGCACCAACUAUCCUGCA AGGUGUCCACCGGCAGGCACCCUAUUUCUAUGGUGGCUC UGUCUCUCUGGGAGCCUGGUGGCUGUUUAUAGGGC GUGUCCUGUAGCAUCGGCAGCAACAGAGUGGGCAUCAUC AAGCAGCUGAACAAAGGGCUGCAGCUACAUCACCAACCAG GACGCCGAUACCGUGACCAUCGACAACACCGUGUAUCAG CUGAGCAAGGUGGAAGGCGAACAGCACGUGAUCAGGG CAGACCUGUGUCCAGCAGCUUCGACCUAUCAAGUUC UGAGGAUCAGUUCAGGUGGCCUGGACCAGGUGUUCG AGAACAUCGAGAAUCCAGGCUCUGGUGGACCAGUCCA ACAGAAUCCUGUCUAGCGCCGAGAAGGGAAACACCGGCU UCAUCAUCGUGAUCUUCGUAUCGCCGUGCUGGGCAGCU CCAUGAUCUGGUGUCCAUCUUCUAUCAUAUCAAGAAGA CCAAGAAGCCCACCGGCUCUCCAGAACUGAGCGGAG UGACCAACAAGGCUUCAUCCUCACAAC	143
HMPV_ProlineSUab_D447P	AUGAGCUGGAAGGUGGUCAUCAUCUUCAGCCUGCUGAU CACACCUCAGCACGGCCUGAAAGAGAGCUACCCUGGAAGA GUCCUGCAGCACCAUCAAGAGGGCUACCCUGUCUGUGCU GAGAACCGGCUUGUACACCAACGUGUUCACACUGGAAGU GGGCGACGUCGAGAAUCUGACAUGCUUGAUGGCCUAG CCUGAUCAGACCGAGCUGGAUCUGACCAGAGCGCCCU GAGAGAACUCAAGACCGUGUCUGCCGAUCAGCUGGCCAG AGAGGAACAGAUCCGAGAAUCCUGGCAGCGGCAGCUUUG UGCUGGGAGCCAUUGCUUCUUGGAGUGGCUGCUGCUGCA GCUGUUCAGCAGGCGUGGCCAUCGCUAAGACCAUCAGA CUGCCUAGCGAAGUGACCGCCAUCAACAACGCCUUGAAG AAGACAAACGAGGCGGUCAGCACACUCGGCAAUGGCGUU AGAGUGCUGGCCACAGCCGUGCGGAGCUGAAGGACUUC GUGUCCAAGAACCUGACACGGGCCAUUAACAAGAACAAG UGCAGCAUCGACGACCUGAAGAUGGCUGUGUCUUUAGC CAGUUCACCGGCGGUUCUGAACGUCGUGCGGCAGUUU AGCGACAACGCGGAUACACACCAGCCAUAGCCUGGAC CUGAUGACAGAUCCUGAGCUGGCUAGAGCCGUGCCUAAC AUGCCUACAUUCGCGGCCAGAUCAAGCUGAUGCUCGAG AAUAGAGCCAUGGUCGACGGAAAGGCUUCGGCAUUCU GAUUGGCGUGUACGGCAGCAGCGUGAUCUAUAUGGUGC AGCUGCCUAUCUUCGGCGUGAUCGACACACCCUGCUGGA UUGUGAAGGCCGCUCUAGCUGUAGCGAGAAGAAGGGC AAUACGCCUGCCUGCUGAGAGAGGACCAAGGCUGGUA UUGUCAGAACGCCGGCAGCACCGUGUACUACCCUAACGA GAAGGACUGCGAGACAAGAGGGCACCACGUGUUCUGUG AUACCGCCGUGGAAUCAUUGUGGCCGAGCAGAGCAAAG AGUGCAACAUACAUCAGCACCAACUAUCCUGCA AGGUGUCCACCGGCAGGCACCCUAUUUCUAUGGUGGCUC UGUCUCUCUGGGAGCCUGGUGGCUGUUUAUAGGGC GUGUCCUGUAGCAUCGGCAGCAACAGAGUGGGCAUCAUC AAGCAGCUGAACAAAGGGCUGCAGCUACAUCACCAACCAG GACGCCGAUACCGUGACCAUCGACAACACCGUGUAUCAG CUGAGCAAGGUGGAAGGCGAACAGCACGUGAUCAGGG CAGACCUGUGUCCAGCAGCUUCGACCUAUCAAGUUC UGAGGAUCAGUUCAGGUGGCCUGGACCAGGUGUUCG AGAACAUCGAGAAUCCAGGCUCUGGUGGACCAGUCCA ACAGAAUCCUGUCUAGCGCCGAGAAGGGAAACACCGGCU UCAUCAUCGUGAUCUUCGUAUCGCCGUGCUGGGCAGCU CCAUGAUCUGGUGUCCAUCUUCUAUCAUAUCAAGAAGA CCAAGAAGCCCACCGGCUCUCCAGAACUGAGCGGAG UGACCAACAAGGCUUCAUCCUCACAAC	144

TABLE 19-continued

Strain	Nucleic Acid Sequence	SEQ ID NO:
HMPV_UrimerRepulsionD454N	<p>AGAGGAACAGAUCCGAGAAUCCUGGCAGCGGCAGCUUUG UGCUGGGAGCCAUUGCUCUUGGAGUGGCUGCUGCUGCA GCUGUUACAGCAGGCGUGGCCAUCGCUAAGACCAUCAGA CUGGAAAGCGAAGUGACCGCCAUCACAACGCCUGAAG AAGACAAACGAGGCCGUCAGCACACUCGGCAAUGGCGUU AGAGUGCUGGCCACAGCCGUGCGGAGCUGAAGGACUUC GUGUCCAAGAACCUGACACGGGCCAUUAACAAGAACAAG UGCAGACUCGACGACCUGAAGAUGGCCGUGUCUUUAGC CAGUUCAACCGGCGGUUCUGAACGUCGUGCGGCAGUUU AGCGACAACGCGGAAUCACACCAGCCAUACAGCCUGGAC CUGAUGACAGAUGCUGAGCUGGCCUAGAGCCGUGCCUAA AUGCCUACAUUCGCGGCCAGAUCAAGCUGAUGCUCGAG AAUAGAGCCAUUGGUCGACGGAAGGCUUCGGCAUUCU GAUUGGCGUGUACGGCAGCAGCGUGAUCUAUAUGGUGC AGCUGCCUAUCUUCGGCGUGAUCGACACACCUGCUGGA UUGUGAAGGCCGCUCUAGCUGUAGCGAGAAGAAGGGC AAUACGCCUGCCUGCUGAGAGAGGACCAAGGCUGGUA UUGUCAGAACGCCCGCAGCACCGUGUACUACCUAACGA GAAGGACUGCGAGACAAGAGGCGACCACGUGUUCUGUG AUACCGCCGUGGAAUCAUUGUGGCCGAGCAGAGCAAAG AGUGCAACAUCAACAUCAGCACCAACUAUCCUGCA AGGUGUCCACCGGCAGGCACCUAUUUCUAUGGUGGCUC UGUCUCCUCUGGGAGCCUGGUGGCUGUUUAUAGGGC GUGUCCUGUAGCAUCGGCAGCAACAGAGUGGGCAUCAUC AAGCAGCUGAACAAGGGCUGCAGCUACAUCACCAACCAG GACGCCGAUACCGUGACCAUCGACAACACCGUGUAUCAG CUGAGCAAGGUGGAAGGCGAACAGCACGUGAUCAGGG CAGACCUGUGUCCAGCAGCUUCCACCUAUAAGUUCUCC UGAGGAUCAGUUCAGGUGGCCUGGACCAGGUGUUCG AGAACAUCGAGAAUCCAGGCUCUGGUGGACCAGUCCA ACAGAAUCUGUCUAGCGCCGAGAAGGGAAACACCGGCU UCAUCAUCGUGAUCUUCUGAUCGCCGUGCUGGGCAGCU CCAUGAUCUGGUGUCCAUCUUAUCAUUAUCAAGAAGA CCAAGAAGCCACCGGCUCUCUCAGAACUGAGCGGAG UGACCAACAAGGCUUCAUCCUCACAAC</p> <p>AUGAGCUGGAAGGUGGUCAUCAUCUUCAGCCUGCUGAU CACACCUCAGCACGGCCUGAAAGAGAGCUACCUGGAAGA GUCCUGCAGCACCAUCAAGAGGGCUACCUGUCUGUGCU GAGAACCGGCUGGUACACCAACGUGUUCACACUGGAAGU GGGCGACGUCGAGAAUCUGACAUGCUCUGAUGGCCUAG CCUGAUCAGACCGAGCUGGAUCUGACCAAGAGCGCCU GAGAGAUCUACAAGACCGUGUCUGCCGAUCAGCUGGCCAG AGAGGAACAGAUCCGAGAAUCCUGGCAGCGGCAGCUUUG UGCUGGGAGCCAUUGCUCUUGGAGUGGCUGCUGCUGCA GCUGUUACAGCAGGCGUGGCCAUCGCUAAGACCAUCAGA CUGGAAAGCGAAGUGACCGCCAUCACAACGCCUGAAG AAGACAAACGAGGCCGUCAGCACACUCGGCAAUGGCGUU AGAGUGCUGGCCACAGCCGUGCGGAGCUGAAGGACUUC GUGUCCAAGAACCUGACACGGGCCAUUAACAAGAACAAG UGCAGACUCGACGACCUGAAGAUGGCCGUGUCUUUAGC CAGUUCAACCGGCGGUUCUGAACGUCGUGCGGCAGUUU AGCGACAACGCGGAAUCACACCAGCCAUACAGCCUGGAC CUGAUGACAGAUGCUGAGCUGGCCUAGAGCCGUGCCUAA AUGCCUACAUUCGCGGCCAGAUCAAGCUGAUGCUCGAG AAUAGAGCCAUUGGUCGACGGAAGGCUUCGGCAUUCU GAUUGGCGUGUACGGCAGCAGCGUGAUCUAUAUGGUGC AGCUGCCUAUCUUCGGCGUGAUCGACACACCUGCUGGA UUGUGAAGGCCGCUCUAGCUGUAGCGAGAAGAAGGGC AAUACGCCUGCCUGCUGAGAGAGGACCAAGGCUGGUA UUGUCAGAACGCCCGCAGCACCGUGUACUACCUAACGA GAAGGACUGCGAGACAAGAGGCGACCACGUGUUCUGUG AUACCGCCGUGGAAUCAUUGUGGCCGAGCAGAGCAAAG AGUGCAACAUCAACAUCAGCACCAACUAUCCUGCA AGGUGUCCACCGGCAGGCACCUAUUUCUAUGGUGGCUC UGUCUCCUCUGGGAGCCUGGUGGCUGUUUAUAGGGC GUGUCCUGUAGCAUCGGCAGCAACAGAGUGGGCAUCAUC AAGCAGCUGAACAAGGGCUGCAGCUACAUCACCAACCAG GACGCCGAUACCGUGACCAUCGACAACACCGUGUAUCAG CUGAGCAAGGUGGAAGGCGAACAGCACGUGAUCAGGG CAGACCUGUGUCCAGCAGCUUCGACCCUAUAAGUUCUCC UGAGAACCAGUUCAGGUGGCCUGGACCAGGUGUUCGA GAACAUCGAGAAUCCAGGCUCUGGUGGACCAGUCCAA CAGAAUCCUGUCUAGCGCCGAGAAGGGAAACACCGGCUU</p>	145

TABLE 19-continued

Strain	Nucleic Acid Sequence	SEQ ID NO:
HMPV_UrimerRepulsionE453N	<p>CAUCAUCGUGAUCAUCCUGAUCGCCGUGCUGGGCAGCUC CAUGAUCUGGUGUCCAUCUUAUCAUUAUCAAGAAGAC CAAGAAGCCACCGGCGUCCUCCAGAACUGAGCGGAGU GACCAACAAUGGCUUCAUCCUCACAAC</p> <p>AUGAGCUGGAAGGUGGUCAUCAUCUUCAGCCUGCUGAU CACACCUCAGCACGGCCUGAAAGAGAGCUACCUGGAAGA GUCCUGCAGCACCACAGAGGGCUACCUGUCUGUGCU GAGAACCGGCUUGUACACCAACGUGUUCACACUGGAAGU GGGCGACGUCGAGAAUCUGACAUGCUUGAUGGCCUAG CCUGAUCAGACCGAGCUGGAUCUGACCAAGAGCGCCU GAGAGAACUCAAGACCGUGUCUGCCGUAUCAGCUGGCCAG AGAGGAACAGAUCCGAGAAUCCUGGCAGCGGCAGCUUUG UGCUGGGAGCCAUUGCUUUGGAGUGGCUGCUGCUGCA GCUGUACAGCAGGCGUGGCCAUCGCUAAGACCAUCAGA CUGGAAAGCGAAGUGACCGCCAUCAACAACGCCUGAAG AAGACAAACGAGGCCGUCAGCACACUCGGCAAUGGCGUU AGAGUGCUGGCCACAGCCGUGCGCGAGCUGAAGGACUUC GUGUCCAAGAACUGACACGGGCCAUUAACAAGAACAAG UGCAGACUCGACGACCUGAAGAUGGCCGUGUCUUUAGC CAGUUCACCGGCGGUUUCUGAACGUCGUGCGGCAGUUU AGCGACAACCGCGGAUACACACAGCCAUUCAGCCUGGAC CUGAUGACAGAUCCUGAGCUGGCUAGAGCCGUGCCUAA AUGCCUACAUUCGCGGCCAGAUCAAGCUGAUGCUCGAG AAUAGAGCAUGGUCGACCGAAAGGCUUCGGCAUUCU GAUUGGCGUGUACGGCAGCAGCGUGAUCUAUAUGGUGC AGCUGCCUAUCUUCGGCGUGAUCGACACCCUGCUGGA UUGUGAAGGCCGCUCCUAGCUGUAGCGAGAAGAAGGGC AAUACGCGUGCCUGCUGAGAGAGGACCAAGGCUGGUA UUGUCAGAACCGCGCAGCACCGUGUACUACCUAACGA GAAGGACUGCGAGACAAGAGGCGACCACGUGUUCUGUG AUACCGCCGUGGAAUCAUUGUGGCCGAGCAGAGCAAAG AGUGCAACAUACAUCAGCACCAACCUAUCUCCUGCA AGGUGUCCACCGGCGAGCACCUAUUUCUAUGGUGGCUC UGUCUCUUCUGGGAGCCUGGUGGCUGUUAUAAGGGC GUGUCCUGUAGCAUCGGCAGCAACAGAGUGGGCAUCAUC AAGCAGCUGAACAGGGCUGCAGCUACAUCACCAACCAG GACGCCGAUACCGUGACCAUCGACAAACCGUGUAUCAG CUGAGCAAGGUGGAAGGCGAACAGCACGUGAUCAGGG CAGACCUGUGUCCAGCAGCUUCGACCUAUAAGUUCUCC UCAGGAUCAGUUCAGGUGGCCUGGACAGGUGUUCGA GAACAUAGAAUUCUCCAGGCUCUGGUGGACCAGUCCAA CAGAAUCCUGUCUAGCGCCGAGAAGGAAACACCGGCUU CAUCAUCGUGAUCAUCCUGAUCGCGUGCUGGGCAGCUC CAUGAUCUGGUGUCCAUCUUAUCAUUAUCAAGAAGAC CAAGAAGCCACCGGCGUCCUCCAGAACUGAGCGGAGU GACCAACAAUGGCUUCAUCCUCACAAC</p>	146
HMPV_SUabilizeAlphaF196W	<p>AUGAGCUGGAAGGUGGUCAUCAUCUUCAGCCUGCUGAU CACACCUCAGCACGGCCUGAAAGAGAGCUACCUGGAAGA GUCCUGCAGCACCACAGAGGGCUACCUGUCUGUGCU GAGAACCGGCUUGUACACCAACGUGUUCACACUGGAAGU GGGCGACGUCGAGAAUCUGACAUGCUUGAUGGCCUAG CCUGAUCAGACCGAGCUGGAUCUGACCAAGAGCGCCU GAGAGAACUCAAGACCGUGUCUGCCGUAUCAGCUGGCCAG AGAGGAACAGAUCCGAGAAUCCUGGCAGCGGCAGCUUUG UGCUGGGAGCCAUUGCUUUGGAGUGGCUGCUGCUGCA GCUGUACAGCAGGCGUGGCCAUCGCUAAGACCAUCAGA CUGGAAAGCGAAGUGACCGCCAUCAACAACGCCUGAAG AAGACAAACGAGGCCGUCAGCACACUCGGCAAUGGCGUU AGAGUGCUGGCCACAGCCGUGCGCGAGCUGAAGGACUUC GUGUCCAAGAACUGACACGGGCCAUUAACAAGAACAAG UGCAGACUCGACGACCUGAAGAUGGCCGUGUCUUUAGC CAGUGGAACCGGCGGUUUCUGAACGUCGUGCGGCAGUU UAGCGACAACCGCGGAUACACACAGCCAUUCAGCUGGA CCUGAUGACAGAUCCUGAGCUGGCUAGAGCCGUGCCUAA CAUGCCUACAUCUGCCGGCCAGAUCAAGCUGAUGCUCGA GAUAGAGCCAUUGUCCGACGGAAGGCUUCGGCAUUC UGAUUGGCGUGUACGGCAGCAGCGUGAUCUAUAUGGUG CAGCUGCCUAUCUUCGGCGUGAUCGACACACCCUGCUGG AUUGUGAAGGCCGCUCCUAGCUGUAGCGAGAAGAAGGG CAAUUACGCCUGCUGCUGAGAGAGGACCAAGGCUGGUA UUGUCAGAACCGCGCAGCACCGUGUACUACCUAACGA GAAGGACUGCGAGACAAGAGGCGACCACGUGUUCUGUG</p>	147

TABLE 19-continued

Strain	Nucleic Acid Sequence	SEQ ID NO:
	AUACCGCCGCUGGAAUCA AUGUGGCCGAGCAGAGCAAAG AGUGCAACAUCAACAUCAGCACCACCAACUAUCCUGCA AGGUGUCCACCGGCAGGCACCCUAUUUCUAUGGUGGCUC UGUCUCCUCUGGGAGCCUGGUGGCUUGUUAUAAGGGC GUGUCCUGUAGCAUCGGCAGCAACAGAGUGGGCAUCAUC AAGCAGCUGAACAAGGGCUGCAGCUACAUCACCAACCAG GACGCCGAUACCGUGACCAUCGACAACACCGUGUAUCAG CUGAGCAAGGUGGAAGGCGAACAGCAGUGAUCAAGGG CAGACCUGUGUCCAGCAGCUUCGACCUAUCAAGUUC UGAGGAUCAGUUC CAGGUGGCCUGGACCAGGUGUUCG AGAACAUCGAGAAUCCAGGCUCUGGUGGACCAGUCCA ACAGAAUCCUGUCUAGCGCCGAGAAGGAAACACCGGCU UCAUCAUCGUGAUCAUCUGAUCGCCGUGCUGGGCAGCU CCAUGAUC CUGGUGUCCAUCUUAUCAUUAUCAAGAAGA CCAAGAAGCCACCGGCUCUCCAGAACUGAGCGGAG UGACCAACAUGGCUUCAUCCUCACAAC	

Equivalents

[0931] Those skilled in the art will recognize, or be able to ascertain using no more than routine experimentation, many equivalents to the specific embodiments of the disclosure

described herein. Such equivalents are intended to be encompassed by the following claims.

[0932] All references, including patent documents, disclosed herein are incorporated by reference in their entirety.

SEQUENCE LISTING

<160> NUMBER OF SEQ ID NOS: 147

<210> SEQ ID NO 1

<211> LENGTH: 1620

<212> TYPE: DNA

<213> ORGANISM: Human metapneumovirus

<400> SEQUENCE: 1

```

atgagctgga aggtggtgat tatcttcagc ctgetgatta cacctcaaca cggcctgaag      60
gagagctacc tgaagagag ctgctccacc atcaccgagg gctacctgag cgtgctgcgg      120
accggctggt acaccaacgt gttcacctg gaggtgggag acgtggagaa cctgacctgc      180
agcgacggcc ctagcctgat caagaccgag ctggacctga ccaagagcgc tctgagagag      240
ctgaagaccg tgtccgccga ccagctggcc agagaggaac agatcgagaa ccctcggcag      300
agcagattcg tgctgggagc catcgctctg ggagtgcgag ctgccgctgc agtgacagct      360
ggagtggcca ttgctaagac catcagactg gaaagcgagg tgacagccat caacaatgcc      420
ctgaagaaga ccaacgaggc cgtgagcacc ctgggcaatg gagtgagagt gctggccaca      480
gccgtgcggg agctgaagga cttcgtgagc aagaacctga ccagagccat caacaagaac      540
aagtgcgaca tcgatgacct gaagatggcc gtgagcttet cccagttcaa cagacggttc      600
ctgaacgtgg tgagacagtt ctccgacaac gctggaatca cacctgccat tagcctggac      660
ctgatgaccg acgcccagct ggctagagcc gtgcccaca tgcccaccag cgctggccag      720
atcaagctga tgctggagaa cagagccatg gtgcccagaa agggcttcgg catcctgatt      780
ggggtgtatg gaagctccgt gatctacatg gtgcagctgc ccatcttcgg cgtgatcgac      840
acaccctgct ggatcgtgaa ggccgctcct agctgctccg agaagaaagg aaactatgcc      900
tgtctgctga gagaggacca gggctggtac tgccagaacg ccggaagcac agtgtactat      960
cccaacgaga aggactgcca gaccagagcc gaccacgtgt tctgagacac cgctgcccga     1020
atcaacgtgg ccgagcagag caaggagtgc aacatcaaca tcagcacaac caactacccc     1080
    
```

-continued

```

tgcaaggatga gcaccggacg gcaccccatc agcatggtgg ctctgagccc tctgggagct 1140
ctggtggcct gctataaggc cgtgtcctgt agcatcggca gcaatcgggt gggcatcatc 1200
aagcagctga acaagggatg ctctacatc accaaccagg acgccgacac cgtgaccatc 1260
gacaacaccg tgtaccagct gagcaagggt gagggcgagc agcacgtgat caagggcaga 1320
cccgtgagct ccagcttga ccccatcaag ttcctgagg accagttcaa cgtggcctg 1380
gaccaggtgt ttgagaacat cgagaacagc caggccctgg tggaccagag caacagaatc 1440
ctgtccagcg ctgagaaggc caacaccggc ttcattcttg tgatcattct gatcgccgtg 1500
ctgggcagct ccatgatcct ggtgagcatc ttcattctta tcaagaagac caagaaacct 1560
accggagccc ctctgagct gagcggcgtg accaacaatg gcttcattcc ccacaactga 1620

```

<210> SEQ ID NO 2

<211> LENGTH: 1620

<212> TYPE: DNA

<213> ORGANISM: Human metapneumovirus

<400> SEQUENCE: 2

```

atgtcttggg aagtgatgat catcatttcg ttactcataa caccacagca cgggctaaag 60
gagagttatt tggaagaatc atgtagtact ataactgagg gatacctcag tgttttaaga 120
acaggctggg aactaatgt cttcacatta gaagttgggt atgttgaaa tcttacctgt 180
actgatggac ctacttaat caaacagaa cttgatctaa caaaaagtgc ttttaaggaa 240
ctcaaacag tctctgctga tcagttggcg agagaggagc aaattgaaa tcccagacaa 300
tcaagatttg tcttaggtgc gatagctctc ggagttgcta cagcagcagc agtcacagca 360
ggcattgcaa tagccaaaac cataaggctt gagagtgagg tgaatgcaat taaagggtgct 420
ctcaaacaaa ctaatgaagc agtatccaca ttagggaatg gtgtgcgggt cctagccact 480
gcagtgagag agctaaaaga atttgtgagc aaaaacctga ctagtgcaat caacaggaac 540
aaatgtgaca ttgctgatct gaagatggct gtcagcttca gtcaattcaa cagaagattt 600
ctaaatggtg tgcggcagtt ttcagacaat gcagggataa caccagcaat atcattggac 660
ctgatgactg atgctgagtt ggccagagct gtatcataca tgccaacatc tgcagggcag 720
ataaaactga tgttgagaa ccgcgcaatg gtaaggagaa aaggatttgg aatcctgata 780
ggggtctacg gaagctctgt gatttacctg gttcaattgc cgatctttgg tgtcatagat 840
acacctgtt ggatcatcaa ggcagctccc tcttctcag aaaaaacgg gaattatgct 900
tgcctcctaa gagaggatca aggttggtat tgtaaaaatg caggatctac tgtttactac 960
ccaaatgaaa aagactgca aacaagaggt gatcatgttt tttgtgacac agcagcaggg 1020
atcaatggtg ctgagcaatc aagagaatgc aacatcaaca tatctactac caactacca 1080
tgcaaagtca gcacaggaag acacctata agcatggttg cactatcacc tctcgggtgct 1140
ttggtggctt gctataaagg ggtaagctgc tcgattggca gcaattgggt tggaaatcatc 1200
aaacaattac ccaaaggctg ctcatacata accaaccagg atgcagacac tgtaacaatt 1260
gacaataccg tgtatcaact aagcaaagtt gaaggtgaac agcatgtaat aaaagggaga 1320
ccagtttcaa gcagtttga tccaatcaag ttcctgagg atcagttcaa tgttgcgctt 1380
gatcaagtct tcgaaagcat tgagaacagt caggcactag tggaccagtc aaacaaaatt 1440
ctaaacagtg cagaaaaagg aaacactggt ttcattatcg tagtaatttt ggttgctggt 1500

```

-continued

 cttggtctaa ccatgatttc agtgagcatc atcatcataa tcaagaaaac aaggaagccc 1560

acaggagcac ctccagagct gaatggtgtc accaacggcg gtttcatacc acatagttag 1620

<210> SEQ ID NO 3

<211> LENGTH: 1620

<212> TYPE: DNA

<213> ORGANISM: Human metapneumovirus

<400> SEQUENCE: 3

atgtcttggg aagtgatgat tatcatttcg ttactcataa cacctcagca tggactaaaa 60

gaaagttatt tagaagaatc atgtagtact ataactgaag gatatctcag tgttttaaga 120

acaggttggt acaccaatgt ctttacatta gaagttggtg atggtgaaaa tcttacatgt 180

actgatggac ctagcttaat caaaacagaa cttgacctaa ccaaaagtgc ttttaagagaa 240

ctcaaaacag tttctgctga tcagttagcg agagaagaac aaattgaaaa tcccagacaa 300

tcaaggtttg tcttaggtgc aatagctctt ggagttgcca cagcagcagc agtcacagca 360

ggcattgcaa tagccaaaac tataaggctt gagagtgaag tgaatgcaat caaagggtgct 420

ctcaaaacaa ccaatgaggc agtatcaaca ctaggaaatg gagtgcgggc cctagccact 480

gcagtaagag agctgaaaga atttgtgagc aaaaacctga ctagtgcgat caacaagaac 540

aagtgtgaca ttgctgattt gaagatggct gtcagcttca gtcagttcaa cagaagattc 600

ctaaatggtg tgcggcagtt ttcagacaat gcagggataa caccagcaat atcattggac 660

ctgatgaatg atgctgagct ggccagagct gtatcataca tgccaacatc tgcaggacag 720

ataaaactaa tgtagagaa ccggtgcaatg gtgaggagaa aaggatttgg aatcttgata 780

ggggtctacg gaagctctgt gatctacatg gtccagctgc cgatctttgg tgtcataaat 840

acaccttggt ggataatcaa ggcagctccc tcttgctcag aaaaagatgg aaattatgct 900

tgctcctaa gagaggatca aggggtggtat tgtaaaaatg caggatccac tgtttactac 960

ccaaatgaaa aagactgcca aacaagaggt gatcatgttt tttgtgacac agcagcaggg 1020

atcaatggtg ctgagcaatc aagagaatgc aacatcaaca tatctaccac caactacca 1080

tgcaaagtca gcacaggaag acaccctatc agcatggttg cactatcacc tctcggtgct 1140

ttggtagctt gctacaaagg ggttagctgc tcgactggca gtaatcaggt tggaataatc 1200

aaacaactac ctaaaggctg ctatacata actaaccagg acgcagacac tgtaacaatt 1260

gacaactctg tgtatcaact aagcaaagtt gagggatgac agcatgtaat aaaagggaga 1320

ccagtttcaa gcagttttga tccaatcagg tttcctgagg atcagttcaa tgttgcgctt 1380

gatcaagtct ttgaaagcat tgaaaacagt caagcactag tggaccagtc aaacaaaatt 1440

ctgaacagtg cagaaaaagg aaacactggt ttcattattg taataatttt gattgctggt 1500

cttgggttaa ccatgatttc agtgagcatc atcatcataa tcaaaaaaac aaggaagccc 1560

acaggggcac ctccgagct gaatggtggt accaacggcg gtttcatacc gcatagttag 1620

<210> SEQ ID NO 4

<211> LENGTH: 1725

<212> TYPE: DNA

<213> ORGANISM: Human respiratory syncytial virus

<400> SEQUENCE: 4

atggagttgc caatcctcaa aacaaatgca attaccacaa tccttgctgc agtcacactc 60

-continued

```

tgtttcgctt ccagtcacaaa catcactgaa gaattttatc aatcaacatg cagtgcagtt 120
agcaaaggct atccttagtgc tctaagaact ggttgggtata ctagtgttat aactatagaa 180
ttaagtaata tcaaggaaaa taagtgtaat ggaacagatg ctaaggtaaa attgataaaa 240
caagaattag ataaatataa aaatgctgta acagaattgc agttgctcat gcaaagcaca 300
ccagcagcca acaatcgagc cagaagagaa ctaccaaggt ttatgaatta tacactcaat 360
aatacacaaa ataccaatgt aacattaagc aagaaaagga aaagaagatt tcttggcttt 420
ttgttaggtg ttggatctgc aatcgccagt ggcatgtctg tatctaaggt cctgcaccta 480
gaaggggaag tgaacaaaat caaaagtgtc ctactatcca caacaaggc tgtagtcagc 540
ttatcaaatg gagttagtgt ctttaaccagc aaagtgttag acctcaaaaa ctatatagat 600
aaacagttgt tacctattgt gaacaagcaa agctgcagca tatcaaocat tgaaactgtg 660
atagagttcc aacaaaagaa caacagacta ctagagatta ccaggggaatt tagtgtaaat 720
gcaggtgtaa ctacacctgt aagcacttat atgttaacta atagtgaatt attatcatta 780
atcaatgata tgcctataac aaatgatcag aaaaagttaa tgtccaacaa tgttcaaata 840
gtagacagc aaagttactc tatcatgtcc ataataaagg aggaagtctt agcatatgta 900
gtacaattac cactatatgg tgtaatagat acaccctgtt ggaaactgca cacatcccct 960
ctatgtacaa ccaacacaaa ggaaggggtcc aacatctgct taacaagaac cgacagagga 1020
tggtattgtg acaatgcagg atcagtatct ttcttcccac aagctgaaac atgtaaagtt 1080
caatcgaatc gggatatttg tgacacaatg aacagtttaa cattaccaag tgaagtaaat 1140
ctctgcaaca ttgacatatt caaccccaaa tatgattgca aaattatgac ttcaaaaaca 1200
gatgtaagca gctccgttat cacatctcta ggagccattg tgtcatgcta tggcaaaaact 1260
aaatgtacag catccaataa aaatcgtggg atcataaaga cattttctaa cgggtgtgat 1320
tatgtatcaa ataagggggg ggatactgtg tctgtaggta atacattata ttatgtaaat 1380
aagcaagaag gcaaaagtct ctatgtaaaa ggtgaaccaa taataaattt ctatgaccca 1440
ttagtgttcc cctctgatga atttgatgca tcaatatctc aagtcaatga gaagattaac 1500
cagagcctag catttattcg taaatccgat gaattattac ataatgtaaa tgctggtaaa 1560
tccaccacaa atatcatgat aactactata attatagtga ttatagtaat attggtatca 1620
ttaattgcag ttggactgct cctatactgc aaggccagaa gcacaccagt cacactaagt 1680
aaggatcaac tgagtggat aaataatatt gcatttagta actga 1725

```

```

<210> SEQ ID NO 5
<211> LENGTH: 539
<212> TYPE: PRT
<213> ORGANISM: Human metapneumovirus isolate

```

```

<400> SEQUENCE: 5

```

```

Met Ser Trp Lys Val Val Ile Ile Phe Ser Leu Leu Ile Thr Pro Gln
1           5           10           15

```

```

His Gly Leu Lys Glu Ser Tyr Leu Glu Glu Ser Cys Ser Thr Ile Thr
20           25           30

```

```

Glu Gly Tyr Leu Ser Val Leu Arg Thr Gly Trp Tyr Thr Asn Val Phe
35           40           45

```

```

Thr Leu Glu Val Gly Asp Val Glu Asn Leu Thr Cys Ser Asp Gly Pro
50           55           60

```

-continued

Ser Leu Ile Lys Thr Glu Leu Asp Leu Thr Lys Ser Ala Leu Arg Glu
 65 70 75 80

Leu Lys Thr Val Ser Ala Asp Gln Leu Ala Arg Glu Glu Gln Ile Glu
 85 90 95

Asn Pro Arg Gln Ser Arg Phe Val Leu Gly Ala Ile Ala Leu Gly Val
 100 105 110

Ala Ala Ala Ala Ala Val Thr Ala Gly Val Ala Ile Ala Lys Thr Ile
 115 120 125

Arg Leu Glu Ser Glu Val Thr Ala Ile Asn Asn Ala Leu Lys Lys Thr
 130 135 140

Asn Glu Ala Val Ser Thr Leu Gly Asn Gly Val Arg Val Leu Ala Thr
 145 150 155 160

Ala Val Arg Glu Leu Lys Asp Phe Val Ser Lys Asn Leu Thr Arg Ala
 165 170 175

Ile Asn Lys Asn Lys Cys Asp Ile Asp Asp Leu Lys Met Ala Val Ser
 180 185 190

Phe Ser Gln Phe Asn Arg Arg Phe Leu Asn Val Val Arg Gln Phe Ser
 195 200 205

Asp Asn Ala Gly Ile Thr Pro Ala Ile Ser Leu Asp Leu Met Thr Asp
 210 215 220

Ala Glu Leu Ala Arg Ala Val Pro Asn Met Pro Thr Ser Ala Gly Gln
 225 230 235 240

Ile Lys Leu Met Leu Glu Asn Arg Ala Met Val Arg Arg Lys Gly Phe
 245 250 255

Gly Ile Leu Ile Gly Val Tyr Gly Ser Ser Val Ile Tyr Met Val Gln
 260 265 270

Leu Pro Ile Phe Gly Val Ile Asp Thr Pro Cys Trp Ile Val Lys Ala
 275 280 285

Ala Pro Ser Cys Ser Glu Lys Lys Gly Asn Tyr Ala Cys Leu Leu Arg
 290 295 300

Glu Asp Gln Gly Trp Tyr Cys Gln Asn Ala Gly Ser Thr Val Tyr Tyr
 305 310 315 320

Pro Asn Glu Lys Asp Cys Glu Thr Arg Gly Asp His Val Phe Cys Asp
 325 330 335

Thr Ala Ala Gly Ile Asn Val Ala Glu Gln Ser Lys Glu Cys Asn Ile
 340 345 350

Asn Ile Ser Thr Thr Asn Tyr Pro Cys Lys Val Ser Thr Gly Arg His
 355 360 365

Pro Ile Ser Met Val Ala Leu Ser Pro Leu Gly Ala Leu Val Ala Cys
 370 375 380

Tyr Lys Gly Val Ser Cys Ser Ile Gly Ser Asn Arg Val Gly Ile Ile
 385 390 395 400

Lys Gln Leu Asn Lys Gly Cys Ser Tyr Ile Thr Asn Gln Asp Ala Asp
 405 410 415

Thr Val Thr Ile Asp Asn Thr Val Tyr Gln Leu Ser Lys Val Glu Gly
 420 425 430

Glu Gln His Val Ile Lys Gly Arg Pro Val Ser Ser Ser Phe Asp Pro
 435 440 445

Ile Lys Phe Pro Glu Asp Gln Phe Asn Val Ala Leu Asp Gln Val Phe
 450 455 460

-continued

Glu Asn Ile Glu Asn Ser Gln Ala Leu Val Asp Gln Ser Asn Arg Ile
 465 470 475 480
 Leu Ser Ser Ala Glu Lys Gly Asn Thr Gly Phe Ile Ile Val Ile Ile
 485 490 495
 Leu Ile Ala Val Leu Gly Ser Ser Met Ile Leu Val Ser Ile Phe Ile
 500 505 510
 Ile Ile Lys Lys Thr Lys Lys Pro Thr Gly Ala Pro Pro Glu Leu Ser
 515 520 525
 Gly Val Thr Asn Asn Gly Phe Ile Pro His Asn
 530 535

<210> SEQ ID NO 6
 <211> LENGTH: 539
 <212> TYPE: PRT
 <213> ORGANISM: Human metapneumovirus

<400> SEQUENCE: 6

Met Ser Trp Lys Val Met Ile Ile Ile Ser Leu Leu Ile Thr Pro Gln
 1 5 10 15
 His Gly Leu Lys Glu Ser Tyr Leu Glu Glu Ser Cys Ser Thr Ile Thr
 20 25 30
 Glu Gly Tyr Leu Ser Val Leu Arg Thr Gly Trp Tyr Thr Asn Val Phe
 35 40 45
 Thr Leu Glu Val Gly Asp Val Glu Asn Leu Thr Cys Thr Asp Gly Pro
 50 55 60
 Ser Leu Ile Lys Thr Glu Leu Asp Leu Thr Lys Ser Ala Leu Arg Glu
 65 70 75 80
 Leu Lys Thr Val Ser Ala Asp Gln Leu Ala Arg Glu Glu Gln Ile Glu
 85 90 95
 Asn Pro Arg Gln Ser Arg Phe Val Leu Gly Ala Ile Ala Leu Gly Val
 100 105 110
 Ala Thr Ala Ala Ala Val Thr Ala Gly Ile Ala Ile Ala Lys Thr Ile
 115 120 125
 Arg Leu Glu Ser Glu Val Asn Ala Ile Lys Gly Ala Leu Lys Gln Thr
 130 135 140
 Asn Glu Ala Val Ser Thr Leu Gly Asn Gly Val Arg Val Leu Ala Thr
 145 150 155 160
 Ala Val Arg Glu Leu Lys Glu Phe Val Ser Lys Asn Leu Thr Ser Ala
 165 170 175
 Ile Asn Arg Asn Lys Cys Asp Ile Ala Asp Leu Lys Met Ala Val Ser
 180 185 190
 Phe Ser Gln Phe Asn Arg Arg Phe Leu Asn Val Val Arg Gln Phe Ser
 195 200 205
 Asp Asn Ala Gly Ile Thr Pro Ala Ile Ser Leu Asp Leu Met Thr Asp
 210 215 220
 Ala Glu Leu Ala Arg Ala Val Ser Tyr Met Pro Thr Ser Ala Gly Gln
 225 230 235 240
 Ile Lys Leu Met Leu Glu Asn Arg Ala Met Val Arg Arg Lys Gly Phe
 245 250 255
 Gly Ile Leu Ile Gly Val Tyr Gly Ser Ser Val Ile Tyr Met Val Gln
 260 265 270
 Leu Pro Ile Phe Gly Val Ile Asp Thr Pro Cys Trp Ile Ile Lys Ala
 275 280 285

-continued

Ala Pro Ser Cys Ser Glu Lys Asn Gly Asn Tyr Ala Cys Leu Leu Arg
 290 295 300

Glu Asp Gln Gly Trp Tyr Cys Lys Asn Ala Gly Ser Thr Val Tyr Tyr
 305 310 315 320

Pro Asn Glu Lys Asp Cys Glu Thr Arg Gly Asp His Val Phe Cys Asp
 325 330 335

Thr Ala Ala Gly Ile Asn Val Ala Glu Gln Ser Arg Glu Cys Asn Ile
 340 345 350

Asn Ile Ser Thr Thr Asn Tyr Pro Cys Lys Val Ser Thr Gly Arg His
 355 360 365

Pro Ile Ser Met Val Ala Leu Ser Pro Leu Gly Ala Leu Val Ala Cys
 370 375 380

Tyr Lys Gly Val Ser Cys Ser Ile Gly Ser Asn Trp Val Gly Ile Ile
 385 390 395 400

Lys Gln Leu Pro Lys Gly Cys Ser Tyr Ile Thr Asn Gln Asp Ala Asp
 405 410 415

Thr Val Thr Ile Asp Asn Thr Val Tyr Gln Leu Ser Lys Val Glu Gly
 420 425 430

Glu Gln His Val Ile Lys Gly Arg Pro Val Ser Ser Ser Phe Asp Pro
 435 440 445

Ile Lys Phe Pro Glu Asp Gln Phe Asn Val Ala Leu Asp Gln Val Phe
 450 455 460

Glu Ser Ile Glu Asn Ser Gln Ala Leu Val Asp Gln Ser Asn Lys Ile
 465 470 475 480

Leu Asn Ser Ala Glu Lys Gly Asn Thr Gly Phe Ile Ile Val Val Ile
 485 490 495

Leu Val Ala Val Leu Gly Leu Thr Met Ile Ser Val Ser Ile Ile Ile
 500 505 510

Ile Ile Lys Lys Thr Arg Lys Pro Thr Gly Ala Pro Pro Glu Leu Asn
 515 520 525

Gly Val Thr Asn Gly Gly Phe Ile Pro His Ser
 530 535

<210> SEQ ID NO 7

<211> LENGTH: 539

<212> TYPE: PRT

<213> ORGANISM: Human metapneumovirus

<400> SEQUENCE: 7

Met Ser Trp Lys Val Met Ile Ile Ile Ser Leu Leu Ile Thr Pro Gln
 1 5 10 15

His Gly Leu Lys Glu Ser Tyr Leu Glu Glu Ser Cys Ser Thr Ile Thr
 20 25 30

Glu Gly Tyr Leu Ser Val Leu Arg Thr Gly Trp Tyr Thr Asn Val Phe
 35 40 45

Thr Leu Glu Val Gly Asp Val Glu Asn Leu Thr Cys Thr Asp Gly Pro
 50 55 60

Ser Leu Ile Lys Thr Glu Leu Asp Leu Thr Lys Ser Ala Leu Arg Glu
 65 70 75 80

Leu Lys Thr Val Ser Ala Asp Gln Leu Ala Arg Glu Glu Gln Ile Glu
 85 90 95

Asn Pro Arg Gln Ser Arg Phe Val Leu Gly Ala Ile Ala Leu Gly Val

-continued

100					105					110					
Ala	Thr	Ala	Ala	Ala	Val	Thr	Ala	Gly	Ile	Ala	Ile	Ala	Lys	Thr	Ile
		115					120					125			
Arg	Leu	Glu	Ser	Glu	Val	Asn	Ala	Ile	Lys	Gly	Ala	Leu	Lys	Thr	Thr
	130					135					140				
Asn	Glu	Ala	Val	Ser	Thr	Leu	Gly	Asn	Gly	Val	Arg	Val	Leu	Ala	Thr
145					150					155					160
Ala	Val	Arg	Glu	Leu	Lys	Glu	Phe	Val	Ser	Lys	Asn	Leu	Thr	Ser	Ala
			165						170					175	
Ile	Asn	Lys	Asn	Lys	Cys	Asp	Ile	Ala	Asp	Leu	Lys	Met	Ala	Val	Ser
		180						185					190		
Phe	Ser	Gln	Phe	Asn	Arg	Arg	Phe	Leu	Asn	Val	Val	Arg	Gln	Phe	Ser
		195					200					205			
Asp	Asn	Ala	Gly	Ile	Thr	Pro	Ala	Ile	Ser	Leu	Asp	Leu	Met	Asn	Asp
	210					215					220				
Ala	Glu	Leu	Ala	Arg	Ala	Val	Ser	Tyr	Met	Pro	Thr	Ser	Ala	Gly	Gln
225					230					235					240
Ile	Lys	Leu	Met	Leu	Glu	Asn	Arg	Ala	Met	Val	Arg	Arg	Lys	Gly	Phe
			245						250					255	
Gly	Ile	Leu	Ile	Gly	Val	Tyr	Gly	Ser	Ser	Val	Ile	Tyr	Met	Val	Gln
		260						265					270		
Leu	Pro	Ile	Phe	Gly	Val	Ile	Asn	Thr	Pro	Cys	Trp	Ile	Ile	Lys	Ala
		275					280					285			
Ala	Pro	Ser	Cys	Ser	Glu	Lys	Asp	Gly	Asn	Tyr	Ala	Cys	Leu	Leu	Arg
	290					295					300				
Glu	Asp	Gln	Gly	Trp	Tyr	Cys	Lys	Asn	Ala	Gly	Ser	Thr	Val	Tyr	Tyr
305					310					315					320
Pro	Asn	Glu	Lys	Asp	Cys	Glu	Thr	Arg	Gly	Asp	His	Val	Phe	Cys	Asp
			325						330					335	
Thr	Ala	Ala	Gly	Ile	Asn	Val	Ala	Glu	Gln	Ser	Arg	Glu	Cys	Asn	Ile
			340					345					350		
Asn	Ile	Ser	Thr	Thr	Asn	Tyr	Pro	Cys	Lys	Val	Ser	Thr	Gly	Arg	His
		355					360					365			
Pro	Ile	Ser	Met	Val	Ala	Leu	Ser	Pro	Leu	Gly	Ala	Leu	Val	Ala	Cys
	370					375					380				
Tyr	Lys	Gly	Val	Ser	Cys	Ser	Thr	Gly	Ser	Asn	Gln	Val	Gly	Ile	Ile
385					390					395					400
Lys	Gln	Leu	Pro	Lys	Gly	Cys	Ser	Tyr	Ile	Thr	Asn	Gln	Asp	Ala	Asp
			405						410					415	
Thr	Val	Thr	Ile	Asp	Asn	Thr	Val	Tyr	Gln	Leu	Ser	Lys	Val	Glu	Gly
			420					425					430		
Glu	Gln	His	Val	Ile	Lys	Gly	Arg	Pro	Val	Ser	Ser	Ser	Phe	Asp	Pro
		435					440					445			
Ile	Arg	Phe	Pro	Glu	Asp	Gln	Phe	Asn	Val	Ala	Leu	Asp	Gln	Val	Phe
	450					455					460				
Glu	Ser	Ile	Glu	Asn	Ser	Gln	Ala	Leu	Val	Asp	Gln	Ser	Asn	Lys	Ile
465					470					475					480
Leu	Asn	Ser	Ala	Glu	Lys	Gly	Asn	Thr	Gly	Phe	Ile	Ile	Val	Ile	Ile
			485						490					495	
Leu	Ile	Ala	Val	Leu	Gly	Leu	Thr	Met	Ile	Ser	Val	Ser	Ile	Ile	Ile
			500					505						510	

-continued

Ile Ile Lys Lys Thr Arg Lys Pro Thr Gly Ala Pro Pro Glu Leu Asn
515 520 525

Gly Val Thr Asn Gly Gly Phe Ile Pro His Ser
530 535

<210> SEQ ID NO 8

<211> LENGTH: 574

<212> TYPE: PRT

<213> ORGANISM: Human respiratory syncytial virus

<400> SEQUENCE: 8

Met Glu Leu Pro Ile Leu Lys Thr Asn Ala Ile Thr Thr Ile Leu Ala
1 5 10 15

Ala Val Thr Leu Cys Phe Ala Ser Ser Gln Asn Ile Thr Glu Glu Phe
20 25 30

Tyr Gln Ser Thr Cys Ser Ala Val Ser Lys Gly Tyr Leu Ser Ala Leu
35 40 45

Arg Thr Gly Trp Tyr Thr Ser Val Ile Thr Ile Glu Leu Ser Asn Ile
50 55 60

Lys Glu Asn Lys Cys Asn Gly Thr Asp Ala Lys Val Lys Leu Ile Lys
65 70 75 80

Gln Glu Leu Asp Lys Tyr Lys Asn Ala Val Thr Glu Leu Gln Leu Leu
85 90 95

Met Gln Ser Thr Pro Ala Ala Asn Asn Arg Ala Arg Arg Glu Leu Pro
100 105 110

Arg Phe Met Asn Tyr Thr Leu Asn Asn Thr Lys Asn Thr Asn Val Thr
115 120 125

Leu Ser Lys Lys Arg Lys Arg Arg Phe Leu Gly Phe Leu Leu Gly Val
130 135 140

Gly Ser Ala Ile Ala Ser Gly Ile Ala Val Ser Lys Val Leu His Leu
145 150 155 160

Glu Gly Glu Val Asn Lys Ile Lys Ser Ala Leu Leu Ser Thr Asn Lys
165 170 175

Ala Val Val Ser Leu Ser Asn Gly Val Ser Val Leu Thr Ser Lys Val
180 185 190

Leu Asp Leu Lys Asn Tyr Ile Asp Lys Gln Leu Leu Pro Ile Val Asn
195 200 205

Lys Gln Ser Cys Ser Ile Ser Asn Ile Glu Thr Val Ile Glu Phe Gln
210 215 220

Gln Lys Asn Asn Arg Leu Leu Glu Ile Thr Arg Glu Phe Ser Val Asn
225 230 235 240

Ala Gly Val Thr Thr Pro Val Ser Thr Tyr Met Leu Thr Asn Ser Glu
245 250 255

Leu Leu Ser Leu Ile Asn Asp Met Pro Ile Thr Asn Asp Gln Lys Lys
260 265 270

Leu Met Ser Asn Asn Val Gln Ile Val Arg Gln Gln Ser Tyr Ser Ile
275 280 285

Met Ser Ile Ile Lys Glu Glu Val Leu Ala Tyr Val Val Gln Leu Pro
290 295 300

Leu Tyr Gly Val Ile Asp Thr Pro Cys Trp Lys Leu His Thr Ser Pro
305 310 315 320

Leu Cys Thr Thr Asn Thr Lys Glu Gly Ser Asn Ile Cys Leu Thr Arg

-continued

	325		330		335										
Thr	Asp	Arg	Gly	Trp	Tyr	Cys	Asp	Asn	Ala	Gly	Ser	Val	Ser	Phe	Phe
			340					345					350		
Pro	Gln	Ala	Glu	Thr	Cys	Lys	Val	Gln	Ser	Asn	Arg	Val	Phe	Cys	Asp
			355				360					365			
Thr	Met	Asn	Ser	Leu	Thr	Leu	Pro	Ser	Glu	Val	Asn	Leu	Cys	Asn	Ile
	370					375					380				
Asp	Ile	Phe	Asn	Pro	Lys	Tyr	Asp	Cys	Lys	Ile	Met	Thr	Ser	Lys	Thr
	385				390					395					400
Asp	Val	Ser	Ser	Ser	Val	Ile	Thr	Ser	Leu	Gly	Ala	Ile	Val	Ser	Cys
				405					410					415	
Tyr	Gly	Lys	Thr	Lys	Cys	Thr	Ala	Ser	Asn	Lys	Asn	Arg	Gly	Ile	Ile
			420					425					430		
Lys	Thr	Phe	Ser	Asn	Gly	Cys	Asp	Tyr	Val	Ser	Asn	Lys	Gly	Val	Asp
		435					440					445			
Thr	Val	Ser	Val	Gly	Asn	Thr	Leu	Tyr	Tyr	Val	Asn	Lys	Gln	Glu	Gly
	450					455					460				
Lys	Ser	Leu	Tyr	Val	Lys	Gly	Glu	Pro	Ile	Ile	Asn	Phe	Tyr	Asp	Pro
	465				470					475					480
Leu	Val	Phe	Pro	Ser	Asp	Glu	Phe	Asp	Ala	Ser	Ile	Ser	Gln	Val	Asn
			485					490						495	
Glu	Lys	Ile	Asn	Gln	Ser	Leu	Ala	Phe	Ile	Arg	Lys	Ser	Asp	Glu	Leu
			500					505					510		
Leu	His	Asn	Val	Asn	Ala	Gly	Lys	Ser	Thr	Thr	Asn	Ile	Met	Ile	Thr
		515					520					525			
Thr	Ile	Ile	Ile	Val	Ile	Ile	Val	Ile	Leu	Leu	Ser	Leu	Ile	Ala	Val
	530					535					540				
Gly	Leu	Leu	Leu	Tyr	Cys	Lys	Ala	Arg	Ser	Thr	Pro	Val	Thr	Leu	Ser
	545				550					555					560
Lys	Asp	Gln	Leu	Ser	Gly	Ile	Asn	Asn	Ile	Ala	Phe	Ser	Asn		
			565						570						

<210> SEQ ID NO 9
 <211> LENGTH: 1617
 <212> TYPE: DNA
 <213> ORGANISM: Human parainfluenza virus 3

<400> SEQUENCE: 9

```

atgccaattt caatactggt aattattaca accatgatca tggcatcaca ctgccaata   60
gacatcacia aactacagca tgtaggtgta ttggtcaaca gtcccaaagg gatgaagata   120
tcacaaaact tcgaaacaag atatctaata ctgagttctca taccaaaaat agaagattct   180
aactcttggt gtgaccaaca gatcaagcaa tacaagaggt tattggatag actgatcatt   240
cctttatatg atggactaag attacagaag gatgtgatag tgactaatca agaatccaat   300
gaaaacactg atcccagaac agaacgattc tttggagggg taattggaac tattgctcta   360
ggagtagcaa cctcagcaca aattacagca gcagttgctc tggttgaagc caagcaggca   420
agatcagaca ttgaaaaact caaggaagca atcagggaca caaataaagc agtgcagtca   480
gttcagagct ctgtaggaaa tttgatagta gcaattaaat cagtccagga ttatgtcaac   540
aaagaaatcg tgccatcgat tgcgagacta ggttgtgaag cagcaggact tcagttaggg   600
attgcattaa cacagcatta ctcagaatta acaaatatat ttggtgataa cataggatcg   660
    
```

-continued

```

ttacaagaaa aaggaataaa attacaaggt atagcatcat tataccgtac aaatatcaca 720
gaaatattca caacatcaac agttgacaaa tatgatattt atgatctatt atttacagaa 780
tcaataaagg tgagagttat agatgttgat ttgaatgatt actcaataac cctccaagtc 840
agactccctt tattgaccag actgctgaac actcaaactc acaaagtaga ttocatatca 900
tacaatatcc aaaatagaga atggtatata cctcttccca gccatatcat gacgaaaggg 960
gcatttctag gtggagcaga tgtcaaagaa tgcatagaag cattcagcag ttatatatgc 1020
ccttctgata caggatttgt actaaacat gaaatggaga gctgtctatc aggaaacata 1080
tccaatgtc caagaaccac agtcacatca gacatagttc ctaggtatgc atttgtcaat 1140
ggaggagtgg ttgcaattg tataacaact acatgtacat gcaatggtat cggtaataga 1200
atcaaccaac cacctgatca aggagtcaaa attataacac ataaagaatg taatacaata 1260
ggtatcaacg gaatgctatt caacacaaaac aaagaaggaa ctcttgcatc ctacacacca 1320
gacgacataa cattaacaaa ttctgttgca cttgatccga ttgacatata aatcgagctc 1380
aacaaggcca aatcagatct tgaggaatca aaagaatgga taagaaggtc aatcaaaag 1440
ctagattcta ttggaagttg gcatcaatct agcactaaa tcatagttat tttgataatg 1500
atgattatat tgtttataat taatataaca ataattaaa ttgcaattaa gtattacaga 1560
attcaaaaga gaaatcgagt ggatcaaaat gataagccgt atgtattaac aaacaag 1617

```

```

<210> SEQ ID NO 10
<211> LENGTH: 1716
<212> TYPE: DNA
<213> ORGANISM: Human parainfluenza virus 3

```

```

<400> SEQUENCE: 10

```

```

atggaatact ggaagcacac caaccacgga aaggatgctg gtaatgagct ggagacatcc 60
acagccactc atggcaacaa gctcaccaac aagataacat atatatgtg gacgataacc 120
ctggtgttat tatcaatagt cttcatcata gtgctaacta attccatcaa aagtgaaaag 180
gcccgcgaat cattgctaca agacataaat aatgagttta tggaagttac agaaaagatc 240
caagtggcat cggataatac taatgatcta atacagtcag gagtgaatac aaggcttctt 300
acaattcaga gtcattgtcca gaattatata ccaatatcat tgacacaaca aatatcggat 360
cttaggaaat tcattagtga aattacaatt agaaatgata atcaagaagt gccaccacaa 420
agaataacac atgatgtggg tataaaacct ttaaactccag atgatttctg gagatgcacg 480
tctggtcttc catctttgat gaaaactcca aaaataagat taatgccggg accaggatta 540
ttagctatgc caacgactgt tgatggctgt gtcagaacct cgtccttagt gataaatgat 600
ctgatttatg cttacacctc aatcctaatt actcgagggt gccaggatat agggaaatca 660
tatcaagtat tacagatagg gataataact gtaaactcag acttgggtacc tgacttaaat 720
cctaggatct ctcatacctt caacataaat gacaatagaa agtcatgttc tctagcactc 780
ctaaatacag atgtatatca actgtgttca accccaaaag ttgatgaaag atcagattat 840
gcatcatcag gcatagaaga tattgtactt gatattgtca attatgatgg ctcaatctcg 900
acaacaagat ttaagaataa taatataagt tttgatcaac catatgcggc attataccca 960
tctgttggac caggatata ctacaaaggc aaaataatat ttctcgggta tggaggctct 1020
gaacatccaa taaatgagaa tgcaatctgc aacacaactg ggtgtcctgg gaaaacacag 1080

```


-continued

```

agagactgta atcaagcatc tcatagtcca tggttttcag atagaaggat ggtcaactct 1140
ataattggtg ttgacaaggg cttgaactca gttccaaaat tgaaggatg gacgatatct 1200
atgagacaaa attactgggg gtcagaagga agattacttc tactaggtaa caagatctac 1260
atatacacia gatctacaag ttggcacagc aagtacaat taggaataat tgacattact 1320
gactacagtg atataaggat aaaatggaca tggcataatg tgctatcaag accaggaaac 1380
aatgaatgtc catggggaca ttcattgtcc gatggatgta taacgggagt atataccgat 1440
gcatatccac tcaatcccac aggaagcatt gtatcatctg tcatattgga ctcacaaaaa 1500
tcgagagtca acccagtcac aacttactca acagcaaccg aaagggtaaa cgagctggct 1560
atccgaaaca aaacactctc agctgggtac acaacaacaa gctgcattac aactataac 1620
aaagggtatt gttttcatat agtagaaata aatcataaaa gcttaaacac atttcaaccc 1680
atgttggtca aaacagagat tccaaaaagc tgcagt 1716

```

<210> SEQ ID NO 11

<211> LENGTH: 1716

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 11

```

atggaatact ggaagcacac caaccacggc aaggacgccg gcaacgagct ggaaaccagc 60
acagccacac acggcaacaa gctgaccaac aagatcacct acatcctgtg gaccatcacc 120
ctggtgctgc tgagcatcgt gttcatcatc gtgctgacca atagcatcaa gagcgagaag 180
gccagagaga gcctgctgca ggacatcaac aacgagttca tggaaagtac cgagaagatc 240
caggtggcca gcgacaacac caacgacctg atccagagcg gcgtgaacac ccggctgctg 300
accatccaga gccacgtgca gaactacatc cccatcagcc tgaccagca gatcagcgac 360
ctgcggaagt tcatcagcga gatcaccatc cggaacgaca accaggaagt gccccccag 420
agaatcacc cagacgtggg catcaagccc ctgaaccccg acgatttctg gcggtgtaca 480
agcggcctgc ccagcctgat gaagaccccc aagatccggc tgatgcctgg ccctggactg 540
ctggccatgc ctaccacagt ggatggctgt gtgcggaccc ccagcctcgt gatcaacgat 600
ctgatctacg cctacaccag caacctgatc acccggggct gccaggatat cggcaagagc 660
taccaggtgc tgcagatcgg catcatcacc gtgaactccg acctgggtgc cgacctgaac 720
cctcggatca gccacacctt caacatcaac gacaacagaa agagctgcag cctggctctg 780
ctgaacaccg acgtgtacca gctgtgcagc accccaagg tggacgagag aagcgactac 840
gccagcagcg gcatcgagga tatcgtgctg gacatcgtga actacgacgg cagcatcagc 900
accacccggg tcaagaacaa caacatcagc ttcgaccagc cctacgccgc cctgtaccct 960
tctgtgggcc ctggcatcta ctacaagggc aagatcatct tcttgggcta cggcggcctg 1020
gaacacccca tcaacgagaa cgccatctgc aacaccaccg gctgccctgg caagaccag 1080
agagactgca atcaggccag ccacagcccc tggttcagcg accgcagaat ggtcaactct 1140
atcatcgtgg tggacaaggg cctgaacagc gtgcccagc tgaaagtgtg gacaatcagc 1200
atgcgccaga actactgggg cagcgagggc agacttctgc tgctgggaaa caagatctac 1260
atctacacc ggtccaccag ctggcacagc aaactgcagc tgggaatcat cgacatcacc 1320

```

-continued

```

gactacagcg acatccggat caagtggacc tggcacaacg tgctgagcag acccggcaac 1380
aatgagtgcc cttggggcca cagctgcccc gatggatgta tcaccggcgt gtacaccgac 1440
gcctaccccc tgaatcctac eggctccatc gtgtccagcg tgatcctgga cagccagaaa 1500
agcagagtga acccctgat cacatacagc accgccaccg agagagtgaa cgaactggcc 1560
atcagaaaca agaccctgag cgccggctac accaccacaa gctgcatcac aactacaac 1620
aagggtact gttccacat cgtggaaatc aaccacaagt ccctgaacac cttccagccc 1680
atgctgttca agaccgagat cccaagagc tgctcc 1716

```

```

<210> SEQ ID NO 12
<211> LENGTH: 1617
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Polynucleotide

```

```

<400> SEQUENCE: 12

```

```

atgcccata gcatcctgct gatcatcacc acaatgatca tggccagcca ctgccagatc 60
gacatcacca agctgcagca cgtgggcgtg ctctgtaaca gcccgaagg catgaagatc 120
agccagaact tcgagacacg ctacctgatc ctgagcctga tcccgaagat cgaggacagc 180
aacagctgcg gcgaccagca gatcaagcag tacaagcggc tgctggacag actgatcatc 240
ccctgtacg acggcctgcg gctgcagaaa gacgtgatcg tgaccaacca ggaaagcaac 300
gagaacaccg accccggac cgagagattc ttcggcggcg tgatcggcac aatcgccctg 360
ggagtggcca caagcggcca gattacagcc gctgtggccc tgggtggaag caagcaggcc 420
agaagcgaca tcgagaagct gaaagaggcc atccgggaca ccaacaaggc cgtgcagagc 480
gtgcagtcca gcgtgggcaa tctgatcgtg gccatcaagt ccgtgcagga ctactgtaac 540
aaagaaatcg tgccctctat cgcccggctg ggctgtgaag ctgccggact gcagctgggc 600
attgccctga cacagcacta cagcgagctg accaacatct tcggcgacaa catcggcagc 660
ctgcaggaaa agggcattaa gctgcaggga atcgccagcc tgtaccgac caacatcacc 720
gagatcttca ccaccagcac cgtggataag tacgacatct acgacctgct gttcaccgag 780
agcatcaaag tgcgctgat cgacgtggac ctgaacgact acagcatcac cctgcaagtg 840
cggctgcccc tgctgaccag actgctgaac acccagatct acaaggtgga cagcatctcc 900
tacaacatcc agaaccgga gtggtacatc cctctgccc gccacattat gaccaagggc 960
gcctttctgg gggagccga cgtgaaagag tgcatcgagg ccttcagcag ctacatctgc 1020
cccagcgacc ctggcttctg gctgaaccac gagatggaaa gctgcctgag cggcaacatc 1080
agccagtgcc ccagaaccac cgtgacctcc gacatcgtgc ccagatacgc cttcgtgaat 1140
ggcggcgtgg tggccaactg catcaccacc acctgtacct gcaacggcat cggcaaccgg 1200
atcaaccagc ctcccgatca gggcgtgaag attatcacc acaagagtg taacaccatc 1260
ggcatcaacg gcatgctgtt caataccaac aaagagggca ccctggcctt ctacaccccc 1320
gacgatatca ccctgaacaa ctccgtggct ctggaccca tcgacatctc catcgagctg 1380
aacaaggcca agagcgacct ggaagagtcc aaagagtgga tccggcggag caaccagaag 1440
ctggactcta tcggcagctg gcaccagagc agcaccacca tcatcgtgat cctgattatg 1500
atgattatcc tgttcatcat caacattacc atcatcacta tcgccattaa gtactaccgg 1560

```

-continued

 atccagaaac ggaaccgggt ggaccagaat gacaagccct acgtgctgac aaacaag 1617

<210> SEQ ID NO 13

<211> LENGTH: 539

<212> TYPE: PRT

<213> ORGANISM: Human parainfluenza virus 3

<400> SEQUENCE: 13

Met Pro Ile Ser Ile Leu Leu Ile Ile Thr Thr Met Ile Met Ala Ser
 1 5 10 15
 His Cys Gln Ile Asp Ile Thr Lys Leu Gln His Val Gly Val Leu Val
 20 25 30
 Asn Ser Pro Lys Gly Met Lys Ile Ser Gln Asn Phe Glu Thr Arg Tyr
 35 40 45
 Leu Ile Leu Ser Leu Ile Pro Lys Ile Glu Asp Ser Asn Ser Cys Gly
 50 55 60
 Asp Gln Gln Ile Lys Gln Tyr Lys Arg Leu Leu Asp Arg Leu Ile Ile
 65 70 75 80
 Pro Leu Tyr Asp Gly Leu Arg Leu Gln Lys Asp Val Ile Val Thr Asn
 85 90 95
 Gln Glu Ser Asn Glu Asn Thr Asp Pro Arg Thr Glu Arg Phe Phe Gly
 100 105 110
 Gly Val Ile Gly Thr Ile Ala Leu Gly Val Ala Thr Ser Ala Gln Ile
 115 120 125
 Thr Ala Ala Val Ala Leu Val Glu Ala Lys Gln Ala Arg Ser Asp Ile
 130 135 140
 Glu Lys Leu Lys Glu Ala Ile Arg Asp Thr Asn Lys Ala Val Gln Ser
 145 150 155 160
 Val Gln Ser Ser Val Gly Asn Leu Ile Val Ala Ile Lys Ser Val Gln
 165 170 175
 Asp Tyr Val Asn Lys Glu Ile Val Pro Ser Ile Ala Arg Leu Gly Cys
 180 185 190
 Glu Ala Ala Gly Leu Gln Leu Gly Ile Ala Leu Thr Gln His Tyr Ser
 195 200 205
 Glu Leu Thr Asn Ile Phe Gly Asp Asn Ile Gly Ser Leu Gln Glu Lys
 210 215 220
 Gly Ile Lys Leu Gln Gly Ile Ala Ser Leu Tyr Arg Thr Asn Ile Thr
 225 230 235 240
 Glu Ile Phe Thr Thr Ser Thr Val Asp Lys Tyr Asp Ile Tyr Asp Leu
 245 250 255
 Leu Phe Thr Glu Ser Ile Lys Val Arg Val Ile Asp Val Asp Leu Asn
 260 265 270
 Asp Tyr Ser Ile Thr Leu Gln Val Arg Leu Pro Leu Leu Thr Arg Leu
 275 280 285
 Leu Asn Thr Gln Ile Tyr Lys Val Asp Ser Ile Ser Tyr Asn Ile Gln
 290 295 300
 Asn Arg Glu Trp Tyr Ile Pro Leu Pro Ser His Ile Met Thr Lys Gly
 305 310 315 320
 Ala Phe Leu Gly Gly Ala Asp Val Lys Glu Cys Ile Glu Ala Phe Ser
 325 330 335
 Ser Tyr Ile Cys Pro Ser Asp Pro Gly Phe Val Leu Asn His Glu Met
 340 345 350

-continued

Glu Ser Cys Leu Ser Gly Asn Ile Ser Gln Cys Pro Arg Thr Thr Val
 355 360 365
 Thr Ser Asp Ile Val Pro Arg Tyr Ala Phe Val Asn Gly Gly Val Val
 370 375 380
 Ala Asn Cys Ile Thr Thr Thr Cys Thr Cys Asn Gly Ile Gly Asn Arg
 385 390 395 400
 Ile Asn Gln Pro Pro Asp Gln Gly Val Lys Ile Ile Thr His Lys Glu
 405 410 415
 Cys Asn Thr Ile Gly Ile Asn Gly Met Leu Phe Asn Thr Asn Lys Glu
 420 425 430
 Gly Thr Leu Ala Phe Tyr Thr Pro Asp Asp Ile Thr Leu Asn Asn Ser
 435 440 445
 Val Ala Leu Asp Pro Ile Asp Ile Ser Ile Glu Leu Asn Lys Ala Lys
 450 455 460
 Ser Asp Leu Glu Glu Ser Lys Glu Trp Ile Arg Arg Ser Asn Gln Lys
 465 470 475 480
 Leu Asp Ser Ile Gly Ser Trp His Gln Ser Ser Thr Thr Ile Ile Val
 485 490 495
 Ile Leu Ile Met Met Ile Ile Leu Phe Ile Ile Asn Ile Thr Ile Ile
 500 505 510
 Thr Ile Ala Ile Lys Tyr Tyr Arg Ile Gln Lys Arg Asn Arg Val Asp
 515 520 525
 Gln Asn Asp Lys Pro Tyr Val Leu Thr Asn Lys
 530 535

<210> SEQ ID NO 14

<211> LENGTH: 572

<212> TYPE: PRT

<213> ORGANISM: Human parainfluenza virus 3

<400> SEQUENCE: 14

Met Glu Tyr Trp Lys His Thr Asn His Gly Lys Asp Ala Gly Asn Glu
 1 5 10 15
 Leu Glu Thr Ser Thr Ala Thr His Gly Asn Lys Leu Thr Asn Lys Ile
 20 25 30
 Thr Tyr Ile Leu Trp Thr Ile Thr Leu Val Leu Leu Ser Ile Val Phe
 35 40 45
 Ile Ile Val Leu Thr Asn Ser Ile Lys Ser Glu Lys Ala Arg Glu Ser
 50 55 60
 Leu Leu Gln Asp Ile Asn Asn Glu Phe Met Glu Val Thr Glu Lys Ile
 65 70 75 80
 Gln Val Ala Ser Asp Asn Thr Asn Asp Leu Ile Gln Ser Gly Val Asn
 85 90 95
 Thr Arg Leu Leu Thr Ile Gln Ser His Val Gln Asn Tyr Ile Pro Ile
 100 105 110
 Ser Leu Thr Gln Gln Ile Ser Asp Leu Arg Lys Phe Ile Ser Glu Ile
 115 120 125
 Thr Ile Arg Asn Asp Asn Gln Glu Val Pro Pro Gln Arg Ile Thr His
 130 135 140
 Asp Val Gly Ile Lys Pro Leu Asn Pro Asp Asp Phe Trp Arg Cys Thr
 145 150 155 160
 Ser Gly Leu Pro Ser Leu Met Lys Thr Pro Lys Ile Arg Leu Met Pro

-continued

165				170				175							
Gly	Pro	Gly	Leu	Leu	Ala	Met	Pro	Thr	Thr	Val	Asp	Gly	Cys	Val	Arg
			180												190
Thr	Pro	Ser	Leu	Val	Ile	Asn	Asp	Leu	Ile	Tyr	Ala	Tyr	Thr	Ser	Asn
			195												205
Leu	Ile	Thr	Arg	Gly	Cys	Gln	Asp	Ile	Gly	Lys	Ser	Tyr	Gln	Val	Leu
			210												220
Gln	Ile	Gly	Ile	Ile	Thr	Val	Asn	Ser	Asp	Leu	Val	Pro	Asp	Leu	Asn
			225												240
Pro	Arg	Ile	Ser	His	Thr	Phe	Asn	Ile	Asn	Asp	Asn	Arg	Lys	Ser	Cys
															255
Ser	Leu	Ala	Leu	Leu	Asn	Thr	Asp	Val	Tyr	Gln	Leu	Cys	Ser	Thr	Pro
			260												270
Lys	Val	Asp	Glu	Arg	Ser	Asp	Tyr	Ala	Ser	Ser	Gly	Ile	Glu	Asp	Ile
			275												285
Val	Leu	Asp	Ile	Val	Asn	Tyr	Asp	Gly	Ser	Ile	Ser	Thr	Thr	Arg	Phe
			290												300
Lys	Asn	Asn	Asn	Ile	Ser	Phe	Asp	Gln	Pro	Tyr	Ala	Ala	Leu	Tyr	Pro
															320
Ser	Val	Gly	Pro	Gly	Ile	Tyr	Tyr	Lys	Gly	Lys	Ile	Ile	Phe	Leu	Gly
															335
Tyr	Gly	Gly	Leu	Glu	His	Pro	Ile	Asn	Glu	Asn	Ala	Ile	Cys	Asn	Thr
			340												350
Thr	Gly	Cys	Pro	Gly	Lys	Thr	Gln	Arg	Asp	Cys	Asn	Gln	Ala	Ser	His
			355												365
Ser	Pro	Trp	Phe	Ser	Asp	Arg	Arg	Met	Val	Asn	Ser	Ile	Ile	Val	Val
			370												380
Asp	Lys	Gly	Leu	Asn	Ser	Val	Pro	Lys	Leu	Lys	Val	Trp	Thr	Ile	Ser
			385												400
Met	Arg	Gln	Asn	Tyr	Trp	Gly	Ser	Glu	Gly	Arg	Leu	Leu	Leu	Leu	Gly
			405												415
Asn	Lys	Ile	Tyr	Ile	Tyr	Thr	Arg	Ser	Thr	Ser	Trp	His	Ser	Lys	Leu
			420												430
Gln	Leu	Gly	Ile	Ile	Asp	Ile	Thr	Asp	Tyr	Ser	Asp	Ile	Arg	Ile	Lys
			435												445
Trp	Thr	Trp	His	Asn	Val	Leu	Ser	Arg	Pro	Gly	Asn	Asn	Glu	Cys	Pro
															460
Trp	Gly	His	Ser	Cys	Pro	Asp	Gly	Cys	Ile	Thr	Gly	Val	Tyr	Thr	Asp
															480
Ala	Tyr	Pro	Leu	Asn	Pro	Thr	Gly	Ser	Ile	Val	Ser	Ser	Val	Ile	Leu
															495
Asp	Ser	Gln	Lys	Ser	Arg	Val	Asn	Pro	Val	Ile	Thr	Tyr	Ser	Thr	Ala
			500												510
Thr	Glu	Arg	Val	Asn	Glu	Leu	Ala	Ile	Arg	Asn	Lys	Thr	Leu	Ser	Ala
			515												525
Gly	Tyr	Thr	Thr	Thr	Ser	Cys	Ile	Thr	His	Tyr	Asn	Lys	Gly	Tyr	Cys
															540
Phe	His	Ile	Val	Glu	Ile	Asn	His	Lys	Ser	Leu	Asn	Thr	Phe	Gln	Pro
															560
Met	Leu	Phe	Lys	Thr	Glu	Ile	Pro	Lys	Ser	Cys	Ser				
															570

-continued

<210> SEQ ID NO 15
<211> LENGTH: 20
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Polypeptide

<400> SEQUENCE: 15

Met Glu Thr Pro Ala Gln Leu Leu Phe Leu Leu Leu Leu Trp Leu Pro
1 5 10 15

Asp Thr Thr Gly
 20

<210> SEQ ID NO 16
<211> LENGTH: 18
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Polypeptide

<400> SEQUENCE: 16

Met Asp Trp Thr Trp Ile Leu Phe Leu Val Ala Ala Ala Thr Arg Val
1 5 10 15

His Ser

<210> SEQ ID NO 17
<211> LENGTH: 24
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Polypeptide

<400> SEQUENCE: 17

Met Leu Gly Ser Asn Ser Gly Gln Arg Val Val Phe Thr Ile Leu Leu
1 5 10 15

Leu Leu Val Ala Pro Ala Tyr Ser
 20

<210> SEQ ID NO 18
<211> LENGTH: 17
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Polypeptide

<400> SEQUENCE: 18

Met Lys Cys Leu Leu Tyr Leu Ala Phe Leu Phe Ile Gly Val Asn Cys
1 5 10 15

Ala

<210> SEQ ID NO 19
<211> LENGTH: 15
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Polypeptide

<400> SEQUENCE: 19

Met Trp Leu Val Ser Leu Ala Ile Val Thr Ala Cys Ala Gly Ala
1 5 10 15

-continued

<210> SEQ ID NO 20

<211> LENGTH: 4062

<212> TYPE: DNA

<213> ORGANISM: Middle East respiratory syndrome coronavirus

<400> SEQUENCE: 20

atgatacact cagtgtttct actgatgttc ttgttaacac ctacagaaag ttacgttgat 60
gtagggccag attctgttaa gtctgcttgt attgaggttg atatacaaca gaccttcttt 120
gataaaactt ggcctaggcc aattgatggt tctaaggctg acggtattat atacctcaa 180
ggccgtacat attctaacat aactatcact tatcaaggtc tttttcccta tcagggagac 240
catggtgata tgtatgttta ctctgcagga catgctacag gcacaactcc acaaaagtgt 300
ttttagtcta actattctca ggacgtcaaa cagtttgcta atgggtttgt cgtccgtata 360
ggagcagctg ccaattccac tggcactggt attattagcc catctaccag cgctactata 420
cgaaaaattt accctgcttt tatgctgggt tcttcagttg gtaatttctc agatggtaaa 480
atgggcccgt tcttcaatca tactctagtt cttttgcccg atggatgtgg cactttactt 540
agagcttttt attgtattct agagcctcgc tctggaatc attgtcctgc tggcaattcc 600
tatacttctt ttgccactta tcacactcct gcaacagatt gttctgatgg caattacaat 660
cgtaatgcca gtctgaactc ttttaaggag tattttaatt tacgtaactg cacctttatg 720
tacacttata acattaccga agatgagatt ttagagtggg ttggcattac acaaactgct 780
caaggtgttc acctctctc atctcgggtat gttgatttgt acggcggcaa tatgtttcaa 840
tttgccacct tgccctgtta tgatactatt aagtattatt ctatcattcc tcacagtatt 900
cgttctatcc aaagtgatag aaaagcttgg gctgccttct acgtatataa acttcaaccg 960
ttaactttcc tgttggtatt ttctgttgat ggttatatac gcagagctat agactgtggg 1020
tttaatgatt tgtcacaact ccaactgctca tatgaatcct tcgatgttga atctggagtt 1080
tattcagttt cgtctttcga agcaaacct tctggctcag ttgtggaaca ggctgaaggt 1140
gttgaatgtg atttttcacc tcttctgtct ggacacctc ctcaggttta taatttcaag 1200
cgtttggttt ttaccaattg caattataat cttaccaaat tgetttcact tttttctgtg 1260
aatgatttta cttgtagtca aatatctcca gcagcaattg ctagcaactg ttattcttca 1320
ctgattttgg attatttttc ataccactt agtatgaaat cccgatctcag tggtagttct 1380
gctggtccaa tatcccagtt taattataaa cagtcctttt ctaatccac atgtttgatc 1440
ttagcgactg ttcctcataa ccttactact attactaagc ctcttaagta cagctatatt 1500
aacaagtgtc ctctcttct ttctgatgat cgtactgaag tacctcagtt agtgaacgct 1560
aatcaatact caccctgtgt atccattgtc ccatccactg tgtgggaaga cggtgattat 1620
tataggaaac aactatctcc acttgaaggt ggtggctggc ttgttgctag tggctcaact 1680
gttgccatga ctgagcaatt acagatgggc tttggtatta cagttcaata tggtagagac 1740
accaatagtg tttgccccaa gcttgaattt gctaagaca caaaaattgc ctctcaatta 1800
ggcaattgct tggaatattc cctctatggt gtttcgggccc gtgggtgttt tcagaattgc 1860
acagctgtag gtgttcgaca gcagcgtttt gtttatgatg cgtaccagaa tttagttggc 1920
tattattctg atgatggcaa ctactactgt ctgcgtgctt gtgtagtgt tctgtttct 1980
gtcatctatg ataaagaaac taaaaccac gctactctat ttggtagtgt tgcattgtgaa 2040

-continued

```

cacatttctt ctaccatgtc tcaatactcc cgttctacgc gatcaatgct taaacggcga 2100
gattctacat atggccccct tcagacacct gttggttggtg tcctaggact tgtaattcc 2160
tctttgttcg tagaggactg caagttgect ctcggtcaat ctctctgtgc tcttctgac 2220
acacctagta ctctcacacc tcgcagtgtg cgctctgtgc caggtgaaat gcgcttgga 2280
tccattgctt ttaatcatcc cattcagggt gatcaactta atagtagtta ttttaaatta 2340
agtataccca ctaatttttc ctttggtgtg actcaggagt acattcagac aaccattcag 2400
aaagttactg ttgattgtaa acagtacggt tgcaatgggt tccagaagtg tgagcaatta 2460
ctgcgcgagt atggccagtt ttggtccaaa ataaaccagg ctctccatgg tgccaattta 2520
cgccaggatg attctgtacg taatttgttt gcgagcgtga aaagctctca atcatctcct 2580
atcataccag gttttggagg tgactttaat ttgacacttc tagaacctgt ttctatatct 2640
actggcagtc gtagtgacg tagtgctatt gaggatttgc tatttgaaa agtcactata 2700
gctgatcctg gttatatgca aggttacgat gattgtatgc agcaaggctc agcatcagct 2760
cgtgatctta tttgtgctca atatgtggct ggtataaag tattacctc tcttatggat 2820
gttaatatgg aagccgcgta tacttcatct ttgcttgga gcatagcagg tggtggctgg 2880
actgctggct taccctcctt tgctgctatt ccatttgcac agagtatytt ttataggtta 2940
aacggtggtg gcattactca acaggttctt tcagagaacc aaaagcttat tgccaataag 3000
tttaatcagg ctctgggagc tatgcaaaca ggcttacta caactaatga agcttttcgg 3060
aaggttcagg atgctgtgaa caacaatgca caggctctat ccaaattagc tagcgagcta 3120
tctaatactt ttggtgctat ttccgcctct attggagaca tcatacaacg tcttgatgtt 3180
ctcgaacagg acgccccaat agacagactt attaatggcc gtttgacaac actaaatgct 3240
tttgttgca acgagcttgt tcggtccgaa tcagctgctc tttccgctca attggctaaa 3300
gataaagtca atgagtgtgt caaggcacia tccaagcgtt ctggattttg cggcgaaggc 3360
acacatatag tgcctttgt tgtaaatgcc cctaattggc tttactttat gcatggttgg 3420
tattacccta gcaaccacat tgaggttggt tctgcttatg gtctttgca tgcagctaac 3480
cctactaatt gtatagcccc tgtaaatggc tactttatta aaactaataa cactaggatt 3540
gttgatgagt ggtcatatac tggctcgtcc ttctatgcac ctgagcccat cacctctctt 3600
aatactaagt atggtgcacc acaggtgaca taccaaaaaca tttctactaa cctccctcct 3660
cctctctcgc gcaattccac cgggattgac ttccaagatg agttggatga gtttttcaaa 3720
aatgtagca ccagtatacc taattttggt tctctaacac agattaatac tacattactc 3780
gatcttacct acgagatggt gtctcttcaa caagttgta aagcccttaa tgagtcttac 3840
atagacctta aagagcttgg caattatact tattacaaca aatggccgtg gtacatttgg 3900
cttggtttca ttgctgggct tggtgectta gctctatgcg tcttcttcat actgtgctgc 3960
actggttggtg gcacaaactg tatgggaaaa cttaagtgtg atcgttgttg tgatagatac 4020
gaggaatcgc acctcgagcc gcataagggt catgttcaact aa 4062

```

<210> SEQ ID NO 21

<211> LENGTH: 4062

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polynucleotide

-continued

<400> SEQUENCE: 21

atgatacact cagtgtttct actgatgttc ttgttaacac ctacagaaag ttacgttgat 60
gtagggccag attctgttaa gtctgcttgt attgaggttg atatacaaca gactttcttt 120
gataaaactt ggccctaggcc aattgatgtt tctaaggctg acggtattat ataccctcaa 180
ggccgtacat attctaacat aactatcact tatcaaggtc tttttcccta tcagggagac 240
catggtgata tgtatgttta ctctgcagga catgctacag gcacaactcc acaaaagttg 300
ttttagtcta actattctca ggacgtcaaa cagtttgcta atgggtttgt cgtccgtata 360
ggagcagctg ccaattccac tggcactgtt attattagcc catctaccag cgctactata 420
cgaaaaattt accctgcttt tatgctgggt tcttcagttg gtaatttctc agatggtaaa 480
atggggccgt tcttcaatca tactctagtt cttttgcccg atggatgtgg cactttactt 540
agagcttttt attgtattct ggagcctcgc tctggaaatc attgtcctgc tggcaattcc 600
tatacttctt ttgccactta tcacactcct gcaacagatt gttctgatgg caattacaat 660
cgtaatgcca gtctgaactc ttttaaggag tattttaatt tacgtaactg cacctttatg 720
tacacttata acattaccga agatgagatt ttagagtggg ttggcattac acaaaactgct 780
caaggtgttc acctcttctc atctcgggtat gttgatttgt acggcggcaa tatgtttcaa 840
tttgccacct tgccctgttt tgatactatt aagtattatt ctatcattcc tcacagtatt 900
cgttctatcc aaagtgatag aaaagcttgg gctgccttct acgtatataa acttcaaccg 960
ttaactttcc tgttgattt ttctgttgat ggttatatac gcagagctat agactgtggg 1020
tttaatgatt tgtcacaact ccaactgctca tatgaatcct tcgatgttga atctggagtt 1080
tattcagttt cgtctttcga agcaaacct tctggctcag ttgtggaaca ggctgaaggt 1140
gttgaatgtg atttttcacc tcttctgtct ggcacacctc ctcaggttta taatttcaag 1200
cgtttggttt ttaccaatg caattataat cttaccaaat tgctttcact tttttctgtg 1260
aatgatttta cttgtagtca aatatctcca gcagcaattg ctagcaactg ttattcttca 1320
ctgattttgg attacttttc ataccactt agtatgaaat ccgatctcag tgttagttct 1380
gctggtccaa tateccagtt taattataaa cagtcccttt ctaatccac atgtttgatt 1440
ttagcgactg ttctcataa ccttactact attactaagc ctcttaagta cagctatatt 1500
aacaagtgtc ctctcttct ttctgatgat cgtactgaag tacctcagtt agtgaacgct 1560
aatcaatact caccctgtgt atccattgtc ccatccactg tgtgggaaga cggtgattat 1620
tataggaaac aactatctcc acttgaaggt ggtggctggc ttgttgctag tggctcaact 1680
gttgccatga ctgagcaatt acagatgggc tttggtatta cagttcaata tggtagacagac 1740
accaatagtg tttgccccaa gcttgaattt gctaatgaca caaaaattgc ctctcaatta 1800
ggcaattgcy tggaatatc cctctatggg gtttcgggce gtgggttttt tcagaattgc 1860
acagctgtag gtgttcgaca gcagcgcttt gtttatgatg cgtaccagaa tttagttggc 1920
tattattctg atgatggcaa ctactactgt ttgcgtgctt gtgtagtgt tctgtttct 1980
gtcatctatg ataaagaaac taaaaccac gctactctat ttgtagtgt tgcattgtgaa 2040
cacatttctt ctaccatgtc tcaatactcc cgttctacgc gatcaatgct taaacggcga 2100
gattctacat atggccccct tcagacacct gttggtgtg tcttaggact tgtaattcc 2160
tctttgttcg tagaggactg caagttgctt cttggtcaat ctctctgtgc tcttctgac 2220

-continued

```

acacctagta ctctcacacc tcgcagtggtg cgctctgttc caggtgaaat gcgcttggca 2280
tccattgctt ttaatcatcc tattcagggt gatcaactta atagtagtta ttttaaatta 2340
agtataccca ctaatttttc ctttggtgtg actcaggagt acattcagac aaccattcag 2400
aaagttactg ttgattgtaa acagtacggt tgcaatgggt tccagaagtg tgagcaatta 2460
ctgcgcgagt atggccagtt ttgttccaaa ataaaccagg ctctccatgg tgccaattta 2520
cgccaggatg attctgtacg taatttgttt gcgagcgtga aaagctctca atcatctcct 2580
atcataccag gttttggagg tgactttaat ttgacacttc tggaacctgt ttctatatct 2640
actggcagtc gtagtgcacg tagtgctatt gaggatttgc tatttgacaa agtcactata 2700
gctgatcctg gttatatgca aggttacgat gattgcatgc agcaagggtcc agcatcagct 2760
cgtgatctta tttgtgctca atatgtggct gggtacaaag tattacctcc tcttatggat 2820
gttaatatgg aagccgcgta tacttcatct ttgcttggca gcatagcagg tgttggctgg 2880
actgctggct tatectcctt tgctgctatt ccatttgcaac agagtatctt ttataggtta 2940
aacggtgttg gcattactca acaggttctt tcagagaacc aaaagcttat tgccaataag 3000
tttaatcagg ctctgggagc tatgcaaaca ggcttcaact caactaatga agcttttcag 3060
aaggttcagg atgctgtgaa caacaatgca caggctctat ccaaattagc tagcgagcta 3120
tctaatactt ttggtgctat ttccgcctct attggagaca tcatacaacg tcttgatggt 3180
ctcgaacagg acgcccacat agacagactt attaatggcc gtttgacaac actaaatgct 3240
tttgttgcaac agcagcttgt tcggtccgaa tcagctgctc tttccgctca attggctaaa 3300
gataaagtca atgagtgtgt caaggcaciaa tccaagcgtt ctggattttg cgggtcaaggc 3360
acacatatag tgcctttgt tgtaaatgcc cctaattggcc tttacttcat gcatgttgggt 3420
tattacccta gcaaccacat tgaggttggt tctgcttatg gtctttgca tgcagctaac 3480
cctactaatt gtatagcccc tgtaaatggc tactttatta aaactaataa cactaggatt 3540
gttgatgagt ggtcatatac tggtcgtcc ttctatgcaac ctgagcccat tacctcctt 3600
aatactaagt atgttgcaac acaggtgaca taccaaaaca tttctactaa cctccctcct 3660
cctcttctcg gcaattccac cgggattgac ttccaagatg agttggatga gtttttcaaa 3720
aatgttagca ccagtatacc taattttggt tcctaacac agattaatac tacattactc 3780
gatcttacct acgagatggt gtctcttcaa caagttggtta aagcccttaa tgagtcttac 3840
atagacctta aagagcttgg caattatact tattacaaca aatggccgtg gtacatttgg 3900
cttggtttca ttgctgggtg tggtgcctta gctctatgag tcttcttcat actgtgctgc 3960
actggttgtg gcacaaactg tatgggaaaa cttaagtgtg atcgttgttg tgatagatac 4020
gaggaatacg acctcgagcc gcataagggt catgttcaact aa 4062

```

<210> SEQ ID NO 22

<211> LENGTH: 1845

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 22

```

atgatccact ccgtgttccct cctcatgttc ctgttgaccc cactgagtc agactgcaag 60
ctcccgtgg gacagtcctt gtgtgcgctg cctgacactc ctagcactct gaccccacgc 120

```

-continued

tccgtgcggt	cggtgectgg	cgaaatgceg	ctggcctcca	tcgccttcaa	tcaccaatc	180
caagtggatc	agctgaatag	ctcgtatttc	aagctgtcca	tccccacgaa	cttctcgttc	240
ggggtcacc	aggagtacat	ccagaccaca	attcagaagg	tcaccgtcga	ttgcaagcaa	300
tacgtgtgca	acggcttcca	gaagtgcgag	cagctgctga	gagaatacgg	gcagttttgc	360
agcaagatca	accaggcgct	gcatggagct	aacttgcgcc	aggacgactc	cgtgcgcaac	420
ctctttgect	ctgtgaagtc	atcccagtc	tcccacatca	tcccgggatt	cggaggggac	480
ttcaacctga	ccctcctgga	gcccgtgtcg	atcagcaccg	gtagcagatc	ggcgcgctca	540
gccattgaag	atcttctggt	cgacaaggtc	accatcgccg	atccgggcta	catgcagggg	600
tacgacgact	gtatgcagca	gggaccagcc	tccgcgaggg	acctcatctg	cgcgcaatac	660
gtggccgggt	acaaagtgct	gcctcctctg	atggatgtga	acatggaggc	cgcttatact	720
tcgtccctgc	tcggctctat	cgccggcgctg	gggtggaccg	ccggcctgtc	ctccttcgcc	780
gctatccct	ttgcacaatc	cattttctac	cggtcaacg	gcgtgggcat	tactcaacaa	840
gtcctgtcgg	agaaccagaa	gttgatcgca	aacaagttca	atcaggccct	gggggcatg	900
cagactggat	tactacgac	taacgaagcg	ttccagaagg	tccaggacgc	tgtgaacaac	960
aacgcccagg	cgctctcaaa	gctggcctcc	gaactcagca	acaccttcgg	agccatcagc	1020
gcatcgatcg	gtgacataat	tcagcggctg	gacgtgctgg	agcaggacgc	ccagatcgac	1080
cgctcatca	acggacggct	gaccaccttg	aatgccttcg	tggcacaaca	gctggtcggg	1140
agcgaatcag	cggcactttc	cgcccaactc	gccaaggaca	aagtcaacga	atgcgtgaag	1200
gccagtcga	agaggtccgg	tttctgcggt	caaggaaccc	atattgtgtc	cttcgtcgtg	1260
aacgcgccc	acggctctgta	ctttatgcac	gtcggctact	acccgagcaa	tcatatcgaa	1320
gtgggtgccc	cctacggcct	gtgcatgccc	gctaaccoca	ctaactgtat	tgccccgtg	1380
aacggatatt	ttattaagac	caacaacacc	cgattgtgg	acgaatggtc	atacaccggt	1440
tcgtccttct	acgcgcccga	gcccactact	tactgaaca	ccaatacgt	ggctccgcaa	1500
gtgacctacc	agaacatctc	caccaatttg	ccgccgcgc	tgctcgaaa	cagcaccgga	1560
attgatttcc	aagatgaact	ggacgaattc	ttcaagaacg	tgccacttc	cattcccac	1620
ttcgaagcc	tgacacagat	caacaccacc	cttctcgacc	tgacctacga	gatgctgagc	1680
cttcaacaag	tggtaaggc	cctgaacgag	agctacatcg	acctgaagga	gctgggcaac	1740
tatacctact	acaacaagtg	gccggacaag	attgaggaga	ttctgtcgaa	aatctaccac	1800
attgaaaacg	agatcgccag	aatcaagaag	cttatcgccg	aagcc		1845

<210> SEQ ID NO 23

<211> LENGTH: 4071

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 23

atggaaaccc	ctgccagct	gctgttctctg	ctgctgctgt	ggctgcctga	taccaccggc	60
agctatgtgg	acgtgggcc	cgatagcgtg	aagtccgct	gtatcgaagt	ggacatccag	120
cagacctttt	tcgacaagac	ctggcccaga	cccatcgacg	tgtccaaggc	cgacggcatc	180
atctatccac	aaggccggac	ctacagcaac	atcaccatta	cctaccaggg	cctgttccca	240

-continued

tatcaaggcg	accacggcga	tatgtacgtg	tactctgccg	gccacgccac	cggcaccaca	300
cccagaaac	tgttcgtggc	caactacagc	caggacgtga	agcagttcgc	caacggcttc	360
gtcgtgcgga	ttggcgccgc	tgccaatagc	accggcacag	tgatcatcag	ccccagcacc	420
agcgcacca	tccggaagat	ctaccccgcc	ttcatgctgg	gcagctccgt	gggcaatttc	480
agcgacggca	agatggggccg	gttcttcaac	cacaccctgg	tgctgctgcc	cgatggctgt	540
ggcacactgc	tgagagcctt	ctactgcate	ctggaacca	gaagcggcaa	ccactgcctt	600
gccggcaata	gctacaccag	cttcgccacc	taccacacac	ccgccaccga	ttgctccgac	660
ggcaactaca	accggaacgc	cagcctgaac	agcttcaaag	agtacttcaa	cctgcggaac	720
tgcaccttca	tgtacaccta	caatatcacc	gaggacgaga	tcctggaatg	gttcggcatc	780
accagaccg	cccagggcgt	gcacctgttc	agcagcagat	acgtggacct	gtacggcggc	840
aacatgttcc	agtttgccac	cctgcccgtg	tacgacacca	tcaagtacta	cagcatcatc	900
ccccacagca	tccggtccat	ccagagcgac	agaaaagcct	gggcccctt	ctacgtgtac	960
aagctgcagc	ccctgacctt	cctgctggac	ttcagcgtgg	acggctacat	cagacggggc	1020
atcgactgcg	gcttcaacga	cctgagccag	ctgcactgct	cctacgagag	cttcgacgtg	1080
gaaagcggcg	tgtacagcgt	gtccagcttc	gaggccaagc	ctagcggcag	cgtggtggaa	1140
caggctgagg	gcgtggaatg	cgacttcagc	cctctgctga	gcggcaccct	tcccaggtg	1200
tacaacttca	agcggctggt	gttcaccaac	tgcaattaca	acctgaccaa	gctgctgagc	1260
ctgttctccg	tgaacgactt	cacctgtagc	cagatcagcc	ctgccgcat	tgccagcaac	1320
tgctacagca	gcctgatcct	ggactacttc	agctaccccc	tgagcatgaa	gtccgatctg	1380
agcgtgtcct	ccgccggacc	catcagccag	ttcaactaca	agcagagctt	cagcaaccct	1440
acctgctga	ttctggccac	cgtgccccac	aatctgacca	ccatcaccaa	gcccctgaag	1500
tacagctaca	tcaacaagtg	cagcagactg	ctgtccgacg	accggaccga	agtgccccag	1560
ctcgtgaacg	ccaaccagta	cagcccctgc	gtgtccatcg	tgcccagcac	cgtgtgggag	1620
gacggcgact	actacagaaa	gcagctgagc	ccctggaag	gcggcggatg	gctggtggct	1680
tctggaagca	cagtggccat	gaccgagcag	ctgcagatgg	gctttggcat	caccgtgcag	1740
tacggcaccg	acaccaacag	cgtgtgcccc	aagctggaat	tcgccaatga	caccaagatc	1800
gccagccagc	tgggaaactg	cgtggaatac	tcctgtatg	gcgtgtccgg	acggggcgtg	1860
ttccagaatt	gcacagcagt	gggagtgcgg	cagcagagat	tcgtgtacga	tgccctaccag	1920
aacctcgtgg	gctactacag	cgacgacggc	aattactact	gcctgcgggc	ctgtgtgtcc	1980
gtgcccgtgt	ccgtgatcta	cgacaaagag	acaagacccc	acgccacact	gttcggctcc	2040
gtggcctgcg	agcacatcag	ctccacatg	agccagtact	cccgctccac	ccggtccatg	2100
ctgaagcggga	gagatagcac	ctacggcccc	ctgcagacac	ctgtgggatg	tgtgctgggc	2160
ctcgtgaaca	gctccctgtt	tgtggaagat	tgcaagctgc	ccctgggcca	gagcctgtgt	2220
gcctgcccag	atacccttag	caccctgacc	cctagaagcg	tgctctctgt	gcccggcgaa	2280
atgcggctgg	cctctatcgc	cttcaatcac	ccatccagg	tggaccagct	gaactccagc	2340
tacttcaagc	tgagcatccc	caccaacttc	agcttcggcg	tgaccagga	gtacatccag	2400
accacaatcc	agaaagtgac	cgtggactgc	aagcagtacg	tgtgcaacgg	ctttcagaag	2460
tgcgaaacagc	tgctgcgca	gtacggccag	ttctgcagca	agatcaacca	ggccctgcac	2520

-continued

```

ggcgccaacc tgagacagga tgacagcgtg cggaacctgt tcgccagcgt gaaaagcagc 2580
cagtccagcc ccatcatccc tggcttcggc ggcgacttta acctgaccct gctggaacct 2640
gtgtccatca gcaccggctc cagaagcgcc agatccgcca tcgaggacct gctgttcgac 2700
aaagtgacca ttgccgacc cggtacatg cagggtacg acgattgcat gcagcagggc 2760
ccagccagcg ccagggatct gatctgtgcc cagtatgtgg ccggctacaa ggtgctgccc 2820
cccctgatgg acgtgaacat ggaagccgcc tacacctcca gcctgctggg ctctattgct 2880
ggcgtgggat ggacagccgg cctgtctagc tttgccgcca tccctttcgc ccagagcatc 2940
ttctaccggc tgaacggcgt gggcatcaca caacaggtgc tgagcgagaa ccagaagctg 3000
atcgccaaca agtttaacca ggcactgggc gccatgcaga ccggcttcac caccaccaac 3060
gaggccttca gaaaggtgca ggacgccgtg aacaacaacg cccaggctct gagcaagctg 3120
gcctccgagc tgagcaatac cttcggcgcc atcagcgctt ccatcggcga catcatccag 3180
cggctggacg tgctggaaca ggacgcccag atcgaccggc tgatcaacgg cagactgacc 3240
accctgaacg ccttcgtggc acagcagctc gtgcgagcg aatctgccg tctgtctgct 3300
cagctggcca aggacaaagt gaacgagtg gtgaagggcc agtccaagcg gagcggcttt 3360
tgtggccagg gcaccacat cgtgtccttc gtcgtgaatg cccccaacgg cctgtacttt 3420
atgcacgtgg gctattacc cagcaaccac atcgaggtgg tgcgcgcta tggcctgtgc 3480
gacgccgcca atcctacaa ctgtatgcc cccgtgaacg gctacttcat caagaccaac 3540
aacaccgga tcgtggacga gtggctctac acaggcagca gcttctacg ccccgagccc 3600
atcacctccc tgaacaccaa atacgtggcc cccaagtga cataccagaa catctccacc 3660
aacctgcccc ctccactgct gggaaattcc accggcatcg acttccagga cgagctggac 3720
gagttcttca agaactgtc cacctccatc cccaacttcg gcagcctgac ccagatcaac 3780
accactctgc tggacctgac ctacgagatg ctgtccctgc aacaggtcgt gaaagccctg 3840
aacgagagct acatcgacct gaaagagctg gggaactaca cctactacaa caagtggcct 3900
tggtacattt ggctgggctt tategccggc ctggtggccc tggccctgtg cgtgttcttc 3960
atcctgtgct gcaccggctg cggcaccaat tgcattggca agctgaaatg caaccggctg 4020
tgcgacagat acgaggaata cgacctggaa cctcacaag tgcattgtga c 4071

```

<210> SEQ ID NO 24

<211> LENGTH: 1353

<212> TYPE: PRT

<213> ORGANISM: Middle East respiratory syndrome coronavirus

<400> SEQUENCE: 24

```

Met Ile His Ser Val Phe Leu Leu Met Phe Leu Leu Thr Pro Thr Glu
1           5           10           15

```

```

Ser Tyr Val Asp Val Gly Pro Asp Ser Val Lys Ser Ala Cys Ile Glu
          20           25           30

```

```

Val Asp Ile Gln Gln Thr Phe Phe Asp Lys Thr Trp Pro Arg Pro Ile
          35           40           45

```

```

Asp Val Ser Lys Ala Asp Gly Ile Ile Tyr Pro Gln Gly Arg Thr Tyr
          50           55           60

```

```

Ser Asn Ile Thr Ile Thr Tyr Gln Gly Leu Phe Pro Tyr Gln Gly Asp
65           70           75           80

```

```

His Gly Asp Met Tyr Val Tyr Ser Ala Gly His Ala Thr Gly Thr Thr

```

-continued

85					90					95					
Pro	Gln	Lys	Leu	Phe	Val	Ala	Asn	Tyr	Ser	Gln	Asp	Val	Lys	Gln	Phe
			100					105					110		
Ala	Asn	Gly	Phe	Val	Val	Arg	Ile	Gly	Ala	Ala	Ala	Asn	Ser	Thr	Gly
		115					120					125			
Thr	Val	Ile	Ile	Ser	Pro	Ser	Thr	Ser	Ala	Thr	Ile	Arg	Lys	Ile	Tyr
	130					135					140				
Pro	Ala	Phe	Met	Leu	Gly	Ser	Ser	Val	Gly	Asn	Phe	Ser	Asp	Gly	Lys
145					150					155					160
Met	Gly	Arg	Phe	Phe	Asn	His	Thr	Leu	Val	Leu	Leu	Pro	Asp	Gly	Cys
				165					170					175	
Gly	Thr	Leu	Leu	Arg	Ala	Phe	Tyr	Cys	Ile	Leu	Glu	Pro	Arg	Ser	Gly
			180					185					190		
Asn	His	Cys	Pro	Ala	Gly	Asn	Ser	Tyr	Thr	Ser	Phe	Ala	Thr	Tyr	His
		195					200					205			
Thr	Pro	Ala	Thr	Asp	Cys	Ser	Asp	Gly	Asn	Tyr	Asn	Arg	Asn	Ala	Ser
	210					215					220				
Leu	Asn	Ser	Phe	Lys	Glu	Tyr	Phe	Asn	Leu	Arg	Asn	Cys	Thr	Phe	Met
225					230					235					240
Tyr	Thr	Tyr	Asn	Ile	Thr	Glu	Asp	Glu	Ile	Leu	Glu	Trp	Phe	Gly	Ile
				245					250					255	
Thr	Gln	Thr	Ala	Gln	Gly	Val	His	Leu	Phe	Ser	Ser	Arg	Tyr	Val	Asp
			260					265					270		
Leu	Tyr	Gly	Gly	Asn	Met	Phe	Gln	Phe	Ala	Thr	Leu	Pro	Val	Tyr	Asp
		275					280					285			
Thr	Ile	Lys	Tyr	Tyr	Ser	Ile	Ile	Pro	His	Ser	Ile	Arg	Ser	Ile	Gln
	290					295					300				
Ser	Asp	Arg	Lys	Ala	Trp	Ala	Ala	Phe	Tyr	Val	Tyr	Lys	Leu	Gln	Pro
305					310					315					320
Leu	Thr	Phe	Leu	Leu	Asp	Phe	Ser	Val	Asp	Gly	Tyr	Ile	Arg	Arg	Ala
				325					330					335	
Ile	Asp	Cys	Gly	Phe	Asn	Asp	Leu	Ser	Gln	Leu	His	Cys	Ser	Tyr	Glu
			340					345					350		
Ser	Phe	Asp	Val	Glu	Ser	Gly	Val	Tyr	Ser	Val	Ser	Ser	Phe	Glu	Ala
		355					360					365			
Lys	Pro	Ser	Gly	Ser	Val	Val	Glu	Gln	Ala	Glu	Gly	Val	Glu	Cys	Asp
	370					375					380				
Phe	Ser	Pro	Leu	Leu	Ser	Gly	Thr	Pro	Pro	Gln	Val	Tyr	Asn	Phe	Lys
385					390					395					400
Arg	Leu	Val	Phe	Thr	Asn	Cys	Asn	Tyr	Asn	Leu	Thr	Lys	Leu	Leu	Ser
				405					410					415	
Leu	Phe	Ser	Val	Asn	Asp	Phe	Thr	Cys	Ser	Gln	Ile	Ser	Pro	Ala	Ala
			420					425					430		
Ile	Ala	Ser	Asn	Cys	Tyr	Ser	Ser	Leu	Ile	Leu	Asp	Tyr	Phe	Ser	Tyr
		435					440					445			
Pro	Leu	Ser	Met	Lys	Ser	Asp	Leu	Ser	Val	Ser	Ser	Ala	Gly	Pro	Ile
	450					455						460			
Ser	Gln	Phe	Asn	Tyr	Lys	Gln	Ser	Phe	Ser	Asn	Pro	Thr	Cys	Leu	Ile
465					470					475					480
Leu	Ala	Thr	Val	Pro	His	Asn	Leu	Thr	Thr	Ile	Thr	Lys	Pro	Leu	Lys
				485					490					495	

-continued

Tyr Ser Tyr Ile Asn Lys Cys Ser Arg Leu Leu Ser Asp Asp Arg Thr
 500 505 510

Glu Val Pro Gln Leu Val Asn Ala Asn Gln Tyr Ser Pro Cys Val Ser
 515 520 525

Ile Val Pro Ser Thr Val Trp Glu Asp Gly Asp Tyr Tyr Arg Lys Gln
 530 535 540

Leu Ser Pro Leu Glu Gly Gly Gly Trp Leu Val Ala Ser Gly Ser Thr
 545 550 555 560

Val Ala Met Thr Glu Gln Leu Gln Met Gly Phe Gly Ile Thr Val Gln
 565 570 575

Tyr Gly Thr Asp Thr Asn Ser Val Cys Pro Lys Leu Glu Phe Ala Asn
 580 585 590

Asp Thr Lys Ile Ala Ser Gln Leu Gly Asn Cys Val Glu Tyr Ser Leu
 595 600 605

Tyr Gly Val Ser Gly Arg Gly Val Phe Gln Asn Cys Thr Ala Val Gly
 610 615 620

Val Arg Gln Gln Arg Phe Val Tyr Asp Ala Tyr Gln Asn Leu Val Gly
 625 630 635 640

Tyr Tyr Ser Asp Asp Gly Asn Tyr Tyr Cys Leu Arg Ala Cys Val Ser
 645 650 655

Val Pro Val Ser Val Ile Tyr Asp Lys Glu Thr Lys Thr His Ala Thr
 660 665 670

Leu Phe Gly Ser Val Ala Cys Glu His Ile Ser Ser Thr Met Ser Gln
 675 680 685

Tyr Ser Arg Ser Thr Arg Ser Met Leu Lys Arg Arg Asp Ser Thr Tyr
 690 695 700

Gly Pro Leu Gln Thr Pro Val Gly Cys Val Leu Gly Leu Val Asn Ser
 705 710 715 720

Ser Leu Phe Val Glu Asp Cys Lys Leu Pro Leu Gly Gln Ser Leu Cys
 725 730 735

Ala Leu Pro Asp Thr Pro Ser Thr Leu Thr Pro Arg Ser Val Arg Ser
 740 745 750

Val Pro Gly Glu Met Arg Leu Ala Ser Ile Ala Phe Asn His Pro Ile
 755 760 765

Gln Val Asp Gln Leu Asn Ser Ser Tyr Phe Lys Leu Ser Ile Pro Thr
 770 775 780

Asn Phe Ser Phe Gly Val Thr Gln Glu Tyr Ile Gln Thr Thr Ile Gln
 785 790 795 800

Lys Val Thr Val Asp Cys Lys Gln Tyr Val Cys Asn Gly Phe Gln Lys
 805 810 815

Cys Glu Gln Leu Leu Arg Glu Tyr Gly Gln Phe Cys Ser Lys Ile Asn
 820 825 830

Gln Ala Leu His Gly Ala Asn Leu Arg Gln Asp Asp Ser Val Arg Asn
 835 840 845

Leu Phe Ala Ser Val Lys Ser Ser Gln Ser Ser Pro Ile Ile Pro Gly
 850 855 860

Phe Gly Gly Asp Phe Asn Leu Thr Leu Leu Glu Pro Val Ser Ile Ser
 865 870 875 880

Thr Gly Ser Arg Ser Ala Arg Ser Ala Ile Glu Asp Leu Leu Phe Asp
 885 890 895

-continued

Lys Val Thr Ile Ala Asp Pro Gly Tyr Met Gln Gly Tyr Asp Asp Cys
 900 905 910

Met Gln Gln Gly Pro Ala Ser Ala Arg Asp Leu Ile Cys Ala Gln Tyr
 915 920 925

Val Ala Gly Tyr Lys Val Leu Pro Pro Leu Met Asp Val Asn Met Glu
 930 935 940

Ala Ala Tyr Thr Ser Ser Leu Leu Gly Ser Ile Ala Gly Val Gly Trp
 945 950 955 960

Thr Ala Gly Leu Ser Ser Phe Ala Ala Ile Pro Phe Ala Gln Ser Ile
 965 970 975

Phe Tyr Arg Leu Asn Gly Val Gly Ile Thr Gln Gln Val Leu Ser Glu
 980 985 990

Asn Gln Lys Leu Ile Ala Asn Lys Phe Asn Gln Ala Leu Gly Ala Met
 995 1000 1005

Gln Thr Gly Phe Thr Thr Thr Asn Glu Ala Phe Arg Lys Val Gln
 1010 1015 1020

Asp Ala Val Asn Asn Asn Ala Gln Ala Leu Ser Lys Leu Ala Ser
 1025 1030 1035

Glu Leu Ser Asn Thr Phe Gly Ala Ile Ser Ala Ser Ile Gly Asp
 1040 1045 1050

Ile Ile Gln Arg Leu Asp Val Leu Glu Gln Asp Ala Gln Ile Asp
 1055 1060 1065

Arg Leu Ile Asn Gly Arg Leu Thr Thr Leu Asn Ala Phe Val Ala
 1070 1075 1080

Gln Gln Leu Val Arg Ser Glu Ser Ala Ala Leu Ser Ala Gln Leu
 1085 1090 1095

Ala Lys Asp Lys Val Asn Glu Cys Val Lys Ala Gln Ser Lys Arg
 1100 1105 1110

Ser Gly Phe Cys Gly Gln Gly Thr His Ile Val Ser Phe Val Val
 1115 1120 1125

Asn Ala Pro Asn Gly Leu Tyr Phe Met His Val Gly Tyr Tyr Pro
 1130 1135 1140

Ser Asn His Ile Glu Val Val Ser Ala Tyr Gly Leu Cys Asp Ala
 1145 1150 1155

Ala Asn Pro Thr Asn Cys Ile Ala Pro Val Asn Gly Tyr Phe Ile
 1160 1165 1170

Lys Thr Asn Asn Thr Arg Ile Val Asp Glu Trp Ser Tyr Thr Gly
 1175 1180 1185

Ser Ser Phe Tyr Ala Pro Glu Pro Ile Thr Ser Leu Asn Thr Lys
 1190 1195 1200

Tyr Val Ala Pro Gln Val Thr Tyr Gln Asn Ile Ser Thr Asn Leu
 1205 1210 1215

Pro Pro Pro Leu Leu Gly Asn Ser Thr Gly Ile Asp Phe Gln Asp
 1220 1225 1230

Glu Leu Asp Glu Phe Phe Lys Asn Val Ser Thr Ser Ile Pro Asn
 1235 1240 1245

Phe Gly Ser Leu Thr Gln Ile Asn Thr Thr Leu Leu Asp Leu Thr
 1250 1255 1260

Tyr Glu Met Leu Ser Leu Gln Gln Val Val Lys Ala Leu Asn Glu
 1265 1270 1275

Ser Tyr Ile Asp Leu Lys Glu Leu Gly Asn Tyr Thr Tyr Tyr Asn

-continued

1280	1285	1290
Lys Trp Pro Trp Tyr Ile Trp Leu Gly Phe Ile Ala Gly Leu Val		
1295	1300	1305
Ala Leu Ala Leu Cys Val Phe Phe Ile Leu Cys Cys Thr Gly Cys		
1310	1315	1320
Gly Thr Asn Cys Met Gly Lys Leu Lys Cys Asn Arg Cys Cys Asp		
1325	1330	1335
Arg Tyr Glu Glu Tyr Asp Leu Glu Pro His Lys Val His Val His		
1340	1345	1350

<210> SEQ ID NO 25

<211> LENGTH: 1353

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polypeptide

<400> SEQUENCE: 25

Met Ile His Ser Val Phe Leu Leu Met Phe Leu Leu Thr Pro Thr Glu		
1	5	10
Ser Tyr Val Asp Val Gly Pro Asp Ser Val Lys Ser Ala Cys Ile Glu		
20	25	30
Val Asp Ile Gln Gln Thr Phe Phe Asp Lys Thr Trp Pro Arg Pro Ile		
35	40	45
Asp Val Ser Lys Ala Asp Gly Ile Ile Tyr Pro Gln Gly Arg Thr Tyr		
50	55	60
Ser Asn Ile Thr Ile Thr Tyr Gln Gly Leu Phe Pro Tyr Gln Gly Asp		
65	70	75
His Gly Asp Met Tyr Val Tyr Ser Ala Gly His Ala Thr Gly Thr Thr		
85	90	95
Pro Gln Lys Leu Phe Val Ala Asn Tyr Ser Gln Asp Val Lys Gln Phe		
100	105	110
Ala Asn Gly Phe Val Val Arg Ile Gly Ala Ala Ala Asn Ser Thr Gly		
115	120	125
Thr Val Ile Ile Ser Pro Ser Thr Ser Ala Thr Ile Arg Lys Ile Tyr		
130	135	140
Pro Ala Phe Met Leu Gly Ser Ser Val Gly Asn Phe Ser Asp Gly Lys		
145	150	155
Met Gly Arg Phe Phe Asn His Thr Leu Val Leu Leu Pro Asp Gly Cys		
165	170	175
Gly Thr Leu Leu Arg Ala Phe Tyr Cys Ile Leu Glu Pro Arg Ser Gly		
180	185	190
Asn His Cys Pro Ala Gly Asn Ser Tyr Thr Ser Phe Ala Thr Tyr His		
195	200	205
Thr Pro Ala Thr Asp Cys Ser Asp Gly Asn Tyr Asn Arg Asn Ala Ser		
210	215	220
Leu Asn Ser Phe Lys Glu Tyr Phe Asn Leu Arg Asn Cys Thr Phe Met		
225	230	235
Tyr Thr Tyr Asn Ile Thr Glu Asp Glu Ile Leu Glu Trp Phe Gly Ile		
245	250	255
Thr Gln Thr Ala Gln Gly Val His Leu Phe Ser Ser Arg Tyr Val Asp		
260	265	270
Leu Tyr Gly Gly Asn Met Phe Gln Phe Ala Thr Leu Pro Val Tyr Asp		

-continued

275					280					285					
Thr	Ile	Lys	Tyr	Tyr	Ser	Ile	Ile	Pro	His	Ser	Ile	Arg	Ser	Ile	Gln
290					295					300					
Ser	Asp	Arg	Lys	Ala	Trp	Ala	Ala	Phe	Tyr	Val	Tyr	Lys	Leu	Gln	Pro
305					310					315					320
Leu	Thr	Phe	Leu	Leu	Asp	Phe	Ser	Val	Asp	Gly	Tyr	Ile	Arg	Arg	Ala
			325						330					335	
Ile	Asp	Cys	Gly	Phe	Asn	Asp	Leu	Ser	Gln	Leu	His	Cys	Ser	Tyr	Glu
			340					345					350		
Ser	Phe	Asp	Val	Glu	Ser	Gly	Val	Tyr	Ser	Val	Ser	Ser	Phe	Glu	Ala
		355					360					365			
Lys	Pro	Ser	Gly	Ser	Val	Val	Glu	Gln	Ala	Glu	Gly	Val	Glu	Cys	Asp
	370					375					380				
Phe	Ser	Pro	Leu	Leu	Ser	Gly	Thr	Pro	Pro	Gln	Val	Tyr	Asn	Phe	Lys
385						390					395				400
Arg	Leu	Val	Phe	Thr	Asn	Cys	Asn	Tyr	Asn	Leu	Thr	Lys	Leu	Leu	Ser
				405					410					415	
Leu	Phe	Ser	Val	Asn	Asp	Phe	Thr	Cys	Ser	Gln	Ile	Ser	Pro	Ala	Ala
			420					425					430		
Ile	Ala	Ser	Asn	Cys	Tyr	Ser	Ser	Leu	Ile	Leu	Asp	Tyr	Phe	Ser	Tyr
		435					440					445			
Pro	Leu	Ser	Met	Lys	Ser	Asp	Leu	Ser	Val	Ser	Ser	Ala	Gly	Pro	Ile
						455						460			
Ser	Gln	Phe	Asn	Tyr	Lys	Gln	Ser	Phe	Ser	Asn	Pro	Thr	Cys	Leu	Ile
465						470					475				480
Leu	Ala	Thr	Val	Pro	His	Asn	Leu	Thr	Thr	Ile	Thr	Lys	Pro	Leu	Lys
				485					490					495	
Tyr	Ser	Tyr	Ile	Asn	Lys	Cys	Ser	Arg	Leu	Leu	Ser	Asp	Asp	Arg	Thr
			500					505					510		
Glu	Val	Pro	Gln	Leu	Val	Asn	Ala	Asn	Gln	Tyr	Ser	Pro	Cys	Val	Ser
		515					520					525			
Ile	Val	Pro	Ser	Thr	Val	Trp	Glu	Asp	Gly	Asp	Tyr	Tyr	Arg	Lys	Gln
				530			535					540			
Leu	Ser	Pro	Leu	Glu	Gly	Gly	Gly	Trp	Leu	Val	Ala	Ser	Gly	Ser	Thr
545						550					555				560
Val	Ala	Met	Thr	Glu	Gln	Leu	Gln	Met	Gly	Phe	Gly	Ile	Thr	Val	Gln
				565					570					575	
Tyr	Gly	Thr	Asp	Thr	Asn	Ser	Val	Cys	Pro	Lys	Leu	Glu	Phe	Ala	Asn
			580					585					590		
Asp	Thr	Lys	Ile	Ala	Ser	Gln	Leu	Gly	Asn	Cys	Val	Glu	Tyr	Ser	Leu
		595					600					605			
Tyr	Gly	Val	Ser	Gly	Arg	Gly	Val	Phe	Gln	Asn	Cys	Thr	Ala	Val	Gly
				610			615					620			
Val	Arg	Gln	Gln	Arg	Phe	Val	Tyr	Asp	Ala	Tyr	Gln	Asn	Leu	Val	Gly
				625					630			635			640
Tyr	Tyr	Ser	Asp	Asp	Gly	Asn	Tyr	Tyr	Cys	Leu	Arg	Ala	Cys	Val	Ser
				645					650					655	
Val	Pro	Val	Ser	Val	Ile	Tyr	Asp	Lys	Glu	Thr	Lys	Thr	His	Ala	Thr
			660					665					670		
Leu	Phe	Gly	Ser	Val	Ala	Cys	Glu	His	Ile	Ser	Ser	Thr	Met	Ser	Gln
		675					680						685		

-continued

Tyr Ser Arg Ser Thr Arg Ser Met Leu Lys Arg Arg Asp Ser Thr Tyr
 690 695 700

Gly Pro Leu Gln Thr Pro Val Gly Cys Val Leu Gly Leu Val Asn Ser
 705 710 715 720

Ser Leu Phe Val Glu Asp Cys Lys Leu Pro Leu Gly Gln Ser Leu Cys
 725 730 735

Ala Leu Pro Asp Thr Pro Ser Thr Leu Thr Pro Arg Ser Val Arg Ser
 740 745 750

Val Pro Gly Glu Met Arg Leu Ala Ser Ile Ala Phe Asn His Pro Ile
 755 760 765

Gln Val Asp Gln Leu Asn Ser Ser Tyr Phe Lys Leu Ser Ile Pro Thr
 770 775 780

Asn Phe Ser Phe Gly Val Thr Gln Glu Tyr Ile Gln Thr Thr Ile Gln
 785 790 795 800

Lys Val Thr Val Asp Cys Lys Gln Tyr Val Cys Asn Gly Phe Gln Lys
 805 810 815

Cys Glu Gln Leu Leu Arg Glu Tyr Gly Gln Phe Cys Ser Lys Ile Asn
 820 825 830

Gln Ala Leu His Gly Ala Asn Leu Arg Gln Asp Asp Ser Val Arg Asn
 835 840 845

Leu Phe Ala Ser Val Lys Ser Ser Gln Ser Ser Pro Ile Ile Pro Gly
 850 855 860

Phe Gly Gly Asp Phe Asn Leu Thr Leu Leu Glu Pro Val Ser Ile Ser
 865 870 875 880

Thr Gly Ser Arg Ser Ala Arg Ser Ala Ile Glu Asp Leu Leu Phe Asp
 885 890 895

Lys Val Thr Ile Ala Asp Pro Gly Tyr Met Gln Gly Tyr Asp Asp Cys
 900 905 910

Met Gln Gln Gly Pro Ala Ser Ala Arg Asp Leu Ile Cys Ala Gln Tyr
 915 920 925

Val Ala Gly Tyr Lys Val Leu Pro Pro Leu Met Asp Val Asn Met Glu
 930 935 940

Ala Ala Tyr Thr Ser Ser Leu Leu Gly Ser Ile Ala Gly Val Gly Trp
 945 950 955 960

Thr Ala Gly Leu Ser Ser Phe Ala Ala Ile Pro Phe Ala Gln Ser Ile
 965 970 975

Phe Tyr Arg Leu Asn Gly Val Gly Ile Thr Gln Gln Val Leu Ser Glu
 980 985 990

Asn Gln Lys Leu Ile Ala Asn Lys Phe Asn Gln Ala Leu Gly Ala Met
 995 1000 1005

Gln Thr Gly Phe Thr Thr Thr Asn Glu Ala Phe Gln Lys Val Gln
 1010 1015 1020

Asp Ala Val Asn Asn Asn Ala Gln Ala Leu Ser Lys Leu Ala Ser
 1025 1030 1035

Glu Leu Ser Asn Thr Phe Gly Ala Ile Ser Ala Ser Ile Gly Asp
 1040 1045 1050

Ile Ile Gln Arg Leu Asp Val Leu Glu Gln Asp Ala Gln Ile Asp
 1055 1060 1065

Arg Leu Ile Asn Gly Arg Leu Thr Thr Leu Asn Ala Phe Val Ala
 1070 1075 1080

-continued

Gln Gln Leu Val Arg Ser Glu Ser Ala Ala Leu Ser Ala Gln Leu
 1085 1090 1095
 Ala Lys Asp Lys Val Asn Glu Cys Val Lys Ala Gln Ser Lys Arg
 1100 1105 1110
 Ser Gly Phe Cys Gly Gln Gly Thr His Ile Val Ser Phe Val Val
 1115 1120 1125
 Asn Ala Pro Asn Gly Leu Tyr Phe Met His Val Gly Tyr Tyr Pro
 1130 1135 1140
 Ser Asn His Ile Glu Val Val Ser Ala Tyr Gly Leu Cys Asp Ala
 1145 1150 1155
 Ala Asn Pro Thr Asn Cys Ile Ala Pro Val Asn Gly Tyr Phe Ile
 1160 1165 1170
 Lys Thr Asn Asn Thr Arg Ile Val Asp Glu Trp Ser Tyr Thr Gly
 1175 1180 1185
 Ser Ser Phe Tyr Ala Pro Glu Pro Ile Thr Ser Leu Asn Thr Lys
 1190 1195 1200
 Tyr Val Ala Pro Gln Val Thr Tyr Gln Asn Ile Ser Thr Asn Leu
 1205 1210 1215
 Pro Pro Pro Leu Leu Gly Asn Ser Thr Gly Ile Asp Phe Gln Asp
 1220 1225 1230
 Glu Leu Asp Glu Phe Phe Lys Asn Val Ser Thr Ser Ile Pro Asn
 1235 1240 1245
 Phe Gly Ser Leu Thr Gln Ile Asn Thr Thr Leu Leu Asp Leu Thr
 1250 1255 1260
 Tyr Glu Met Leu Ser Leu Gln Gln Val Val Lys Ala Leu Asn Glu
 1265 1270 1275
 Ser Tyr Ile Asp Leu Lys Glu Leu Gly Asn Tyr Thr Tyr Tyr Asn
 1280 1285 1290
 Lys Trp Pro Trp Tyr Ile Trp Leu Gly Phe Ile Ala Gly Leu Val
 1295 1300 1305
 Ala Leu Ala Leu Cys Val Phe Phe Ile Leu Cys Cys Thr Gly Cys
 1310 1315 1320
 Gly Thr Asn Cys Met Gly Lys Leu Lys Cys Asn Arg Cys Cys Asp
 1325 1330 1335
 Arg Tyr Glu Glu Tyr Asp Leu Glu Pro His Lys Val His Val His
 1340 1345 1350

<210> SEQ ID NO 26

<211> LENGTH: 615

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polypeptide

<400> SEQUENCE: 26

Met Ile His Ser Val Phe Leu Leu Met Phe Leu Leu Thr Pro Thr Glu
 1 5 10 15
 Ser Asp Cys Lys Leu Pro Leu Gly Gln Ser Leu Cys Ala Leu Pro Asp
 20 25 30
 Thr Pro Ser Thr Leu Thr Pro Arg Ser Val Arg Ser Val Pro Gly Glu
 35 40 45
 Met Arg Leu Ala Ser Ile Ala Phe Asn His Pro Ile Gln Val Asp Gln
 50 55 60

-continued

Leu	Asn	Ser	Ser	Tyr	Phe	Lys	Leu	Ser	Ile	Pro	Thr	Asn	Phe	Ser	Phe	65	70	75	80
Gly	Val	Thr	Gln	Glu	Tyr	Ile	Gln	Thr	Thr	Ile	Gln	Lys	Val	Thr	Val	85	90	95	
Asp	Cys	Lys	Gln	Tyr	Val	Cys	Asn	Gly	Phe	Gln	Lys	Cys	Glu	Gln	Leu	100	105	110	
Leu	Arg	Glu	Tyr	Gly	Gln	Phe	Cys	Ser	Lys	Ile	Asn	Gln	Ala	Leu	His	115	120	125	
Gly	Ala	Asn	Leu	Arg	Gln	Asp	Asp	Ser	Val	Arg	Asn	Leu	Phe	Ala	Ser	130	135	140	
Val	Lys	Ser	Ser	Gln	Ser	Ser	Pro	Ile	Ile	Pro	Gly	Phe	Gly	Gly	Asp	145	150	155	160
Phe	Asn	Leu	Thr	Leu	Leu	Glu	Pro	Val	Ser	Ile	Ser	Thr	Gly	Ser	Arg	165	170	175	
Ser	Ala	Arg	Ser	Ala	Ile	Glu	Asp	Leu	Leu	Phe	Asp	Lys	Val	Thr	Ile	180	185	190	
Ala	Asp	Pro	Gly	Tyr	Met	Gln	Gly	Tyr	Asp	Asp	Cys	Met	Gln	Gln	Gly	195	200	205	
Pro	Ala	Ser	Ala	Arg	Asp	Leu	Ile	Cys	Ala	Gln	Tyr	Val	Ala	Gly	Tyr	210	215	220	
Lys	Val	Leu	Pro	Pro	Leu	Met	Asp	Val	Asn	Met	Glu	Ala	Ala	Tyr	Thr	225	230	235	240
Ser	Ser	Leu	Leu	Gly	Ser	Ile	Ala	Gly	Val	Gly	Trp	Thr	Ala	Gly	Leu	245	250	255	
Ser	Ser	Phe	Ala	Ala	Ile	Pro	Phe	Ala	Gln	Ser	Ile	Phe	Tyr	Arg	Leu	260	265	270	
Asn	Gly	Val	Gly	Ile	Thr	Gln	Gln	Val	Leu	Ser	Glu	Asn	Gln	Lys	Leu	275	280	285	
Ile	Ala	Asn	Lys	Phe	Asn	Gln	Ala	Leu	Gly	Ala	Met	Gln	Thr	Gly	Phe	290	295	300	
Thr	Thr	Thr	Asn	Glu	Ala	Phe	Gln	Lys	Val	Gln	Asp	Ala	Val	Asn	Asn	305	310	315	320
Asn	Ala	Gln	Ala	Leu	Ser	Lys	Leu	Ala	Ser	Glu	Leu	Ser	Asn	Thr	Phe	325	330	335	
Gly	Ala	Ile	Ser	Ala	Ser	Ile	Gly	Asp	Ile	Ile	Gln	Arg	Leu	Asp	Val	340	345	350	
Leu	Glu	Gln	Asp	Ala	Gln	Ile	Asp	Arg	Leu	Ile	Asn	Gly	Arg	Leu	Thr	355	360	365	
Thr	Leu	Asn	Ala	Phe	Val	Ala	Gln	Gln	Leu	Val	Arg	Ser	Glu	Ser	Ala	370	375	380	
Ala	Leu	Ser	Ala	Gln	Leu	Ala	Lys	Asp	Lys	Val	Asn	Glu	Cys	Val	Lys	385	390	395	400
Ala	Gln	Ser	Lys	Arg	Ser	Gly	Phe	Cys	Gly	Gln	Gly	Thr	His	Ile	Val	405	410	415	
Ser	Phe	Val	Val	Asn	Ala	Pro	Asn	Gly	Leu	Tyr	Phe	Met	His	Val	Gly	420	425	430	
Tyr	Tyr	Pro	Ser	Asn	His	Ile	Glu	Val	Val	Ser	Ala	Tyr	Gly	Leu	Cys	435	440	445	
Asp	Ala	Ala	Asn	Pro	Thr	Asn	Cys	Ile	Ala	Pro	Val	Asn	Gly	Tyr	Phe	450	455	460	
Ile	Lys	Thr	Asn	Asn	Thr	Arg	Ile	Val	Asp	Glu	Trp	Ser	Tyr	Thr	Gly				

-continued

```

465              470              475              480
Ser Ser Phe Tyr Ala Pro Glu Pro Ile Thr Ser Leu Asn Thr Lys Tyr
          485              490              495
Val Ala Pro Gln Val Thr Tyr Gln Asn Ile Ser Thr Asn Leu Pro Pro
          500              505              510
Pro Leu Leu Gly Asn Ser Thr Gly Ile Asp Phe Gln Asp Glu Leu Asp
          515              520              525
Glu Phe Phe Lys Asn Val Ser Thr Ser Ile Pro Asn Phe Gly Ser Leu
          530              535              540
Thr Gln Ile Asn Thr Thr Leu Leu Asp Leu Thr Tyr Glu Met Leu Ser
545              550              555              560
Leu Gln Gln Val Val Lys Ala Leu Asn Glu Ser Tyr Ile Asp Leu Lys
          565              570              575
Glu Leu Gly Asn Tyr Thr Tyr Tyr Asn Lys Trp Pro Asp Lys Ile Glu
          580              585              590
Glu Ile Leu Ser Lys Ile Tyr His Ile Glu Asn Glu Ile Ala Arg Ile
          595              600              605
Lys Lys Leu Ile Gly Glu Ala
          610              615

```

<210> SEQ ID NO 27

<211> LENGTH: 1353

<212> TYPE: PRT

<213> ORGANISM: Middle East respiratory syndrome coronavirus

<400> SEQUENCE: 27

```

Met Ile His Ser Val Phe Leu Leu Met Phe Leu Leu Thr Pro Thr Glu
1              5              10              15
Ser Tyr Val Asp Val Gly Pro Asp Ser Val Lys Ser Ala Cys Ile Glu
          20              25              30
Val Asp Ile Gln Gln Thr Phe Phe Asp Lys Thr Trp Pro Arg Pro Ile
          35              40              45
Asp Val Ser Lys Ala Asp Gly Ile Ile Tyr Pro Gln Gly Arg Thr Tyr
          50              55              60
Ser Asn Ile Thr Ile Thr Tyr Gln Gly Leu Phe Pro Tyr Gln Gly Asp
65              70              75              80
His Gly Asp Met Tyr Val Tyr Ser Ala Gly His Ala Thr Gly Thr Thr
          85              90              95
Pro Gln Lys Leu Phe Val Ala Asn Tyr Ser Gln Asp Val Lys Gln Phe
          100              105              110
Ala Asn Gly Phe Val Val Arg Ile Gly Ala Ala Ala Asn Ser Thr Gly
          115              120              125
Thr Val Ile Ile Ser Pro Ser Thr Ser Ala Thr Ile Arg Lys Ile Tyr
          130              135              140
Pro Ala Phe Met Leu Gly Ser Ser Val Gly Asn Phe Ser Asp Gly Lys
145              150              155              160
Met Gly Arg Phe Phe Asn His Thr Leu Val Leu Leu Pro Asp Gly Cys
          165              170              175
Gly Thr Leu Leu Arg Ala Phe Tyr Cys Ile Leu Glu Pro Arg Ser Gly
          180              185              190
Asn His Cys Pro Ala Gly Asn Ser Tyr Thr Ser Phe Ala Thr Tyr His
          195              200              205

```

-continued

Thr	Pro	Ala	Thr	Asp	Cys	Ser	Asp	Gly	Asn	Tyr	Asn	Arg	Asn	Ala	Ser
	210					215					220				
Leu	Asn	Ser	Phe	Lys	Glu	Tyr	Phe	Asn	Leu	Arg	Asn	Cys	Thr	Phe	Met
225					230					235					240
Tyr	Thr	Tyr	Asn	Ile	Thr	Glu	Asp	Glu	Ile	Leu	Glu	Trp	Phe	Gly	Ile
				245					250					255	
Thr	Gln	Thr	Ala	Gln	Gly	Val	His	Leu	Phe	Ser	Ser	Arg	Tyr	Val	Asp
			260					265					270		
Leu	Tyr	Gly	Gly	Asn	Met	Phe	Gln	Phe	Ala	Thr	Leu	Pro	Val	Tyr	Asp
		275					280					285			
Thr	Ile	Lys	Tyr	Tyr	Ser	Ile	Ile	Pro	His	Ser	Ile	Arg	Ser	Ile	Gln
	290					295					300				
Ser	Asp	Arg	Lys	Ala	Trp	Ala	Ala	Phe	Tyr	Val	Tyr	Lys	Leu	Gln	Pro
305					310					315					320
Leu	Thr	Phe	Leu	Leu	Asp	Phe	Ser	Val	Asp	Gly	Tyr	Ile	Arg	Arg	Ala
				325					330					335	
Ile	Asp	Cys	Gly	Phe	Asn	Asp	Leu	Ser	Gln	Leu	His	Cys	Ser	Tyr	Glu
			340					345					350		
Ser	Phe	Asp	Val	Glu	Ser	Gly	Val	Tyr	Ser	Val	Ser	Ser	Phe	Glu	Ala
		355					360					365			
Lys	Pro	Ser	Gly	Ser	Val	Val	Glu	Gln	Ala	Glu	Gly	Val	Glu	Cys	Asp
	370					375					380				
Phe	Ser	Pro	Leu	Leu	Ser	Gly	Thr	Pro	Pro	Gln	Val	Tyr	Asn	Phe	Lys
385					390					395					400
Arg	Leu	Val	Phe	Thr	Asn	Cys	Asn	Tyr	Asn	Leu	Thr	Lys	Leu	Leu	Ser
				405					410					415	
Leu	Phe	Ser	Val	Asn	Asp	Phe	Thr	Cys	Ser	Gln	Ile	Ser	Pro	Ala	Ala
			420					425					430		
Ile	Ala	Ser	Asn	Cys	Tyr	Ser	Ser	Leu	Ile	Leu	Asp	Tyr	Phe	Ser	Tyr
		435					440					445			
Pro	Leu	Ser	Met	Lys	Ser	Asp	Leu	Ser	Val	Ser	Ser	Ala	Gly	Pro	Ile
	450					455					460				
Ser	Gln	Phe	Asn	Tyr	Lys	Gln	Ser	Phe	Ser	Asn	Pro	Thr	Cys	Leu	Ile
465					470					475					480
Leu	Ala	Thr	Val	Pro	His	Asn	Leu	Thr	Thr	Ile	Thr	Lys	Pro	Leu	Lys
				485					490					495	
Tyr	Ser	Tyr	Ile	Asn	Lys	Cys	Ser	Arg	Leu	Leu	Ser	Asp	Asp	Arg	Thr
			500					505					510		
Glu	Val	Pro	Gln	Leu	Val	Asn	Ala	Asn	Gln	Tyr	Ser	Pro	Cys	Val	Ser
		515					520					525			
Ile	Val	Pro	Ser	Thr	Val	Trp	Glu	Asp	Gly	Asp	Tyr	Tyr	Arg	Lys	Gln
	530					535					540				
Leu	Ser	Pro	Leu	Glu	Gly	Gly	Gly	Trp	Leu	Val	Ala	Ser	Gly	Ser	Thr
545					550					555					560
Val	Ala	Met	Thr	Glu	Gln	Leu	Gln	Met	Gly	Phe	Gly	Ile	Thr	Val	Gln
				565					570					575	
Tyr	Gly	Thr	Asp	Thr	Asn	Ser	Val	Cys	Pro	Lys	Leu	Glu	Phe	Ala	Asn
			580					585					590		
Asp	Thr	Lys	Ile	Ala	Ser	Gln	Leu	Gly	Asn	Cys	Val	Glu	Tyr	Ser	Leu
		595					600					605			
Tyr	Gly	Val	Ser	Gly	Arg	Gly	Val	Phe	Gln	Asn	Cys	Thr	Ala	Val	Gly

-continued

610					615					620						
Val	Arg	Gln	Gln	Arg	Phe	Val	Tyr	Asp	Ala	Tyr	Gln	Asn	Leu	Val	Gly	
625					630					635					640	
Tyr	Tyr	Ser	Asp	Asp	Gly	Asn	Tyr	Tyr	Cys	Leu	Arg	Ala	Cys	Val	Ser	
			645						650					655		
Val	Pro	Val	Ser	Val	Ile	Tyr	Asp	Lys	Glu	Thr	Lys	Thr	His	Ala	Thr	
			660					665					670			
Leu	Phe	Gly	Ser	Val	Ala	Cys	Glu	His	Ile	Ser	Ser	Thr	Met	Ser	Gln	
		675						680					685			
Tyr	Ser	Arg	Ser	Thr	Arg	Ser	Met	Leu	Lys	Arg	Arg	Asp	Ser	Thr	Tyr	
	690					695					700					
Gly	Pro	Leu	Gln	Thr	Pro	Val	Gly	Cys	Val	Leu	Gly	Leu	Val	Asn	Ser	
705					710					715					720	
Ser	Leu	Phe	Val	Glu	Asp	Cys	Lys	Leu	Pro	Leu	Gly	Gln	Ser	Leu	Cys	
				725					730					735		
Ala	Leu	Pro	Asp	Thr	Pro	Ser	Thr	Leu	Thr	Pro	Arg	Ser	Val	Arg	Ser	
			740					745					750			
Val	Pro	Gly	Glu	Met	Arg	Leu	Ala	Ser	Ile	Ala	Phe	Asn	His	Pro	Ile	
		755					760					765				
Gln	Val	Asp	Gln	Leu	Asn	Ser	Ser	Tyr	Phe	Lys	Leu	Ser	Ile	Pro	Thr	
	770					775					780					
Asn	Phe	Ser	Phe	Gly	Val	Thr	Gln	Glu	Tyr	Ile	Gln	Thr	Thr	Ile	Gln	
785					790				795					800		
Lys	Val	Thr	Val	Asp	Cys	Lys	Gln	Tyr	Val	Cys	Asn	Gly	Phe	Gln	Lys	
				805					810					815		
Cys	Glu	Gln	Leu	Leu	Arg	Glu	Tyr	Gly	Gln	Phe	Cys	Ser	Lys	Ile	Asn	
			820					825					830			
Gln	Ala	Leu	His	Gly	Ala	Asn	Leu	Arg	Gln	Asp	Asp	Ser	Val	Arg	Asn	
		835				840						845				
Leu	Phe	Ala	Ser	Val	Lys	Ser	Ser	Gln	Ser	Ser	Pro	Ile	Ile	Pro	Gly	
	850					855					860					
Phe	Gly	Gly	Asp	Phe	Asn	Leu	Thr	Leu	Leu	Glu	Pro	Val	Ser	Ile	Ser	
865					870					875				880		
Thr	Gly	Ser	Arg	Ser	Ala	Arg	Ser	Ala	Ile	Glu	Asp	Leu	Leu	Phe	Asp	
				885					890					895		
Lys	Val	Thr	Ile	Ala	Asp	Pro	Gly	Tyr	Met	Gln	Gly	Tyr	Asp	Asp	Cys	
			900					905					910			
Met	Gln	Gln	Gly	Pro	Ala	Ser	Ala	Arg	Asp	Leu	Ile	Cys	Ala	Gln	Tyr	
		915					920					925				
Val	Ala	Gly	Tyr	Lys	Val	Leu	Pro	Pro	Leu	Met	Asp	Val	Asn	Met	Glu	
	930					935					940					
Ala	Ala	Tyr	Thr	Ser	Ser	Leu	Leu	Gly	Ser	Ile	Ala	Gly	Val	Gly	Trp	
945					950					955				960		
Thr	Ala	Gly	Leu	Ser	Ser	Phe	Ala	Ala	Ile	Pro	Phe	Ala	Gln	Ser	Ile	
				965					970					975		
Phe	Tyr	Arg	Leu	Asn	Gly	Val	Gly	Ile	Thr	Gln	Gln	Val	Leu	Ser	Glu	
			980					985					990			
Asn	Gln	Lys	Leu	Ile	Ala	Asn	Lys	Phe	Asn	Gln	Ala	Leu	Gly	Ala	Met	
		995					1000					1005				
Gln	Thr	Gly	Phe	Thr	Thr	Thr	Asn	Glu	Ala	Phe	Arg	Lys	Val	Gln		
	1010					1015					1020					

-continued

Asp Ala Val Asn Asn Asn Ala Gln Ala Leu Ser Lys Leu Ala Ser
 1025 1030 1035
 Glu Leu Ser Asn Thr Phe Gly Ala Ile Ser Ala Ser Ile Gly Asp
 1040 1045 1050
 Ile Ile Gln Arg Leu Asp Val Leu Glu Gln Asp Ala Gln Ile Asp
 1055 1060 1065
 Arg Leu Ile Asn Gly Arg Leu Thr Thr Leu Asn Ala Phe Val Ala
 1070 1075 1080
 Gln Gln Leu Val Arg Ser Glu Ser Ala Ala Leu Ser Ala Gln Leu
 1085 1090 1095
 Ala Lys Asp Lys Val Asn Glu Cys Val Lys Ala Gln Ser Lys Arg
 1100 1105 1110
 Ser Gly Phe Cys Gly Gln Gly Thr His Ile Val Ser Phe Val Val
 1115 1120 1125
 Asn Ala Pro Asn Gly Leu Tyr Phe Met His Val Gly Tyr Tyr Pro
 1130 1135 1140
 Ser Asn His Ile Glu Val Val Ser Ala Tyr Gly Leu Cys Asp Ala
 1145 1150 1155
 Ala Asn Pro Thr Asn Cys Ile Ala Pro Val Asn Gly Tyr Phe Ile
 1160 1165 1170
 Lys Thr Asn Asn Thr Arg Ile Val Asp Glu Trp Ser Tyr Thr Gly
 1175 1180 1185
 Ser Ser Phe Tyr Ala Pro Glu Pro Ile Thr Ser Leu Asn Thr Lys
 1190 1195 1200
 Tyr Val Ala Pro His Val Thr Tyr Gln Asn Ile Ser Thr Asn Leu
 1205 1210 1215
 Pro Pro Pro Leu Leu Gly Asn Ser Thr Gly Ile Asp Phe Gln Asp
 1220 1225 1230
 Glu Leu Asp Glu Phe Phe Lys Asn Val Ser Thr Ser Ile Pro Asn
 1235 1240 1245
 Phe Gly Ser Leu Thr Gln Ile Asn Thr Thr Leu Leu Asp Leu Thr
 1250 1255 1260
 Tyr Glu Met Leu Ser Leu Gln Gln Val Val Lys Ala Leu Asn Glu
 1265 1270 1275
 Ser Tyr Ile Asp Leu Lys Glu Leu Gly Asn Tyr Thr Tyr Tyr Asn
 1280 1285 1290
 Lys Trp Pro Trp Tyr Ile Trp Leu Gly Phe Ile Ala Gly Leu Val
 1295 1300 1305
 Ala Leu Ala Leu Cys Val Phe Phe Ile Leu Cys Cys Thr Gly Cys
 1310 1315 1320
 Gly Thr Asn Cys Met Gly Lys Leu Lys Cys Asn Arg Cys Cys Asp
 1325 1330 1335
 Arg Tyr Glu Glu Tyr Asp Leu Glu Pro His Lys Val His Val His
 1340 1345 1350

<210> SEQ ID NO 28

<211> LENGTH: 1353

<212> TYPE: PRT

<213> ORGANISM: Middle East respiratory syndrome coronavirus

<400> SEQUENCE: 28

Met Ile His Ser Val Phe Leu Leu Met Phe Leu Leu Thr Pro Thr Glu

-continued

1	5	10	15																
Ser	Tyr	Val	Asp	Val	Gly	Pro	Asp	Ser	Val	Lys	Ser	Ala	Cys	Ile	Glu				
			20					25					30						
Val	Asp	Ile	Gln	Gln	Thr	Phe	Phe	Asp	Lys	Thr	Trp	Pro	Arg	Pro	Ile				
		35					40					45							
Asp	Val	Ser	Lys	Ala	Asp	Gly	Ile	Ile	Tyr	Pro	Gln	Gly	Arg	Thr	Tyr				
	50					55					60								
Ser	Asn	Ile	Thr	Ile	Thr	Tyr	Gln	Gly	Leu	Phe	Pro	Tyr	Gln	Gly	Asp				
65					70					75					80				
His	Gly	Asp	Met	Tyr	Val	Tyr	Ser	Ala	Gly	His	Ala	Thr	Gly	Thr	Thr				
			85						90					95					
Pro	Gln	Lys	Leu	Phe	Val	Ala	Asn	Tyr	Ser	Gln	Asp	Val	Lys	Gln	Phe				
			100					105					110						
Ala	Asn	Gly	Phe	Val	Val	Arg	Ile	Gly	Ala	Ala	Ala	Asn	Ser	Thr	Gly				
		115					120					125							
Thr	Val	Ile	Ile	Ser	Pro	Ser	Thr	Ser	Ala	Thr	Ile	Arg	Lys	Ile	Tyr				
	130					135					140								
Pro	Ala	Phe	Met	Leu	Gly	Ser	Ser	Val	Gly	Asn	Phe	Ser	Asp	Gly	Lys				
145					150					155					160				
Met	Gly	Arg	Phe	Phe	Asn	His	Thr	Leu	Val	Leu	Leu	Pro	Asp	Gly	Cys				
			165					170						175					
Gly	Thr	Leu	Leu	Arg	Ala	Phe	Tyr	Cys	Ile	Leu	Glu	Pro	Arg	Ser	Gly				
		180						185					190						
Asn	His	Cys	Pro	Ala	Gly	Asn	Ser	Tyr	Thr	Ser	Phe	Ala	Thr	Tyr	His				
		195					200					205							
Thr	Pro	Ala	Thr	Asp	Cys	Ser	Asp	Gly	Asn	Tyr	Asn	Arg	Asn	Ala	Ser				
	210					215					220								
Leu	Asn	Ser	Phe	Lys	Glu	Tyr	Phe	Asn	Leu	Arg	Asn	Cys	Thr	Phe	Met				
225					230					235					240				
Tyr	Thr	Tyr	Asn	Ile	Thr	Glu	Asp	Glu	Ile	Leu	Glu	Trp	Phe	Gly	Ile				
			245						250					255					
Thr	Gln	Thr	Ala	Gln	Gly	Val	His	Leu	Phe	Ser	Ser	Arg	Tyr	Val	Asp				
			260					265					270						
Leu	Tyr	Gly	Gly	Asn	Met	Phe	Gln	Phe	Ala	Thr	Leu	Pro	Val	Tyr	Asp				
	275					280						285							
Thr	Ile	Lys	Tyr	Tyr	Ser	Ile	Ile	Pro	His	Ser	Ile	Arg	Ser	Ile	Gln				
	290				295						300								
Ser	Asp	Arg	Lys	Ala	Trp	Ala	Ala	Phe	Tyr	Val	Tyr	Lys	Leu	Gln	Pro				
305					310					315					320				
Leu	Thr	Phe	Leu	Leu	Asp	Phe	Ser	Val	Asp	Gly	Tyr	Ile	Arg	Arg	Ala				
			325						330					335					
Ile	Asp	Cys	Gly	Phe	Asn	Asp	Leu	Ser	Gln	Leu	His	Cys	Ser	Tyr	Glu				
			340				345						350						
Ser	Phe	Asp	Val	Glu	Ser	Gly	Val	Tyr	Ser	Val	Ser	Ser	Phe	Glu	Ala				
		355					360						365						
Lys	Pro	Ser	Gly	Ser	Val	Val	Glu	Gln	Ala	Glu	Gly	Val	Glu	Cys	Asp				
	370					375						380							
Phe	Ser	Pro	Leu	Leu	Ser	Gly	Thr	Pro	Pro	Gln	Val	Tyr	Asn	Phe	Lys				
385					390					395					400				
Arg	Leu	Val	Phe	Thr	Asn	Cys	Asn	Tyr	Asn	Leu	Thr	Lys	Leu	Leu	Ser				
				405					410					415					

-continued

Leu Phe Ser Val Asn Asp Phe Thr Cys Ser Gln Ile Ser Pro Ala Ala
 420 425 430

Ile Ala Ser Asn Cys Tyr Ser Ser Leu Ile Leu Asp Tyr Phe Ser Tyr
 435 440 445

Pro Leu Ser Met Lys Ser Asp Leu Ser Val Ser Ser Ala Gly Pro Ile
 450 455 460

Ser Gln Phe Asn Tyr Lys Gln Ser Phe Ser Asn Pro Thr Cys Leu Ile
 465 470 475 480

Leu Ala Thr Val Pro His Asn Leu Thr Thr Ile Thr Lys Pro Leu Lys
 485 490 495

Tyr Ser Tyr Ile Asn Lys Cys Ser Arg Leu Leu Ser Asp Asp Arg Thr
 500 505 510

Glu Val Pro Gln Leu Val Asn Ala Asn Gln Tyr Ser Pro Cys Val Ser
 515 520 525

Ile Val Pro Ser Thr Val Trp Glu Asp Gly Asp Tyr Tyr Arg Lys Gln
 530 535 540

Leu Ser Pro Leu Glu Gly Gly Gly Trp Leu Val Ala Ser Gly Ser Thr
 545 550 555 560

Val Ala Met Thr Glu Gln Leu Gln Met Gly Phe Gly Ile Thr Val Gln
 565 570 575

Tyr Gly Thr Asp Thr Asn Ser Val Cys Pro Lys Leu Glu Phe Ala Asn
 580 585 590

Asp Thr Lys Ile Ala Ser Gln Leu Gly Asn Cys Val Glu Tyr Ser Leu
 595 600 605

Tyr Gly Val Ser Gly Arg Gly Val Phe Gln Asn Cys Thr Ala Val Gly
 610 615 620

Val Arg Gln Gln Arg Phe Val Tyr Asp Ala Tyr Gln Asn Leu Val Gly
 625 630 635 640

Tyr Tyr Ser Asp Asp Gly Asn Tyr Tyr Cys Leu Arg Ala Cys Val Ser
 645 650 655

Val Pro Val Ser Val Ile Tyr Asp Lys Glu Thr Lys Thr His Ala Thr
 660 665 670

Leu Phe Gly Ser Val Ala Cys Glu His Ile Ser Ser Thr Met Ser Gln
 675 680 685

Tyr Ser Arg Ser Thr Arg Ser Met Leu Lys Arg Arg Asp Ser Thr Tyr
 690 695 700

Gly Pro Leu Gln Thr Pro Val Gly Cys Val Leu Gly Leu Val Asn Ser
 705 710 715 720

Ser Leu Phe Val Glu Asp Cys Lys Leu Pro Leu Gly Gln Ser Leu Cys
 725 730 735

Ala Leu Pro Asp Thr Pro Ser Thr Leu Thr Pro Arg Ser Val Arg Ser
 740 745 750

Val Pro Gly Glu Met Arg Leu Ala Ser Ile Ala Phe Asn His Pro Ile
 755 760 765

Gln Val Asp Gln Leu Asn Ser Ser Tyr Phe Lys Leu Ser Ile Pro Thr
 770 775 780

Asn Phe Ser Phe Gly Val Thr Gln Glu Tyr Ile Gln Thr Thr Ile Gln
 785 790 795 800

Lys Val Thr Val Asp Cys Lys Gln Tyr Val Cys Asn Gly Phe Gln Lys
 805 810 815

-continued

Cys Glu Gln Leu Leu Arg Glu Tyr Gly Gln Phe Cys Ser Lys Ile Asn
 820 825 830

Gln Ala Leu His Gly Ala Asn Leu Arg Gln Asp Asp Ser Val Arg Asn
 835 840 845

Leu Phe Ala Ser Val Lys Ser Ser Gln Ser Ser Pro Ile Ile Pro Gly
 850 855 860

Phe Gly Gly Asp Phe Asn Leu Thr Leu Leu Glu Pro Val Ser Ile Ser
 865 870 875 880

Thr Gly Ser Arg Ser Ala Arg Ser Ala Ile Glu Asp Leu Leu Phe Asp
 885 890 895

Lys Val Thr Ile Ala Asp Pro Gly Tyr Met Gln Gly Tyr Asp Asp Cys
 900 905 910

Met Gln Gln Gly Pro Ala Ser Ala Arg Asp Leu Ile Cys Ala Gln Tyr
 915 920 925

Val Ala Gly Tyr Lys Val Leu Pro Pro Leu Met Asp Val Asn Met Glu
 930 935 940

Ala Ala Tyr Thr Ser Ser Leu Leu Gly Ser Ile Ala Gly Val Gly Trp
 945 950 955 960

Thr Ala Gly Leu Ser Ser Phe Ala Ala Ile Pro Phe Ala Gln Ser Ile
 965 970 975

Phe Tyr Arg Leu Asn Gly Val Gly Ile Thr Gln Gln Val Leu Ser Glu
 980 985 990

Asn Gln Lys Leu Ile Ala Asn Lys Phe Asn Gln Ala Leu Gly Ala Met
 995 1000 1005

Gln Thr Gly Phe Thr Thr Thr Asn Glu Ala Phe Arg Lys Val Gln
 1010 1015 1020

Asp Ala Val Asn Asn Asn Ala Gln Ala Leu Ser Lys Leu Ala Ser
 1025 1030 1035

Glu Leu Ser Asn Thr Phe Gly Ala Ile Ser Ala Ser Ile Gly Asp
 1040 1045 1050

Ile Ile Gln Arg Leu Asp Val Leu Glu Gln Asp Ala Gln Ile Asp
 1055 1060 1065

Arg Leu Ile Asn Gly Arg Leu Thr Thr Leu Asn Ala Phe Val Ala
 1070 1075 1080

Gln Gln Leu Val Arg Ser Glu Ser Ala Ala Leu Ser Ala Gln Leu
 1085 1090 1095

Ala Lys Asp Lys Val Asn Glu Cys Val Lys Ala Gln Ser Lys Arg
 1100 1105 1110

Ser Gly Phe Cys Gly Gln Gly Thr His Ile Val Ser Phe Val Val
 1115 1120 1125

Asn Ala Pro Asn Gly Leu Tyr Phe Met His Val Gly Tyr Tyr Pro
 1130 1135 1140

Ser Asn His Ile Glu Val Val Ser Ala Tyr Gly Leu Cys Asp Ala
 1145 1150 1155

Ala Asn Pro Thr Asn Cys Ile Ala Pro Val Asn Gly Tyr Phe Ile
 1160 1165 1170

Lys Thr Asn Asn Thr Arg Ile Val Asp Glu Trp Ser Tyr Thr Gly
 1175 1180 1185

Ser Ser Phe Tyr Ala Pro Glu Pro Ile Thr Ser Leu Asn Thr Lys
 1190 1195 1200

Tyr Val Ala Pro His Val Thr Tyr Gln Asn Ile Ser Thr Asn Leu

-continued

1205	1210	1215
Pro Pro Pro Leu Leu Gly Asn Ser Thr Gly Ile Asp Phe Gln Asp		
1220	1225	1230
Glu Leu Asp Glu Phe Phe Lys Asn Val Ser Thr Ser Ile Pro Asn		
1235	1240	1245
Phe Gly Ser Leu Thr Gln Ile Asn Thr Thr Leu Leu Asp Leu Thr		
1250	1255	1260
Tyr Glu Met Leu Ser Leu Gln Gln Val Val Lys Ala Leu Asn Glu		
1265	1270	1275
Ser Tyr Ile Asp Leu Lys Glu Leu Gly Asn Tyr Thr Tyr Tyr Asn		
1280	1285	1290
Lys Trp Pro Trp Tyr Ile Trp Leu Gly Phe Ile Ala Gly Leu Val		
1295	1300	1305
Ala Leu Ala Leu Cys Val Phe Phe Ile Leu Cys Cys Thr Gly Cys		
1310	1315	1320
Gly Thr Asn Cys Met Gly Lys Leu Lys Cys Asn Arg Cys Cys Asp		
1325	1330	1335
Arg Tyr Glu Glu Tyr Asp Leu Glu Pro His Lys Val His Val His		
1340	1345	1350

<210> SEQ ID NO 29

<211> LENGTH: 1255

<212> TYPE: PRT

<213> ORGANISM: Human SARS coronavirus

<400> SEQUENCE: 29

Met Phe Ile Phe Leu Leu Phe Leu Thr Leu Thr Ser Gly Ser Asp Leu		
1	5	10 15
Asp Arg Cys Thr Thr Phe Asp Asp Val Gln Ala Pro Asn Tyr Thr Gln		
	20	25 30
His Thr Ser Ser Met Arg Gly Val Tyr Tyr Pro Asp Glu Ile Phe Arg		
	35	40 45
Ser Asp Thr Leu Tyr Leu Thr Gln Asp Leu Phe Leu Pro Phe Tyr Ser		
	50	55 60
Asn Val Thr Gly Phe His Thr Ile Asn His Thr Phe Gly Asn Pro Val		
65	70	75 80
Ile Pro Phe Lys Asp Gly Ile Tyr Phe Ala Ala Thr Glu Lys Ser Asn		
	85	90 95
Val Val Arg Gly Trp Val Phe Gly Ser Thr Met Asn Asn Lys Ser Gln		
	100	105 110
Ser Val Ile Ile Ile Asn Asn Ser Thr Asn Val Val Ile Arg Ala Cys		
	115	120 125
Asn Phe Glu Leu Cys Asp Asn Pro Phe Phe Ala Val Ser Lys Pro Met		
130	135	140
Gly Thr Gln Thr His Thr Met Ile Phe Asp Asn Ala Phe Asn Cys Thr		
145	150	155 160
Phe Glu Tyr Ile Ser Asp Ala Phe Ser Leu Asp Val Ser Glu Lys Ser		
	165	170 175
Gly Asn Phe Lys His Leu Arg Glu Phe Val Phe Lys Asn Lys Asp Gly		
	180	185 190
Phe Leu Tyr Val Tyr Lys Gly Tyr Gln Pro Ile Asp Val Val Arg Asp		
	195	200 205

-continued

Leu Pro Ser Gly Phe Asn Thr Leu Lys Pro Ile Phe Lys Leu Pro Leu
 210 215 220
 Gly Ile Asn Ile Thr Asn Phe Arg Ala Ile Leu Thr Ala Phe Ser Pro
 225 230 235 240
 Ala Gln Asp Ile Trp Gly Thr Ser Ala Ala Ala Tyr Phe Val Gly Tyr
 245 250 255
 Leu Lys Pro Thr Thr Phe Met Leu Lys Tyr Asp Glu Asn Gly Thr Ile
 260 265 270
 Thr Asp Ala Val Asp Cys Ser Gln Asn Pro Leu Ala Glu Leu Lys Cys
 275 280 285
 Ser Val Lys Ser Phe Glu Ile Asp Lys Gly Ile Tyr Gln Thr Ser Asn
 290 295 300
 Phe Arg Val Val Pro Ser Gly Asp Val Val Arg Phe Pro Asn Ile Thr
 305 310 315 320
 Asn Leu Cys Pro Phe Gly Glu Val Phe Asn Ala Thr Lys Phe Pro Ser
 325 330 335
 Val Tyr Ala Trp Glu Arg Lys Lys Ile Ser Asn Cys Val Ala Asp Tyr
 340 345 350
 Ser Val Leu Tyr Asn Ser Thr Phe Phe Ser Thr Phe Lys Cys Tyr Gly
 355 360 365
 Val Ser Ala Thr Lys Leu Asn Asp Leu Cys Phe Ser Asn Val Tyr Ala
 370 375 380
 Asp Ser Phe Val Val Lys Gly Asp Asp Val Arg Gln Ile Ala Pro Gly
 385 390 395 400
 Gln Thr Gly Val Ile Ala Asp Tyr Asn Tyr Lys Leu Pro Asp Asp Phe
 405 410 415
 Met Gly Cys Val Leu Ala Trp Asn Thr Arg Asn Ile Asp Ala Thr Ser
 420 425 430
 Thr Gly Asn Tyr Asn Tyr Lys Tyr Arg Tyr Leu Arg His Gly Lys Leu
 435 440 445
 Arg Pro Phe Glu Arg Asp Ile Ser Asn Val Pro Phe Ser Pro Asp Gly
 450 455 460
 Lys Pro Cys Thr Pro Pro Ala Leu Asn Cys Tyr Trp Pro Leu Asn Asp
 465 470 475 480
 Tyr Gly Phe Tyr Thr Thr Thr Gly Ile Gly Tyr Gln Pro Tyr Arg Val
 485 490 495
 Val Val Leu Ser Phe Glu Leu Leu Asn Ala Pro Ala Thr Val Cys Gly
 500 505 510
 Pro Lys Leu Ser Thr Asp Leu Ile Lys Asn Gln Cys Val Asn Phe Asn
 515 520 525
 Phe Asn Gly Leu Thr Gly Thr Gly Val Leu Thr Pro Ser Ser Lys Arg
 530 535 540
 Phe Gln Pro Phe Gln Gln Phe Gly Arg Asp Val Ser Asp Phe Thr Asp
 545 550 555 560
 Ser Val Arg Asp Pro Lys Thr Ser Glu Ile Leu Asp Ile Ser Pro Cys
 565 570 575
 Ser Phe Gly Gly Val Ser Val Ile Thr Pro Gly Thr Asn Ala Ser Ser
 580 585 590
 Glu Val Ala Val Leu Tyr Gln Asp Val Asn Cys Thr Asp Val Ser Thr
 595 600 605
 Ala Ile His Ala Asp Gln Leu Thr Pro Ala Trp Arg Ile Tyr Ser Thr

-continued

610			615			620									
Gly	Asn	Asn	Val	Phe	Gln	Thr	Gln	Ala	Gly	Cys	Leu	Ile	Gly	Ala	Glu
625					630					635					640
His	Val	Asp	Thr	Ser	Tyr	Glu	Cys	Asp	Ile	Pro	Ile	Gly	Ala	Gly	Ile
				645					650					655	
Cys	Ala	Ser	Tyr	His	Thr	Val	Ser	Leu	Leu	Arg	Ser	Thr	Ser	Gln	Lys
			660					665						670	
Ser	Ile	Val	Ala	Tyr	Thr	Met	Ser	Leu	Gly	Ala	Asp	Ser	Ser	Ile	Ala
		675					680					685			
Tyr	Ser	Asn	Asn	Thr	Ile	Ala	Ile	Pro	Thr	Asn	Phe	Ser	Ile	Ser	Ile
	690					695					700				
Thr	Thr	Glu	Val	Met	Pro	Val	Ser	Met	Ala	Lys	Thr	Ser	Val	Asp	Cys
705					710					715					720
Asn	Met	Tyr	Ile	Cys	Gly	Asp	Ser	Thr	Glu	Cys	Ala	Asn	Leu	Leu	Leu
				725					730					735	
Gln	Tyr	Gly	Ser	Phe	Cys	Thr	Gln	Leu	Asn	Arg	Ala	Leu	Ser	Gly	Ile
			740					745					750		
Ala	Ala	Glu	Gln	Asp	Arg	Asn	Thr	Arg	Glu	Val	Phe	Ala	Gln	Val	Lys
		755					760					765			
Gln	Met	Tyr	Lys	Thr	Pro	Thr	Leu	Lys	Tyr	Phe	Gly	Gly	Phe	Asn	Phe
	770					775					780				
Ser	Gln	Ile	Leu	Pro	Asp	Pro	Leu	Lys	Pro	Thr	Lys	Arg	Ser	Phe	Ile
	785				790					795					800
Glu	Asp	Leu	Leu	Phe	Asn	Lys	Val	Thr	Leu	Ala	Asp	Ala	Gly	Phe	Met
				805					810					815	
Lys	Gln	Tyr	Gly	Glu	Cys	Leu	Gly	Asp	Ile	Asn	Ala	Arg	Asp	Leu	Ile
			820					825					830		
Cys	Ala	Gln	Lys	Phe	Asn	Gly	Leu	Thr	Val	Leu	Pro	Pro	Leu	Leu	Thr
		835					840					845			
Asp	Asp	Met	Ile	Ala	Ala	Tyr	Thr	Ala	Ala	Leu	Val	Ser	Gly	Thr	Ala
	850					855						860			
Thr	Ala	Gly	Trp	Thr	Phe	Gly	Ala	Gly	Ala	Ala	Leu	Gln	Ile	Pro	Phe
	865				870					875					880
Ala	Met	Gln	Met	Ala	Tyr	Arg	Phe	Asn	Gly	Ile	Gly	Val	Thr	Gln	Asn
				885					890					895	
Val	Leu	Tyr	Glu	Asn	Gln	Lys	Gln	Ile	Ala	Asn	Gln	Phe	Asn	Lys	Ala
			900					905					910		
Ile	Ser	Gln	Ile	Gln	Glu	Ser	Leu	Thr	Thr	Thr	Ser	Thr	Ala	Leu	Gly
		915					920						925		
Lys	Leu	Gln	Asp	Val	Val	Asn	Gln	Asn	Ala	Gln	Ala	Leu	Asn	Thr	Leu
	930					935					940				
Val	Lys	Gln	Leu	Ser	Ser	Asn	Phe	Gly	Ala	Ile	Ser	Ser	Val	Leu	Asn
	945					950				955					960
Asp	Ile	Leu	Ser	Arg	Leu	Asp	Lys	Val	Glu	Ala	Glu	Val	Gln	Ile	Asp
				965					970					975	
Arg	Leu	Ile	Thr	Gly	Arg	Leu	Gln	Ser	Leu	Gln	Thr	Tyr	Val	Thr	Gln
			980					985					990		
Gln	Leu	Ile	Arg	Ala	Ala	Glu	Ile	Arg	Ala	Ser	Ala	Asn	Leu	Ala	Ala
		995					1000					1005			
Thr	Lys	Met	Ser	Glu	Cys	Val	Leu	Gly	Gln	Ser	Lys	Arg	Val	Asp	
	1010					1015						1020			

-continued

Phe Cys Gly Lys Gly Tyr His Leu Met Ser Phe Pro Gln Ala Ala
 1025 1030 1035
 Pro His Gly Val Val Phe Leu His Val Thr Tyr Val Pro Ser Gln
 1040 1045 1050
 Glu Arg Asn Phe Thr Thr Ala Pro Ala Ile Cys His Glu Gly Lys
 1055 1060 1065
 Ala Tyr Phe Pro Arg Glu Gly Val Phe Val Phe Asn Gly Thr Ser
 1070 1075 1080
 Trp Phe Ile Thr Gln Arg Asn Phe Phe Ser Pro Gln Ile Ile Thr
 1085 1090 1095
 Thr Asp Asn Thr Phe Val Ser Gly Asn Cys Asp Val Val Ile Gly
 1100 1105 1110
 Ile Ile Asn Asn Thr Val Tyr Asp Pro Leu Gln Pro Glu Leu Asp
 1115 1120 1125
 Ser Phe Lys Glu Glu Leu Asp Lys Tyr Phe Lys Asn His Thr Ser
 1130 1135 1140
 Pro Asp Val Asp Leu Gly Asp Ile Ser Gly Ile Asn Ala Ser Val
 1145 1150 1155
 Val Asn Ile Gln Lys Glu Ile Asp Arg Leu Asn Glu Val Ala Lys
 1160 1165 1170
 Asn Leu Asn Glu Ser Leu Ile Asp Leu Gln Glu Leu Gly Lys Tyr
 1175 1180 1185
 Glu Gln Tyr Ile Lys Trp Pro Trp Tyr Val Trp Leu Gly Phe Ile
 1190 1195 1200
 Ala Gly Leu Ile Ala Ile Val Met Val Thr Ile Leu Leu Cys Cys
 1205 1210 1215
 Met Thr Ser Cys Cys Ser Cys Leu Lys Gly Ala Cys Ser Cys Gly
 1220 1225 1230
 Ser Cys Cys Lys Phe Asp Glu Asp Asp Ser Glu Pro Val Leu Lys
 1235 1240 1245
 Gly Val Lys Leu His Tyr Thr
 1250 1255

<210> SEQ ID NO 30

<211> LENGTH: 1353

<212> TYPE: PRT

<213> ORGANISM: Human coronavirus

<400> SEQUENCE: 30

Met Phe Leu Ile Leu Leu Ile Ser Leu Pro Thr Ala Phe Ala Val Ile
 1 5 10 15
 Gly Asp Leu Lys Cys Thr Ser Asp Asn Ile Asn Asp Lys Asp Thr Gly
 20 25 30
 Pro Pro Pro Ile Ser Thr Asp Thr Val Asp Val Thr Asn Gly Leu Gly
 35 40 45
 Thr Tyr Tyr Val Leu Asp Arg Val Tyr Leu Asn Thr Thr Leu Phe Leu
 50 55 60
 Asn Gly Tyr Tyr Pro Thr Ser Gly Ser Thr Tyr Arg Asn Met Ala Leu
 65 70 75 80
 Lys Gly Ser Val Leu Leu Ser Arg Leu Trp Phe Lys Pro Pro Phe Leu
 85 90 95
 Ser Asp Phe Ile Asn Gly Ile Phe Ala Lys Val Lys Asn Thr Lys Val

-continued

100					105					110					
Ile	Lys	Asp	Arg	Val	Met	Tyr	Ser	Glu	Phe	Pro	Ala	Ile	Thr	Ile	Gly
		115					120					125			
Ser	Thr	Phe	Val	Asn	Thr	Ser	Tyr	Ser	Val	Val	Val	Gln	Pro	Arg	Thr
	130					135					140				
Ile	Asn	Ser	Thr	Gln	Asp	Gly	Asp	Asn	Lys	Leu	Gln	Gly	Leu	Leu	Glu
145					150					155					160
Val	Ser	Val	Cys	Gln	Tyr	Asn	Met	Cys	Glu	Tyr	Pro	Gln	Thr	Ile	Cys
			165						170					175	
His	Pro	Asn	Leu	Gly	Asn	His	Arg	Lys	Glu	Leu	Trp	His	Leu	Asp	Thr
		180						185					190		
Gly	Val	Val	Ser	Cys	Leu	Tyr	Lys	Arg	Asn	Phe	Thr	Tyr	Asp	Val	Asn
		195					200					205			
Ala	Asp	Tyr	Leu	Tyr	Phe	His	Phe	Tyr	Gln	Glu	Gly	Gly	Thr	Phe	Tyr
	210					215					220				
Ala	Tyr	Phe	Thr	Asp	Thr	Gly	Val	Val	Thr	Lys	Phe	Leu	Phe	Asn	Val
225					230					235					240
Tyr	Leu	Gly	Met	Ala	Leu	Ser	His	Tyr	Tyr	Val	Met	Pro	Leu	Thr	Cys
			245						250					255	
Asn	Ser	Lys	Leu	Thr	Leu	Glu	Tyr	Trp	Val	Thr	Pro	Leu	Thr	Ser	Arg
		260						265					270		
Gln	Tyr	Leu	Leu	Ala	Phe	Asn	Gln	Asp	Gly	Ile	Ile	Phe	Asn	Ala	Glu
	275					280						285			
Asp	Cys	Met	Ser	Asp	Phe	Met	Ser	Glu	Ile	Lys	Cys	Lys	Thr	Gln	Ser
	290					295					300				
Ile	Ala	Pro	Pro	Thr	Gly	Val	Tyr	Glu	Leu	Asn	Gly	Tyr	Thr	Val	Gln
305					310					315					320
Pro	Ile	Ala	Asp	Val	Tyr	Arg	Arg	Lys	Pro	Asn	Leu	Pro	Asn	Cys	Asn
			325						330					335	
Ile	Glu	Ala	Trp	Leu	Asn	Asp	Lys	Ser	Val	Pro	Ser	Pro	Leu	Asn	Trp
		340						345					350		
Glu	Arg	Lys	Thr	Phe	Ser	Asn	Cys	Asn	Phe	Asn	Met	Ser	Ser	Leu	Met
		355					360					365			
Ser	Phe	Ile	Gln	Ala	Asp	Ser	Phe	Thr	Cys	Asn	Asn	Ile	Asp	Ala	Ala
	370					375					380				
Lys	Ile	Tyr	Gly	Met	Cys	Phe	Ser	Ser	Ile	Thr	Ile	Asp	Lys	Phe	Ala
385					390					395					400
Ile	Pro	Asn	Gly	Arg	Lys	Val	Asp	Leu	Gln	Leu	Gly	Asn	Leu	Gly	Tyr
			405						410					415	
Leu	Gln	Ser	Phe	Asn	Tyr	Arg	Ile	Asp	Thr	Thr	Ala	Thr	Ser	Cys	Gln
			420					425					430		
Leu	Tyr	Tyr	Asn	Leu	Pro	Ala	Ala	Asn	Val	Ser	Val	Ser	Arg	Phe	Asn
		435					440					445			
Pro	Ser	Thr	Trp	Asn	Lys	Arg	Phe	Gly	Phe	Ile	Glu	Asp	Ser	Val	Phe
		450				455					460				
Lys	Pro	Arg	Pro	Ala	Gly	Val	Leu	Thr	Asn	His	Asp	Val	Val	Tyr	Ala
465					470					475					480
Gln	His	Cys	Phe	Lys	Ala	Pro	Lys	Asn	Phe	Cys	Pro	Cys	Lys	Leu	Asn
			485						490					495	
Gly	Ser	Cys	Val	Gly	Ser	Gly	Pro	Gly	Lys	Asn	Asn	Gly	Ile	Gly	Thr
			500					505					510		

-continued

Cys Pro Ala Gly Thr Asn Tyr Leu Thr Cys Asp Asn Leu Cys Thr Pro
 515 520 525

Asp Pro Ile Thr Phe Thr Gly Thr Tyr Lys Cys Pro Gln Thr Lys Ser
 530 535 540

Leu Val Gly Ile Gly Glu His Cys Ser Gly Leu Ala Val Lys Ser Asp
 545 550 555 560

Tyr Cys Gly Gly Asn Ser Cys Thr Cys Arg Pro Gln Ala Phe Leu Gly
 565 570 575

Trp Ser Ala Asp Ser Cys Leu Gln Gly Asp Lys Cys Asn Ile Phe Ala
 580 585 590

Asn Phe Ile Leu His Asp Val Asn Ser Gly Leu Thr Cys Ser Thr Asp
 595 600 605

Leu Gln Lys Ala Asn Thr Asp Ile Ile Leu Gly Val Cys Val Asn Tyr
 610 615 620

Asp Leu Tyr Gly Ile Leu Gly Gln Gly Ile Phe Val Glu Val Asn Ala
 625 630 635 640

Thr Tyr Tyr Asn Ser Trp Gln Asn Leu Leu Tyr Asp Ser Asn Gly Asn
 645 650 655

Leu Tyr Gly Phe Arg Asp Tyr Ile Ile Asn Arg Thr Phe Met Ile Arg
 660 665 670

Ser Cys Tyr Ser Gly Arg Val Ser Ala Ala Phe His Ala Asn Ser Ser
 675 680 685

Glu Pro Ala Leu Leu Phe Arg Asn Ile Lys Cys Asn Tyr Val Phe Asn
 690 695 700

Asn Ser Leu Thr Arg Gln Leu Gln Pro Ile Asn Tyr Phe Asp Ser Tyr
 705 710 715 720

Leu Gly Cys Val Val Asn Ala Tyr Asn Ser Thr Ala Ile Ser Val Gln
 725 730 735

Thr Cys Asp Leu Thr Val Gly Ser Gly Tyr Cys Val Asp Tyr Ser Lys
 740 745 750

Asn Arg Arg Ser Arg Gly Ala Ile Thr Thr Gly Tyr Arg Phe Thr Asn
 755 760 765

Phe Glu Pro Phe Thr Val Asn Ser Val Asn Asp Ser Leu Glu Pro Val
 770 775 780

Gly Gly Leu Tyr Glu Ile Gln Ile Pro Ser Glu Phe Thr Ile Gly Asn
 785 790 795 800

Met Val Glu Phe Ile Gln Thr Ser Ser Pro Lys Val Thr Ile Asp Cys
 805 810 815

Ala Ala Phe Val Cys Gly Asp Tyr Ala Ala Cys Lys Ser Gln Leu Val
 820 825 830

Glu Tyr Gly Ser Phe Cys Asp Asn Ile Asn Ala Ile Leu Thr Glu Val
 835 840 845

Asn Glu Leu Leu Asp Thr Thr Gln Leu Gln Val Ala Asn Ser Leu Met
 850 855 860

Asn Gly Val Thr Leu Ser Thr Lys Leu Lys Asp Gly Val Asn Phe Asn
 865 870 875 880

Val Asp Asp Ile Asn Phe Ser Pro Val Leu Gly Cys Leu Gly Ser Glu
 885 890 895

Cys Ser Lys Ala Ser Ser Arg Ser Ala Ile Glu Asp Leu Leu Phe Asp
 900 905 910

-continued

Lys	Val	Lys	Leu	Ser	Asp	Val	Gly	Phe	Val	Glu	Ala	Tyr	Asn	Asn	Cys
	915						920					925			
Thr	Gly	Gly	Ala	Glu	Ile	Arg	Asp	Leu	Ile	Cys	Val	Gln	Ser	Tyr	Lys
	930					935					940				
Gly	Ile	Lys	Val	Leu	Pro	Pro	Leu	Leu	Ser	Glu	Asn	Gln	Ile	Ser	Gly
945					950					955					960
Tyr	Thr	Leu	Ala	Ala	Thr	Ser	Ala	Ser	Leu	Phe	Pro	Pro	Trp	Thr	Ala
				965					970					975	
Ala	Ala	Gly	Val	Pro	Phe	Tyr	Leu	Asn	Val	Gln	Tyr	Arg	Ile	Asn	Gly
			980					985						990	
Leu	Gly	Val	Thr	Met	Asp	Val	Leu	Ser	Gln	Asn	Gln	Lys	Leu	Ile	Ala
	995						1000					1005			
Asn	Ala	Phe	Asn	Asn	Ala	Leu	Tyr	Ala	Ile	Gln	Glu	Gly	Phe	Asp	
1010						1015					1020				
Ala	Thr	Asn	Ser	Ala	Leu	Val	Lys	Ile	Gln	Ala	Val	Val	Asn	Ala	
1025						1030					1035				
Asn	Ala	Glu	Ala	Leu	Asn	Asn	Leu	Leu	Gln	Gln	Leu	Ser	Asn	Arg	
1040						1045					1050				
Phe	Gly	Ala	Ile	Ser	Ala	Ser	Leu	Gln	Glu	Ile	Leu	Ser	Arg	Leu	
1055						1060					1065				
Asp	Ala	Leu	Glu	Ala	Glu	Ala	Gln	Ile	Asp	Arg	Leu	Ile	Asn	Gly	
1070						1075					1080				
Arg	Leu	Thr	Ala	Leu	Asn	Ala	Tyr	Val	Ser	Gln	Gln	Leu	Ser	Asp	
1085						1090					1095				
Ser	Thr	Leu	Val	Lys	Phe	Ser	Ala	Ala	Gln	Ala	Met	Glu	Lys	Val	
1100						1105					1110				
Asn	Glu	Cys	Val	Lys	Ser	Gln	Ser	Ser	Arg	Ile	Asn	Phe	Cys	Gly	
1115						1120					1125				
Asn	Gly	Asn	His	Ile	Ile	Ser	Leu	Val	Gln	Asn	Ala	Pro	Tyr	Gly	
1130						1135					1140				
Leu	Tyr	Phe	Ile	His	Phe	Ser	Tyr	Val	Pro	Thr	Lys	Tyr	Val	Thr	
1145						1150					1155				
Ala	Arg	Val	Ser	Pro	Gly	Leu	Cys	Ile	Ala	Gly	Asp	Arg	Gly	Ile	
1160						1165					1170				
Ala	Pro	Lys	Ser	Gly	Tyr	Phe	Val	Asn	Val	Asn	Asn	Thr	Trp	Met	
1175						1180					1185				
Tyr	Thr	Gly	Ser	Gly	Tyr	Tyr	Tyr	Pro	Glu	Pro	Ile	Thr	Glu	Asn	
1190						1195					1200				
Asn	Val	Val	Val	Met	Ser	Thr	Cys	Ala	Val	Asn	Tyr	Thr	Lys	Ala	
1205						1210					1215				
Pro	Tyr	Val	Met	Leu	Asn	Thr	Ser	Ile	Pro	Asn	Leu	Pro	Asp	Phe	
1220						1225					1230				
Lys	Glu	Glu	Leu	Asp	Gln	Trp	Phe	Lys	Asn	Gln	Thr	Ser	Val	Ala	
1235						1240					1245				
Pro	Asp	Leu	Ser	Leu	Asp	Tyr	Ile	Asn	Val	Thr	Phe	Leu	Asp	Leu	
1250						1255					1260				
Gln	Val	Glu	Met	Asn	Arg	Leu	Gln	Glu	Ala	Ile	Lys	Val	Leu	Asn	
1265						1270					1275				
Gln	Ser	Tyr	Ile	Asn	Leu	Lys	Asp	Ile	Gly	Thr	Tyr	Glu	Tyr	Tyr	
1280						1285					1290				
Val	Lys	Trp	Pro	Trp	Tyr	Val	Trp	Leu	Leu	Ile	Cys	Leu	Ala	Gly	

-continued

1295	1300	1305
Val Ala Met Leu Val Leu Leu Phe Phe Ile Cys Cys Cys Thr Gly		
1310	1315	1320
Cys Gly Thr Ser Cys Phe Lys Lys Cys Gly Gly Cys Cys Asp Asp		
1325	1330	1335
Tyr Thr Gly Tyr Gln Glu Leu Val Ile Lys Thr Ser His Asp Asp		
1340	1345	1350

<210> SEQ ID NO 31
 <211> LENGTH: 1351
 <212> TYPE: PRT
 <213> ORGANISM: Human coronavirus

<400> SEQUENCE: 31

Met Phe Leu Ile Ile Phe Ile Leu Pro Thr Thr Leu Ala Val Ile Gly		
1	5	10
Asp Phe Asn Cys Thr Asn Ser Phe Ile Asn Asp Tyr Asn Lys Thr Ile		
20	25	30
Pro Arg Ile Ser Glu Asp Val Val Asp Val Ser Leu Gly Leu Gly Thr		
35	40	45
Tyr Tyr Val Leu Asn Arg Val Tyr Leu Asn Thr Thr Leu Leu Phe Thr		
50	55	60
Gly Tyr Phe Pro Lys Ser Gly Ala Asn Phe Arg Asp Leu Ala Leu Lys		
65	70	75
Gly Ser Ile Tyr Leu Ser Thr Leu Trp Tyr Lys Pro Pro Phe Leu Ser		
85	90	95
Asp Phe Asn Asn Gly Ile Phe Ser Lys Val Lys Asn Thr Lys Leu Tyr		
100	105	110
Val Asn Asn Thr Leu Tyr Ser Glu Phe Ser Thr Ile Val Ile Gly Ser		
115	120	125
Val Phe Val Asn Thr Ser Tyr Thr Ile Val Val Gln Pro His Asn Gly		
130	135	140
Ile Leu Glu Ile Thr Ala Cys Gln Tyr Thr Met Cys Glu Tyr Pro His		
145	150	155
Thr Val Cys Lys Ser Lys Gly Ser Ile Arg Asn Glu Ser Trp His Ile		
165	170	175
Asp Ser Ser Glu Pro Leu Cys Leu Phe Lys Lys Asn Phe Thr Tyr Asn		
180	185	190
Val Ser Ala Asp Trp Leu Tyr Phe His Phe Tyr Gln Glu Arg Gly Val		
195	200	205
Phe Tyr Ala Tyr Tyr Ala Asp Val Gly Met Pro Thr Thr Phe Leu Phe		
210	215	220
Ser Leu Tyr Leu Gly Thr Ile Leu Ser His Tyr Tyr Val Met Pro Leu		
225	230	235
Thr Cys Asn Ala Ile Ser Ser Asn Thr Asp Asn Glu Thr Leu Glu Tyr		
245	250	255
Trp Val Thr Pro Leu Ser Arg Arg Gln Tyr Leu Leu Asn Phe Asp Glu		
260	265	270
His Gly Val Ile Thr Asn Ala Val Asp Cys Ser Ser Ser Phe Leu Ser		
275	280	285
Glu Ile Gln Cys Lys Thr Gln Ser Phe Ala Pro Asn Thr Gly Val Tyr		
290	295	300

-continued

Asp	Leu	Ser	Gly	Phe	Thr	Val	Lys	Pro	Val	Ala	Thr	Val	Tyr	Arg	Arg	
305					310					315					320	
Ile	Pro	Asn	Leu	Pro	Asp	Cys	Asp	Ile	Asp	Asn	Trp	Leu	Asn	Asn	Val	
			325						330					335		
Ser	Val	Pro	Ser	Pro	Leu	Asn	Trp	Glu	Arg	Arg	Ile	Phe	Ser	Asn	Cys	
			340					345					350			
Asn	Phe	Asn	Leu	Ser	Thr	Leu	Leu	Arg	Leu	Val	His	Val	Asp	Ser	Phe	
		355					360					365				
Ser	Cys	Asn	Asn	Leu	Asp	Lys	Ser	Lys	Ile	Phe	Gly	Ser	Cys	Phe	Asn	
	370					375					380					
Ser	Ile	Thr	Val	Asp	Lys	Phe	Ala	Ile	Pro	Asn	Arg	Arg	Arg	Asp	Asp	
385					390					395					400	
Leu	Gln	Leu	Gly	Ser	Ser	Gly	Phe	Leu	Gln	Ser	Ser	Asn	Tyr	Lys	Ile	
			405						410					415		
Asp	Ile	Ser	Ser	Ser	Ser	Cys	Gln	Leu	Tyr	Tyr	Ser	Leu	Pro	Leu	Val	
			420					425					430			
Asn	Val	Thr	Ile	Asn	Asn	Phe	Asn	Pro	Ser	Ser	Trp	Asn	Arg	Arg	Tyr	
		435				440						445				
Gly	Phe	Gly	Ser	Phe	Asn	Leu	Ser	Ser	Tyr	Asp	Val	Val	Tyr	Ser	Asp	
	450					455					460					
His	Cys	Phe	Ser	Val	Asn	Ser	Asp	Phe	Cys	Pro	Cys	Ala	Asp	Pro	Ser	
465					470					475				480		
Val	Val	Asn	Ser	Cys	Ala	Lys	Ser	Lys	Pro	Pro	Ser	Ala	Ile	Cys	Pro	
			485						490					495		
Ala	Gly	Thr	Lys	Tyr	Arg	His	Cys	Asp	Leu	Asp	Thr	Thr	Leu	Tyr	Val	
			500					505					510			
Lys	Asn	Trp	Cys	Arg	Cys	Ser	Cys	Leu	Pro	Asp	Pro	Ile	Ser	Thr	Tyr	
		515					520					525				
Ser	Pro	Asn	Thr	Cys	Pro	Gln	Lys	Lys	Val	Val	Val	Gly	Ile	Gly	Glu	
	530					535					540					
His	Cys	Pro	Gly	Leu	Gly	Ile	Asn	Glu	Glu	Lys	Cys	Gly	Thr	Gln	Leu	
545					550					555					560	
Asn	His	Ser	Ser	Cys	Phe	Cys	Ser	Pro	Asp	Ala	Phe	Leu	Gly	Trp	Ser	
				565					570					575		
Phe	Asp	Ser	Cys	Ile	Ser	Asn	Asn	Arg	Cys	Asn	Ile	Phe	Ser	Asn	Phe	
			580					585					590			
Ile	Phe	Asn	Gly	Ile	Asn	Ser	Gly	Thr	Thr	Cys	Ser	Asn	Asp	Leu	Leu	
		595					600					605				
Tyr	Ser	Asn	Thr	Glu	Ile	Ser	Thr	Gly	Val	Cys	Val	Asn	Tyr	Asp	Leu	
	610					615					620					
Tyr	Gly	Ile	Thr	Gly	Gln	Gly	Ile	Phe	Lys	Glu	Val	Ser	Ala	Ala	Tyr	
625					630					635					640	
Tyr	Asn	Asn	Trp	Gln	Asn	Leu	Leu	Tyr	Asp	Ser	Asn	Gly	Asn	Ile	Ile	
				645					650					655		
Gly	Phe	Lys	Asp	Phe	Leu	Thr	Asn	Lys	Thr	Tyr	Thr	Ile	Leu	Pro	Cys	
			660					665					670			
Tyr	Ser	Gly	Arg	Val	Ser	Ala	Ala	Phe	Tyr	Gln	Asn	Ser	Ser	Ser	Pro	
		675					680					685				
Ala	Leu	Leu	Tyr	Arg	Asn	Leu	Lys	Cys	Ser	Tyr	Val	Leu	Asn	Asn	Ile	
	690					695					700					
Ser	Phe	Ile	Ser	Gln	Pro	Phe	Tyr	Phe	Asp	Ser	Tyr	Leu	Gly	Cys	Val	

-continued

705	710	715	720
Leu Asn Ala Val Asn Leu Thr Ser Tyr Ser Val Ser Ser Cys Asp Leu 725 730 735			
Arg Met Gly Ser Gly Phe Cys Ile Asp Tyr Ala Leu Pro Ser Ser Arg 740 745 750			
Arg Lys Arg Arg Gly Ile Ser Ser Pro Tyr Arg Phe Val Thr Phe Glu 755 760 765			
Pro Phe Asn Val Ser Phe Val Asn Asp Ser Val Glu Thr Val Gly Gly 770 775 780			
Leu Phe Glu Ile Gln Ile Pro Thr Asn Phe Thr Ile Ala Gly His Glu 785 790 795 800			
Glu Phe Ile Gln Thr Ser Ser Pro Lys Val Thr Ile Asp Cys Ser Ala 805 810 815			
Phe Val Cys Ser Asn Tyr Ala Ala Cys His Asp Leu Leu Ser Glu Tyr 820 825 830			
Gly Thr Phe Cys Asp Asn Ile Asn Ser Ile Leu Asn Glu Val Asn Asp 835 840 845			
Leu Leu Asp Ile Thr Gln Leu Gln Val Ala Asn Ala Leu Met Gln Gly 850 855 860			
Val Thr Leu Ser Ser Asn Leu Asn Thr Asn Leu His Ser Asp Val Asp 865 870 875 880			
Asn Ile Asp Phe Lys Ser Leu Leu Gly Cys Leu Gly Ser Gln Cys Gly 885 890 895			
Ser Ser Ser Arg Ser Leu Leu Glu Asp Leu Leu Phe Asn Lys Val Lys 900 905 910			
Leu Ser Asp Val Gly Phe Val Glu Ala Tyr Asn Asn Cys Thr Gly Gly 915 920 925			
Ser Glu Ile Arg Asp Leu Leu Cys Val Gln Ser Phe Asn Gly Ile Lys 930 935 940			
Val Leu Pro Pro Ile Leu Ser Glu Thr Gln Ile Ser Gly Tyr Thr Thr 945 950 955 960			
Ala Ala Thr Val Ala Ala Met Phe Pro Pro Trp Ser Ala Ala Ala Gly 965 970 975			
Val Pro Phe Ser Leu Asn Val Gln Tyr Arg Ile Asn Gly Leu Gly Val 980 985 990			
Thr Met Asp Val Leu Asn Lys Asn Gln Lys Leu Ile Ala Asn Ala Phe 995 1000 1005			
Asn Lys Ala Leu Leu Ser Ile Gln Asn Gly Phe Thr Ala Thr Asn 1010 1015 1020			
Ser Ala Leu Ala Lys Ile Gln Ser Val Val Asn Ala Asn Ala Gln 1025 1030 1035			
Ala Leu Asn Ser Leu Leu Gln Gln Leu Phe Asn Lys Phe Gly Ala 1040 1045 1050			
Ile Ser Ser Ser Leu Gln Glu Ile Leu Ser Arg Leu Asp Asn Leu 1055 1060 1065			
Glu Ala Gln Val Gln Ile Asp Arg Leu Ile Asn Gly Arg Leu Thr 1070 1075 1080			
Ala Leu Asn Ala Tyr Val Ser Gln Gln Leu Ser Asp Ile Thr Leu 1085 1090 1095			
Ile Lys Ala Gly Ala Ser Arg Ala Ile Glu Lys Val Asn Glu Cys 1100 1105 1110			

-continued

Val Lys Ser Gln Ser Pro Arg Ile Asn Phe Cys Gly Asn Gly Asn
 1115 1120 1125

His Ile Leu Ser Leu Val Gln Asn Ala Pro Tyr Gly Leu Leu Phe
 1130 1135 1140

Ile His Phe Ser Tyr Lys Pro Thr Ser Phe Lys Thr Val Leu Val
 1145 1150 1155

Ser Pro Gly Leu Cys Leu Ser Gly Asp Arg Gly Ile Ala Pro Lys
 1160 1165 1170

Gln Gly Tyr Phe Ile Lys Gln Asn Asp Ser Trp Met Phe Thr Gly
 1175 1180 1185

Ser Ser Tyr Tyr Tyr Pro Glu Pro Ile Ser Asp Lys Asn Val Val
 1190 1195 1200

Phe Met Asn Ser Cys Ser Val Asn Phe Thr Lys Ala Pro Phe Ile
 1205 1210 1215

Tyr Leu Asn Asn Ser Ile Pro Asn Leu Ser Asp Phe Glu Ala Glu
 1220 1225 1230

Leu Ser Leu Trp Phe Lys Asn His Thr Ser Ile Ala Pro Asn Leu
 1235 1240 1245

Thr Phe Asn Ser His Ile Asn Ala Thr Phe Leu Asp Leu Tyr Tyr
 1250 1255 1260

Glu Met Asn Val Ile Gln Glu Ser Ile Lys Ser Leu Asn Ser Ser
 1265 1270 1275

Phe Ile Asn Leu Lys Glu Ile Gly Thr Tyr Glu Met Tyr Val Lys
 1280 1285 1290

Trp Pro Trp Tyr Ile Trp Leu Leu Ile Val Ile Leu Phe Ile Ile
 1295 1300 1305

Phe Leu Met Ile Leu Phe Phe Ile Cys Cys Cys Thr Gly Cys Gly
 1310 1315 1320

Ser Ala Cys Phe Ser Lys Cys His Asn Cys Cys Asp Glu Tyr Gly
 1325 1330 1335

Gly His Asn Asp Phe Val Ile Lys Ala Ser His Asp Asp
 1340 1345 1350

<210> SEQ ID NO 32

<211> LENGTH: 526

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polypeptide

<400> SEQUENCE: 32

Met Phe Ile Phe Leu Leu Phe Leu Thr Leu Thr Ser Gly Ser Asp Leu
 1 5 10 15

Asp Arg Ala Leu Ser Gly Ile Ala Ala Glu Gln Asp Arg Asn Thr Arg
 20 25 30

Glu Val Phe Ala Gln Val Lys Gln Met Tyr Lys Thr Pro Thr Leu Lys
 35 40 45

Tyr Phe Gly Gly Phe Asn Phe Ser Gln Ile Leu Pro Asp Pro Leu Lys
 50 55 60

Pro Thr Lys Arg Ser Phe Ile Glu Asp Leu Leu Phe Asn Lys Val Thr
 65 70 75 80

Leu Ala Asp Ala Gly Phe Met Lys Gln Tyr Gly Glu Cys Leu Gly Asp
 85 90 95

-continued

Ile Asn Ala Arg Asp Leu Ile Cys Ala Gln Lys Phe Asn Gly Leu Thr
 100 105 110
 Val Leu Pro Pro Leu Leu Thr Asp Asp Met Ile Ala Ala Tyr Thr Ala
 115 120 125
 Ala Leu Val Ser Gly Thr Ala Thr Ala Gly Trp Thr Phe Gly Ala Gly
 130 135 140
 Ala Ala Leu Gln Ile Pro Phe Ala Met Gln Met Ala Tyr Arg Phe Asn
 145 150 155 160
 Gly Ile Gly Val Thr Gln Asn Val Leu Tyr Glu Asn Gln Lys Gln Ile
 165 170 175
 Ala Asn Gln Phe Asn Lys Ala Ile Ser Gln Ile Gln Glu Ser Leu Thr
 180 185 190
 Thr Thr Ser Thr Ala Leu Gly Lys Leu Gln Asp Val Val Asn Gln Asn
 195 200 205
 Ala Gln Ala Leu Asn Thr Leu Val Lys Gln Leu Ser Ser Asn Phe Gly
 210 215 220
 Ala Ile Ser Ser Val Leu Asn Asp Ile Leu Ser Arg Leu Asp Lys Val
 225 230 235 240
 Glu Ala Glu Val Gln Ile Asp Arg Leu Ile Thr Gly Arg Leu Gln Ser
 245 250 255
 Leu Gln Thr Tyr Val Thr Gln Gln Leu Ile Arg Ala Ala Glu Ile Arg
 260 265 270
 Ala Ser Ala Asn Leu Ala Ala Thr Lys Met Ser Glu Cys Val Leu Gly
 275 280 285
 Gln Ser Lys Arg Val Asp Phe Cys Gly Lys Gly Tyr His Leu Met Ser
 290 295 300
 Phe Pro Gln Ala Ala Pro His Gly Val Val Phe Leu His Val Thr Tyr
 305 310 315 320
 Val Pro Ser Gln Glu Arg Asn Phe Thr Thr Ala Pro Ala Ile Cys His
 325 330 335
 Glu Gly Lys Ala Tyr Phe Pro Arg Glu Gly Val Phe Val Phe Asn Gly
 340 345 350
 Thr Ser Trp Phe Ile Thr Gln Arg Asn Phe Phe Ser Pro Gln Ile Ile
 355 360 365
 Thr Thr Asp Asn Thr Phe Val Ser Gly Asn Cys Asp Val Val Ile Gly
 370 375 380
 Ile Ile Asn Asn Thr Val Tyr Asp Pro Leu Gln Pro Glu Leu Asp Ser
 385 390 395 400
 Phe Lys Glu Glu Leu Asp Lys Tyr Phe Lys Asn His Thr Ser Pro Asp
 405 410 415
 Val Asp Leu Gly Asp Ile Ser Gly Ile Asn Ala Ser Val Val Asn Ile
 420 425 430
 Gln Lys Glu Ile Asp Arg Leu Asn Glu Val Ala Lys Asn Leu Asn Glu
 435 440 445
 Ser Leu Ile Asp Leu Gln Glu Leu Gly Lys Tyr Glu Gln Tyr Ile Lys
 450 455 460
 Trp Pro Trp Tyr Val Trp Leu Gly Phe Ile Ala Gly Leu Ile Ala Ile
 465 470 475 480
 Val Met Val Thr Ile Leu Leu Cys Cys Met Thr Ser Cys Cys Ser Cys
 485 490 495

-continued

Leu Lys Gly Ala Cys Ser Cys Gly Ser Cys Cys Lys Phe Asp Glu Asp
 500 505 510

Asp Ser Glu Pro Val Leu Lys Gly Val Lys Leu His Tyr Thr
 515 520 525

<210> SEQ ID NO 33
 <211> LENGTH: 588
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic Polypeptide

<400> SEQUENCE: 33

Met Ile His Ser Val Phe Leu Leu Met Phe Leu Leu Thr Pro Thr Glu
 1 5 10 15

Ser Asp Cys Lys Leu Pro Leu Gly Gln Ser Leu Cys Ala Leu Pro Asp
 20 25 30

Thr Pro Ser Thr Leu Thr Pro Arg Ser Val Arg Ser Val Pro Gly Glu
 35 40 45

Met Arg Leu Ala Ser Ile Ala Phe Asn His Pro Ile Gln Val Asp Gln
 50 55 60

Leu Asn Ser Ser Tyr Phe Lys Leu Ser Ile Pro Thr Asn Phe Ser Phe
 65 70 75 80

Gly Val Thr Gln Glu Tyr Ile Gln Thr Thr Ile Gln Lys Val Thr Val
 85 90 95

Asp Cys Lys Gln Tyr Val Cys Asn Gly Phe Gln Lys Cys Glu Gln Leu
 100 105 110

Leu Arg Glu Tyr Gly Gln Phe Cys Ser Lys Ile Asn Gln Ala Leu His
 115 120 125

Gly Ala Asn Leu Arg Gln Asp Asp Ser Val Arg Asn Leu Phe Ala Ser
 130 135 140

Val Lys Ser Ser Gln Ser Ser Pro Ile Ile Pro Gly Phe Gly Gly Asp
 145 150 155 160

Phe Asn Leu Thr Leu Leu Glu Pro Val Ser Ile Ser Thr Gly Ser Arg
 165 170 175

Ser Ala Arg Ser Ala Ile Glu Asp Leu Leu Phe Asp Lys Val Thr Ile
 180 185 190

Ala Asp Pro Gly Tyr Met Gln Gly Tyr Asp Asp Cys Met Gln Gln Gly
 195 200 205

Pro Ala Ser Ala Arg Asp Leu Ile Cys Ala Gln Tyr Val Ala Gly Tyr
 210 215 220

Lys Val Leu Pro Pro Leu Met Asp Val Asn Met Glu Ala Ala Tyr Thr
 225 230 235 240

Ser Ser Leu Leu Gly Ser Ile Ala Gly Val Gly Trp Thr Ala Gly Leu
 245 250 255

Ser Ser Phe Ala Ala Ile Pro Phe Ala Gln Ser Ile Phe Tyr Arg Leu
 260 265 270

Asn Gly Val Gly Ile Thr Gln Gln Val Leu Ser Glu Asn Gln Lys Leu
 275 280 285

Ile Ala Asn Lys Phe Asn Gln Ala Leu Gly Ala Met Gln Thr Gly Phe
 290 295 300

Thr Thr Thr Asn Glu Ala Phe Gln Lys Val Gln Asp Ala Val Asn Asn
 305 310 315 320

-continued

```

Asn Ala Gln Ala Leu Ser Lys Leu Ala Ser Glu Leu Ser Asn Thr Phe
      325                      330                      335

Gly Ala Ile Ser Ala Ser Ile Gly Asp Ile Ile Gln Arg Leu Asp Val
      340                      345                      350

Leu Glu Gln Asp Ala Gln Ile Asp Arg Leu Ile Asn Gly Arg Leu Thr
      355                      360                      365

Thr Leu Asn Ala Phe Val Ala Gln Gln Leu Val Arg Ser Glu Ser Ala
      370                      375                      380

Ala Leu Ser Ala Gln Leu Ala Lys Asp Lys Val Asn Glu Cys Val Lys
      385                      390                      395                      400

Ala Gln Ser Lys Arg Ser Gly Phe Cys Gly Gln Gly Thr His Ile Val
      405                      410                      415

Ser Phe Val Val Asn Ala Pro Asn Gly Leu Tyr Phe Met His Val Gly
      420                      425                      430

Tyr Tyr Pro Ser Asn His Ile Glu Val Val Ser Ala Tyr Gly Leu Cys
      435                      440                      445

Asp Ala Ala Asn Pro Thr Asn Cys Ile Ala Pro Val Asn Gly Tyr Phe
      450                      455                      460

Ile Lys Thr Asn Asn Thr Arg Ile Val Asp Glu Trp Ser Tyr Thr Gly
      465                      470                      475                      480

Ser Ser Phe Tyr Ala Pro Glu Pro Ile Thr Ser Leu Asn Thr Lys Tyr
      485                      490                      495

Val Ala Pro Gln Val Thr Tyr Gln Asn Ile Ser Thr Asn Leu Pro Pro
      500                      505                      510

Pro Leu Leu Gly Asn Ser Thr Gly Ile Asp Phe Gln Asp Glu Leu Asp
      515                      520                      525

Glu Phe Phe Lys Asn Val Ser Thr Ser Ile Pro Asn Phe Gly Ser Leu
      530                      535                      540

Thr Gln Ile Asn Thr Thr Leu Leu Asp Leu Thr Tyr Glu Met Leu Ser
      545                      550                      555                      560

Leu Gln Gln Val Val Lys Ala Leu Asn Glu Ser Tyr Ile Asp Leu Lys
      565                      570                      575

Glu Leu Gly Asn Tyr Thr Tyr Tyr Asn Lys Trp Pro
      580                      585

```

<210> SEQ ID NO 34

<211> LENGTH: 526

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polypeptide

<400> SEQUENCE: 34

```

Met Phe Ile Phe Leu Leu Phe Leu Thr Leu Thr Ser Gly Ser Asp Leu
1           5           10           15

Asp Arg Ala Leu Ser Gly Ile Ala Ala Glu Gln Asp Arg Asn Thr Arg
      20           25           30

Glu Val Phe Ala Gln Val Lys Gln Met Tyr Lys Thr Pro Thr Leu Lys
      35           40           45

Tyr Phe Gly Gly Phe Asn Phe Ser Gln Ile Leu Pro Asp Pro Leu Lys
      50           55           60

Pro Thr Lys Arg Ser Phe Ile Glu Asp Leu Leu Phe Asn Lys Val Thr
      65           70           75           80

```

-continued

Leu Ala Asp Ala Gly Phe Met Lys Gln Tyr Gly Glu Cys Leu Gly Asp
 85 90 95

Ile Asn Ala Arg Asp Leu Ile Cys Ala Gln Lys Phe Asn Gly Leu Thr
 100 105 110

Val Leu Pro Pro Leu Leu Thr Asp Asp Met Ile Ala Ala Tyr Thr Ala
 115 120 125

Ala Leu Val Ser Gly Thr Ala Thr Ala Gly Trp Thr Phe Gly Ala Gly
 130 135 140

Ala Ala Leu Gln Ile Pro Phe Ala Met Gln Met Ala Tyr Arg Phe Asn
 145 150 155 160

Gly Ile Gly Val Thr Gln Asn Val Leu Tyr Glu Asn Gln Lys Gln Ile
 165 170 175

Ala Asn Gln Phe Asn Lys Ala Ile Ser Gln Ile Gln Glu Ser Leu Thr
 180 185 190

Thr Thr Ser Thr Ala Leu Gly Lys Leu Gln Asp Val Val Asn Gln Asn
 195 200 205

Ala Gln Ala Leu Asn Thr Leu Val Lys Gln Leu Ser Ser Asn Phe Gly
 210 215 220

Ala Ile Ser Ser Val Leu Asn Asp Ile Leu Ser Arg Leu Asp Lys Val
 225 230 235 240

Glu Ala Glu Val Gln Ile Asp Arg Leu Ile Thr Gly Arg Leu Gln Ser
 245 250 255

Leu Gln Thr Tyr Val Thr Gln Gln Leu Ile Arg Ala Ala Glu Ile Arg
 260 265 270

Ala Ser Ala Asn Leu Ala Ala Thr Lys Met Ser Glu Cys Val Leu Gly
 275 280 285

Gln Ser Lys Arg Val Asp Phe Cys Gly Lys Gly Tyr His Leu Met Ser
 290 295 300

Phe Pro Gln Ala Ala Pro His Gly Val Val Phe Leu His Val Thr Tyr
 305 310 315 320

Val Pro Ser Gln Glu Arg Asn Phe Thr Thr Ala Pro Ala Ile Cys His
 325 330 335

Glu Gly Lys Ala Tyr Phe Pro Arg Glu Gly Val Phe Val Phe Asn Gly
 340 345 350

Thr Ser Trp Phe Ile Thr Gln Arg Asn Phe Phe Ser Pro Gln Ile Ile
 355 360 365

Thr Thr Asp Asn Thr Phe Val Ser Gly Asn Cys Asp Val Val Ile Gly
 370 375 380

Ile Ile Asn Asn Thr Val Tyr Asp Pro Leu Gln Pro Glu Leu Asp Ser
 385 390 395 400

Phe Lys Glu Glu Leu Asp Lys Tyr Phe Lys Asn His Thr Ser Pro Asp
 405 410 415

Val Asp Leu Gly Asp Ile Ser Gly Ile Asn Ala Ser Val Val Asn Ile
 420 425 430

Gln Lys Glu Ile Asp Arg Leu Asn Glu Val Ala Lys Asn Leu Asn Glu
 435 440 445

Ser Leu Ile Asp Leu Gln Glu Leu Gly Lys Tyr Glu Gln Tyr Ile Lys
 450 455 460

Trp Pro Trp Tyr Val Trp Leu Gly Phe Ile Ala Gly Leu Ile Ala Ile
 465 470 475 480

Val Met Val Thr Ile Leu Leu Cys Cys Met Thr Ser Cys Cys Ser Cys

-continued

	485		490		495	
Leu Lys Gly Ala Cys Ser Cys Gly Ser Cys Cys Lys Phe Asp Glu Asp						
	500		505		510	
Asp Ser Glu Pro Val Leu Lys Gly Val Lys Leu His Tyr Thr						
	515		520		525	

<210> SEQ ID NO 35
 <211> LENGTH: 1864
 <212> TYPE: DNA
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 35

```

tcaagctttt ggaccctcgt acagaagcta atacgactca ctatagggaa ataagagaga      60
aaagaagagt aagaagaaat ataagagcca ccatgggtct caaggtgaac gtctctgccg      120
tattcatggc agtactgtta actctccaaa caccgcgctg tcaaattcat tggggcaatc      180
tctctaagat aggggtagta ggaataggaa gtgcaagcta caaagttatg actcgttcca      240
gccatcaatc attagtcata aaattaatgc ccaatataac tctcctcaat aactgcacga      300
gggtagagat tgcagaatac aggagactac taagaacagt tttggaacca attagggatg      360
cacttaatgc aatgaccagc aacataaggc cggttcagag cgtagcttca agtaggagac      420
acaagagatt tgcgggagta gtctctggcag gtgcggccct aggtgttgcc acagctgctc      480
agataacagc cggcattgca cttcaccggt ccatgctgaa ctctcaggcc atcgacaatc      540
tgagagcgag cctggaaact actaatcagg caattgaggc aatcagacaa gcagggcagg      600
agatgatatt ggctgttcag ggtgtccaag actacatcaa taatgagctg ataccgctca      660
tgaaccagct atcttgtgat ctaatcggtc agaagctcgg gctcaaattg cttagatact      720
atacagaaat cctgtcatta tttggcccca gcctacggga ccccatatct gcggagatat      780
ctatccaggc tttgagttat gcaacttgag gagatatcaa taaggtgtta gaaaagctcg      840
gatacagtgg aggcgattta ctaggcatct tagagagcag aggaataaag gctcggataa      900
ctcacgtcga cacagagtcc tacttcatag tctcagat agcctatccg acgctgtccg      960
agattaaggg ggtgattgtc caccggctag agggggtctc gtacaacata ggctctcaag     1020
agtggtatac cactgtgccc aagtatgttg caacccaagg gtaccttatc tcgaattttg     1080
atgagtcatc atgtactttc atgccagagg ggactgtgtg cagccaaaat gccttgtacc     1140
cgatgagtcc tctgctccaa gaatgcctcc gggggtccac caagtcctgt gctcgtacac     1200
tcgtatccgg gtcttttggg aaccggttca ttttatcaca agggaaccta atagccaatt     1260
gtgcatcaat tctttgtaag tgttacacaa caggtacgat tattaatcaa gaccctgaca     1320
agatcctaac atacattgct gccgatcgtt gcccggtagt cgaggtgaac ggctgtacca     1380
tccaagtcgg gagcaggagg tatccagacg ctgtgtactt gcacagaatt gacctcggtc     1440
ctcccatatc attggagagg ttggacgtag ggacaaatct ggggaatgca attgccaaat     1500
tggaggatgc caaggaattg ttggaatcat cggaccagat attgagaagt atgaaaggtt     1560
tategagcac tagcatagtc tacatcctga ttgcagtgtg tcttggaggg ttgatagggg     1620
tccccacttt aatatgttgc tgcagggggc gttgtaacaa aaagggagaa caagttggta     1680
tgtaagacc aggcctaaag cctgacctta caggaacatc aaaatcctat gtaagatcgc     1740
  
```

-continued

```

tttgatgata ataggctgga gcctcggtgg ccaagcttct tgccccctgg gcctcccccc 1800
agccccctct ccccttctctg caccctgacc cccgtggtct ttgaataaag tctgagtggg 1860
cggc 1864

```

```

<210> SEQ ID NO 36
<211> LENGTH: 1653
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Polynucleotide

```

```

<400> SEQUENCE: 36

```

```

atgggtctca aggtgaacgt ctctgccgta ttcattggcag tactgttaac tctccaaaca 60
cccgcgggtc aaattcattg gggcaatctc tctaagatag gggtagtagg aataggaagt 120
gcaagctaca aagttatgac tcgttccagc catcaatcat tagtcataaa attaatgccc 180
aatataactc tcctcaataa ctgcacgagg gtagagattg cagaatacag gagactacta 240
agaacagttt tggaaccaat tagggatgca cttaatgcaa tgaccagaa cataaggccg 300
gttcagagcg tagcttcaag taggagacac aagagatttg cgggagtagt cctggcaggt 360
gcgccctag gtgttgccac agctgctcag ataacagccg gcattgcact tcaccgggtcc 420
atgctgaact ctcaggccat cgacaatctg agagcgagcc tggaaactac taatcaggca 480
attgaggcaa tcagacaagc agggcaggag atgatattgg ctgttcaggg tgtccaagac 540
tacatcaata atgagctgat accgtctatg aaccagctat cttgtgatct aatcggtcag 600
aagctcgggc tcaaattgct tagatactat acagaaatcc tgtcattatt tggccccagc 660
ctacgggacc ccatatctgc ggagatatct atccaggctt tgagttatgc acttggagga 720
gatatacaata aggtgttaga aaagctcgga tacagtggag gcgatttact aggcattcta 780
gagagcagag gaataaaggc tcggataact cacgtcgaca cagagtccta cttcatagtc 840
ctcagtatag cctatccgac gctgtccgag ataaaggggg tgattgtcca ccggctagag 900
ggggtctcgt acaacatagg ctctcaagag tggatatacca ctgtgccccaa gtatgttgca 960
acccaagggg accttatctc gaattttgat gagtcatcat gtactttcat gccagagggg 1020
actgtgtgca gccaaaatgc cttgtacccg atgagtcctc tgctccaaga atgctccgg 1080
gggtccacca agtcctgtgc tcgtacactc gtatccgggt cttttgggaa ccggttcatt 1140
ttatcacaag ggaacctaat agccaattgt gcatcaattc tttgtaagtg ttacacaaca 1200
ggtacgatta ttaatcaaga cctgacaag atcctaacat acattgctgc cgatcgctgc 1260
ccggtagtgc aggtgaacgg cgtgaccatc caagtcggga gcaggaggtg tccagacgct 1320
gtgtacttgc acagaattga cctcggtcct cccatcatcat tggagaggtt ggacgtaggg 1380
acaaatctgg ggaatgcaat tgccaaattg gaggatgcca aggaattgtt ggaatcatcg 1440
gaccagatat tgagaagtat gaaaggttta tcgagcacta gcatagtcta catcctgatt 1500
gcagtgtgtc ttggagggtt gatagggatc cccactttaa tatgttgctg cagggggcgt 1560
tgtaacaaaa agggagaaca agttggtatg tcaagaccag gcctaaagcc tgaccttaca 1620
ggaacatcaa aatcctatgt aagatcgctt tga 1653

```

```

<210> SEQ ID NO 37
<211> LENGTH: 1925
<212> TYPE: DNA

```

-continued

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 37

gggaaataa gagagaaaag aagagtaaga agaaatataa gagccacat gggctcaag 60
gtgaacgtct ctgccgtatt catggcagta ctgttaactc tccaaacacc cgccgggtcaa 120
attcattggg gcaatctctc taagataggg gtagtaggaa taggaagtgc aagctacaaa 180
gttatgactc gttccagcca tcaatcatta gtcataaaat taatgcccaa tataactctc 240
ctcaataact gcacgagggt agagattgca gaatacagga gactactaag aacagttttg 300
gaaccaatta gggatgcact taatgcaatg acccagaaca taaggccggt tcagagcgta 360
gcttcaagta ggagacacaa gagatttgcg ggagtagtcc tggcaggtgc ggccctaggt 420
gttgccacag ctgctcagat aacagccggc attgcacttc accgggtccat gctgaactct 480
caggccatcg acaatctgag agcgagcctg gaaactacta atcaggcaat tgaggcaatc 540
agacaagcag ggcaggagat gatattggct gttcagggtg tccaagacta catcaataat 600
gagctgatac cgtctatgaa ccagctatct tgtgatctaa tcggtcagaa gctcgggctc 660
aaattgctta gatactatac agaaatcctg tcattatattg gccccagcct acgggacccc 720
atatctgctg agatatctat ccaggctttg agttatgcac ttggaggaga tatcaataag 780
gtgttagaaa agctcggata cagtggaggc gatttactag gcatcttaga gagcagagga 840
ataaaggctc ggataactca cgtcgacaca gagtccact tcatagtcct cagtatagcc 900
tatccgagc tgtccgagat taaggggggtg attgtccacc ggctagaggg ggtctcgta 960
aacataggct ctcaagagtg gtataccact gtgccaagt atggtgcaac ccaagggtac 1020
cttatctcga attttgatga gtcatcatgt actttcatgc cagaggggac tgtgtgcagc 1080
caaatgcct tgtaccgat gagtcctctg ctccaagaat gcctccgggg gtccaccaag 1140
tcctgtgctc gtacactcgt atccgggtct tttgggaacc ggttcatttt atcacaaggg 1200
aacctaataag ccaattgtgc atcaattctt tgtaagtgtt acacaacagg tacgattatt 1260
aatcaagacc ctgacaagat cctaacatac attgctgccg atcgctgcc ggtagtcgag 1320
gtgaacggcg tgaccatcca agtcgggagc aggaggtatc cagacgctgt gtacttgca 1380
agaattgacc tcggtcctcc catatcattg gagaggttg acgtagggac aaatctgggg 1440
aatgcaattg ccaaattgga ggatgccaag gaattgttg aatcatcgga ccagatattg 1500
agaagtatga aaggtttacc gagcactagc atagtctaca tcctgattgc agtgtgtctt 1560
ggagggttga tagggatccc cactttaata tgttgctgca gggggcgttg taacaaaaag 1620
ggagaacaag ttggtatgtc aagaccaggc ctaaagcctg accttacagg aacatcaaaa 1680
tcctatgtaa gategctttg atgataatag gctggagcct cggtgccaa gcttcttgcc 1740
ccttgggct cccccagcc cctcctccc ttctgcacc cgtacccccg tggcttttga 1800
ataaagtctg agtgggcggc aaaaaaaaa aaaaaaaaa aaaaaaaaa aaaaaaaaa 1860
aaaaaaaaa aaaaaaaaa aaaaaaaaa aaaaaaaaa aaaaaaaaa aaaaaaaaa 1920
tctag 1925

<210> SEQ ID NO 38

<211> LENGTH: 1864

<212> TYPE: DNA

-continued

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 38

tcaagctttt ggaccctcgt acagaagcta atacgactca ctatagggaa ataagagaga 60
aaagaagagt aagaagaaat ataagagcca ccatgggtct caaggtgaac gtctctgtca 120
tattcatggc agtactgtta actcttcaaa caccaccgg tcaaattccat tggggcaatc 180
tctctaagat aggggtgta ggggtaggaa gtgcaagcta caaagttatg actcgttcca 240
gccatcaatc attagtcata aagttaatgc ccaatataac tctcctcaac aattgcacga 300
ggtagggat tgcagaatac aggagactac tgagaacagt tctggaacca attagagatg 360
cacttaatgc aatgaccag aatataagac cggttcagag tgtagcttca agtaggagac 420
acaagagatt tgcgggagt gtctggcag gtgcggcct aggcgttgcc acagctgctc 480
aaataacagc cggattgca cttcaccagt ccatgctgaa ctctcaagcc atcgacaatc 540
tgagagcgag cctagaaact actaatcagg caattgaggc aatcagaaa gcagggcagg 600
agatgatatt ggctgttcag ggtgtccaag actacatcaa taatgagctg ataccgtcta 660
tgaatcaact atcttgtgat ttaatcggcc agaagctagg gctcaaattg ctacagatact 720
atacagaaat cctgtcatta tttggcccca gcttacggga ccccatatct gcggagatat 780
ctatccaggc tttgagctat gcgcttgag gagatatcaa taagggtgtg gaaaagctcg 840
gatacagtgg aggtgatcta ctgggcatct tagagagcag aggaataaag gcccgataa 900
ctcacgtcga cacagagtcc tacttcattg tactcagat agcctatccg acgctatccg 960
agattaaggg ggtgattgtc caccggctag aggggtctc gtacaacata ggctctcaag 1020
agtggtatac cactgtgccc aagtatgtt caaccaagg gtaccttacc tcgaattttg 1080
atgagtcacc atgcactttc atgccagagg ggactgtgtg cagccagaat gccttgtacc 1140
cgatgagtc tctgctcaa gaatgcctcc ggggtccac taagtctgt gctcgtacac 1200
tcgtatccgg gtcttccgg aaccggttca tttatcaca ggggaacct atagccaatt 1260
gtgcatcaat cctttgcaag tgttacaaa caggaacaat cattaatcaa gacctgaca 1320
agatcctaac atacattgct gccgatcact gcccggtggt cgaggtgaat ggcgtgacca 1380
tccaagtcgg gagcaggagg tatccggacg ctgtgtactt gcacaggatt gacctcggtc 1440
ctcccatatc tttggagagg ttggacgtag ggacaaatct ggggaatgca attgctaagt 1500
tgaggatgc caaggaattg ttggagtcac cggaccagat attgaggagt atgaaaggtt 1560
tatcgagcac tagtatagtt tacatcctga ttgcagtgtg tcttgaggga ttgatagga 1620
tccccgcttt aatatgttgc tgcagggggc gttgtaaaa gaaggagaa caagttggta 1680
tgtcaagacc aggcctaaag cctgatctta caggaacatc aaaatcctat gtaaggcac 1740
tctgatgata ataggctgga gcctcgggtg ccaagcttct tgccccttg gcctcccccc 1800
agcccctct ccccttctg caccctgacc cccgtggtct ttgaataaag tctgagtggg 1860
cggc 1864

<210> SEQ ID NO 39

<211> LENGTH: 1653

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

-continued

<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 39

atgggtctca aggtgaacgt ctctgtcata ttcatggcag tactgttaac tcttcaaaca 60
cccaccggtc aatccattg gggcaatctc tctaagatag gggtagtagg ggttaggaagt 120
gcaagctaca aagttatgac tcgttccagc catcaatcat tagtcataaa gttaatgccc 180
aatataactc tcctcaacaa ttgcacgagg gtagggattg cagaatacag gagactactg 240
agaacagttc tggaaccaat tagagatgca ctaaatgcaa tgaccagaa tataagaccg 300
gttcagagtg tagcttcaag taggagacac aagagatttg cgggagttgt cctggcaggt 360
gcggccctag gcggtgccac agctgctcaa ataacagccg gtattgcaact tcaccagtcc 420
atgctgaact ctcaagccat cgacaatctg agagcgagcc tagaaactac taatcaggca 480
atgaggcaa tcagacaagc agggcaggag atgatattgg ctgttcaggg tgtccaagac 540
tacatcaata atgagctgat accgtctatg aatcaactat cttgtgattt aatcggccag 600
aagctagggc tcaaattgct cagatactat acagaaatcc tgcattatt tggccccagc 660
ttacgggacc ccatatctgc ggagatatct atccaggctt tgagctatgc gcttggagga 720
gatatacaata aggtgttga aaagctcgga tacagtggag gtgatctact gggcatctta 780
gagagcagag gaataaaggc cgggataact cacgtcgaca cagagtccta cttcattgta 840
ctcagtatag cctatccgac gctatccgag attaaggggg tgattgtcca ccggctagag 900
ggggtctcgt acaacatagg ctctcaagag tggatatacca ctgtgcccga gtatgttgca 960
acccaagggg accttatctc gaattttgat gaggatcat gcactttcat gccagagggg 1020
actgtgtgca gccagaatgc cttgtaccgg atgagtcctc tgctccaaga atgcctccgg 1080
gggtccacta agtctgtgac tcgtacactc gtatccgggt ctttcgggaa ccggttcatt 1140
ttatcacagg ggaacctaat agccaattgt gcatcaatcc tttgcaagtg ttacacaaca 1200
ggaacaatca ttaatcaaga ccctgacaag atcctaacat acattgctgc cgatcactgc 1260
ccggtggtcg aggtgaatgg cgtgaccatc caagtcggga gcaggagga tccggacgct 1320
gtgtacttgc acaggattga cctcggtect cccatatctt tggagaggtt ggacgtaggg 1380
acaaatctgg ggaatgcaat tgctaagttg gaggatgcca aggaattgtt ggagtcacgc 1440
gaccagatat tgaggagtat gaaaggttta tcgagcacta gtatagttta catcctgatt 1500
gcagtgtgtc ttggaggatt gatagggatc cccgctttaa tatgttgctg cagggggcgt 1560
tgtaacaaga agggagaaca agttgggatg tcaagaccag gcctaaagcc tgatcttaca 1620
ggaacatcaa aatcctatgt aaggtcactc tga 1653

<210> SEQ ID NO 40

<211> LENGTH: 1925

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 40

gggaaataa gagagaaaag aagagtaaga agaaatataa gagccacat ggggtctcaag 60
gtgaacgtct ctgtcatatt catggcagta ctgttaactc ttcaaacacc caccgggtcaa 120
atccattggg gcaatctctc taagataggg gtggtagggg taggaagtgc aagctacaaa 180

-continued

gttatgactc gttccagcca tcaatcatta gtcataaagt taatgcecaa tataactctc	240
ctcaacaatt gcacgagggt agggattgca gaatacagga gactactgag aacagttctg	300
gaaccaatta gagatgact taatgcaatg acccagaata taagaccggt tcagagtgta	360
gcttcaagta ggagacacaa gagatttgcg ggagttgtcc tggcaggtgc ggccctaggc	420
gttgccacag ctgctcaaat aacagccggt attgcacttc accagtccat gctgaactct	480
caagccatcg acaatctgag agcggagccta gaaactacta atcaggcaat tgaggcaatc	540
agacaagcag ggcaggagat gatattggct gttcaggggtg tccaagacta catcaataat	600
gagctgatac cgtctatgaa tcaactatct tgtgatttaa tcggccagaa gctagggctc	660
aaattgctca gatactatac agaaatcctg tcattatctg gcccagctt acgggacccc	720
atatctgagg agatatctat ccaggctttg agctatgccc ttggaggaga tatcaataag	780
gtgttgaaa agctcggata cagtggagggt gatctactgg gcatcttaga gagcagagga	840
ataaaggccc ggataactca cgtcgacaca gactcact tcattgtact cagtatagcc	900
tatccgacgc tatccgagat taaggggggtg attgtccacc ggctagaggg ggtctcgtac	960
aacataggct ctcaagagtg gtataccact gtgcccaggt atgttgcaac ccaagggtag	1020
cttatctcga attttgatga gtcacatgc actttcatgc cagaggggac tgtgtgcagc	1080
cagaatgcct tgtaccgat gagtcctctg ctccaagaat gcctccgggg gtccactaag	1140
tcctgtgctc gtacactcgt atccgggtct ttcgggaacc ggttcatttt atcacagggg	1200
aacctaatag ccaattgtgc atcaatcctt tgcaagtgtt acacaacagg aacaatcatt	1260
aatcaagacc ctgacaagat cctaacatac attgctgccc atcactgccc ggtggctcag	1320
gtgaatggcg tgaccatcca agtcgggagc aggaggtatc cggacgctgt gtacttgcac	1380
aggattgacc tcggtcctcc catatctttg gagaggttgg acgtagggac aaatctgggg	1440
aatgcaattg ctaagttgga ggatgccaag gaattgttgg agtcatcgga ccagatattg	1500
aggagtatga aaggtttata gagcactagt atagtttaca tcctgattgc agtgtgtctt	1560
ggaggattga tagggatccc cgctttaata tgttctgca gggggcgttg taacaagaag	1620
ggagaacaag ttggtatgtc aagaccaggc ctaaagcctg atcttacagg aacatcaaaa	1680
tcctatgtaa ggtcactctg atgataatag gctggagcct cggtaggcaa gcttcttgcc	1740
ccttgggect cccccagcc cctcctcccc ttctgcacc cgtacccccg tggctcttga	1800
ataaagtctg agtgggaggc aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa	1860
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa	1920
tctag	1925

<210> SEQ ID NO 41

<211> LENGTH: 2065

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 41

tcaagctttt ggaccctcgt acagaagcta atacgactca ctataggaa ataagagaga	60
aaagaagagt aagaagaaat ataagagcca ccatgtcacc gcaacgagac cggataaatg	120
ccttctacaa agataaccct tatcccaagg gaagtaggat agttattaac agagaacatc	180

-continued

ttatgattga cagaccctat gttctgctgg ctgttctggt cgtcatgttt ctgagcttga	240
tcggattgct ggcaattgca ggcattagac ttcacgggc agccatctac accgcgga	300
tccataaaag cctcagtacc aatctggatg tgactaaactc catcgagcat caggtcaagg	360
acgtgctgac accactcttt aaaatcatcg gggatgaagt gggcctgaga acacctcaga	420
gattcactga cctagtgaaa ttcactcctgg acaagattaa attccttaat ccggataggg	480
agtacgactt cagagatctc acttgggtgca tcaaccgcc agagaggatc aaactagatt	540
atgatcaata ctgtgcagat gtggctgctg aagagctcat gaatgcattg gtgaactcaa	600
ctctactgga gaccagaaca accactcagt tcctagctgt ctcaaagga aactgctcag	660
ggcccactac aatcagaggt caattctcaa acatgtcgtc gtccttggtg gacttgtact	720
taggtcgagg ttacaatgtg tcatctatag tcaactatgac atcccagga atgtatgggg	780
gaacctacct agttgaaaag cctaactctga acagcaaagg gtcagagttg tcacaactga	840
gcatgtaccg agtgtttgaa gtaggtgtga tcagaaacctc gggtttgggg gctccgggtg	900
tccatagac aaactatctt gagcaaccag tcagtaatgg tctcggcaac tgtatggtgg	960
ctttggggga gctcaaactc gcagcccttt gtcacgggga cgattctatc ataattccct	1020
atcagggatc agggaaaggt gtcagcttcc agctcgtcaa gctgggtgct tggaaatccc	1080
caaccgacat gcaatcctgg gtccccttat caacggatga tccagtggta gacaggcttt	1140
acctctcctc tcacagaggt gtcactcgtg acaatcaagc aaaatgggct gtcccgaca	1200
cacgaacaga tgacaagttg cgaatggaga catgcttcca gcaggcgtgt aaaggtaaaa	1260
tccaagcact ctgcgagaat cccgagtggg taccattgaa ggataacagg attccttcat	1320
acggggctct gtctgttgat ctgagctctga cggttgagct taaaatcaaa attgcttcgg	1380
gattcgggcc attgatcaca cacggctcag ggatggacct atacaaatcc aactgcaaca	1440
atgtgtattg gctgactatt ccgccaatga gaaatctagc cttaggcgtg atcaacacat	1500
tggagtggat accgagattc aaggtagtc ccaacctctt cactgtccca attaaggaag	1560
caggcgaaga ctgccatgcc ccaacatacc tactcggga ggtggacggt gatgtcaaac	1620
tcagttccaa cctggtgatt ctacctggtc aagatctcca atatgttttg gcaacctacg	1680
atacctccag ggttgagcat gctgtggttt attacgttta cagcccaagc cgctcatttt	1740
cttactttta tccttttagg ttgcctataa aggggtccc aatcgaacta caagtggaat	1800
gcttcacatg ggatcaaaaa ctctggtgcc gtcactctg tgtgcttgcg gactcagaat	1860
ccggtggact tatcactcac tctgggatgg tggcatggg agtcagctgc acagctacct	1920
gggaagatgg aaccaatcgc agataatgat aataggctgg agcctcggtg gccaaagcttc	1980
ttgccccttg ggccctccc cagccctcc tcccctcct gcaccctac ccccggtgct	2040
tttgaataaa gtctgagtgg gcggc	2065

<210> SEQ ID NO 42

<211> LENGTH: 1854

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 42

atgtcaccgc aacgagaccg gataaatgcc ttctacaaag ataaccctta tcccaagga 60

-continued

```

agtaggatag ttattaacag agaacatctt atgattgaca gaccctatgt tctgctggct 120
gttctgttcg tcatgtttct gagcttgatc ggattgctgg caattgcagg cattagactt 180
catcgggcag ccatctacac cgcgagatc cataaaagcc tcagtaccaa tctggatgtg 240
actaactcca tcgagcatca ggtcaaggac gtgctgacac cactctttaa aatcatcggg 300
gatgaagtgg gcctgagaac acctcagaga ttcactgacc tagtgaaatt catctcggac 360
aagattaaat tccttaatcc ggatagggag tacgacttca gagatctcac ttggtgcatc 420
aaccgccag agaggatcaa actagattat gatcaatact gtgcagatgt ggctgctgaa 480
gagctcatga atgcattggt gaactcaact ctactggaga ccagaacaac cactcagttc 540
ctagctgtct caaagggaaa ctgctcaggg cccactacaa tcagaggtca attctcaaac 600
atgtcgctgt ccttgttga cttgtactta ggtcgagggt acaatgtgtc atctatagtc 660
actatgacat cccagggaaat gtatggggga acctacctag ttgaaaagcc taatctgaac 720
agcaaagggc cagagttgtc acaactgagc atgtaccgag tgtttgaagt aggtgtgatc 780
agaaaccgg gtttggggc tccgggtgtc catatgacaa actatttga gcaaccagtc 840
agtaatggc tcggcaactg tatggtggct ttgggggagc tcaaactcgc agccctttgt 900
cacggggacg attctatcat aattccctat cagggatcag ggaaaggtgt cagcttcag 960
ctcgtcaagc tgggtgtctg gaaatcccca accgacatgc aatcctgggt ccccttatca 1020
acggatgatc cagtggtaga caggctttac ctctcatctc acagaggtgt catcgctgac 1080
aatcaagcaa aatgggctgt cccgacaaca cgaacagatg acaagttgcg aatggagaca 1140
tgcttccagc aggcgtgtaa aggtaaaatc caagcactct gcgagaatcc cgagtgggta 1200
ccattgaagg ataacaggat tccttcatac ggggtcctgt ctggtgatct gactctgacg 1260
gttgagctta aatcaaaaat tgcttcggga ttcgggcat tgatcacaca cggctcaggg 1320
atggacctat acaaatcaa ctgcaacaat gtgtattggc tgactattcc gccaatgaga 1380
aatctagcct taggcgtaat caacacattg gagtgatac cgagattcaa ggtagtccc 1440
aacctcttca ctgtcccaat taaggaagca gggaagact gccatgcccc aacataccta 1500
cctgcggagg tggacggtga tgtcaaactc agttccaacc tggtgattct acctgggtaa 1560
gatctccaat atgttttggc aacctacgat acctccaggg ttgagcatgc tgtggtttat 1620
tacgtttaca gcccaagccg ctcatcttct tacttttata cttttagggt gcctataaag 1680
ggggtcccaa tcgaactaca agtggaatgc ttcacatggg atcaaaaact ctggtgccgt 1740
cacttctgtg tgcttgcgga ctcagaatcc ggtggactta tcactcactc tgggatgggtg 1800
ggcatgggag tcagctgcac agctaccggg gaagatggaa ccaatcgag ataa 1854

```

<210> SEQ ID NO 43

<211> LENGTH: 2126

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 43

```

gggaaataa gagagaaaag aagagtaaga agaaatataa gagccacat gtcaccgcaa 60
cgagaccgga taaatgcctt ctacaaagat aacccttata ccaaggaag taggatagtt 120
attaacagag aacatcttat gattgacaga ccctatgttc tgctggctgt tctgttcgtc 180

```

-continued

```

atgtttctga gcttgatcgg attgctggca attgcaggca ttagacttca tcgggcagcc 240
atctacaccg cggagatcca taaaagcctc agtaccaatc tggatgtgac taactccatc 300
gagcatcagg tcaaggacgt gctgacacca ctctttaaaa tcatcgggga tgaagtgggc 360
ctgagaacac ctgagagatt cactgaccta gtgaaattca tctcggacaa gattaaattc 420
cttaatccgg ataggagta cgacttcaga gatctcactt ggtgcatcaa cccgccagag 480
aggatcaaac tagattatga tcaatactgt gcagatgtgg ctgctgaaga gctcatgaat 540
gcattggtga actcaactct actggagacc agaacaacca ctgagttcct agctgtctca 600
aagggaaact gctcagggcc cactacaatc agaggtcaat tctcaaacat gtcgctgtcc 660
ttgttgact tgtacttagg tcgaggttac aatgtgtcat ctatagtcac tatgacatcc 720
cagggaatgt atgggggaac ctacctagtt gaaaagccta atctgaacag caaaggggtca 780
gagttgtcac aactgagcat gtaccgagtg tttgaagtag gtgtgatcag aaaccgggt 840
ttgggggctc cgggtttcca tatgacaaac tattttgagc aaccagtcag taatggctc 900
ggcaactgta tgggtgcttt gggggagctc aaactcgcag ccctttgtca cggggacgat 960
tctatcataa ttcctatca gggatcaggg aaaggtgtca gcttcagct cgtcaagctg 1020
ggtgtctgga aatccccaac cgacatgcaa tcctgggtcc ccttatcaac ggatgatcca 1080
gtggtagaca ggctttacct ctcatctcac agaggtgtca tcgctgacaa tcaagcaaaa 1140
tgggctgtcc cgacaacacg aacagatgac aagttgcgaa tggagacatg cttccagcag 1200
gcgtgtaaag gtaaaatcca agcactctgc gagaatcccg agtgggtacc attgaaggat 1260
aacaggattc cttcatcagg ggtcctgtct gttgatctga gtctgacggt tgagcttaaa 1320
atcaaaattg cttcgggatt cgggccattg atcacacacg gctcagggat ggacctatac 1380
aaatccaact gcaacaatgt gtattggctg actattccgc caatgagaaa tctagcctta 1440
ggcgtaatca acacattgga gtggataccg agattcaagg ttagtcccaa cctcttact 1500
gtcccaatta aggaagcagg cgaagactgc catgccccaa catacctacc tgccggaggtg 1560
gacggtgatg tcaaactcag ttccaacctg gtgattctac ctggtcaaga tctccaatat 1620
gttttgcaa cctacgatac ctccaggggt gagcatgctg tggttatta cgtttacagc 1680
ccaagcgcct cattttctta cttttatcct tttaggttgc ctataaagg ggtcccaatc 1740
gaactacaag tggaatgctt cacatgggat caaaaactct ggtgccgtca cttctgtgtg 1800
cttgccgact cagaatccgg tggacttate actcactctg ggatggtggg catgggagtc 1860
agctgcacag ctaccggga agatggaacc aatcgcagat aatgataata ggctggagcc 1920
tcggtggcca agcttcttgc cccttgggccc tccccccagc ccctctccc cttctgcac 1980
ccgtaccccc gtggtctttg aataaagtct gagtgggccc caaaaaaaaa aaaaaaaaaa 2040
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 2100
aaaaaaaaaa aaaaaaaaaa atctag 2126

```

<210> SEQ ID NO 44

<211> LENGTH: 2065

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 44

-continued

tcaagctttt	ggacctcgt	acagaagcta	atacgactca	ctatagggaa	ataagagaga	60
aaagaagagt	aagaagaaat	ataagagcca	ccatgtcacc	acaacgagac	cggataaatg	120
ccttctacaa	agacaacccc	catcctaagg	gaagtaggat	agttattaac	agagaacatc	180
ttatgattga	tagaccttat	gttttgctgg	ctgttctatt	cgatcatgtt	ctgagcttga	240
tcgggttgct	agccattgca	ggcattagac	ttcatcgggc	agccatctac	accgcagaga	300
tccataaaag	cctcagcacc	aatctggatg	taactaactc	aatcgagcat	caggttaagg	360
acgtgctgac	accactcttc	aagatcatcg	gtgatgaagt	gggcttgagg	acacctcaga	420
gattcactga	cctagtgaag	ttcatctctg	acaagattaa	attccttaat	ccggacaggg	480
aatacgactt	cagagatctc	acttgggtga	tcaacccgcc	agagagaatc	aaattggatt	540
atgatcaata	ctgtgcagat	gtggctgctg	aagaactcat	gaatgcattg	gtgaactcaa	600
ctctactgga	gaccagggca	accaatcagt	tcctagctgt	ctcaaagga	aactgctcag	660
ggcccactac	aatcagaggc	caattctcaa	acatgtcgtc	gtccctgttg	gacttgtatt	720
taagtcgagg	ttacaatgtg	tcacttatag	tcactatgac	atcccagga	atgtacgggg	780
gaacttacct	agtggaaaag	cctaactctga	gcagcaaagg	gtcagagtgt	tcacaactga	840
gcatgcaccg	agtgtttgaa	gtaggtgta	tcagaaatcc	gggtttgggg	gctccggtat	900
tccatatgac	aaactatctt	gagcaaccag	tcagtaatga	tttcagcaac	tgcattgggtg	960
ctttggggga	gctcaagttc	gcagccctct	gtcacagggg	agattctatc	acaattccct	1020
atcagggatc	agggaaaggt	gtcagcttcc	agcttgtcaa	gctaggtgtc	tggaaatccc	1080
caaccgacat	gcaatcctgg	gtccccctat	caacggatga	tccagtgata	gacaggcttt	1140
acctctcatc	tcacagaggc	gttatcgtg	acaatcaagc	aaaatgggct	gtcccgacaa	1200
cacggacaga	tgacaagttg	cgaatggaga	catgcttcca	gcaggegtgt	aagggtaaaa	1260
tccaagcact	ttgcgagaat	cccagtgga	caccattgaa	ggataacagg	attccttcat	1320
acggggctct	gtctgttgat	ctgagtctga	cagttgagct	taaaatcaa	attgtttcag	1380
gattcgggcc	attgatcaca	cacggttcag	ggatggacct	atacaaatcc	aaccacaaca	1440
atatgtattg	gctgactatc	ccgccaatga	agaacctggc	cttaggtgta	atcaacacat	1500
tggagtggat	accgagattc	aaggttagtc	ccaacctctt	cactgttcca	attaaggaag	1560
caggcgagga	ctgccatgcc	ccaacatacc	tacctgcgga	ggatggatgt	gatgtcaaac	1620
tcagttccaa	tctgggtgatt	ctacctggtc	aagatctcca	atatgttctg	gcaacctacg	1680
atacttocag	agttgaacat	gctgtagttt	attacgttta	cagcccaagc	cgctcatttt	1740
cttactttta	tccttttagg	ttgcctgtaa	gggggtccc	cattgaatta	caagtggaat	1800
gcttcacatg	ggacaaaaa	ctctggtgcc	gtcacttctg	tgtgcttgcg	gactcagaat	1860
ctgggtggaca	tatcactcac	tctgggatgg	tgggcatggg	agtcagctgc	acagccactc	1920
gggaagatgg	aaccagccgc	agatagtgat	aataggctgg	agcctcgggtg	gccaaagcttc	1980
ttgcccttg	ggcctcccc	cagccctcc	tccccttct	gcacctgtac	ccccgtggtc	2040
ttgaataaa	gtctgagtgg	gcggc				2065

<210> SEQ ID NO 45

<211> LENGTH: 1854

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

-continued

<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 45

atgtcaccac aacgagaccg gataaatgcc ttctacaaag acaacccccca tccctaagggga 60
agtaggatag ttattaacag agaacatctt atgattgata gaccttatgt tttgctggct 120
gttctattcg tcatgtttct gagcttgatc gggttgctag ccattgcagg cattagactt 180
catcgggcag ccactctacac cgcagagatc cataaaagcc tcagcaccaa tctggatgta 240
actaactcaa tcgagcatca ggtaaggac gtgctgacac cactcttcaa gatcatcggg 300
gatgaagtgg gcttgaggac acctcagaga ttcactgacc tagtgaagtt catctctgac 360
aagattaat tccttaatcc ggacagggaa tacgacttca gagatctcac ttgggtgtac 420
aaccgccag agagaatcaa attggattat gatcaatact gtgcagatgt ggctgctgaa 480
gaactcatga atgcattggt gaactcaact ctactggaga ccagggcaac caatcagttc 540
ctagctgtct caaagggaaa ctgctcaggg cccactacaa tcagaggcca attctcaaac 600
atgtcgctgt ccctgttga cttgtattta agtcgagggt acaatgtgtc atctatagtc 660
actatgacat cccaggggat gtacggggga acttacctag tggaaaagcc taatctgagc 720
agcaaagggg cagagttgtc acaactgagc atgcaccgag tgtttgaagt aggtgttatc 780
agaaatccgg gtttgggggc tccggtatcc catatgacaa actatcttga gcaaccagtc 840
agtaatgatt tcagcaactg catggtggct ttgggggagc tcaagttcgc agccctctgt 900
cacaggaag attctatcac aattccctat cagggatcag ggaaaggtgt cagcttccag 960
cttgtcaagc taggtgtctg gaaatccccca accgacatgc aatcctgggt cccctatca 1020
acggatgac cagtgataga caggctttac ctctcatctc acagaggcgt tatcgctgac 1080
aatcaagcaa aatgggctgt cccgacaaca cggacagatg acaagttgcg aatggagaca 1140
tgcttccagc aggcgtgtaa gggtaaaatc caagcacttt gcgagaatcc cgagtggaca 1200
ccattgaagg ataacaggat tccttcatac ggggtcttct ctgttgatct gagtctgaca 1260
gttgagctta aatcaaaaat tgtttcagga ttcgggccaat tgatcacaca cggttcaggg 1320
atggacctat acaaatccaa ccacaacaat atgtattggc tgactatccc gccaatgaag 1380
aacctggcct taggtgtaat caacacattg gagtggatac cgagattcaa ggtagtccc 1440
aacctcttca ctgttccaat taaggaagca ggcgaggact gccatgcccc aacataccta 1500
cctgcggagg tggatggtga tgtcaaactc agttccaatc tgggtgattct acctgggtcaa 1560
gatctccaat atgttctggc aacctacgat acttccagag ttgaacatgc tgtagtttat 1620
tacgtttaca gcccagccg ctcatcttct tacttttata cttttagggt gcctgtaagg 1680
ggggtcccca ttgaattaca agtggaatgc ttcacatggg accaaaaact ctgggtgccgt 1740
cacttctgtg tgcttgcgga ctcagaatct ggtggacata tcaactcctc tgggatggtg 1800
ggcatgggag tcagctgcac agccactcgg gaagatggaa ccagccgcag atag 1854

<210> SEQ ID NO 46

<211> LENGTH: 2126

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 46

-continued

```

ggggaaataa gagagaaaag aagagtaaga agaaatataa gagccaccat gtcaccacaa    60
cgagaccgga taaatgcctt ctacaaagac aacccccatc ctaaggaag taggatagtt    120
attaacagag aacatcttat gattgataga ccttatgttt tgctggctgt tctattcgtc    180
atgtttctga gcttgatcgg gttgctagcc attgcaggca ttagacttca tcgggcagcc    240
atctacaccg cagagatcca taaaagcctc agcaccaatc tggatgtaac taactcaatc    300
gagcatcagg ttaaggacgt gctgacacca ctcttcaaga tcatcgggta tgaagtgggc    360
ttgaggacac ctgagagatt cactgaccta gtgaagtcca tctctgacaa gattaaattc    420
cttaatccgg acaggaata cgacttcaga gatctcactt ggtgtatcaa cccgccagag    480
agaatcaaat tggattatga tcaactactgt gcagatgtgg ctgctgaaga actcatgaat    540
gcattggtga actcaactct actggagacc agggcaacca atcagttcct agctgtctca    600
aagggaact gctcagggc cactacaatc agaggccaat tctcaacat gtcgctgtcc    660
ctgttgact tgtatttaag tcgaggttac aatgtgtcat ctatagtcac tatgacatcc    720
caggaatgt acgggggaac ttacctagt gaaaagccta atctgagcag caaagggta    780
gagttgtcac aactgagcat gcaccgagtg tttgaagtag gtgttatcag aaatccgggt    840
ttgggggctc cggtattcca tatgacaaac tatcttgagc aaccagtcag taatgatttc    900
agcaactgca tgggtggcttt gggggagctc aagtgcgag ccctctgtca caggaagat    960
tctatcacia ttcctatca gggatcaggg aaaggtgtca gcttccagct tgtcaagcta   1020
ggtgtctgga aatcccaac cgacatgcaa tctgggtcc ccctatcaac ggatgatcca   1080
gtgatagaca ggctttacct ctcatctcac agaggcgta tcgctgacaa tcaagcaaaa   1140
tgggctgtcc cgacaacacg gacagatgac aagtgcgaa tggagacatg cttccagcag   1200
gcgtgtaagg gtaaaatcca agcactttgc gagaatccc agtggacacc attgaaggat   1260
aacaggattc cttcatcagg ggtcttgtct gttgatctga gtctgacagt tgagcttaaa   1320
atcaaaattg tttcaggatt cgggccattg atcacacacg gttcagggat ggacctatac   1380
aaatccaacc acaacaatat gtattggctg actatcccgc caatgaagaa cctggcctta   1440
ggtgtaatca acacattgga gtggataccg agattcaagg ttagtcccaa cctcttact   1500
gttccaatta aggaagcagg cgaggactgc catgccccaa catacctacc tgccggagtg   1560
gatggtgatg tcaaactcag ttccaatctg gtgattctac ctggtcaaga tctccaatat   1620
gttctggcaa cctacgatac ttccagagtt gaacatgctg tagtttatta cgtttacagc   1680
ccaagcogct cttttctta cttttatcct tttaggttgc ctgtaagggg ggtccccatt   1740
gaattacaag tggaatgctt cacatgggac caaaaactct ggtgccgtca cttctgtgtg   1800
cttgccgact cagaatctgg tggacatata actcactctg ggatggtggg catgggagtc   1860
agctgcacag cactcggga agatggaacc agccgcagat agtgataata ggctggagcc   1920
tcggtggcca agcttcttgc cccttgggccc tccccccagc ccctctccc cttctgcac   1980
ccgtaccccc gtggtctttg aataaagtct gagtggcggg caaaaaaaaa aaaaaaaaaa   2040
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa   2100
aaaaaaaaaa aaaaaaaaaa atctag                                         2126

```

<210> SEQ ID NO 47

<211> LENGTH: 550

<212> TYPE: PRT

-continued

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polypeptide

<400> SEQUENCE: 47

Met Gly Leu Lys Val Asn Val Ser Ala Val Phe Met Ala Val Leu Leu
 1 5 10 15
 Thr Leu Gln Thr Pro Ala Gly Gln Ile His Trp Gly Asn Leu Ser Lys
 20 25 30
 Ile Gly Val Val Gly Ile Gly Ser Ala Ser Tyr Lys Val Met Thr Arg
 35 40 45
 Ser Ser His Gln Ser Leu Val Ile Lys Leu Met Pro Asn Ile Thr Leu
 50 55 60
 Leu Asn Asn Cys Thr Arg Val Glu Ile Ala Glu Tyr Arg Arg Leu Leu
 65 70 75 80
 Arg Thr Val Leu Glu Pro Ile Arg Asp Ala Leu Asn Ala Met Thr Gln
 85 90 95
 Asn Ile Arg Pro Val Gln Ser Val Ala Ser Ser Arg Arg His Lys Arg
 100 105 110
 Phe Ala Gly Val Val Leu Ala Gly Ala Ala Leu Gly Val Ala Thr Ala
 115 120 125
 Ala Gln Ile Thr Ala Gly Ile Ala Leu His Arg Ser Met Leu Asn Ser
 130 135 140
 Gln Ala Ile Asp Asn Leu Arg Ala Ser Leu Glu Thr Thr Asn Gln Ala
 145 150 155 160
 Ile Glu Ala Ile Arg Gln Ala Gly Gln Glu Met Ile Leu Ala Val Gln
 165 170 175
 Gly Val Gln Asp Tyr Ile Asn Asn Glu Leu Ile Pro Ser Met Asn Gln
 180 185 190
 Leu Ser Cys Asp Leu Ile Gly Gln Lys Leu Gly Leu Lys Leu Leu Arg
 195 200 205
 Tyr Tyr Thr Glu Ile Leu Ser Leu Phe Gly Pro Ser Leu Arg Asp Pro
 210 215 220
 Ile Ser Ala Glu Ile Ser Ile Gln Ala Leu Ser Tyr Ala Leu Gly Gly
 225 230 235 240
 Asp Ile Asn Lys Val Leu Glu Lys Leu Gly Tyr Ser Gly Gly Asp Leu
 245 250 255
 Leu Gly Ile Leu Glu Ser Arg Gly Ile Lys Ala Arg Ile Thr His Val
 260 265 270
 Asp Thr Glu Ser Tyr Phe Ile Val Leu Ser Ile Ala Tyr Pro Thr Leu
 275 280 285
 Ser Glu Ile Lys Gly Val Ile Val His Arg Leu Glu Gly Val Ser Tyr
 290 295 300
 Asn Ile Gly Ser Gln Glu Trp Tyr Thr Thr Val Pro Lys Tyr Val Ala
 305 310 315 320
 Thr Gln Gly Tyr Leu Ile Ser Asn Phe Asp Glu Ser Ser Cys Thr Phe
 325 330 335
 Met Pro Glu Gly Thr Val Cys Ser Gln Asn Ala Leu Tyr Pro Met Ser
 340 345 350
 Pro Leu Leu Gln Glu Cys Leu Arg Gly Ser Thr Lys Ser Cys Ala Arg
 355 360 365
 Thr Leu Val Ser Gly Ser Phe Gly Asn Arg Phe Ile Leu Ser Gln Gly

-continued

370	375	380																	
Asn	Leu	Ile	Ala	Asn	Cys	Ala	Ser	Ile	Leu	Cys	Lys	Cys	Tyr	Thr	Thr				
385					390					395					400				
Gly	Thr	Ile	Ile	Asn	Gln	Asp	Pro	Asp	Lys	Ile	Leu	Thr	Tyr	Ile	Ala				
				405					410					415					
Ala	Asp	Arg	Cys	Pro	Val	Val	Glu	Val	Asn	Gly	Val	Thr	Ile	Gln	Val				
			420					425					430						
Gly	Ser	Arg	Arg	Tyr	Pro	Asp	Ala	Val	Tyr	Leu	His	Arg	Ile	Asp	Leu				
		435					440					445							
Gly	Pro	Pro	Ile	Ser	Leu	Glu	Arg	Leu	Asp	Val	Gly	Thr	Asn	Leu	Gly				
	450					455					460								
Asn	Ala	Ile	Ala	Lys	Leu	Glu	Asp	Ala	Lys	Glu	Leu	Leu	Glu	Ser	Ser				
465					470					475					480				
Asp	Gln	Ile	Leu	Arg	Ser	Met	Lys	Gly	Leu	Ser	Ser	Thr	Ser	Ile	Val				
			485						490					495					
Tyr	Ile	Leu	Ile	Ala	Val	Cys	Leu	Gly	Gly	Leu	Ile	Gly	Ile	Pro	Thr				
			500					505					510						
Leu	Ile	Cys	Cys	Cys	Arg	Gly	Arg	Cys	Asn	Lys	Lys	Gly	Glu	Gln	Val				
		515				520						525							
Gly	Met	Ser	Arg	Pro	Gly	Leu	Lys	Pro	Asp	Leu	Thr	Gly	Thr	Ser	Lys				
	530					535					540								
Ser	Tyr	Val	Arg	Ser	Leu														
545					550														

<210> SEQ ID NO 48

<211> LENGTH: 550

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polypeptide

<400> SEQUENCE: 48

Met	Gly	Leu	Lys	Val	Asn	Val	Ser	Val	Ile	Phe	Met	Ala	Val	Leu	Leu				
1				5					10					15					
Thr	Leu	Gln	Thr	Pro	Thr	Gly	Gln	Ile	His	Trp	Gly	Asn	Leu	Ser	Lys				
			20					25					30						
Ile	Gly	Val	Val	Gly	Val	Gly	Ser	Ala	Ser	Tyr	Lys	Val	Met	Thr	Arg				
		35					40					45							
Ser	Ser	His	Gln	Ser	Leu	Val	Ile	Lys	Leu	Met	Pro	Asn	Ile	Thr	Leu				
		50				55					60								
Leu	Asn	Asn	Cys	Thr	Arg	Val	Gly	Ile	Ala	Glu	Tyr	Arg	Arg	Leu	Leu				
65					70					75					80				
Arg	Thr	Val	Leu	Glu	Pro	Ile	Arg	Asp	Ala	Leu	Asn	Ala	Met	Thr	Gln				
				85					90					95					
Asn	Ile	Arg	Pro	Val	Gln	Ser	Val	Ala	Ser	Ser	Arg	Arg	His	Lys	Arg				
			100					105					110						
Phe	Ala	Gly	Val	Val	Leu	Ala	Gly	Ala	Ala	Leu	Gly	Val	Ala	Thr	Ala				
		115					120					125							
Ala	Gln	Ile	Thr	Ala	Gly	Ile	Ala	Leu	His	Gln	Ser	Met	Leu	Asn	Ser				
						135					140								
Gln	Ala	Ile	Asp	Asn	Leu	Arg	Ala	Ser	Leu	Glu	Thr	Thr	Asn	Gln	Ala				
145					150					155					160				
Ile	Glu	Ala	Ile	Arg	Gln	Ala	Gly	Gln	Glu	Met	Ile	Leu	Ala	Val	Gln				

-continued

165					170					175					
Gly	Val	Gln	Asp	Tyr	Ile	Asn	Asn	Glu	Leu	Ile	Pro	Ser	Met	Asn	Gln
			180					185					190		
Leu	Ser	Cys	Asp	Leu	Ile	Gly	Gln	Lys	Leu	Gly	Leu	Lys	Leu	Leu	Arg
		195					200					205			
Tyr	Tyr	Thr	Glu	Ile	Leu	Ser	Leu	Phe	Gly	Pro	Ser	Leu	Arg	Asp	Pro
	210						215					220			
Ile	Ser	Ala	Glu	Ile	Ser	Ile	Gln	Ala	Leu	Ser	Tyr	Ala	Leu	Gly	Gly
	225						230					235			240
Asp	Ile	Asn	Lys	Val	Leu	Glu	Lys	Leu	Gly	Tyr	Ser	Gly	Gly	Asp	Leu
			245						250					255	
Leu	Gly	Ile	Leu	Glu	Ser	Arg	Gly	Ile	Lys	Ala	Arg	Ile	Thr	His	Val
			260					265					270		
Asp	Thr	Glu	Ser	Tyr	Phe	Ile	Val	Leu	Ser	Ile	Ala	Tyr	Pro	Thr	Leu
		275					280					285			
Ser	Glu	Ile	Lys	Gly	Val	Ile	Val	His	Arg	Leu	Glu	Gly	Val	Ser	Tyr
	290						295					300			
Asn	Ile	Gly	Ser	Gln	Glu	Trp	Tyr	Thr	Thr	Val	Pro	Lys	Tyr	Val	Ala
	305											315			320
Thr	Gln	Gly	Tyr	Leu	Ile	Ser	Asn	Phe	Asp	Glu	Ser	Ser	Cys	Thr	Phe
				325					330					335	
Met	Pro	Glu	Gly	Thr	Val	Cys	Ser	Gln	Asn	Ala	Leu	Tyr	Pro	Met	Ser
			340					345					350		
Pro	Leu	Leu	Gln	Glu	Cys	Leu	Arg	Gly	Ser	Thr	Lys	Ser	Cys	Ala	Arg
		355					360					365			
Thr	Leu	Val	Ser	Gly	Ser	Phe	Gly	Asn	Arg	Phe	Ile	Leu	Ser	Gln	Gly
	370						375					380			
Asn	Leu	Ile	Ala	Asn	Cys	Ala	Ser	Ile	Leu	Cys	Lys	Cys	Tyr	Thr	Thr
	385						390					395			400
Gly	Thr	Ile	Ile	Asn	Gln	Asp	Pro	Asp	Lys	Ile	Leu	Thr	Tyr	Ile	Ala
				405					410					415	
Ala	Asp	His	Cys	Pro	Val	Val	Glu	Val	Asn	Gly	Val	Thr	Ile	Gln	Val
			420					425					430		
Gly	Ser	Arg	Arg	Tyr	Pro	Asp	Ala	Val	Tyr	Leu	His	Arg	Ile	Asp	Leu
		435					440					445			
Gly	Pro	Pro	Ile	Ser	Leu	Glu	Arg	Leu	Asp	Val	Gly	Thr	Asn	Leu	Gly
	450						455					460			
Asn	Ala	Ile	Ala	Lys	Leu	Glu	Asp	Ala	Lys	Glu	Leu	Leu	Glu	Ser	Ser
	465						470					475			480
Asp	Gln	Ile	Leu	Arg	Ser	Met	Lys	Gly	Leu	Ser	Ser	Thr	Ser	Ile	Val
			485						490					495	
Tyr	Ile	Leu	Ile	Ala	Val	Cys	Leu	Gly	Gly	Leu	Ile	Gly	Ile	Pro	Ala
			500					505					510		
Leu	Ile	Cys	Cys	Cys	Arg	Gly	Arg	Cys	Asn	Lys	Lys	Gly	Glu	Gln	Val
		515						520				525			
Gly	Met	Ser	Arg	Pro	Gly	Leu	Lys	Pro	Asp	Leu	Thr	Gly	Thr	Ser	Lys
	530						535					540			
Ser	Tyr	Val	Arg	Ser	Leu										
	545				550										

-continued

```

<211> LENGTH: 617
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Polypeptide

<400> SEQUENCE: 49

Met Ser Pro Gln Arg Asp Arg Ile Asn Ala Phe Tyr Lys Asp Asn Pro
1          5          10          15

Tyr Pro Lys Gly Ser Arg Ile Val Ile Asn Arg Glu His Leu Met Ile
20          25          30

Asp Arg Pro Tyr Val Leu Leu Ala Val Leu Phe Val Met Phe Leu Ser
35          40          45

Leu Ile Gly Leu Leu Ala Ile Ala Gly Ile Arg Leu His Arg Ala Ala
50          55          60

Ile Tyr Thr Ala Glu Ile His Lys Ser Leu Ser Thr Asn Leu Asp Val
65          70          75          80

Thr Asn Ser Ile Glu His Gln Val Lys Asp Val Leu Thr Pro Leu Phe
85          90          95

Lys Ile Ile Gly Asp Glu Val Gly Leu Arg Thr Pro Gln Arg Phe Thr
100         105         110

Asp Leu Val Lys Phe Ile Ser Asp Lys Ile Lys Phe Leu Asn Pro Asp
115         120         125

Arg Glu Tyr Asp Phe Arg Asp Leu Thr Trp Cys Ile Asn Pro Pro Glu
130         135         140

Arg Ile Lys Leu Asp Tyr Asp Gln Tyr Cys Ala Asp Val Ala Ala Glu
145         150         155         160

Glu Leu Met Asn Ala Leu Val Asn Ser Thr Leu Leu Glu Thr Arg Thr
165         170         175

Thr Thr Gln Phe Leu Ala Val Ser Lys Gly Asn Cys Ser Gly Pro Thr
180         185         190

Thr Ile Arg Gly Gln Phe Ser Asn Met Ser Leu Ser Leu Leu Asp Leu
195         200         205

Tyr Leu Gly Arg Gly Tyr Asn Val Ser Ser Ile Val Thr Met Thr Ser
210         215         220

Gln Gly Met Tyr Gly Gly Thr Tyr Leu Val Glu Lys Pro Asn Leu Asn
225         230         235         240

Ser Lys Gly Ser Glu Leu Ser Gln Leu Ser Met Tyr Arg Val Phe Glu
245         250         255

Val Gly Val Ile Arg Asn Pro Gly Leu Gly Ala Pro Val Phe His Met
260         265         270

Thr Asn Tyr Phe Glu Gln Pro Val Ser Asn Gly Leu Gly Asn Cys Met
275         280         285

Val Ala Leu Gly Glu Leu Lys Leu Ala Ala Leu Cys His Gly Asp Asp
290         295         300

Ser Ile Ile Ile Pro Tyr Gln Gly Ser Gly Lys Gly Val Ser Phe Gln
305         310         315         320

Leu Val Lys Leu Gly Val Trp Lys Ser Pro Thr Asp Met Gln Ser Trp
325         330         335

Val Pro Leu Ser Thr Asp Asp Pro Val Val Asp Arg Leu Tyr Leu Ser
340         345         350

Ser His Arg Gly Val Ile Ala Asp Asn Gln Ala Lys Trp Ala Val Pro
355         360         365

```

-continued

Thr Thr Arg Thr Asp Asp Lys Leu Arg Met Glu Thr Cys Phe Gln Gln
 370 375 380
 Ala Cys Lys Gly Lys Ile Gln Ala Leu Cys Glu Asn Pro Glu Trp Val
 385 390 395 400
 Pro Leu Lys Asp Asn Arg Ile Pro Ser Tyr Gly Val Leu Ser Val Asp
 405 410 415
 Leu Ser Leu Thr Val Glu Leu Lys Ile Lys Ile Ala Ser Gly Phe Gly
 420 425 430
 Pro Leu Ile Thr His Gly Ser Gly Met Asp Leu Tyr Lys Ser Asn Cys
 435 440 445
 Asn Asn Val Tyr Trp Leu Thr Ile Pro Pro Met Arg Asn Leu Ala Leu
 450 455 460
 Gly Val Ile Asn Thr Leu Glu Trp Ile Pro Arg Phe Lys Val Ser Pro
 465 470 475 480
 Asn Leu Phe Thr Val Pro Ile Lys Glu Ala Gly Glu Asp Cys His Ala
 485 490 495
 Pro Thr Tyr Leu Pro Ala Glu Val Asp Gly Asp Val Lys Leu Ser Ser
 500 505 510
 Asn Leu Val Ile Leu Pro Gly Gln Asp Leu Gln Tyr Val Leu Ala Thr
 515 520 525
 Tyr Asp Thr Ser Arg Val Glu His Ala Val Val Tyr Tyr Val Tyr Ser
 530 535 540
 Pro Ser Arg Ser Phe Ser Tyr Phe Tyr Pro Phe Arg Leu Pro Ile Lys
 545 550 555 560
 Gly Val Pro Ile Glu Leu Gln Val Glu Cys Phe Thr Trp Asp Gln Lys
 565 570 575
 Leu Trp Cys Arg His Phe Cys Val Leu Ala Asp Ser Glu Ser Gly Gly
 580 585 590
 Leu Ile Thr His Ser Gly Met Val Gly Met Gly Val Ser Cys Thr Ala
 595 600 605
 Thr Arg Glu Asp Gly Thr Asn Arg Arg
 610 615

<210> SEQ ID NO 50

<211> LENGTH: 617

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polypeptide

<400> SEQUENCE: 50

Met Ser Pro Gln Arg Asp Arg Ile Asn Ala Phe Tyr Lys Asp Asn Pro
 1 5 10 15
 His Pro Lys Gly Ser Arg Ile Val Ile Asn Arg Glu His Leu Met Ile
 20 25 30
 Asp Arg Pro Tyr Val Leu Leu Ala Val Leu Phe Val Met Phe Leu Ser
 35 40 45
 Leu Ile Gly Leu Leu Ala Ile Ala Gly Ile Arg Leu His Arg Ala Ala
 50 55 60
 Ile Tyr Thr Ala Glu Ile His Lys Ser Leu Ser Thr Asn Leu Asp Val
 65 70 75 80
 Thr Asn Ser Ile Glu His Gln Val Lys Asp Val Leu Thr Pro Leu Phe
 85 90 95

-continued

Lys Ile Ile Gly Asp Glu Val Gly Leu Arg Thr Pro Gln Arg Phe Thr
 100 105 110
 Asp Leu Val Lys Phe Ile Ser Asp Lys Ile Lys Phe Leu Asn Pro Asp
 115 120 125
 Arg Glu Tyr Asp Phe Arg Asp Leu Thr Trp Cys Ile Asn Pro Pro Glu
 130 135 140
 Arg Ile Lys Leu Asp Tyr Asp Gln Tyr Cys Ala Asp Val Ala Ala Glu
 145 150 155 160
 Glu Leu Met Asn Ala Leu Val Asn Ser Thr Leu Leu Glu Thr Arg Ala
 165 170 175
 Thr Asn Gln Phe Leu Ala Val Ser Lys Gly Asn Cys Ser Gly Pro Thr
 180 185 190
 Thr Ile Arg Gly Gln Phe Ser Asn Met Ser Leu Ser Leu Leu Asp Leu
 195 200 205
 Tyr Leu Ser Arg Gly Tyr Asn Val Ser Ser Ile Val Thr Met Thr Ser
 210 215 220
 Gln Gly Met Tyr Gly Gly Thr Tyr Leu Val Glu Lys Pro Asn Leu Ser
 225 230 235 240
 Ser Lys Gly Ser Glu Leu Ser Gln Leu Ser Met His Arg Val Phe Glu
 245 250 255
 Val Gly Val Ile Arg Asn Pro Gly Leu Gly Ala Pro Val Phe His Met
 260 265 270
 Thr Asn Tyr Leu Glu Gln Pro Val Ser Asn Asp Phe Ser Asn Cys Met
 275 280 285
 Val Ala Leu Gly Glu Leu Lys Phe Ala Ala Leu Cys His Arg Glu Asp
 290 295 300
 Ser Ile Thr Ile Pro Tyr Gln Gly Ser Gly Lys Gly Val Ser Phe Gln
 305 310 315 320
 Leu Val Lys Leu Gly Val Trp Lys Ser Pro Thr Asp Met Gln Ser Trp
 325 330 335
 Val Pro Leu Ser Thr Asp Asp Pro Val Ile Asp Arg Leu Tyr Leu Ser
 340 345 350
 Ser His Arg Gly Val Ile Ala Asp Asn Gln Ala Lys Trp Ala Val Pro
 355 360 365
 Thr Thr Arg Thr Asp Asp Lys Leu Arg Met Glu Thr Cys Phe Gln Gln
 370 375 380
 Ala Cys Lys Gly Lys Ile Gln Ala Leu Cys Glu Asn Pro Glu Trp Thr
 385 390 395 400
 Pro Leu Lys Asp Asn Arg Ile Pro Ser Tyr Gly Val Leu Ser Val Asp
 405 410 415
 Leu Ser Leu Thr Val Glu Leu Lys Ile Lys Ile Val Ser Gly Phe Gly
 420 425 430
 Pro Leu Ile Thr His Gly Ser Gly Met Asp Leu Tyr Lys Ser Asn His
 435 440 445
 Asn Asn Met Tyr Trp Leu Thr Ile Pro Pro Met Lys Asn Leu Ala Leu
 450 455 460
 Gly Val Ile Asn Thr Leu Glu Trp Ile Pro Arg Phe Lys Val Ser Pro
 465 470 475 480
 Asn Leu Phe Thr Val Pro Ile Lys Glu Ala Gly Glu Asp Cys His Ala
 485 490 495

-continued

Pro Thr Tyr Leu Pro Ala Glu Val Asp Gly Asp Val Lys Leu Ser Ser
500 505 510

Asn Leu Val Ile Leu Pro Gly Gln Asp Leu Gln Tyr Val Leu Ala Thr
515 520 525

Tyr Asp Thr Ser Arg Val Glu His Ala Val Val Tyr Tyr Val Tyr Ser
530 535 540

Pro Ser Arg Ser Phe Ser Tyr Phe Tyr Pro Phe Arg Leu Pro Val Arg
545 550 555 560

Gly Val Pro Ile Glu Leu Gln Val Glu Cys Phe Thr Trp Asp Gln Lys
565 570 575

Leu Trp Cys Arg His Phe Cys Val Leu Ala Asp Ser Glu Ser Gly Gly
580 585 590

His Ile Thr His Ser Gly Met Val Gly Met Gly Val Ser Cys Thr Ala
595 600 605

Thr Arg Glu Asp Gly Thr Ser Arg Arg
610 615

<210> SEQ ID NO 51
<211> LENGTH: 1729
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 51

tcaagctttt ggaccctcgt acagaagcta atacgactca ctatagggaa ataagagaga 60
aaagaagagt aagaagaaat ataagagcca ccatggcaca agtcattaat acaaacagcc 120
tgtcgtggtt gaccagaat aacctgaaca aatcccagtc cgcactgggc actgctatcg 180
agcgtttgtc ttccggctcg cgtatcaaca gcgcgaaaga cgatgcggca ggacaggcga 240
ttgctaaccg ttttaccgcg aacatcaaag gtctgactca ggcttcccgt aacgctaacg 300
acggtatctc cattgcgcag accactgaag gcgcgctgaa cgaaatcaac aacaacctgc 360
agcgtgtgcg tgaactggcg gttcagctcg cgaatggtac taactcccag tctgacctcg 420
actccatcca ggctgaaatc acccagcgcc tgaacgaaat cgaccgtgta tccggccaga 480
ctcagttcaa cggcgtgaaa gtccctggcgc aggacaacac cctgaccatc caggttggtg 540
ccaacgacgg tgaactatc gatattgatt taaaagaaat cagctctaaa aactggggac 600
ttgataagct taatgtccaa gatgcctaca ccccgaaga aactgctgta accggtgata 660
aaactaccta taaaatggt acagatccta ttacagccca gagcaatact gatatccaaa 720
ctgcaattgg cgggtgtgca acgggggtta ctggggctga tatcaaattt aaagatggtc 780
aatactattt agatgttaa ggcgggtgct ctgctggtgt ttataaagcc acttatgatg 840
aaactacaaa gaaagttaat attgatacga ctgataaac tccggttgca actgcggaag 900
ctacagctat tcggggaacg gccactataa cccacaacca aattgctgaa gtaacaaaag 960
agggtgttga tacgaccaca gttgctgctc aacttctgctc agcaggggtt actggcgccg 1020
ataaggacaa tactagcctt gtaaaactat cgtttgagga taaaacggt aaggttattg 1080
atggtggcta tgcagtgaaa atgggagcag atttctatgc cgctacatat gatgagaaaa 1140
caggtgcaat tactgctaaa accactactt atacagatgg tactggcgctt gctcaactg 1200
gagctgtgaa atttgggtgc gcaaatggta aatctgaagt tgttactgct accgatggta 1260

-continued

```

agacttactt agcaagcgac cttgacaaaac ataacttcag aacaggcggt gagcttaaag 1320
aggtaatac agataagact gaaaacccac tgacagaaat tgatgctgcc ttggcacagg 1380
ttgatacact tcgttctgac ctgggtgegg ttcagaaccg tttcaactcc gctatcacca 1440
acctgggcaa taccgtaaataaacctgtctt ctgcccgtag ccgtatcgaa gattccgact 1500
acgcaaccga agtctccaac atgtctcgcg cgcagattct gcagcaggcc ggtacctccg 1560
ttctggcgca ggcgaaccag gttccgcaaa acgtcctctc tttactgctg tgataatagg 1620
ctggagcctc ggtggccatg cttcttgccc cttgggcctc ccccagccc ctctcccct 1680
tcctgcaccc gtacccccgt ggtctttgaa taaagtctga gtgggcggc 1729

```

<210> SEQ ID NO 52

<211> LENGTH: 1518

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 52

```

atggcacaag tcattaatac aaacagcctg tcgctgttga cccagaataa cctgaacaaa 60
tcccagtcgc cactgggcac tgctatcgag cgtttctctt ccggtctgcg tatcaacagc 120
gcgaaagacg atgcggcagg acaggcgatt gctaaccggt ttaccgcaa catcaaaggt 180
ctgactcagg cttcccgtaa cgtaacgac ggtatctcca ttgcgcagac cactgaaggc 240
gcgctgaacg aatcaacaa caacctgcag cgtgtgcgtg aactggcggg tcagtctgcg 300
aatggtacta actcccagtc tgacctgac tccatccagg ctgaaatcac ccagcgctg 360
aacgaaatcg accgtgtatc cggccagact cagtcaacg gcgtgaaagt cctggcgcg 420
gacaacaccc tgaccatcca ggttggtgcc aacgacggtg aaactatcga tattgattta 480
aaagaaatca gctctaaaac actgggactt gataagctta atgtccaaga tgcctacacc 540
ccgaaagaaa ctgctgtaac cgttgataaa actacctata aaaatggtac agatcctatt 600
acagcccaga gcaatactga tatccaaact gcaattggcg gtggtgcaac gggggttact 660
ggggctgata tcaaatttaa agatgggtaa tactatttag atgttaaagg cgggtgcttct 720
gctggtgttt ataaagccac ttatgatgaa actacaaaga aagttaatat tgatcagact 780
gataaaaactc cgttggcaac tgccgaagct acagctattc ggggaacggc cactataacc 840
cacaacaaaa ttgctgaagt aacaaaagag ggtgttgata cgaccacagt tgcggctcaa 900
cttgctgcag caggggttac tggcgccgat aaggacaata ctagccttgt aaaactatcg 960
tttgaggata aaaacggtaa gggtattgat ggtggctatg cagtgaaat gggcgacgat 1020
ttctatgccg ctacatatga tgagaaaaca ggtgcaatta ctgctaaaac cactacttat 1080
acagatggta ctggcgttgc tcaaactgga gctgtgaaat ttggtggcgc aaatggtaaa 1140
tctgaagttg ttactgctac cgatggtaag acttacttag caagcgacct tgacaaacat 1200
aacttcagaa caggcgggta gcttaaagag gtaatacag ataagactga aaaccactg 1260
cagaaaattg atgctgcctt ggcacagggt gatacacttc gttctgacct gggcgcggt 1320
cagaaccggt tcaactccgc tatcaccaac ctgggcaata ccgtaataa cctgtcttct 1380
gcccgtagcc gtatcgaaga ttccgactac gcaaccgaag tctccaacat gtctcgcgcg 1440
cagattctgc agcaggccgg tacctccggt ctggcgagg cgaaccaggt tccgcaaac 1500

```

-continued

 gtctctctt tactgctt 1518

<210> SEQ ID NO 53

<211> LENGTH: 1790

<212> TYPE: RNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 53

ggggaaauaa gagagaaaag aagaguaaga agaaauauaa gagccaccau ggcacaaguc 60
 auuaauacaa acagccuguc gcuguugacc cagaauaacc ugaacaaauc ccaguccgca 120
 cugggcacug cuaucgagcg uuugucuucc ggucugcgua ucaacagcgc gaaagacgau 180
 gcggcaggac agggcgaugc uaaccguuuu accgcgaaca ucaaaggucu gacucaggcu 240
 ucccguaacg cuaacgacgg uaucuccauu gcgcagacca cugaaggcgc gcugaacgaa 300
 aucaacaaca accugcagcg ugugcgugaa cuggcgguuc agucugcgaa ugguacuaac 360
 ucccagucug accucgacuc cauccaggcu gaaaucaccc agcgcugaa cgaaaucgac 420
 cguguaucg gccagacuca guucaacggc gugaagucc uggcgcagga caacaccug 480
 accauccagg uuggugcaca cgacggugaa acuaucgaa uugauuuuuu agaaaucagc 540
 ucuaaaacac ugggacuuga uaagcuuuu guccaagaug ccuacacccc gaaagaaacu 600
 gcuguaaccg uugauuuuuu uaccuauuuu aaugguacag auccuauuac agcccagagc 660
 aaucugaua uccaaacugc aauggcggu ggugcaacgg ggguuacugg ggcugauauc 720
 aauuuuuuag auggucaaua cuuuuuagau guuuuaggcg gugcuucugc ugguguuuuu 780
 aaagccacu augaugaac uacaaagaaa guuuuuuuug auacgacuga uaaaacuccg 840
 uuggcaacug cgaagcuac agcuuuucg ggaacggcca cuuaaccca caaccuuuuu 900
 gcugaaguaa caaaagaggg uguugauacg accacaguug cggcucaacu ugcugcagca 960
 gggguuacug gcgcccgaaua ggacaauacu agccuuguaa aacuaucguu ugaggauaaa 1020
 aacgguuagg uuauugaug uggcuuagca gugaauuagg gcgacgauuu cuaugccgcu 1080
 acuaugaug agaaaacagg ugcauuuacu gcuuuuaccc cuacuuauc agaugguacu 1140
 ggcguugcuc aaacuggagc uguguuuuu ggugcgcaa augguuuuuc ugaaguuguu 1200
 acugcuaccg augguuagac uuacuuaagc agcgaacuuu acaaacuaa cuucagaaca 1260
 ggcggugagc uuuuagaggu uuauacagau aagacugaaa acccagcga gaaaauugau 1320
 gcugccuugg cacagguuga uacacuucgu ucugaccugg gugcgguuca gaaccguuuc 1380
 aacuccgcu ucaccaaccu gggcauuacc guuuuuuacc ugucuucugc ccguagccgu 1440
 aucgaagau cgcacuacgc aaccgaagc uccaacaugu cucgcgcgca gauucugcag 1500
 caggccgguu ccuccguucu ggcgagggc aaccagguuc cgaaaacgu ccucucuua 1560
 cugcgugau auuaggcugg agccucggug gccaugcuuc uugcccccug ggcucucccc 1620
 cagccccucc ucccuuuccu gcacccguac ccccgugguc uuugaauaaa gucugagugg 1680
 gcggcaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1740
 aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaucua 1790

<210> SEQ ID NO 54

<211> LENGTH: 506

<212> TYPE: PRT

-continued

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polypeptide

<400> SEQUENCE: 54

```

Met Ala Gln Val Ile Asn Thr Asn Ser Leu Ser Leu Leu Thr Gln Asn
1          5          10          15
Asn Leu Asn Lys Ser Gln Ser Ala Leu Gly Thr Ala Ile Glu Arg Leu
20          25          30
Ser Ser Gly Leu Arg Ile Asn Ser Ala Lys Asp Asp Ala Ala Gly Gln
35          40          45
Ala Ile Ala Asn Arg Phe Thr Ala Asn Ile Lys Gly Leu Thr Gln Ala
50          55          60
Ser Arg Asn Ala Asn Asp Gly Ile Ser Ile Ala Gln Thr Thr Glu Gly
65          70          75          80
Ala Leu Asn Glu Ile Asn Asn Asn Leu Gln Arg Val Arg Glu Leu Ala
85          90          95
Val Gln Ser Ala Asn Gly Thr Asn Ser Gln Ser Asp Leu Asp Ser Ile
100         105         110
Gln Ala Glu Ile Thr Gln Arg Leu Asn Glu Ile Asp Arg Val Ser Gly
115         120         125
Gln Thr Gln Phe Asn Gly Val Lys Val Leu Ala Gln Asp Asn Thr Leu
130         135         140
Thr Ile Gln Val Gly Ala Asn Asp Gly Glu Thr Ile Asp Ile Asp Leu
145         150         155         160
Lys Glu Ile Ser Ser Lys Thr Leu Gly Leu Asp Lys Leu Asn Val Gln
165         170         175
Asp Ala Tyr Thr Pro Lys Glu Thr Ala Val Thr Val Asp Lys Thr Thr
180         185         190
Tyr Lys Asn Gly Thr Asp Pro Ile Thr Ala Gln Ser Asn Thr Asp Ile
195         200         205
Gln Thr Ala Ile Gly Gly Gly Ala Thr Gly Val Thr Gly Ala Asp Ile
210         215         220
Lys Phe Lys Asp Gly Gln Tyr Tyr Leu Asp Val Lys Gly Gly Ala Ser
225         230         235         240
Ala Gly Val Tyr Lys Ala Thr Tyr Asp Glu Thr Thr Lys Lys Val Asn
245         250         255
Ile Asp Thr Thr Asp Lys Thr Pro Leu Ala Thr Ala Glu Ala Thr Ala
260         265         270
Ile Arg Gly Thr Ala Thr Ile Thr His Asn Gln Ile Ala Glu Val Thr
275         280         285
Lys Glu Gly Val Asp Thr Thr Thr Val Ala Ala Gln Leu Ala Ala Ala
290         295         300
Gly Val Thr Gly Ala Asp Lys Asp Asn Thr Ser Leu Val Lys Leu Ser
305         310         315         320
Phe Glu Asp Lys Asn Gly Lys Val Ile Asp Gly Gly Tyr Ala Val Lys
325         330         335
Met Gly Asp Asp Phe Tyr Ala Ala Thr Tyr Asp Glu Lys Thr Gly Ala
340         345         350
Ile Thr Ala Lys Thr Thr Thr Tyr Thr Asp Gly Thr Gly Val Ala Gln
355         360         365
Thr Gly Ala Val Lys Phe Gly Gly Ala Asn Gly Lys Ser Glu Val Val

```


-continued

Glu Pro Ser Asp Lys His Ile Glu Gln Tyr Leu Lys Lys Ile Lys Asn
625 630 635 640

Ser Ile Ser Thr Glu Trp Ser Pro Cys Ser Val Thr Cys Gly Asn Gly
645 650 655

Ile Gln Val Arg Ile Lys Pro Gly Ser Ala Asn Lys Pro Lys Asp Glu
660 665 670

Leu Asp Tyr Glu Asn Asp Ile Glu Lys Lys Ile Cys Lys Met Glu Lys
675 680 685

Cys Ser Ser Val Phe Asn Val Val Asn Ser
690 695

<210> SEQ ID NO 56
 <211> LENGTH: 692
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic Polypeptide

<400> SEQUENCE: 56

Met Met Ala Pro Asp Pro Asn Ala Asn Pro Asn Ala Asn Pro Asn Ala
1 5 10 15

Asn Pro Asn Ala Asn Pro Asn Ala Asn Pro Asn Ala Asn Pro Asn Ala
20 25 30

Asn Pro Asn Ala Asn Pro Asn Ala Asn Pro Asn Ala Asn Pro Asn Ala
35 40 45

Asn Pro Asn Ala Asn Pro Asn Ala Asn Pro Asn Ala Asn Pro Asn Ala
50 55 60

Asn Pro Asn Ala Asn Pro Asn Ala Asn Pro Asn Ala Asn Pro Asn Ala
65 70 75 80

Asn Pro Asn Lys Asn Asn Gln Gly Asn Gly Gln Gly His Asn Met Pro
85 90 95

Asn Asp Pro Asn Arg Asn Val Asp Glu Asn Ala Asn Ala Asn Asn Ala
100 105 110

Val Lys Asn Asn Asn Asn Glu Glu Pro Ser Asp Lys His Ile Glu Gln
115 120 125

Tyr Leu Lys Lys Ile Lys Asn Ser Ile Ser Thr Glu Trp Ser Pro Cys
130 135 140

Ser Val Thr Cys Gly Asn Gly Ile Gln Val Arg Ile Lys Pro Gly Ser
145 150 155 160

Ala Asn Lys Pro Lys Asp Glu Leu Asp Tyr Glu Asn Asp Ile Glu Lys
165 170 175

Lys Ile Cys Lys Met Glu Lys Cys Ser Ser Val Phe Asn Val Val Asn
180 185 190

Ser Arg Pro Val Thr Met Ala Gln Val Ile Asn Thr Asn Ser Leu Ser
195 200 205

Leu Leu Thr Gln Asn Asn Leu Asn Lys Ser Gln Ser Ala Leu Gly Thr
210 215 220

Ala Ile Glu Arg Leu Ser Ser Gly Leu Arg Ile Asn Ser Ala Lys Asp
225 230 235 240

Asp Ala Ala Gly Gln Ala Ile Ala Asn Arg Phe Thr Ala Asn Ile Lys
245 250 255

Gly Leu Thr Gln Ala Ser Arg Asn Ala Asn Asp Gly Ile Ser Ile Ala
260 265 270

-continued

Gln Thr Thr Glu Gly Ala Leu Asn Glu Ile Asn Asn Asn Leu Gln Arg
 275 280 285

Val Arg Glu Leu Ala Val Gln Ser Ala Asn Ser Thr Asn Ser Gln Ser
 290 295 300

Asp Leu Asp Ser Ile Gln Ala Glu Ile Thr Gln Arg Leu Asn Glu Ile
 305 310 315 320

Asp Arg Val Ser Gly Gln Thr Gln Phe Asn Gly Val Lys Val Leu Ala
 325 330 335

Gln Asp Asn Thr Leu Thr Ile Gln Val Gly Ala Asn Asp Gly Glu Thr
 340 345 350

Ile Asp Ile Asp Leu Lys Gln Ile Asn Ser Gln Thr Leu Gly Leu Asp
 355 360 365

Thr Leu Asn Val Gln Gln Lys Tyr Lys Val Ser Asp Thr Ala Ala Thr
 370 375 380

Val Thr Gly Tyr Ala Asp Thr Thr Ile Ala Leu Asp Asn Ser Thr Phe
 385 390 395 400

Lys Ala Ser Ala Thr Gly Leu Gly Gly Thr Asp Gln Lys Ile Asp Gly
 405 410 415

Asp Leu Lys Phe Asp Asp Thr Thr Gly Lys Tyr Tyr Ala Lys Val Thr
 420 425 430

Val Thr Gly Gly Thr Gly Lys Asp Gly Tyr Tyr Glu Val Ser Val Asp
 435 440 445

Lys Thr Asn Gly Glu Val Thr Leu Ala Gly Gly Ala Thr Ser Pro Leu
 450 455 460

Thr Gly Gly Leu Pro Ala Thr Ala Thr Glu Asp Val Lys Asn Val Gln
 465 470 475 480

Val Ala Asn Ala Asp Leu Thr Glu Ala Lys Ala Ala Leu Thr Ala Ala
 485 490 495

Gly Val Thr Gly Thr Ala Ser Val Val Lys Met Ser Tyr Thr Asp Asn
 500 505 510

Asn Gly Lys Thr Ile Asp Gly Gly Leu Ala Val Lys Val Gly Asp Asp
 515 520 525

Tyr Tyr Ser Ala Thr Gln Asn Lys Asp Gly Ser Ile Ser Ile Asn Thr
 530 535 540

Thr Lys Tyr Thr Ala Asp Asp Gly Thr Ser Lys Thr Ala Leu Asn Lys
 545 550 555 560

Leu Gly Gly Ala Asp Gly Lys Thr Glu Val Val Ser Ile Gly Gly Lys
 565 570 575

Thr Tyr Ala Ala Ser Lys Ala Glu Gly His Asn Phe Lys Ala Gln Pro
 580 585 590

Asp Leu Ala Glu Ala Ala Ala Thr Thr Thr Glu Asn Pro Leu Gln Lys
 595 600 605

Ile Asp Ala Ala Leu Ala Gln Val Asp Thr Leu Arg Ser Asp Leu Gly
 610 615 620

Ala Val Gln Asn Arg Phe Asn Ser Ala Ile Thr Asn Leu Gly Asn Thr
 625 630 635 640

Val Asn Asn Leu Thr Ser Ala Arg Ser Arg Ile Glu Asp Ser Asp Tyr
 645 650 655

Ala Thr Glu Val Ser Asn Met Ser Arg Ala Gln Ile Leu Gln Gln Ala
 660 665 670

-continued

Gly Thr Ser Val Leu Ala Gln Ala Asn Gln Val Pro Gln Asn Val Leu
 675 680 685

Ser Leu Leu Arg
 690

<210> SEQ ID NO 57
 <211> LENGTH: 1620
 <212> TYPE: RNA
 <213> ORGANISM: Human metapneumovirus

<400> SEQUENCE: 57

augagcugga agguggugau uaucuucagc cugcugauua caccucaaca cggccugaag 60
 gagagcuacc uggaagagag cugcuccacc aucaccgagg gcuaccugag cgugcugcgg 120
 accggcuggu acaccaacgu guucaccug gaggugggag acguggagaa ccugaccugc 180
 agcgacggcc cuagccugau caagaccgag cuggaccuga ccaagagcgc ucugagagag 240
 cugaagaccg uguccgccga ccagcuggcc agagaggaac agaucgagaa ccucggcag 300
 agcagauucg ugcugggagc caucgcucug ggagucgccc cugccgcugc agugacagcu 360
 ggaguggcca uugcuaagac caucagacug gaaagcgagg ugacagccau caacaugcc 420
 cugaagaaga ccaacgaggc cgugagcacc cugggcaaug gagugagagu gcuggccaca 480
 gccgucggg agcugaagga cuucgugagc aagaaccuga ccagagccau caacaagaac 540
 aagugcgaca ucgaugaccu gaagauggcc gugagcuucu cccaguuaa cagacgguuc 600
 cugaacgugg ugagacaguu cuccgacaac gcuggaauca caccugccau uagccuggac 660
 cugaugaccg acgccgagcu ggcuagagcc gugcccaaca ugcccaccag cgcuggccag 720
 aucaagcuga ugcuggagaa cagagccaug gugcgagaa agggcuucgg cauccugauu 780
 gggguguaug gaagcuccgu gaucuacaug gugcagcugc ccaucuucgg cgugaucgac 840
 acaccucgu ggauugagaa ggccgcuccu agcugcuccg agaagaaagg aaacuaugcc 900
 ugucugcuga gagaggacca gggcugguac ugccagaacg ccggaagcac aguguacuau 960
 cccaacgaga aggacugcga gaccagaggc gaccacgugu ucugcgacac cgcugccgga 1020
 aucaacgugg ccgagcagag caaggagugc aacaucaca ucagcacaac caacuacccc 1080
 ugcaagguga gcaccggacg gcaccccauc agcauggugg cucugagccc ucugggagcu 1140
 cugguggccu gcuauaaggg cguguccugu agcaucggca gcaaucgggu gggcaucauc 1200
 aagcagcuga acaagggaug cuccuacauc accaaccagg acgccgacac cgugaccauc 1260
 gacaacaccg uguaccagcu gagcaaggug gagggcgagc agcacgugau caagggcaga 1320
 cccgugagcu ccagcuucga ccccaucaag uucccugagg accaguuaa cguggcccug 1380
 gaccaggugu uugagaacau cgagaacagc caggcccugg uggaccagag caacagaauc 1440
 cuguccagcg cugagaaggg caacaccggc uucaucauug ugaucauuc gaucgcccug 1500
 cugggcagcu ccaugaucuu ggugagcauc uucaucauua ucaagaagac caagaaaccc 1560
 accggagccc cuccugagcu gagcggcgug accaacaauug gcuucauucc ccacaacuga 1620

<210> SEQ ID NO 58
 <211> LENGTH: 1620
 <212> TYPE: RNA
 <213> ORGANISM: Human metapneumovirus

<400> SEQUENCE: 58

-continued

```

augucuugga aagugaugau caucauuucg uuacucauaa caccucagca cgggcuaaag    60
gagaguuaau uggaagaau auguaguacu auaacugagg gauaccucag uguuuuaaga    120
acaggcuggu acacuaaagu cuucacauua gaaguuggug auguugaaaa ucuuacaugu    180
acugauggac cuagcuuaau caaaacagaa cuugaucuaa caaaaagugc uuuuagggaa    240
cucaaaacag ucucugcuga ucaguuggcg agagaggagc aaauugaaaa ucccagacaa    300
ucaaguuug ucuuaggugc gauagcucuc ggaguugcua cagcagcagc agucacagca    360
ggcauugcaa uagccaaaac cauaaggcuu gagagugagg ugaaugcaau uaaaggugcu    420
cucaaaacaa cuaaugaagc aguauccaca uuagggaaug gugugcgggu ccuagccacu    480
gcagugagag agcuaaaaga auuugugagc aaaaaccuga cuagugcaau caacaggaac    540
aaaugugaca uugcugaucu gaagauggcu gucagcuuca gucaauuca cagaagauuu    600
cuaaauguug ugcggcaguu uucagacaau gcagggaaua caccagcaau aucauuggac    660
cugaugacug augcugaguu ggccagagcu guaucuaca ugccaacauc ugcagggcag    720
auaaaacuga uguuggagaa ccgcgcaaug guaaggagaa aaggauuug aauccugaua    780
gggucucacg gaagcucugu gauuuacaug guucaauugc cgauuuuug ugucauagau    840
acaccuuguu ggaucauca ggcagcuccc ucuugcucag aaaaaacgg gaauuugcu    900
ugccuccuaa gagaggauca agggugguau uguaaaaaug caggaucuac uguuuacuac    960
ccaaaugaaa aagacugcga aacaagaggu gaucauguuu uuugugacac agcagcaggg 1020
aucaauguug cugagcaauc aagagaugc aacaucaaca uaucuacuac caacuacca 1080
ugcaaaguca gcacaggaag acaccuaua agcaugguug cacuauacc ucucggugcu 1140
uugguggcuu gcuaaaaagg gguaagcugc ucgauuggca gcaauugggu uggaaucauc 1200
aaacaauuac ccaaaggcug cucauacaua accaaccagg augcagacac uguaacaauu 1260
gacaaucgg uguaucaacu aagcaaagu gaaggugaac agcauguaau aaaagggaga 1320
ccaguuucaa gcaguuuuga uccaaucaag uuuccugagg aucaguuaa uguugcguu 1380
gaucaagucu ucgaaagcau ugagaacagu caggcacuag uggaccaguc aaacaaaauu 1440
cuaaacagug cagaaaaagg aaacacuggu uucauuucg uaguauuuu gguugcuguu 1500
cuuggucuaa ccaugauuuc agugagcauc aucaucaua ucaagaaaac aaggaagccc 1560
acaggagcac cuccagagcu gaaugguguc accaacggcg guuucauacc acauaguug 1620

```

<210> SEQ ID NO 59

<211> LENGTH: 1620

<212> TYPE: RNA

<213> ORGANISM: Human metapneumovirus

<400> SEQUENCE: 59

```

augucuugga aagugaugau uaucauuucg uuacucauaa caccucagca uggacuaaaa    60
gaaaguuaau uagaagaau auguaguacu auaacugaag gauaucucag uguuuuaaga    120
acagguuggu acaccaaugu cuuuacauua gaaguuggug auguugaaaa ucuuacaugu    180
acugauggac cuagcuuaau caaaacagaa cuugaccuaa caaaagugc uuuuagagaa    240
cucaaaacag uuucugcuga ucaguugagc agagaagaac aaauugaaaa ucccagacaa    300
ucaagguuug uccuaggugc aaugcucuu ggaguugcca cagcagcagc agucacagca    360
ggcauugcaa uagccaaaac uauaaggcuu gagagugaag ugaugcaau caaaggugcu    420

```

-continued

```

cucaaaacaa ccaaugaggc aguaucaaca cuaggaaaug gagugcggu ccuagccacu 480
gcaguaagag agcugaaaga auuugugagc aaaaaccuga cuagugcgau caacaagaac 540
aagugugaca uugcugauuu gaagauggcu gucagcuuca gucaguucua cagaagauuc 600
cuaaauguug ugcggcaguu uucagacaau gcagggauaa caccagcaau aucuuggac 660
cugaugaaug augcugagcu ggccagagcu guaucuaca ugccaacauc ugcaggacag 720
auaaaacuaa uguuagagaa ccgugcaaug gugaggagaa aaggauuugg aaucuugaua 780
ggggucucg gaagcucugu gauuuacaug guccagcugc cgauuuugg ugucauaaa 840
acaccuuguu ggauaaucuaa ggcagcuccc ucuuguucag aaaaagaugg aaauaugcu 900
ugccuccuaa gagaggauca agggugguau uguaaaaaug caggauccac uguuuacuac 960
ccaaaugaaa aagacugcga aacaagaggu gaucauguuu uuugugacac agcagcaggg 1020
aucaauguug cugagcaauc aagagaugc aacaucaaca uaucuaccac caacuacca 1080
ugcaaaguca gcacaggaag acaccuauac agcaugguug cacuauacc ucucggugcu 1140
uugguagcuu gcuacaaagg gguuagcugc ucgacuggca guaaucaggu uggaauaau 1200
aaacaacuac cuaaaggcug cucauacuaa acuaaccagg acgcagacac uguacaauu 1260
gacaacacug uguaucaacu aagcaaagu gaggguagaac agcauguaau aaaagggaga 1320
ccaguuucaa gcaguuuga uccaaucagg uuuccugagg aucaguucua uguugcgcuu 1380
gaucaagucu uugaaagcau ugaaaacagu caagcacuag uggaccaguc aaacaaaau 1440
cugaacagug cagaaaaagg aaacacuggu ucauuauug uaauuuuuu gauugcuguu 1500
cuuggguuaa ccaugauuuc agugagcauc aucaucaua ucaaaaaaac aaggaagccc 1560
acaggggcac cuccggagcu gaaugguguu accaacggcg guucauacc gcauaguug 1620

```

<210> SEQ ID NO 60

<211> LENGTH: 1725

<212> TYPE: RNA

<213> ORGANISM: Human respiratory syncytial virus

<400> SEQUENCE: 60

```

auggaguugc caauccuaa aacaaaugca auuaccacaa uccuugcugc agucacacuc 60
uguuucgcuu ccagucaaaa caucacugaa gaauuuuauc aaucaacaug cagugcaguu 120
agcaaaggcu aucuuagugc ucuaagaacu gguugguaua cuaguguuau aacuaugaa 180
uuuaguuaua ucaaggaaaa uaaguguauu ggaacagaug cuaagguaaa auugauaaaa 240
caagaauuag auuuuuuuu aaauugcugua acagaauugc aguugcucau gcaaagcaca 300
ccagcagcca acaaucgagc cagaagagaa cuaccaaggu uuaugaauua uacacucaau 360
aauacaaaa auaccaaugu aacauuaagc aagaaaagga aaagaagauu ucuuggcuuu 420
uuguuaggug uuggaucugc aaucgccagu ggcauugcug uaucuaaggu ccugcaccua 480
gaaggggaag ugaacaaaau caaaagugcu cuacuaucca caaacaaggc uguagucagc 540
uuaucaauug gaguuagugu cuuaaccagc aaaguguuag accuacaaaa cuauuagau 600
aacaguugu uaccuauugu gaacaagcaa agcugcagca uaucaacau ugaaacugug 660
auagaguucc acaaaaagaa caacagacua cuagagauua ccagggaauu uaguguuuuu 720
gcagguguaa cuacaccugu aagcacuuau auguuacua auagugaauu auuaucauu 780
aucaaugaua ugccuauaac aaauagucag aaaaaguuaa uguccaacaa uguucaaua 840

```


-continued

```

guuagacagc aaaguuacuc uaucaugucc auaauaaagg aggaagucuu agcauaugua 900
guacaauuac cacuauaugg uguaauagau acaccucuguu ggaaacugca cacaucccu 960
cuauquacaa ccaacacaaa ggaagggucc acaucugcu uaacaagaac cgacagagga 1020
ugguauugug acaaugcagg aucaguauc uucuucccac aagcugaaac auguaaaguu 1080
caaucgauc ggguaauuuug ugacacaaug aacaguuuaa cauuaccaag ugaaguauuu 1140
cucugcaaca uugacauuu caaccccaaa uaugauugca aaauuauugac uucaaaaaca 1200
gauguaagca gcuccguuu cacaucucua ggagccauug ugucaugcua uggcaaaacu 1260
aaauguacag cauccaauaa aaaucguggg aucauaaaga cauuuucuaa cgggugugau 1320
uauquaucaa auaagggggu ggauacugug ucuguaggua auacuuuaa uuauguaau 1380
aagcaagaag gcaaaagucu cuauguaaaa ggugaacca uauuuuuuu cuaugacca 1440
uuaguguucc ccucugauga auuugaugca ucauauucuc aagucaauga gaaguuuac 1500
cagagccuag cauuuuuucg uaaaucggu gaauuuuuac auaauguaa ugcugguaa 1560
uccaccacaa auaucaugau aacuacuua auuauaguga uuauaguuu auuguuuauca 1620
uuuuuugcag uuggacugcu ccuauacugc aaggccagaa gcacaccagu cacacuaagu 1680
aaggaucaac ugagugguau aaauuuuuu gcauuuagua acuga 1725

```

<210> SEQ ID NO 61

<211> LENGTH: 1617

<212> TYPE: RNA

<213> ORGANISM: Human parainfluenza virus

<400> SEQUENCE: 61

```

augccaauuu cauacuguu auuuuuuaca accaugauca uggcaucaca cugccaaaua 60
gacaucaaa aacuacagca uguaggugua uuggucaaca gucccaaagg gaugaagaua 120
ucacaaaacu ucgaaacaag auaucuauc cugagucuca uaccaaaaa agaagauucu 180
aacucuugug gugaccaaca gaucaagcaa uacaagaggu uauuggauag acugaucau 240
ccuuuuuauug auggacuaag auuacagaag gaugugauag ugacuaauca agaauccaau 300
gaaaacacug auccagaac agaacgauuc uuuggagggg uauuuggaac uauugcucua 360
ggaguagcaa ccucagcaca auuacagca gcaguugcuc uggugaagc caagcaggca 420
agaucagaca uugaaaaacu caaggaagca aucagggaca caauuuuagc agugcaguca 480
guucagagcu cuguaggaaa uuugauagua gcauuuuuuu caguccagga uuauquaac 540
aaagaaucg ugccaucgau ugcgagacua gguugugaag cagcaggacu ucaguuaggg 600
auugcauuua cacagcauuu cucagaauua acauuuuuuu uuggugauua cauaggauucg 660
uuacaagaaa aaggaauua auuacaaggu auagcaucau uauaccguac aaauaucaca 720
gaaauuuuua caacaucaac aguugacaaa uaugauuuuu augaucuau auuuacagaa 780
ucauuuuuag uagaguuuuu agauguugau uugaauuuu acucauuuac ccuccaaguc 840
agacucccuu uauugaccag acugcugaac acucauuuac acauuuuuag uuccauuauca 900
uacaauuucc auuuuagaga auuuuuuau ccucuuccca gccauuauca gacgaaaggg 960
gcauuuucag guggagcaga ugucauuuag ugcuuuuuag cauucagcag uuuuuuuugc 1020
ccuuucuguc caggauuuuu acuuuuuau gaaauuuuag gcugucuuuc aggaaucuuu 1080
ucccauuguc caagaaccac agucacauca gacuuuuuuc cuagguuugc auuuuucuuu 1140

```

-continued

ggaggagugg	uugcgaaug	uauaacaacu	acauguacau	gcaaugguau	cgguaauaga	1200
aucaaccaac	caccugauca	aggagucaaa	auuauaacac	auaaagaug	uaauacaaua	1260
gguaUCAacg	gaaugcuauu	caacacaaac	aaagaaggaa	cucuugcauu	cuacacacca	1320
gacgacauaa	cauuaaaca	uucuguugca	cuugaucgga	uugacauauc	aaucgagcuc	1380
aacaaggcca	aaucagaucu	ugaggaauca	aaagaaugga	uaagaagguc	aaaucaaaag	1440
cuagauucua	uuggaaguug	gcaucaaucu	agcacuacaa	ucauaguauu	uuugauaaug	1500
augauuauau	uguuuauau	uaauuaaca	auaaauacaa	uugcauuua	guauuacaga	1560
aucaaaaaga	gaaaucgagu	ggaucaaaa	gauaagccgu	auguauaac	aaacaag	1617

<210> SEQ ID NO 62

<211> LENGTH: 1716

<212> TYPE: RNA

<213> ORGANISM: Human parainfluenza virus 3

<400> SEQUENCE: 62

auggaauacu	ggaagcacac	caaccacgga	aaggauugcug	guaaugagcu	ggagacaucc	60
acagccacuc	auggcaaca	gcucaccaac	aagauaacau	auauauugug	gacgauaacc	120
cugguguuuau	uaucAAUagu	cuucaucaua	gugcuAACua	auuccauca	aagugaaaag	180
gcccgcgaau	cauugcuaca	agacauaaa	aaugaguuuu	uggaaguua	agaaaagauc	240
caaguggcau	cggauaauc	uaaugaucua	auacagucag	gagugaauac	aaggcuucuu	300
acaauucaga	gucaugucca	gaauuauua	ccaauaucu	ugacacaaca	aaauucggau	360
cuuaggaaau	ucauuaguga	aauuacaau	agaaugaua	aucaagaagu	gccaccacaa	420
agaauaacac	augauguggg	uaaaaaaccu	uuaaauccag	augauuucug	gagaugcacg	480
ucuggucuu	caucuugau	gaaaacucca	aaaauaagau	uaaugccggg	accaggauua	540
uuagcuaugc	caacgacugu	ugauggcugu	gucagaacc	cguccuuagu	gauaaaugau	600
cugauuuau	cuuacaccuc	aaaucauuu	acucgagguu	gccaggauau	agggaaauca	660
uaucaaguau	uacagauagg	gauaauaacu	guaaacucag	acuugguacc	ugacuuaaa	720
ccuaggaucu	cucuuaccuu	caacauaaa	gacaauagaa	agucauguuc	ucuagcacuc	780
cuaaaucag	auguauauca	acuguguuca	acccaaaag	uugaugaaag	aucagauuu	840
gcaucaucag	gcauagaaga	uaauugacu	gauauuguca	auuaugaugg	cucaaucucg	900
acaacaagau	uuuagaauaa	uaauuaagu	uuugaucaac	cauauccggc	auuauacca	960
ucuguuggac	cagggauua	cuacaaaggc	aaaauauau	uucucgggua	uggaggucuu	1020
gaacauccaa	uaaaugagaa	ugcaaucugc	aacacaacug	gguguccugg	gaaaacacag	1080
agagacugua	aucaagcauc	ucauagucca	ugguuuucag	auagaaggau	ggucaacucu	1140
auaauguug	uugacaaggg	cuugaacuca	guuccaaaau	ugaagguaug	gacgauaucu	1200
augagacaaa	auuacugggg	gucagaagga	agauuacuuc	uacuagguaa	caagaucuac	1260
auauacacaa	gaucuacaag	uuggcacagc	aaguuaaca	uaggaauau	ugacauuacu	1320
gacuacagug	auuaaggau	aaaugggaca	uggcauaaug	ugcuaucaag	accaggaaac	1380
aaugaauguc	cauggggaca	uucauguccg	gauggaugua	uaacgggagu	auauaccgau	1440
gcauauccac	ucauucccac	aggaagcauu	guaucaucug	ucauauugga	cucacaaaaa	1500
ucgagaguca	accagucacu	aacuuacuca	acagcaaccg	aaaggguaaa	cgagcuggcu	1560

-continued

```

auccgaaaca aaacacucuc agcuggguac acaacaacaa gcugcauuac acacuauaac 1620
aaaggguaau guuuucauau aguagaaaua aaucauaaaa gcuuaaacac auuucacccc 1680
auguuguuca aaacagagau uccaaaaagc ugcagu 1716

```

```

<210> SEQ ID NO 63
<211> LENGTH: 1716
<212> TYPE: RNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Polynucleotide

```

```

<400> SEQUENCE: 63

```

```

auggaaucuu ggaagcacac caaccacggc aaggacgccg gcaacgagcu ggaaaccagc 60
acagccacac acggcaacaa gcugaccaac aagaucaccu acauccugug gaccaucacc 120
cuggugcugc ugagcaucgu guucaucauc gugcugacca auagcaucua gagcgagaag 180
gccagagaga gccugcugca ggacaucac aacgaguuca uggaagugac cgagaagauc 240
cagggggcca gcgacaacac caacgaccug auccagagcg gcgugaacac ccggcugcug 300
accauccaga gccacgugca gaacuacauc cccaucagcc ugaccagca gaucagcgac 360
cugcggaagu ucaucagcga gaucaccauc cggaacgaca accaggaagu gccccccag 420
agaaucaccc acgacguggg caucaagccc cugaaccccg acgauuucug gcgguuaca 480
agcggccugc ccagccugau gaagaccccc aagauccggc ugaugccugg ccugggacug 540
cuggccaugc cuaccacagu ggauggcugu gugcggaccc ccagccucgu gaucaacgau 600
cugaucucag ccuacaccag caaccugauc acccggggcu gccaggauau cggcaagagc 660
uaccaggugc ugcagaucgg caucaucacc gugaacuccg accuggugcc cgaccugaac 720
ccucggauca gccacaccuu caacaucac gacaacagaa agagcugcag ccuggcucug 780
cugaacaccg acguguacca gcugugcagc accccaagg uggacgagag aagcgacuac 840
gccagcagcg gcaucgagga uaucgugcug gacaucguga acuacgacgg cagcaucagc 900
accaccggg ucaagaacaa caaacucagc uucgaccagc ccuacgccg ccuguacccu 960
ucuguggggc cuggcaucua cuacaagggc aagaucacu uccugggcu cggcggccug 1020
gaacacccca ucaacgagaa cgccaucugc aacaccaccg gcugcccugg caagaccag 1080
agagacugca aucaggccag ccacagcccc ugguucagcg accgcagaau ggucaacucu 1140
aucaucgugg uggacaaggg ccugaacagc guggccagc ugaagugug gacaaucagc 1200
augcggcaga acuacugggg cagcgagggc agacuucugc ugcugggaaa caagaucua 1260
aucuacaccc gguccaccag cuggcacagc aaacugcagc ugggaucacu cgacaucacc 1320
gacuacagcg acauccggau caaguggacc uggcacaacg ugcugagcag acccggcaac 1380
aaugagugcc cuuggggcca cagcugcccc gauggaugua ucaccggcgu guacaccgac 1440
gccuaccccc ugaauccuac cggcucauc guguccagcg ugauccugga cagccagaaa 1500
agcagaguga accccgugau cacauacagc accgccaccg agagagugaa cgaacuggcc 1560
aucagaaaca agaccugag cgccggcuac accaccacaa gcugcaucac acacuacaac 1620
aagggcuacu gcuuccacau cguggaaauc aaccacaagu ccugaacac cuuccagccc 1680
augcuguuca agaccgagau cccaagagc ugcucc 1716

```

```

<210> SEQ ID NO 64

```

-continued

<211> LENGTH: 1617
 <212> TYPE: RNA
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 64

augcccauca gcauccugcu gaucaucacc acaaugauca uggccagcca cugccagauc	60
gacaucacca agcugcagca cgugggcgug cucgugaaca gcccgaagg caugaagauc	120
agccagaacu ucgagacacg cuaccugauc cugagccuga ucccgaagau cgaggacagc	180
aacagcugcg gcgaccagca gaucaagcag uacaagcggc ugcuggacag acugaucauc	240
ccccuguacg acggccugcg gcugcagaaa gacgugaucg ugaccaacca ggaaagcaac	300
gagaacaccg acccccggac cgagagauuc uucggcggcg ugaucggcac aaucgcccug	360
ggaguggcca caagcgcca gauuacagcc gcuguggccc ugguggaagc caagcaggcc	420
agaagcgaca ucgagaagcu gaaagaggcc auccgggaca ccaacaaggc cgugcagagc	480
gugcagucca gcgugggcaa ucugaucgug gccaucaagu ccgugcagga cuacgugaac	540
aaagaaaucg ugcccucua ucgcccggcug ggugugaaag cugccggacu gcagcugggc	600
auugcccuga cacagcacua cagcgagcug accaacaucu ucggcgacaa caucggcagc	660
cugcaggaaa agggcauuua gcugcaggga aucgccagcc uguaccgcac caacaucacc	720
gagauuuca ccaccagcac cguggauaag uacgacaucu acgaccugcu guucaccgag	780
agcaucaaag ugcgugugau cgacguggac cugaacgacu acagcaucac ccugcaagug	840
cgugcugccc ugcugaccag acugcugaac acccagaucu acaaggugga cagcaucucc	900
uacaacaucc agaaccgca gugguacauc ccucugccc gccacauuau gaccaagggc	960
gccuuucugg gcgagccga cgugaaagag ugcaucgagg ccuucagcag cuacaucugc	1020
cccagcgacc cuggcuucgu gcugaaccac gagauggaaa gcugccugag cggcaaac	1080
agccagugcc ccagaaccac cgugaccucc gacaucgugc ccagauacgc cuucgugaau	1140
ggcggcgugg uggccaacug caucaccacc accuguaccu gcaacggcau cggcaaccgg	1200
aucaaccagc cucccgauca gggcgugaag auuauacccc acaagagug uaacaccauc	1260
ggcaucaacg gcaugcuguu caauaccaac aaagagggca ccugggccuu cuacaccccc	1320
gacgauauca ccugaacaa cuccguggcu cuggaccca ucgacaucuc caucgagcug	1380
aaagagcca agagcgaccu ggaagagucc aaagagugga uccggcgag caaccagaag	1440
cuggacucua ucggcagcug gcaccagagc agcaccacca ucaucgugau ccugauuaug	1500
augauuauc uguucaucau caacauuacc aucaucacua ucgccaauaa guacuaccgg	1560
auccagaaac ggaaccgggu ggaccagaau gacaagcccu acgugcugac aaacaag	1617

<210> SEQ ID NO 65
 <211> LENGTH: 4062
 <212> TYPE: RNA
 <213> ORGANISM: Middle East respiratory syndrome coronavirus

<400> SEQUENCE: 65

augauacacu caguguuucu acugauguuc uuguuaacac cuacagaaag uuacguugau	60
guagggccag auucuguuaa gucugcuugu auugagguug auauacaaca gaccuucuuu	120
gauaaaacuu ggccuaggcc aaugauguu ucuaaggcug acgguaauau auaccucuaa	180

- continued

ggccguacau	auucuaacau	aacuaucacu	uaucaagguc	uuuuuccua	ucagggagac	240
cauggugaua	uguauguua	cucugcagga	caugcuacag	gcacaacucc	acaaaaguug	300
uuuguagcua	acuauucuca	ggacgucaaa	caguugcua	auggguuugu	cguccguaua	360
ggagcagcug	ccaauuccac	uggcacuguu	auuuuagcc	caucuaccag	cgcuacuaua	420
cgaaaaauuu	accugcuuu	uaugcugggu	ucucaguug	guaauuucuc	agaugguaaa	480
augggccgcu	ucuucaauca	uacucuaguu	cuuuugcccg	auggaugugg	cacuuuacuu	540
agagcuuuuu	auuguauucu	agagccucgc	ucuggaaauc	auuguccugc	uggcaauucc	600
uauacuucuu	uugccacuua	ucacacuccu	gcaacagauu	guucugaugg	cauuuacaau	660
cguaaugcca	gucugaacuc	uuuuaggag	uauuuuauu	uacguaacug	caccuuuug	720
uacacuuaa	acauuaccga	agaugagauu	uuagaguggu	uuggcauuac	acaaacugcu	780
caagguguuc	accucuucuc	aucucggau	guugauuugu	acggcggcaa	uauuuucaa	840
uuugccaccu	ugccuguua	ugauacuauu	aaguauuuu	cuaucauucc	ucacaguauu	900
cguucuaucc	aaagugauag	aaaagcuugg	gcugccuucu	acguauuaa	acuucaaccg	960
uuacuucc	uguuggauuu	uucuguugau	gguuauauac	gcagagcuau	agacuguggu	1020
uuuaugauu	ugucacaacu	ccacugcuca	uauuauuccu	ucgauguuga	aucuggaguu	1080
uauucaguuu	cgucuucgca	agcaaaaccu	ucuggcucag	uuguggaaca	ggcugaaggu	1140
guugaaugug	auuuuucacc	ucuuucuguc	ggcacaccuc	cucagguua	uaauuucag	1200
cguuugguuu	uuaccaauug	cauuuauau	cuuaccuuu	ugcuuucacu	uuuuucugug	1260
aaugauuuua	cuuguaguca	aaauucucca	gcagcaauug	cuagcaacug	uuauucuuca	1320
cugauuuugg	auuuuuuuc	auaccacuu	aguauuauu	ccgaucucag	uguuaguucu	1380
gcugguccaa	uauccaguu	uaauuauaaa	caguccuuu	cuaauccac	auguuugauc	1440
uuagcgacug	uuccucauaa	ccuuacuacu	auuacuaagc	cucuuaagua	cagcuauuu	1500
aacaagugcu	cucgucucu	uucugaugau	cguaucgaag	uaccucaguu	agugaacgcu	1560
aaucuuacu	caccugugu	auccauuguc	ccauccacug	ugugggaaga	cggugauuu	1620
uauaggaaac	aacuaucucc	acuugaaggu	gguggcuggc	uuguugcuag	uggcucaacu	1680
guugccauga	cugagcauu	acagaugggc	uuugguauu	caguucaaua	ugguacagac	1740
accaauagug	uuugcccaa	gcuugaauuu	gcuauagaca	caaaaauugc	cucucaauua	1800
ggcaauugcg	uggauuauuc	ccucuauuggu	guuucgggccc	gugguguuuu	ucagaauugc	1860
acagcuguag	guguucgaca	gcagcgcuuu	guuuauaug	cguaaccagaa	uuuaguuggc	1920
uauuuucug	augauggcaa	cuacuacugu	cugcgugcuu	guguuagugu	uccuguuucu	1980
gucaucuaug	auaaagaaac	uaaaaccac	gcuacucuau	uugguagugu	ugcaugugaa	2040
cacauuucuu	cuaccauguc	ucaauacucc	cgucucacgc	gaucaaugcu	uaaacggcga	2100
gauucuaacu	augggccccc	ucagacaccu	guugguugug	uccuaggacu	uguuaauucc	2160
ucuuugucg	uagaggacug	caaguugccu	cucggucaau	cucucuguc	ucuuucugac	2220
acaccuagua	cucucacacc	ucgcagugug	cgucucuguc	caggugaaau	gcgcuuggca	2280
uccauugcuu	uuaucaucc	cauucagguu	gaucaacuua	auaguaguua	uuuuuuuuu	2340
aguauacca	cuaauuuuuc	cuuuggugug	acucaggagu	acauucagac	aaccuuucag	2400
aaaguucug	uugauuguaa	acaguucguu	ugcauugguu	uccagaagug	ugagcauuu	2460

-continued

```

cugcgcgagu auggccaguu uuguuccaaa auaaaccagg cucuccaugg ugccaauuaa 2520
cgccaggagug auucuguacg uaauuuguuu gcgagcguga aaagcucuca aucaucuccu 2580
aucauaccag guuuuggagg ugacuuaaau uugacacuuc uagaaccugu uucuauaucu 2640
acuggcaguc guagugcacg uagugcuauu gaggauuugc uauuugaca agucacuaua 2700
gcugauccug guuauaugca agguuacgau gauuguaugc agcaaggucc agcaucagcu 2760
cgugaucuaa uuugugcuca auauguggcu gguuauaaag uauuaccucc ucuuaggau 2820
guuauaugg aagccgcgua uacuucacu uugcuuggca gcuaagcagg uguuggcugg 2880
acugcuggcu uauccuccuu ugcugcuauu ccauuugcac agaguauyu uauuagguaa 2940
aacgguguug gcauucucu acagguucuu ucagagaacc aaaagcuuau ugccaauaag 3000
uuuauacagg cucugggagc uaugcaaca ggcuucacua caacuauga agcuuuucgg 3060
aagguucagg augcugugaa caacaugca caggcucua ccaauuagc uagcgagcua 3120
ucuaauacuu uuggugcuau uuccgccucu auuggagaca ucauacaacg ucuugauguu 3180
cucgaacagg acgcccacuu agacagacu auuaauggcc guuugacaac acuaaagcu 3240
uuuguugcac agcagcuugu ucguuccgaa ucagcugcuc uuuccgcua auuggcuaaa 3300
gauaaaguca augagugugu caaggcaca uccaagcguu cuggauuuug cggucaaggg 3360
acacauauag uguccuuugu uguaaaugcc ccuaauggcc uuucuuuau gcauguuggu 3420
uauuaccua gcaaccacau ugagguuguu ucugcuuau gucuugcga ugcagcuaac 3480
ccuacuaauu guauagccc uguuaauggc uacuuuaua aaacuaaua cacuaggauu 3540
guugaugagu ggucauauac uggcucgucc uucuaugcac cugagcccau caccucucu 3600
aaucuaagu auguugcacc acaggugaca uacaaaaca uuucuaaua ccuccuccu 3660
ccucucucg gcaauuccac cgggauugac uuccaagau aguggauga guuuuucaaa 3720
aanguuagca ccaguauacc uaauuuuggu ucucuaacac agauuaauac uacauuacuc 3780
gaucuuaccu acgagauguu gucucuuaa caaguuguaa aagcccuua ugagucuua 3840
auagaccua aagagcuugg cauuuauacu uauuacaaca auggccgug guacauuugg 3900
cuugguuuca uugcugggcu uguugccua gcucuaugcg ucuucuucau acugugcugc 3960
acugguugug gcacaaacug uaugggaaa cuuaagugua aucguuguug ugauagauac 4020
gaggaauacg accucgagcc gcauaagguu cauguucacu aa 4062

```

<210> SEQ ID NO 66

<211> LENGTH: 4062

<212> TYPE: RNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 66

```

augauacacu caguguuucu acugauguuc uuguuaacac cuacagaaag uuacguugau 60
guagggccag auucuguuaa gucugcuugu auugagguug auauacaaca gacuuucuuu 120
gauaaaacuu ggccuaggcc aaugauguu ucuaaggcug acggauuuau auaccucaa 180
ggccguacau auucuaacau aacuaucacu uaucaagguc uuuuuccua ucagggagac 240
cauggugaua uguauguuua cucugcagga caugcuacag gcacaacucc acaaaaguug 300
uuuguagcua acuaucucu ggacgucaaa caguuugcua auggguuugu cguccguuaa 360

```

- continued

ggagcagcug	ccaauuccac	uggcacuguu	auuauuagcc	caucuaccag	cgcuacuaua	420
cgaaaaauuu	accugcuuu	uaugcugggu	ucuucaguug	guaauuucuc	agaugguaaa	480
augggccgcu	ucuucaauca	uacucuaguu	cuuugcccc	auggaugugg	cacuuuacuu	540
agagcuuuuu	auuguauucu	ggagccucgc	ucuggaaauc	auuguccugc	uggcaauucc	600
uauacuucuu	uugccacuua	ucacacuccu	gcaacagauu	guucugaugg	caauuacaau	660
cguaaugcca	gucugaacuc	uuuuaggag	uauuuuauu	uacguaacug	caccuuuau	720
uacacuuaua	acauuaccga	agaugagauu	uuagaguggu	uuggcauuac	acaacugcu	780
caagguguuc	accucuucuc	aucucggau	guugauuugu	acggcggcaa	uauuuucaa	840
uuugccaccu	ugccuguuuu	ugauacuauu	aaguauuuu	cuaucauucc	ucacaguauu	900
cguucuaucc	aaagugauag	aaaagcuugg	gcugccuucu	acguauauaa	acuucaaccg	960
uuacuucc	uguuggauuu	uucuguugau	gguuauuac	gcagagcuau	agacuguggu	1020
uuuaaugauu	ugucacaacu	ccacugcuca	uauuauuccu	ucgauguuga	aucuggaguu	1080
uauucaguuu	cgucuucga	agcaaacccu	ucuggcucag	uuguggaaca	ggcugaaggu	1140
guugaaugug	auuuuucc	ucuucugucu	ggcacaccuc	cucagguuuu	uaauuuccaag	1200
cguuugguuu	uuaccaauug	cauuuauau	cuuaccaaau	ugcuuucacu	uuuuucugug	1260
aaugauuuuu	cuuguaguca	aaauucucca	gcagcaauug	cuagcaacug	uuauucuuca	1320
cugauuuugg	auuacuuc	auaccacuu	aguaugaaau	ccgaucucag	uguuaguucu	1380
gcugguccaa	uauccaguu	uaauuauaaa	caguccuuuu	cuaauccac	auguuugauu	1440
uuagcgacug	uuccucauaa	ccuuacuacu	auuacuagc	cucuuaagua	cagcuauauu	1500
aaacagugcu	cucgucuucu	uucugaugau	cguacugaag	uaccucaguu	agugaacgcu	1560
aaucuuacu	caccugugu	auccauuguc	ccauccacug	ugugggaaga	cggugauuuu	1620
uauaggaaac	aacuaucucc	acuugaaggu	gguggcuggc	uuguugcuag	uggcucaacu	1680
guugccauga	cugagcaauu	acagaugggc	uuugguauuu	caguucaaua	ugguacagac	1740
accauagug	uuugcccaa	gcuugaauuu	gcuaaugaca	caaaaauugc	cucucaauuu	1800
ggcaauugcg	uggauuauuc	ccucuauuggu	guuucgggccc	gugguguuuu	ucagaauugc	1860
acagcuguag	guguucgaca	gcagcgcuuu	guuuauaug	cguaccagaa	uuuaguuggc	1920
uauuauucug	augauggcaa	cuacuacugu	uugcgugcuu	guguuagugu	uccuguuucu	1980
gucaucuau	auaaagaaac	uaaaaccac	gcuaucuuu	uugguagugu	ugcaugugaa	2040
cacauuucuu	cuaccauguc	ucaauacucc	cguucucgc	gaucaaugcu	uaaacggcga	2100
gauucuaacu	augggccccc	ucagacaccu	guugguugug	uccuaggacu	uguuaauucc	2160
ucuuguucg	uagaggacug	caaguugccu	cuuggucaau	cucucuguc	ucuuccugac	2220
acaccuagua	cucucacacc	ucgcagugug	cgucucuguc	caggugaaau	gcgcuuggca	2280
uccauugcuu	uuaucaucc	uauucagguu	gaucaacuua	auaguaguua	uuuuuuuuu	2340
aguauacca	cuaauuuuuc	cuuuggugug	acucaggagu	acauucagac	aaccuucag	2400
aaaguucug	uugauuguaa	acaguacguu	ugcaaugguu	uccagaagug	ugagcauuu	2460
cugcgcgagu	augggcaguu	uuguuccaaa	auaaaccagg	cucuccaugg	ugccaauuuu	2520
cgccaggau	auucuguacg	uaauuuguuu	gcgagcguga	aaagcucuca	aucaucuccu	2580
aucauaccag	guuuuggagg	ugacuuaauu	uugacacuuc	uggaaccugu	uucuauuacu	2640

-continued

acuggcaguc	guagugcacg	uagugcuauu	gaggauuugc	uauuugacaa	agucacuaua	2700
gcugauccug	guuauaugca	agguuacgau	gauugcaugc	agcaaggucc	agcaucagcu	2760
cgugaucuua	uuugugcuca	auauguggcu	gguuacaaag	uauuaccucc	ucuuauuggau	2820
guuaauaugg	aagccgcuua	uacuucaucu	uugcuuggca	gcuaugcagg	uguuggcugg	2880
acugcuggcu	uauccuccuu	ugcugcuauu	ccauuugcac	agaguaucuu	uuauagguua	2940
aacgguguug	gcuuuacuca	acagguucuu	ucagagaacc	aaaagcuuau	ugccaauaag	3000
uuuaaucagg	cucugggagc	uauugcaaca	ggcuucacua	caacuaauga	agcuuuucag	3060
aagguucagg	augcugugaa	caacaauugca	caggcucuau	ccaaauuagc	uagcgagcua	3120
ucuaauacuu	uuggugcuau	uuccgccucu	auuggagaca	ucauacaacg	ucuuugauguu	3180
cucgaacagg	acgcccuaau	agacagacuu	auuaauuggcc	guuugacaac	acuaaaugcu	3240
uuuguugcac	agcagcuugu	ucguuccgaa	ucagcugcuc	uuuccgcuca	auuggcuaaa	3300
gauaaaguca	augagugugu	caaggcacia	uccaagcguu	cuggauuuug	cggucaaggc	3360
acacauauag	uguccuuugu	uguaaaugcc	ccuaauuggcc	uuuacuucuu	gcauguuggu	3420
uauuaccua	gcaaccacau	ugagguuguu	ucugcuuaug	gucuuugcga	ugcagcuaac	3480
ccuacuaauu	guauagcccc	uguaaauggc	uacuuuauua	aaacuaaua	cacuaggauu	3540
guugaugagu	ggucuuuac	uggcucguc	uucuaugcac	cugagcccau	uaccuccuu	3600
aaucuaagu	auguugcacc	acaggugaca	uaccaaaca	uuucuaucua	ccuccuccu	3660
ccucuuucg	gcaauuccac	cgggauugac	uuccaagaug	aguuggauga	guuuuucaaa	3720
aauguuagca	ccaguauacc	uaauuuuggu	ucccuaacac	agauuaauac	uacauuacuc	3780
gaucuuaccu	acgagauguu	gucucuucua	caaguuguua	aagcccuua	ugagucuuc	3840
auagaccua	aagagcuugg	cauuuauacu	uauuacaaca	aauggccgug	guacauuugg	3900
cuugguuuca	uugcugggcu	uguugccua	gcucuauugc	ucuuucuuca	acugugcugc	3960
acugguugug	gcacaaacug	uaugggaaaa	cuuaagugua	aucguuguug	ugauagauac	4020
gaggaauacg	accucgagcc	gcuaaagguu	cauguucacu	aa		4062

<210> SEQ ID NO 67

<211> LENGTH: 1845

<212> TYPE: RNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 67

augauccacu	ccguguuccu	ccucauguuc	cuguugaccc	ccacugaguc	agacugcaag	60
cucccgucgg	gacaguccu	gugugcgug	ccugacacuc	cuagcacucu	gacccacgc	120
uccgucggg	cggugccug	cgaaauugg	cuggccucca	ucgccuuca	ucacccauc	180
caaguggauc	agcugaauag	cucguuuuc	aagcugucca	uccccacgaa	cuucucguuc	240
gggucaccc	aggaguacau	ccagaccaca	auucagaagg	ucaccgucga	uugcaagcaa	300
uacgugugca	acggcuucca	gaagugcgag	cagcugcuga	gagaauacgg	gcaguuuugc	360
agcaagauca	accaggcgcu	gcauggagcu	aacuugcgcc	aggacgacuc	cgugcgcaac	420
cucuuugccu	cugugaaguc	aucccagucc	uccccaauca	ucccggaau	cggaggggac	480
uucaaccuga	cccuccugga	gcccugugcg	aucagcaccg	guagcagauc	ggcgcgcuca	540

-continued

```

gccaugaag aucuucuguu cgacaagguc accaucgccg auccgggcuca caugcagga 600
uacgacgacu guaugcagca gggaccagcc uccgcgaggg accucaucug cgcgcaauac 660
guggccgggu acaaagugcu gccuccucug auggauguga acauggaggc cgcuuauacu 720
ucgucccugc ucggcucuauc cgcggcgug ggguggaccg cgggccuguc cuccuucgcc 780
gcuaucccuu uugcacaauc cauuuucuauc cggcucaacg gcgugggcau uacucaaaaa 840
guccugucgg agaaccagaa guugaucgca aacaaguuca aucaggcccu gggggccaug 900
cagacuggau ucacuacgac uaacgaagcg uuccagaagg uccaggacgc ugugaacaac 960
aacgcccagg cgcucuaaaa gcuggccucc gaacucagca acaccuucgg agccaucagc 1020
gcaucgaucg gugacuaau ucagcggcug gacgugcugg agcaggacgc ccagaucgac 1080
cgccucauca acggacggcu gaccaccuug aaugccuucg uggcacaaca gcugguccgg 1140
agcgaucag cggcacuuuc cgccaacuc gccaggaca aagucaacga augcgugaag 1200
gccagucca agagguccgg uuucugcggu caaggaacc auauuguguc cuucgucgug 1260
aacgcgcca acggucugua cuuuauagc gucggcuacu acccgagca ucauaucgaa 1320
gugguguccg ccuacggccu gugcgaugcc gcuaaccca cuaacugua ugccccugug 1380
aacggauuu uuauaagac caacaacacc cgcauugugg acgaauuguc auacaccggu 1440
ucguccuuc acgcgcccga gcccaucacu ucacugaaca ccaauacgu ggcuccgaa 1500
gugaccuacc agaacauc caccauuug cgcggccgc ugcucgaaa cagcaccgga 1560
auugauuucc aagaugaacu ggacgaauuc uucaagaacg uguccacuuc cauuccaac 1620
uucggaagcc ugacacagau caacaccacc cuucucgacc ugaccuacga gaugcugagc 1680
cuucaacaag uggucaaggc ccugaacgag agcuacaucg accugaagga gcugggcaac 1740
uauaccuacu acaacaagug gccggacaag auugaggaga uucugucgaa aaucuccac 1800
auugaaaacg agaucgccag aaucaagaag cuuauccgag aagcc 1845

```

<210> SEQ ID NO 68

<211> LENGTH: 4071

<212> TYPE: RNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 68

```

auggaaacc cugcccagcu gcuguuccug cugcugcugu ggcugccuga uaccaccggc 60
agcuauuggg acgugggcc cgauagcgug aaguccgccu guaucgaagu ggacaucag 120
cagaccuuuu ucgacaagac cuggcccaga cccaucgacg uguccaaggc cgacggcauc 180
aucuauccac aaggccggac cuacagcaac aucaccaua ccuaccaggg ccuguuccca 240
uaucaaggcg accacggcga uauguacgug uacucugccg gccacgccac cggcaccaca 300
ccccagaac uguucguggc caacuacagc caggacguga agcaguucgc caacggcuuc 360
gucgucggga uuggcgccgc ugccaauagc accggcacag ugaucacag cccagcacc 420
agcggacca uccggaagau cuaccccgcc uucaugcugg gcagcuccgu gggcauuuc 480
agcgacggca agaugggccc guucuuaac cacaccugug ugcugcugcc cgauggcugu 540
ggcacacugc ugagagccuu cuacugcauc cuggaaccca gaagcggcaa ccacugcccu 600
gccggcaaua gcuacaccag cuucgccacc uaccacacac cgcgcccca uugcuccgac 660

```

-continued

ggcaacuaca	accggaacgc	cagccugaac	agcuucaaag	aguacuuaa	ccugcggaac	720
ugcaccuua	uguacaccua	caauaucacc	gaggacgaga	uccuggaau	guucggcauc	780
accagaccg	cccagggcgu	gcaccuguuc	agcagcagau	acguggaccu	guacggcggc	840
aaauguucc	aguugccac	ccugcccug	uacgacacca	ucaaguacua	cagcaucauc	900
ccccacagca	uccgguccau	ccagagcgac	agaaaagccu	gggccgccu	cuacguguac	960
aagcugcagc	cccugaccuu	ccugcuggac	uucagcggg	acggcuacau	cagacgggccc	1020
aucgacugcg	gcuucaacga	ccugagccag	cugcacugcu	ccuacgagag	cuucgacgug	1080
gaaagcggcg	uguacagcgu	guccagcuuc	gaggccaagc	cuagcggcag	cgugguggaa	1140
caggcugagg	gcguggaau	cgacuucagc	ccucugcuga	gcgccacccc	uccccaggug	1200
uacaacuua	agcggcuggu	guucaccaac	ugcauuaca	accugaccaa	gcugcugagc	1260
cuguucuccg	ugaacgacuu	caccuguagc	cagaucagcc	cugccgccau	ugccagcaac	1320
ugcuacagca	gccugauccu	ggacuacuuc	agcuaccccc	ugagcaugaa	guccgaucug	1380
agcuguccu	ccgccggacc	caucagccag	uucaacuaca	agcagagcuu	cagcaaccuu	1440
accugccuga	uucuggccac	cgugccccac	aucugacca	ccaucaccaa	gccccugaag	1500
uacagcuaca	ucaacaagug	cagcagacug	cuguccgagc	accggaccga	agugccccag	1560
cucgugaacg	ccaaccagua	cagccccugc	guguccaucg	ugcccagcac	cgugugggag	1620
gacggcgacu	acuacagaaa	gcagcugagc	ccccuggaag	gcgccggaug	gcugguggcu	1680
ucuggaagca	caguggccau	gaccgagcag	cugcagaugg	gcuuuggcau	caccgugcag	1740
uacggcaccg	acaccaacag	cgugugcccc	aagcuggaau	ucgccaauga	caccaagauc	1800
gccagccagc	ugggaaacug	cguggaauac	ucccuguaug	gcguguccgg	acggggcgug	1860
uuccagaauu	gcacagcagu	gggagugcgg	cagcagagau	ucguguacga	ugccuaccag	1920
aaccucgugg	gcuacuacag	cgacgacggc	aauuacuacu	gccugcgggc	cugugugucc	1980
gugcccugug	ccgugaucua	cgacaaagag	aaaagacccc	acgccacacu	guucggcucc	2040
guggccugcg	agcacaucag	cuccaccaug	agccaguacu	cccgcuccac	ccgguccaug	2100
cugaagcggg	gagauagcac	cuacggcccc	cugcagacac	cuguggggaug	ugugcugggc	2160
cucgugaaca	gcucccuguu	uguggaagau	ugcaagcugc	cccugggcca	gagccugugu	2220
gcccugccag	auacccuag	caccugacc	ccuagaagcg	ugcgcucugu	gcccggcgaa	2280
augcggcugg	ccucuauagc	cuucaaucac	cccauccagg	uggaccagcu	gaacuccagc	2340
uacuuaagc	ugagcauccc	caccaacuuc	agcuucggcg	ugaccagga	guacauccag	2400
accacaauc	agaaagugac	cguggacugc	aagcaguacg	ugugcaacgg	cuuucagaag	2460
ugcgaacagc	ugcugcgca	guacggccag	uucugcagca	agaucacca	ggcccugcac	2520
ggcggcaacc	ugagacagga	ugacagcgug	cggaaccugu	ucgccagcgu	gaaaagcagc	2580
caguccagcc	ccaucauccc	uggcuucggc	ggcgacuuua	accugacccu	gcuggaaccu	2640
guguccauca	gcaccggcuc	cagaagcgcc	agaucggcca	ucgaggaccu	gcuguucgac	2700
aaagugacca	uugccgacc	cggcuacaug	cagggcuacg	acgauugcau	gcagcagggc	2760
ccagccagcg	ccagggaucu	gaucugugcc	caguaugugg	ccggcuaca	ggugcugccc	2820
ccccugaugg	acgugaacau	ggaagccgcc	uacaccucca	gccugcuggg	cucuauugcu	2880
ggcgugggau	ggacagccgg	ccugucuagc	uuugccgcca	ucccuucgc	ccagagcauc	2940

-continued

```

uucuaccggc ugaacggcgu gggcaucaca caacaggugc ugagcgagaa ccagaagcug 3000
aucgccaaca aguuuaacca ggcacugggc gccaugcaga cggcuucac caccaccaac 3060
gaggccuuca gaaaggugca ggacgccgug aacaacaacg cccaggcucu gagcaagcug 3120
gccuccgagc ugagcaauac cuucggcgcc aucagcgccu ccaucggcga caucauccag 3180
cggcuggacg ugcuggaaca ggacgccag aucgaccggc ugaucaacgg cagacugacc 3240
accugaacg ccuucguggc acagcagcuc gugcggagcg aaucugccgc ucugucugcu 3300
cagcuggcca aggacaaagu gaacgagugc gugaaggccc aguccaagcg gagcggcuuu 3360
uguggccagg gcaccacau cguguccuuc gucgugaug ccccaacgg ccuguacuuu 3420
augcacgugg gcuauuacc cagcaaccac aucgaggugg uguccgcuu uggccugugc 3480
gacgccgcca auccuaccaa cuguauccg cccgugaacg gcuacuucan caagaccaac 3540
aacaccggga ucguggacga gugguccuac acaggcagca gcuucuacgc ccccgagccc 3600
aucaccuccc ugaacaccaa auacguggcc cccaaguga cauaccagaa cauccacc 3660
aaccugcccc cuccacugcu gggaaaucc accggcaucg acuuccagga cgagcuggac 3720
gaguucuuca agaacguguc caccuccauc cccaacuucg gcagccugac ccagaucaac 3780
accacucugc uggaccugac cuacgagau gucuccugc aacaggucgu gaaagcccug 3840
aacgagagcu acaucgaccu gaaagagcug ggaacuaca ccuacuaca caaguggccu 3900
ugguacauuu ggcugggcuu uaucgccggc cugguggccc uggcccugug cguguucuuc 3960
auccugugcu gcaccggcug cggcaccaau ugcaugggca agcugaaaug caaccggugc 4020
ugcgacagau acgaggaaua cgaccuggaa ccucacaaag ugcaugugca c 4071

```

<210> SEQ ID NO 69

<211> LENGTH: 1864

<212> TYPE: RNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 69

```

ucaagcuuuu ggaccucgu acagaagcua auacgacuca cuauaggga auaagagaga 60
aaagaagagu aagaagaaau auaagagcca ccaugggucu caaggugaac gucucugccg 120
uauucauggc aguacugua acucuccaaa caccgcccgg ucaaaucan uggggcauc 180
ucucuaagau agggguagua ggaauaggaa gugcaagcua caaaguuaug acucguucca 240
gccaucaauc auuagucua aaauuaugc ccaauuaac ucuccucau aacugcacga 300
ggguagagau ugcagaauac aggagacuac uaagaacagu uuuggaacca auuaggaug 360
cacuuaaugc aaugaccag aacauaaggc cgguucagag cguagcuuca aguaggagac 420
acaagagauu ugcgggagua guccuggcag gugcggcccu agguguugcc acagcugcuc 480
agauaacagc cggcauugca cuucaccggu ccaugcugaa cucucaggcc aucgacauc 540
ugagagcgag ccuggaaacu acuaaucagg caauugaggc aaucagaca gcagggcagg 600
agaugauuu ggcugucag gguguccaag acuacauca uaaugagcug auaccgucua 660
ugaaccagcu aucuugugau cuaaucgguc agaagcucgg gcucuuuug cuuagauacu 720
auacagaaau ccugucuuu uuuggcccca gccuacggga ccccauauu gcggagauau 780
cuauccaggc uuugaguuu gcacuuggag gagauauca uaaugguuu gaaaagcucg 840

```

-continued

```

gauacagugg aggcgauua cuaggcaucu uagagagcag aggaauaaag gcucggauaa 900
cucacgucga cacagagucc uacuucouag uccucaguau agccuauccg acgcuguccg 960
agauuaaggg ggugauuguc caccggcuag agggggucuc guacaacaua ggcucucaag 1020
agugguauac cacugugccc aaguauguug caaccaagg guaccuuauc ucgaauuuug 1080
augagucauc auguacuuuc augccagagg ggacugugug cagccaaaau gccuuguacc 1140
cgaugagucc ucugcuccaa gaaugccucc ggggguccac caaguccugu gcucguacac 1200
ucguauccgg gucuuuuggg aaccgguuca uuuuaucaaa agggaaccua auagccaauu 1260
gugcaucaau ucuuuguaag uguuacacaa cagguacgau uauuaaucaa gaccucgaca 1320
agauccuac auacauugcu gccgaucgcu gcccgguagu cgaggugaac ggcgugacca 1380
uccaagucgg gagcaggagg uauccagacg cuguguacuu gcacagaauu gaccucgguc 1440
cucccauauc auuggagagg uuggacguag ggacaaucu ggggaaugca auugccaaau 1500
uggaggaugc caaggaauug uuggaaucau cggaccagau auugagaagu augaaagguu 1560
uaucgagcac uagcauaguc uacauccuga uugcagugug ucuuggaggg uugauagggg 1620
ucuccacuuu aauauguugc ugcagggggc guuguaacaa aaagggagaa caaguuggua 1680
ugucaagacc aggccuaaag ccugaccuaa caggaacauc aaaauccuau guaagaucgc 1740
uuugaugaua auaggcugga gccucggugg ccaagcuucu ugccccuugg gccuccccc 1800
agccccuccu ccccuuccug caccguacc cccguggucu uugaauaaag ucugaguggg 1860
cggc 1864

```

<210> SEQ ID NO 70

<211> LENGTH: 1653

<212> TYPE: RNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 70

```

augggucuca aggugaacgu cucugccgua uucauggcag uacuguaac ucuccaaaca 60
cccgccgguc aaaucauug gggcaaucuc ucuagauag gggguaguagg aauaggaagu 120
gcaagcuaca aaguuaugac ucuuuccagc caucauauu uagucuuuu auuaaugccc 180
aaauuaacuc uccucaauaa cugcacgagg guagagauug cagaauacag gagacuacua 240
agaacaguuu uggaaccaau uagggaugca cuuaaugcaa ugaccagaa cauaaggccg 300
guucagagcg uagcuucaag uaggagacac aagagauuug cgggaguagu ccuggcaggu 360
gcgccccuag guguugccac agcugcucag auaacagccg gcauugcacu ucaccggucc 420
augcugaacu cucaggccau cgacaaucug agagcgagcc uggaacuac uauucaggca 480
auugaggcaa ucagacaagc agggcaggag augauauug cuguucaggg uguccaagac 540
uacaucaaua augagcugau accgucuaug aaccagcuau cuugugaucu aaucggucag 600
aagcucgggc ucaauuugcu uagauacuau acagaaaucc ugucauuuu uggccccagc 660
cuacgggacc ccuauucugc ggagauaucu auccaggcuu ugaguuaugc acuuggagga 720
gauaucaaua agguuuuaga aaagcucgga uacaguggag gcgauuuacu aggcaucua 780
gagagcagag gaauaaaggc ucggauaacu cacgucgaca cagaguccua cuucauaguc 840
cucaguauag ccuauccgac gcuguccgag auuaaggggg uguauugucca ccggcuagag 900

```

-continued

```

ggggucucgu acaacauagg cucucaagag ugguaauacca cugugcccaa guauguugca 960
accaaggggu accuuaucuc gaauuuugau gagucaucau guacuuucau gccagagggg 1020
acugugugca gccaaaugc cuuguacccg augaguccuc ugcuccaaga augccuccgg 1080
ggguccacca aguccugugc ucguacacuc guaucggggu cuuuugggaa ccgguucauu 1140
uuaucacaag ggaaccuaau agccaauugu gcaucaauuc uuuguaagug uuacacaaca 1200
gguacgauua uuaaucaaga ccugacaag auccuaacau acauugcugc cgauccgucg 1260
ccgguagucg aggugaacgg cgugaccauc caagucggga gcaggaggua uccagacgcu 1320
guguacuugc acagaauuga ccucgguccu cccauaucau uggagagguu ggacguaggg 1380
acaaucuggg ggaaugcaau ugccaaauug gaggaugcca aggaauuguu ggaucaucg 1440
gaccagauau ugagaaguau gaaagguuuu ucgagcacia gcuaugucua cauccugauu 1500
gcaguguguc uggaggggu gauagggaucc cccacuuuaa uauguugcug cagggggcg 1560
uguaacaaaa agggagaaca aguugguauug ucaagaccag gccuaagcc ugaccuaca 1620
ggaacaucaa aauccuaugu aagaucgcuu uga 1653

```

```

<210> SEQ ID NO 71
<211> LENGTH: 1925
<212> TYPE: RNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Polynucleotide

```

```

<400> SEQUENCE: 71

```

```

ggggaaauaa gagagaaaag aagaguaaga agaaauuaa gagccaccu gggucucaag 60
gugaacgucu cugccguauu cauggcagua cuguuaacuc uccaacacc cgccggucua 120
auucauuggg gcaaucucuc uaagauaggg guaguaggaa uaggaagugc aagcuacaaa 180
guuaugacuc guuccagcca ucaaucauuu gucauaaaau uaaugcccaa uauaacucuc 240
cucaauaacu gcacgagggu agagauugca gaauacagga gacuacuaag aacaguuuug 300
gaaccaauua gggaugcacu uaaugcaaug acccagaaca uaaggccggu ucagagcgua 360
gcuucaagua ggagacacaa gagauuugcg ggaguagucc uggcaggugc ggcccuaggu 420
guugccacag cugcucagau aacagccggc auugcacuuc accgguccau gcugaacucu 480
caggccaucg acaaucugag agcgagccug gaaacuacia aucaggcaau ugaggcaauc 540
agacaagcag ggcaggagau gauauuggcu guucagggug uccaagacia caucauaau 600
gagcugauac cgucuaugaa ccagcuacu uugaucuaa ucggucagaa gcucggggcuc 660
aaaugcuua gauacuauac agaaauccug ucauuuuuug gcccagccu acgggacccc 720
auaucugcgg agauaucuau ccaggcuuug aguuaugcac uggaggaga uaucauaag 780
guguuagaaa agcucggaua caguggaggc gauuuacuag gcaucuuga gagcagagga 840
auaaaggcuc ggauaacuca cgucgacaca gaguccuacu ucauaguccu caguauagcc 900
uauccgacgc uguccgagau uaagggggug auuguccacc ggcuaagagg ggucucguac 960
aacauaggcu cucaagagug guauaccacu gugcccaagu auguugcaac ccaaggguac 1020
cuuauucga auuuugauga gucaucaugu acuuucaugc cagaggggac ugugugcagc 1080
caaaaugccu uguaccggaug gaguccucug cuccaagaau gccuccgggg guccaccaag 1140
uccugugcuc guacacucgu auccgggucu uuugggaacc gguucauuuu aucacaaggg 1200

```

-continued

aaccuaauag	ccaauugugc	aucaauucuu	uguaaguguu	acacaacagg	uacgauuauu	1260
aaucaagacc	cugacaagau	ccuaacauac	auugcugccg	aucgcugccc	gguagucgag	1320
gugaacggcg	ugaccaucca	agucgggagc	aggagguauc	cagacgcugu	guacuugcac	1380
agaauugacc	ucgguccucc	cauaucauug	gagagguugg	acguagggac	aaaucugggg	1440
aaugcaauug	ccaaauugga	ggaugccaag	gaauguugg	aaucaucgga	ccagauauug	1500
agaaguauga	aagguuuuac	gagcacuagc	auagucuaca	uccugauugc	agugugucuu	1560
ggagggguuga	uagggauccc	cacuuuaaua	uguugcugca	gggggcuug	uaacaaaaag	1620
ggagaacaag	uugguauugc	aagaccaggc	cuaaagccug	accuuacagg	aacaucaaaa	1680
uccuauguaa	gaucgcuuug	augauauuag	gcuggagccu	cgguggccaa	gcuucugcc	1740
ccuugggccu	ccccccagcc	ccuccucucc	uuccugcacc	cguacccccg	uggucuuuga	1800
auaaagucug	agugggcggc	aaaaaaaaa	aaaaaaaaa	aaaaaaaaa	aaaaaaaaa	1860
aaaaaaaaa	aaaaaaaaa	aaaaaaaaa	aaaaaaaaa	aaaaaaaaa	aaaaaaaaa	1920
ucuag						1925

<210> SEQ ID NO 72

<211> LENGTH: 1864

<212> TYPE: RNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 72

ucaagcuuuu	ggaccucgu	acagaagcua	auacgacuca	cuauagggaa	auaagagaga	60
aaagaagagu	aagaagaaau	auaagagcca	ccaugggucu	caaggugaac	gucucuguca	120
uauucauggc	aguacuguaa	acucucaaaa	caccacccgg	ucaaauccau	uggggcaauc	180
ucucuaagau	agggguggua	gggguaggaa	gugcaagcua	caaaguuaug	acucguucca	240
gccaucaauc	auuagucuaa	aaguuaaugc	ccaauauaac	ucuccucaac	aaaugcacga	300
ggguagggau	ugcagaauac	aggagacuac	ugagaacagu	ucuggaacca	auuagagaug	360
cacuuuaugc	augaccag	aaauaaagac	cgguucagag	uguagcuuca	aguaggagac	420
acaagagauu	ugcgggaguu	guccuggcag	gugcggcccu	aggcguugcc	acagcugcuc	480
aaauaacagc	cgguaauugca	cuucaccagu	ccaugcugaa	cucucaagcc	aucgacaauc	540
ugagagcgag	ccuagaaacu	acuaaucagg	caauugaggc	aaucagacaa	gcagggcagg	600
agaugauuu	ggcuguucag	gguguccaag	acuacaucaa	uaaugagcug	auaccgucua	660
ugaaucaacu	aucuugugau	uuauucggcc	agaagcuagg	gcucaauug	cucagauacu	720
auacagaaau	ccugucuuu	uuuggcccca	gcuuacggga	ccccauaucu	gcgagauuu	780
cuauccaggc	uuugagcuau	gcgcuuggag	gagauaucaa	uaagguguug	gaaaagcucg	840
gauacagugg	aggugaucua	cugggcaucu	uagagagcag	aggauuaaag	gcccggauaa	900
cucacgucga	cacagagucc	uacuucuuug	uacucaguau	agccuauccg	acgcuauccg	960
agauuaaggg	ggugauugc	caccggcuag	agggggucuc	guacaacaua	ggcucucaag	1020
agugguauac	cacugugccc	aaguauguug	caaccaagg	guaccuuuuc	ucgaauuuug	1080
augagucauc	augcacuuuc	augccagagg	ggacugugug	cagccagaau	gccuuguacc	1140
cgaugagucc	ucugucucca	gaaugccucc	ggggguccac	uaaguccugu	gcucguacac	1200

-continued

ucguaucggg gucuuucggg aaccgguuca uuuuaucaaca ggggaaccua auagccaauu	1260
gugcaucaau ccuuugcaag uguuacacaa caggaacaau cauuaucaaa gaccucugaca	1320
agauccuaac auacauugcu gccgaucacu gcccgugguu cgaggugaau ggcgugacca	1380
uccaagucgg gagcaggagg uauccggacg cuguguacuu gcacaggauu gaccucgguc	1440
cucccauauc uuuggagagg uuggacguag ggacaaaucu ggggaaugca auugcuaagu	1500
uggaggaugc caaggaauug uuggagucuu cggaccagau auugaggagu augaaagguu	1560
uaucgagcac uaguauagu uacauccuga uugcagugug ucuuggagga uugauagga	1620
uccccgcuuu aauauguugc ugcagggggc guuguacaaa gaagggagaa caaguuggua	1680
ugucaagacc aggccuaaag ccugaucuaa caggaacauc aaaauccuau guaaggucac	1740
ucugaugaua auaggcugga gccucggugg ccaagcuucu ugccccuugg gccuccccc	1800
agccccuccu ccccuuccug caccgcuacc cccguggucu uugaauaaag ucugaguggg	1860
cggc	1864

<210> SEQ ID NO 73

<211> LENGTH: 1653

<212> TYPE: RNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 73

augggucuca aggugaacgu cucugucaua uucauggcag uacuguaaac ucuucaaca	60
cccaccgguc aaauccaauug gggcaaucuc ucuagaauag gggugguagg gguaggaagu	120
gcaagcuaca aaguuaugac ucuuuccagc caucaucau uagucuaaaa guuaaugccc	180
aaauaaacuc uccucaacaa uugcagcagg guagggauug cagaauacag gagacuacug	240
agaacaguuc uggaaccaau uagagaugca cuuaaugcaa ugaccagaa uauaagaccg	300
guucagagug uagcuucaag uaggagacac aagagauuug cgggaguugu ccuggcaggu	360
gcgcccuag gcguugccac agcugcucaa auaacagccg guauugcacu ucaccagucc	420
augcugaacu cucaagccau cgacaauaug agagcgagcc uagaaacuac uaucaggca	480
auugaggcaa ucagacaagc agggcaggag augauauugg cuguucaggg uguccaagac	540
uacaucaua augagcugau accgucuaug aaucacuau cuugugauuu aaucggccag	600
aagcuagggc ucaaaauugcu cagauacuau acagaaauc ugucuuuuu uggccccagc	660
uuacgggacc ccuauucugc ggagauaucu auccaggcuu ugagcuauug cguuggagga	720
gauaucaua agguuugga aaagcucgga uacaguggag gugaucuacu gggcaucuua	780
gagagcagag gaauaaaggc ccggauaacu cacgucgaca cagaguccua cuucauugua	840
cucaguauag ccuauccgac gcuauccgag auuaaggggg ugauugucca ccggcuagag	900
gggucucgu acaacauagg cucucaagag ugguaaucca cugugccca guauguugca	960
accaagggg accuuaucuc gaauuuugau gagucaucau gcacuuucau gccagagggg	1020
acugugugca gccagaugc cuuguacccg augaguccuc ugcuccaaga augccuccg	1080
ggguccacua aguccugugc ucuacacuc guauccgggu cuuucgggaa ccggucuuu	1140
uuaucaagc ggaaccuaau agccaauugu gcaucaaucc uuugcaagug uuacacaaca	1200
ggaacaauca uuaaucaaga ccugacaag auccuacau acauugcugc cgaucacugc	1260

-continued

```

ccgguggucg aggugaaugg cgugaccauc caagucggga gcaggaggua uccggacgcu 1320
guguacuugc acaggauuga ccucgguccu cccauaucuu uggagagguu ggacguaggg 1380
acaaaucugg ggaaugcaau ugcuaaguug gaggaugcca aggaauuguu ggagucaucg 1440
gaccagauau ugaggaguau gaaagguuuu ucgagcacua guauaguuuu cauccugauu 1500
gcaguguguc uuggaggauu gauagggauc cccgcuuuua uauguugcug cagggggcgu 1560
uguaacaaga agggagaaca aguugguauug ucaagaccag gccuaagcc ugaucuuaca 1620
ggaacaucaa aauccuangu aaggucacuc uga 1653

```

<210> SEQ ID NO 74

<211> LENGTH: 1925

<212> TYPE: RNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 74

```

ggggaaauaa gagagaaaag aagaguaaga agaaauauaa gagccaccu gggucucaag 60
gugaacgucu cugucauuu cauggcagua cuguuaacuc uucaaacc caccggucua 120
auccauuggg gcaaucucuc uaagauaggg gugguagggg uaggaaguc aagcuacaaa 180
guuaugacuc guuccagcca ucaaucauu gucauaaagu uaaugccca uuaaacucuc 240
cucaacaauu gcacgagggu agggauugca gaauacagga gacuacugag aacaguucug 300
gaaccaauua gagaugcacu uaaugcaaug acccagaaua uaagaccggu ucagagugua 360
gcuucaagua ggagacacaa gagauuugcg ggaguugucc uggcagguc ggcccuaggg 420
guugccacag cugcucuuu aacagccggu auugcacuuc accaguccu gcugaacucu 480
caagccaucg acaaucugag agcgagccua gaaacuacua aucaggcau ugaggcauc 540
agacaagcag ggcaggagau gauauuggcu guucagggug uccaagacua caucauuuu 600
gagcugauac cgucuaugaa ucaacuaucu ugugauuuua ucggccagaa gcuagggcuc 660
aaaugcuca gauacuauac agaaauccug ucauuuuug gcccagcuu acgggacccc 720
auaucugcgg agauaucuau ccaggcuuug agcuauugcg uuggaggaga uaucauuag 780
guguuggaaa agcucggaua caguggaggu gaudiacug gcaucuuaga gagcagagga 840
auaaaggccc ggauaacuca cgucgacaca gaguccuacu ucauuguacu caguauagcc 900
uauccgacgc uauccgagau uaagggggug auuguccacc ggcuaagagg gguucguac 960
aacauaggcu cucaagagug guauaccacu gugcccaagu auguugcaac ccaaggguac 1020
cuuauucgga auuuugauga gucaucaugc acuuucaugc cagaggggac ugugugcagc 1080
cagaaugccu uguaccggu gaguccucug cuccaagaau gccuccggg guccacuaag 1140
uccugugcuc guacacucgu auccgggucu uucgggaacc gguucauuuu aucacagggg 1200
aaccuaauag ccaauugugc aucaauccuu ugcaaguguu acacaacagg aacaaucau 1260
aaucaagacc cugacaagau ccuaacauac auugcugccg aucacugccc gguggucgag 1320
gugaauaggc ugaccauca agucgggagc aggagguauc cggacgcugu guacuugcac 1380
aggauugacc uccguccucc cauauuuug gagagguugg acguagggac aaucugggg 1440
aaugcaauug cuaaguugga ggaugccaag gaauuguugg agucaucgga ccagauuuug 1500
aggaguauga aagguuuuac gagcacuagu auaguuuaca uccugauugc agugugucuu 1560

```


-continued

```

ggaggauuga uagggauccc cgcuuaaaua uguugcugca gggggcgug uacaagaag 1620
ggagaacaag uugguauguc aagaccaggc cuaaagccug aucuuacagg aacaucaaaa 1680
uccuauguaa ggucacucug augauaaauag gcuggagccu cgguggccaa gcuucuuugcc 1740
ccuugggccu cccccagcc ccuccucucc uuccugcacc cguacccccg uggucuuuga 1800
auaaaugucug agugggcggc aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1860
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 1920
ucuag 1925

```

<210> SEQ ID NO 75

<211> LENGTH: 2065

<212> TYPE: RNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 75

```

ucaagcuuuu ggaccucgu acagaagcua auacgacuca cuauaggga auaagagaga 60
aaagaagagu aagaagaaau auaagagcca ccaugucacc gcaacgagac cggauaaaug 120
ccuucuacaa agauaacccu uaucccaagg gaaguaggau aguuauaac agagaacauc 180
uuauugauuga cagaccuau guucugcugg cuguucuguu cgucauguuu cugagcuuga 240
ucggauugcu ggcaauugca ggcauuagac uucaucgggc agccaucuc accgcggaga 300
uccauaaaag ccucaguacc aaucuggaug ugacuaacuc caucgagcau caggucaagg 360
acgugcugac accacucuuu aaaaucucg gggaugaagu gggccugaga acaccucaga 420
gauucacuga ccuagugaaa uucaucucgg acaagauuaa auuccuuaa cggauaggg 480
aguacgacuu cagagaucuc acuuggugca ucaacccgcc agagaggauc aaacuagauu 540
augaucaaua cugugcagau guggcugcug aagagcucou gaaugcauug gugaacucua 600
cucuacugga gaccagaaca accacucagu uccuagcugu cucaaagga aacugcucag 660
ggcccacuc aaucagaggu caauucuaa acaugucgcu guccuuguug gacuuguacu 720
uaggucgagg uuacaauug ucaucuaauag ucacuaugac auccaggga auguauaggg 780
gaaccuaccu aguugaaaag ccuaaucuga acagcaaagg gucagaguug ucacaacuga 840
gcauguaccg aguguuugaa guagguguga ucagaaacc ggguuugggg gcuccggugu 900
uccauaugac aaacuauuuu gagcaaccag ucaguaaugg ucucggcaac uguauaggug 960
cuuuggggga gcucuaacuc gcagccuuu gucacgggga cgauucuauc auaaucccu 1020
aucagggauc agggaaaggu gucagcuucc agcucgucaa gcuggguguc uggaaaucc 1080
caaccgacau gcaaucugg gucccuuau caacggauga uccaguggua gacaggcuuu 1140
accucucuc ucacagaggu gucaucguc acaaucaagc aaaauaggcu gucccgaca 1200
cacgaacaga ugacaaguug cgaauaggaga caugcuucca gcaggcgugu aaagguaaaa 1260
uccaagcacu cugcgagaau cccgaguggg uaccuugaa ggauaacagg auccuucuu 1320
acgggguccu gucuguugau cugagucuga cgguugagcu uaaaaucua auugcuucgg 1380
gauucgggcc auugaucaca cacggcucag ggauggaccu auacaauc aacugcaaca 1440
auguguauug gcugacuauu ccgccaauga gaaucuaagc cuuaggcgua aucaacacau 1500
uggaguggau accgagauuc aagguuaguc ccaaccucu cacugucca auuaaggaag 1560

```

-continued

caggcgaaga	cugccaugcc	ccaacauacc	uaccugcgga	gguggacggu	gaugucaaac	1620
ucaguuccaa	ccuggugauu	cuaccugguc	aagaucucca	auauguuuug	gcaaccuacg	1680
auaccuccag	ggugagcau	gcugugguuu	auuacguuaa	cagcccaagc	cgcucauuuu	1740
cuuacuuuuu	uccuuuuagg	uugccuauaa	aggggguccc	aaucgaacua	caaguggaau	1800
gcuucacaug	ggaucaaaaa	cucuggugcc	gucacuucug	ugugcuugcg	gacucagaau	1860
ccgguggacu	uaucacucac	ucugggaugg	ugggcauggg	agucagcugc	acagcuaccc	1920
gggaagaugg	aaccaaucgc	agauaaugau	aaugggcugg	agccucggug	gccaagcuuc	1980
uugcccuug	ggccucuccc	cagcccccucc	uccccuuccu	gcaccgguac	ccccgugguc	2040
uuugaauaaa	gucugagugg	gcggc				2065

<210> SEQ ID NO 76

<211> LENGTH: 1854

<212> TYPE: RNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 76

augucaccgc	aacgagaccg	gauaaaugcc	uucuacaaag	auaacccuaa	ucccaagggg	60
aguaggauag	uuauaacag	agaacaucuu	augauugaca	gaccuauugu	ucugcuggcu	120
guucuguucg	ucauguuucu	gagcuugauc	ggauugcugg	caauugcagg	cauuagacuu	180
caucgggcag	ccaucucac	cgcgagauc	cauaaaagcc	ucaguaccaa	ucuggaugug	240
acuaacucca	ucgagcauca	ggucaaggac	gugcugacac	cacucuuuaa	aaucaucggg	300
gaugaagugg	gccugagaac	accucagaga	uucacugacc	uagugaaauu	caucucggac	360
aagauaaaau	uccuuaucc	ggauagggag	uacgacuuca	gagaucucac	uuggugcauc	420
aaccgccag	agaggaucaa	acuagauuau	gaucaauacu	gugcagaugu	ggcugcugaa	480
gagcucauga	augcauuggu	gaacucaacu	cuacuggaga	ccagaacaac	cacucaguuc	540
cuagcugucu	caaagggaaa	cugcucaggg	cccacuacaa	ucagagguca	auucucaaac	600
augucgcugu	ccuuguugga	cuuguacuua	ggucgagguu	acaauguguc	aucuauaguc	660
acuaugacau	cccagggauu	guauggggga	accuaccuag	uugaaaagcc	uaaucugaac	720
agcaaagggg	cagaguuguc	acaacugagc	auguaccgag	uguuugaagu	aggugugauc	780
agaaaccggg	guuugggggc	uccgguguuc	cauaugacaa	acuauuuuga	gcaaccaguc	840
aguaaugguc	ucggcaacug	uaugguggcu	uugggggagc	uccaacucgc	agccuuugu	900
cacggggacg	auucuaucuu	aaucuccuau	cagggaucag	ggaaaggugu	cagcuuccag	960
cucgucaaagc	ugggugucug	gaaaucucca	accgacaugc	aaucugggu	ccccuuauca	1020
acggauaugc	cagugguaga	caggcuuuac	cucucaucuc	acagaggugu	caucgcugac	1080
aaucagcaa	aaugggcugu	cccgacaaca	cgaacagaug	acaaguugcg	aauggagaca	1140
ugcuuccagc	aggcguguaa	agguaaaauc	caagcacucu	gcgagaaucc	cgagugggua	1200
ccaugaagg	auaacaggau	uccuucuuac	ggguuccugu	cuguugaucu	gagucugacg	1260
guugagcuua	aaaucaaaa	ugcuucggga	uucgggccau	ugaucacaca	cggcucaggg	1320
auggaccuau	acaaauccaa	cugcaacaau	guguauuggc	ugacuauucc	gccaauagaga	1380
aaucuaagccu	uaggcguaau	caacacauug	gaguggauac	cgagauucua	gguuaguccc	1440

-continued

aaccucuca	cugucccaau	uaaggaagca	ggcgaagacu	gccaugcccc	aacauaccua	1500
ccugcggagg	uggacgguga	ugucaaacuc	aguuccaacc	uggugauucu	accuggucaa	1560
gaucuccaau	auguuuuggc	aaccuacgau	accuccaggg	uugagcaugc	ugugguuuau	1620
uacguuuaca	gcccagccg	cucauuuucu	uacuuuuuac	cuuuuagguu	gccuauaaag	1680
ggggucccaa	ucgaacuaca	aguggaaugc	uucacauggg	aucaaaaacu	cuggugccgu	1740
cacuucugug	ugcuugcgg	cucagaaucc	gguggacuua	ucacucacuc	ugggauggug	1800
ggcaugggag	ucagcugcac	agcuaccgg	gaagauggaa	ccaucgcag	auaa	1854

<210> SEQ ID NO 77

<211> LENGTH: 2126

<212> TYPE: RNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 77

ggggaaaua	gagagaaaag	aagaguaaga	agaaauuaa	gagccaccau	gucaccgcaa	60
cgagaccgga	uaaaugccuu	cuacaaagau	aaccuuuau	ccaagggag	uaggauaguu	120
auuaacagag	aacaucuuau	gauugacaga	cccuauguuc	ugcuggcugu	ucuguucguc	180
auguuucuga	gcuugaucgg	auugcuggca	auugcaggca	uuagacuua	ucgggcagcc	240
aucuacaccg	cggagaucca	uaaaagccuc	aguaccaauc	uggaugugac	uaacuccauc	300
gagcaucagg	ucaaggacgu	gcugacacca	cucuuaaaa	ucaucgggga	ugaagugggc	360
cugagaacac	cucagagauu	cacugaccua	gugaaaauca	ucucgggaca	gauuaaaau	420
cuuaaaccgg	auaggagua	cgacuucaga	gaucucacuu	ggugcaucaa	cccgccagag	480
aggaucaaac	uagauuauga	ucaauacugu	gcagaugugg	cugcugaaga	gcucaugaau	540
gcuuugguga	acucaacucu	acuggagacc	agaacaacca	cucaguuccu	agcugucuca	600
aagggaaacu	gcucagggcc	cacuacaau	agaggucaau	ucuaaaacu	gucgcugucc	660
uuguuggacu	uguacuuaag	ucgagguuac	aaugugucau	cuauagucac	uaugacauc	720
cagggaaugu	augggggaac	cuaccuaguu	gaaaagccua	aucugaacag	caaaggguca	780
gaguugucac	aacugagcau	guaccgagug	uuugaaguag	gugugaucag	aaaccgggu	840
uuggggguc	cgguguucca	uaugacaaac	uauuuugagc	aaccagucag	uaauggucuc	900
ggcaacugua	ugguggcuuu	gggggagcuc	aaacucgcag	ccuuuuguca	gggggacgau	960
ucuaucuaa	uucccuauca	gggaucaggg	aaagguguca	gcuuccagcu	cgucaagcug	1020
ggugucugga	aaucaccaac	cgacaugcaa	uccugggucc	ccuuaucac	ggaugaucca	1080
gugguagaca	ggcuuuaccu	cucaucucac	agagguguca	ucgcugaca	ucaagcaaaa	1140
ugggcugucc	cgacaacacg	aacagaugac	aaguugcgaa	uggagacaug	cuuccagcag	1200
gcguguaaag	guaaaaacca	agcacucugc	gagaaucccg	aguggguacc	auugaaggau	1260
aacaggauuc	cuucauacgg	gguccugucu	guugaucuga	gucugacggu	ugagcuuaaa	1320
aucaaaaug	cuucgggaa	cgggccauug	aucacacacg	gcucagggau	ggaccuauac	1380
aaauccaacu	gcaacaaugu	guauuggcug	acuauccgc	caaugagaaa	ucuagccua	1440
ggcguaauca	acacauugga	guggauaccg	agauucaagg	uuagucccaa	ccucuucacu	1500
guccaauua	aggaagcagg	cgaagacugc	caugcccaa	cauaccuacc	ugcggaggug	1560

-continued

```

gacggugaug ucaaacucag uccaaccug gugauucua cuggucaaga ucuccaauau 1620
guuuuggcaa ccuacgauac cuccaggguu gagcaugcug ugguuuauua cguuuacagc 1680
ccaagccgcu cauuuucuaa cuuuuauccu uuuagguugc cuauaaaggg ggucccaauc 1740
gaacuacaag uggaaugcuu cacaugggau caaaaacucu ggugccguca cuucugugug 1800
cuugcggacu cagaauccgg uggacuuauc acucacucug ggaugguggg caugggaguc 1860
agcugcacag cuaccggga agauggaacc aaucgcagau aaugauaaua ggcuggagcc 1920
ucgguggcca agcuucugc cccuugggcc uccccccagc cccuccucc cuuccugcac 1980
ccguaccccc guggucuuug aauaaagucu gagugggagg caaaaaaaaa aaaaaaaaaa 2040
aaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 2100
aaaaaaaaa aaaaaaaaaa aucuag 2126

```

<210> SEQ ID NO 78

<211> LENGTH: 2065

<212> TYPE: RNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 78

```

ucaagcuuuu ggaccucgu acagaagcua auacgacuca cuauaggga auaagagaga 60
aaagaagagu aagaagaaau auaagagcca ccaugucacc acaacgagac cggauaaaug 120
ccuucuaaa agacaacccc cauccuaagg gaaguaggau aguauuaac agagaacauc 180
uuauagauuga uagaccuuau guuuugcugg cuguucuaau cgucauguuu cugagcuuga 240
ucggguugcu agccaugca ggcauuagac ucaucgggc agccaucua accgcagaga 300
uccauaaaag ccucagcacc aaucuggaug uaacuaacuc aaucgagcau cagguaaagg 360
acgugcugac accacucuuc aagaucucg gugaugaagu gggcuugagg acaccucaga 420
gauucacuga ccuagugaag ucaucucug acaagauua auuccuaau cgggacaggg 480
aaucgacuu cagagaucuc acuuggugua ucaacccgcc agagagauc aaauuggauu 540
augaucaaua cugugcagau guggcugcug aagaacucau gaaugcauug gugaacuaa 600
cucuacugga gaccaggga accaaucagu uccuagcugu cucaaaggga aacugcucag 660
ggcccacua aaucagaggc caauucuaa acaugucgcu gucccuguug gacuuguauu 720
uaagucgagg uuacaauug ucaucuaauag ucacuaugac aucccaggga auguacgggg 780
gaacuuaccu aguggaaaag ccuaaucuga gcagcaaagg gucagaguug ucacaacuga 840
gcaugcaccg aguuuuugaa guaggugua ucagaaaacc ggguuugggg gcuccggauu 900
uccauaugac aaacuauuu gagcaaccag ucaguauga uuucagcaac ugcauggugg 960
cuuuggggga gcuaaguuc gcagcccucu gucacagggg agauucuauc acaauucccu 1020
aucagggauc agggaaaggu gucagcuucc agcuuguaa gcuagguguc uggaaauccc 1080
caaccgacau gcaaucugg gucccccua caacggauga uccagugaua gacaggcuuu 1140
accucuauc ucacagaggc guuauvcug acaaucaagc aaaugggcu gucccgaca 1200
cacggacaga ugacaaguug cgaauggaga caugcuucca gcaggcgugu aaggguaaaa 1260
uccaagcacu uugcgagaau cccgagugga caccuugaa ggauaacagg auuccuuc 1320
acggggucuu gucuguugau cugagucuga caguugagcu uaaaaucua auuguuucag 1380

```

-continued

gauucgggcc auugaucaca cacgguucag ggauggaccu auacaaaucc aaccacaaca	1440
auauguauug gcugacuauc ccgccaauga agaaccuggc cuuaggugua aucaacacau	1500
uggaguggau accgagauuc aagguuaguc ccaaccucuu cacuguucca auuaaggaag	1560
caggcgagga cugccaugcc ccaacauacc uaccugcgga gguggauggu gaugucaaac	1620
ucaguuccaa ucuggugauu cuaccugguc aagaucucca auauguucug gcaaccuacg	1680
auacuuccag aguugaacau gcuguaguuu auuacguuuu cagcccaagc cgcucauuuu	1740
cuuacuuuuu uccuuuuagg uugccuguaa ggggggucce cauugaauua caaguggaau	1800
gcuucacaug ggaccaaaaa cucuggugcc gucacuucug ugugcuugcg gacucagaau	1860
cugguggaca uaucacucac ucugggaugg ugggcauggg agucagcugc acagccacuc	1920
gggaagugg aaccagccgc agauagugau aaauaggcugg agccucggug gccaaagcuuc	1980
uugcccuug gccuccccc cagcccccucc ucccuuccu gcacccguac ccccgugguc	2040
uuugaauaaa gucugagugg gcggc	2065

<210> SEQ ID NO 79

<211> LENGTH: 1854

<212> TYPE: RNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 79

augucaccac aacgagaccg gauaaaugcc uucuacaaag acaaccccca uccuaagga	60
aguaggauag uuauuaacag agaacaucuu augauugua gaccuuauugu uuugcuggcu	120
guucuaaucg ucauguuucu gagcuugauc gguuugcuag ccuugcagg cauuagacuu	180
caucgggcag ccaucucacac cgcagagauc cauaaaagcc ucagcacca ucuggaugua	240
acuaacucua ucgagcauca gguaaaggac gugcugacac cacucuuaa gaucaucggu	300
gaugaagugg gcuugaggac accucagaga uucacugacc uagugaaguu caucucugac	360
aagauuaau uccuaaucc ggacagggaa uacgacuuca gagaucucac ugguguauc	420
aaccgccag agagaaucaa auuggauuau gaucaauacu gugcagaugu ggcugcugaa	480
gaacucauga augcauuggu gaacucaacu cuacuggaga ccagggcaac caaucaguuc	540
cuagcugucu caaagggaaa cugcucaggg cccacuacaa ucagaggcca auucucuaac	600
augucgcugu cccuguugga cuuguauuuu agucgagguu acaauguguc aucuauaguc	660
acuaugacau cccagggau guacggggga acuuaccuag uggaaaagcc uaaucugagc	720
agcaaagggc cagaguuguc acaacugagc augcaccgag uguuugaagu agguguauc	780
agaaauccgg guuuggggc uccgguauc cauugacaa acuaucuga gcaaccaguc	840
aguuaugau ucagcaacug caugguggcu uugggggagc ucaaguucgc agcccucugu	900
cacaggaag auucuaucac aaaucccuau cagggauacg ggaaaggugu cagcuuccag	960
cuugucaagc uaggugucug gaaaucacca accgacugc aaucugggu ccccuauca	1020
acggaugauc cagugauaga caggcuuac cucucaucuc acagaggcgu uaucgcugac	1080
aaucaagcaa aaugggcugu cccgacaaca cggacagaug acaaguugcg aauggagaca	1140
ugcuuccagc aggcguguaa ggguaaaauc caagcacuuu gcgagaaucc cgaguggaca	1200
ccauugaagg auaacaggau uccuucuauc ggggucuuu cuguugaucu gagucugaca	1260

-continued

guugagcuua	aaaucaaaau	uguuucagga	uucgggccau	ugaucacaca	cgguucaggg	1320
auggaccuau	acaaauccaa	ccacaacaau	auguauuggc	ugacuauccc	gccaaugaag	1380
aaccuggccu	uagguguaau	caacacauug	gaguggauac	cgagauucaa	gguuaguccc	1440
aaccucuuca	cuguuccaau	uaaggaagca	ggcgaggacu	gccaugcccc	aacauaccua	1500
ccugcggagg	uggaugguga	ugucaaacuc	aguuccaauc	uggugauucu	accuggucaa	1560
gaucuccaau	auguucuggc	aaccuacgau	acuuccagag	uugaacaugc	uguaguuuau	1620
uacguuuaca	gcccaagccg	cucauuuucu	uacuuuuauc	cuuuuagguu	gccuguaagg	1680
ggggucccca	uugaauuaca	aguggaaugc	uucacauggg	acaaaaacu	cuggugccgu	1740
cacuucugug	ugcuugcgg	cucagaaucu	gguggacaua	ucacucacuc	ugggauggug	1800
ggcaugggag	ucagcugcac	agccacucgg	gaagauggaa	ccagccgcag	auag	1854

<210> SEQ ID NO 80

<211> LENGTH: 2126

<212> TYPE: RNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 80

ggggaaauaa	gagagaaaag	aagaguaaga	agaaauauaa	gagccaccu	gucaccacaa	60
cgagaccgga	uaaaugccuu	cuacaaagac	aacccccauc	cuaagggag	uaggauaguu	120
auaacagag	aacauuuau	gauugauaga	ccuuauuuu	ugcuggcugu	ucuauucguc	180
auguuucuga	gcuugaucgg	guugcuagcc	auugcaggca	uuagacuuc	ucgggcagcc	240
aucuacaccg	cagagaucca	uaaaagccuc	agcaccaauc	uggauguaac	uaacucaauc	300
gagcaucagg	uaaaggacgu	gcugacacca	cucuucaaga	ucaucgguga	ugaagugggc	360
uugaggacac	cucagagauu	cacugaccua	gugaaguuca	ucucugacaa	gauuaaauc	420
cuuaauccgg	acagggaaau	cgacuucaga	gaucucacuu	gguguaucua	cccgccagag	480
agaaucaaa	uggauuauga	ucaauacugu	gcagaugugg	cugcugaaga	acucaugaau	540
gcauugguga	acucaacucu	acuggagacc	agggcaacca	aucaguuccu	agcugucuca	600
aagggaaacu	gcucagggcc	cacuacaauc	agaggccaau	ucucuaacau	gucgcugucc	660
cuguuggacu	uguauuuuag	ucgagguuac	aaugugucuu	cuauagucac	uaugacauc	720
cagggaaugu	acgggggaac	uuaccuagug	gaaaagccua	aucugagcag	caaaggguca	780
gaguugucac	aacugagcau	gcaccgagug	uuugaaguag	guguuauca	aaaucgggu	840
uuggggguc	cggauuucca	uaugacaaac	uaucuugagc	aaccagucag	uaaugauuuc	900
agcaacugca	ugguggcuuu	gggggagcuc	aaguucgcag	cccucuguca	cagggagau	960
ucuaucaaa	uucccuauca	gggaucaggg	aaagguguca	gcuuccagcu	ugucaagcua	1020
ggugucugga	aaucaccaac	cgacaugcaa	uccugggucc	cccaucaac	ggaugaucca	1080
gugauagaca	ggcuuuaccu	cucaucucac	agaggcguaa	ucgcugacaa	ucaagcaaaa	1140
ugggcugucc	cgacaacacg	gacagaugac	aaguucgaa	uggagacaug	cuuccagcag	1200
gcguguaagg	guaaaaucca	agcacuuugc	gagaaucccg	aguggacacc	auugaaggau	1260
aacaggauuc	cuucauacgg	ggucuugucu	guugaucuga	gucugacagu	ugagcuuaaa	1320
aucaaaauug	uuucaggauu	cgggccauug	aucacacacg	guucagggau	ggaccuauac	1380

-continued

aaauccaacc	acaacaauau	guauuggcug	acuaucgcc	caaugaagaa	ccuggccuua	1440
gguguaauca	acacauugga	guggauaccg	agauucaagg	uuagucccaa	ccucuucacu	1500
guccaauua	aggaagcagg	cgaggacugc	caugcccaa	cauaccuacc	ugcggaggug	1560
gauggugaug	ucaaacucag	uuccaaucug	gugauucua	cuggucaaga	ucuccaauau	1620
guucuggcaa	ccuacgauac	uuccagaguu	gaacaugcug	uaguuuauua	cguuuacagc	1680
ccaagccgcu	cauuuucua	cuuuuauccu	uuuagguugc	cuguaagggg	gguccccauu	1740
gaauuacaag	uggaaugcuu	cacaugggac	caaaaacucu	ggugccguc	cuucugugug	1800
cuugcggacu	cagaaucugg	uggacauauc	acucacucug	ggaugguggg	caugggaguc	1860
agcugcacag	ccacucggga	agauggaacc	agccgcagau	agugauaaua	ggcuggagcc	1920
ucgguggcca	agcuucugc	cccuugggcc	uuccccagc	cccuccucc	cuuccugcac	1980
ccguaccccc	guggucuuug	aaauaagucu	gagugggagg	caaaaaaaaa	aaaaaaaaaa	2040
aaaaaaaaaa	aaaaaaaaaa	aaaaaaaaaa	aaaaaaaaaa	aaaaaaaaaa	aaaaaaaaaa	2100
aaaaaaaaaa	aaaaaaaaaa	aucuag				2126

<210> SEQ ID NO 81

<211> LENGTH: 1729

<212> TYPE: RNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 81

ucaagcuuuu	ggaccucgu	acagaagcua	auacgacuca	cuauagggaa	auaagagaga	60
aaagaagagu	aagaagaaau	auaagagcca	ccauggcaca	agucuuuuu	acaaacagcc	120
ugucgcuguu	gaccagaau	aaccugaaca	aaucacaguc	cgacucgggc	acugcuaucg	180
agcguuuguc	uuccggucug	cguaucaaca	gcgcgaaaga	cgaugcggca	ggacaggcga	240
uugcuaaccg	uuuuaccgcg	aacaucaaag	gucugacuca	ggcuucccg	aacgcuaacg	300
acgguaucuc	cauugcgcag	accacugaag	gcgcgcugaa	cgaaaucaac	aacaaccugc	360
agcguugugc	ugaacuggcg	guucagucug	cgaauuguac	uaacucccag	ucugaccucg	420
acuccaucca	ggcugaaauc	accacagcgc	ugaacgaaau	cgaccgugua	uccggccaga	480
cucaguucua	cggcgugaaa	guccuggcgc	aggacaacac	ccugaccauc	cagguuggug	540
ccaacgacgg	ugaaacuauc	gauauugauu	uaaaagaaau	cagcucuaaa	acacugggac	600
uugauaagcu	uaauguccaa	gaugccuaca	ccccgaaaga	aacugcugua	accguugaua	660
aaacuaccua	uaaaaauggu	acagauccua	uuacagccca	gagcauacu	gauauccaaa	720
cugcaauugg	cgguggugca	acggggguua	cuggggcuga	uaucauuuu	aaagaugguc	780
aaucuauuu	agauguuuuu	ggcggugcuu	cugcuggugu	uuauaaagcc	acuuauaug	840
aaacuacaaa	gaaaguuuuu	auugauacga	cugauuuuuu	uccguuggca	acugcgggag	900
cuacagcuau	ucggggaacg	gccacuauaa	cccacaacca	aaugcugaa	guaacaaaag	960
aggguguuga	uacgaccaca	guugcggcuc	aacuugcugc	agcagggguu	acuggcggccg	1020
auaaggacaa	uacuagccuu	guuuuuuuuu	cguuuuagga	uuuuuacgg	aagguuuuuu	1080
augguggcua	ugcagugaaa	augggcgacg	auuucuaugc	cgcuacauau	gaugagaaaa	1140
caggugcaau	uacugcuuuu	accacuacuu	auacagaugg	uacuggcguu	gcucuuuacg	1200

-continued

gagcugugaa auuugguggc gcaaauggua aaucugaagu uguuacugcu accgauggua	1260
agacuuacuu agcaagcgac cuugacaaac auaacuucag aacaggcggg gagcuuaaag	1320
agguuaauac agauaagacu gaaaaccac ugcagaaaau ugaugcugcc uggcacagg	1380
uugauacacu ucguucugac cugggugcgg uucagaaccg uuucaacucc gcuaucacca	1440
accugggcaa uaccguaaaau aaccugucuu cugcccguag ccguaucgaa gauuccgacu	1500
acgcaaccga agucuccaac augucucgag cgagauucu gcagcaggcc gguaccuccg	1560
uucuggcgca ggcgaaccag guuccgcaa acguccucuc uuucugcgu ugauaaauagg	1620
cuggagccuc gguggccaug cuucuugccc cuugggccuc ccccagccc cuccucccu	1680
uccugcacc guacccccgu ggucuuugaa uaaagucuga gugggcggc	1729

<210> SEQ ID NO 82

<211> LENGTH: 1518

<212> TYPE: RNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 82

auggcacaag ucauuauac aaacagccug ugcuguuga cccagaauaa ccugaacaaa	60
ucccaguccg cacugggcac ugcuaucgag cguuugucuu cgggucugcg uaucaacagc	120
gcgaaagacg augcggcagg acaggcgauu gcuaaccguu uuaccgcaa caucuaaggu	180
cugacucagg cuucccguaa cgcuaacgac gguaucucca uugcgcagac cacugaaggc	240
gcgcuagaacg aaaucaacaa caaccugcag cgugugcgug aacuggcggg ucagucugcg	300
aaugguacua acucccaguc ugaccucgac uccauccagg cugaaaucac ccagcgccug	360
aacgaaaucg accguguauc cggccagacu caguucaacg gcgugaaagu ccuggcgcag	420
gacaacacc uagcaucca gguuggugcc aacgacggug aaacuaucga uauugauua	480
aaagaaauca gcucuaaaac acugggacuu gauaagcuua auguccaaga ugccuacacc	540
ccgaaagaaa cugcuguuac cguugauaaa acuaccuaa aaaugguac agauccuauu	600
acagcccaga gcaauacuga uauccaaacu gcaauuggcg guggugcaac ggggguuacu	660
ggggcugaua ucauuuuua agauggucaa uacuauuuag auguuuagg cggugcuucu	720
gcugguguuu auaaagccac uuaugaugaa acuacaaaga aaguuaauu ugauacgacu	780
gauaaaacuc cguuggcaac ugccgaagcu acagcuauuc ggggaacggc cacuaaacc	840
cacaaccaa uugcugaagu aacaaaagag ggugugaua cgaccacagu ugccgcucaa	900
cuugcugcag cagggguuac uggcgccgau aaggacaaua cuagccuugu aaaacuucg	960
uuugaggaua aaaacgguaa gguuuuugau gguggcuau cagugaaaau gggcgacgau	1020
uucuaugccg cuacauuga ugagaaaaca ggugcaaua cugcuaaaac cacuacuau	1080
acagauggua cuggcguugc ucaaacugga gcugugaaau uugguggcgc aaaugguaa	1140
ucugaaguug uuacugcuac cgaugguaag acuuacuucg caagcgaccu ugacaaacau	1200
aacuucagaa caggcgguga gcuaaaagag guuaauacag auagacuga aaaccacug	1260
cagaaaauug augcugccuu ggcacagguu gauacacuuc guucugaccu gggugcgguu	1320
cagaaccguu ucaacuccgc uaucaccaac cugggcaaua ccguaauuaa ccugucuucu	1380
gcccguagcc guaucgaaga uuccgacuac gcaaccgaag ucuccaacu gucucgcgcg	1440

-continued

cagauucugc agcaggccgg uaccuccguu cuggcgcagg cgaaccaggu uccgcaaac 1500
guccucucu uacugcgu 1518

<210> SEQ ID NO 83
<211> LENGTH: 1790
<212> TYPE: RNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 83

ggggaaauaa gagagaaaag aagaguaaga agaaauauaa gagccaccau ggcacaaguc 60
auuaauacaa acagccuguc gcuguugacc cagaauaacc ugaacaaauc ccaguccgca 120
cugggcacug cuaucgagcg uuugucuucc ggucugcgua ucaacagcgc gaaagacgau 180
gcggcaggac aggcgauugc uaaccguuuu accgcgaaca ucaaaggucu gacucaggcu 240
ucccguaacg cuaacgacgg uaucuccauu gcgcagacca cugaaggcgc gcugaacgaa 300
aucaacaaca accugcagcg ugugcgugaa cuggcgguuc agucugcgaa ugguacuaac 360
ucccagucug accucgacuc cauccaggcu gaaaucaccc agcgccugaa cgaaaucgac 420
cguguaucgg gccagacuca guucaacggc gugaagucc uggcgcagga caacaccug 480
accauccagg uggugccaa cgacggugaa acuaucgaa uugauuuuuu agaaucagc 540
ucuaaaacac ugggacuuga uaagcuuaa guccaagau ccuacacccc gaaagaaacu 600
gcuguaaccg uugauaaaac uaccuauaaa aaugguacag auccuauuac agcccagagc 660
aaucugaua uccaaacugc aauggcgggu ggugcaacgg ggguuacugg ggcugauauc 720
aaauuuuuag auggucaaua cuuuuuagau guuuuagggc gugcuucugc ugguguuuuu 780
aaagccacuu augaugaac uacaaagaaa guuuuuuuug auacgacuga uaaaacuccg 840
uuggcaacug cggaagcuac agcuauucgg ggaacggcca cuuaaccca caaccaaauu 900
gcugaaguua caaaagaggg uguugauacg accacaguug cggcucaacu ugcugcagca 960
gggguuacug gcgccgauaa ggacaauacu agccuuguaa aacuaucguu ugaggauaaa 1020
aacgguaagg uuauugaug uggcuauca gugaauaug ggcagcauuu cuaugccgcu 1080
acauaugaug agaaaacagg ugcauuuacu gcuaaaacca cuacuauuac agaugguacu 1140
ggcguugcuc aaacuggagc ugugaaauuu gguggcgcaa augguaaauc ugaaguuguu 1200
acugcuaccg augguaagac uuacuagca agcgaccuug acaaacauaa cuucagaaca 1260
ggcggugagc uuaaagaggu uaauacagau aagacugaaa acccacugca gaaaauugau 1320
gcugccuugg cacagguuga uacacuucgu ucugaccugg gugcgguuca gaaccguuuc 1380
aacuccgcua ucaccaaccu gggcaauacc guaaaauacc ugucuucugc ccguagccgu 1440
aucgaagauu ccgacuacgc aaccgaaguc uccaacaugu cucgcgcgca gauucugcag 1500
caggccggua ccuccguucu ggcgcaggcg aaccagguuc cgcaaacgu ccucucuuaa 1560
cugcgugau aauaggcugg agccucggug gccaugcuuc uugcccuug ggcuccccc 1620
cagccccucc ucccuuccu gcacccguac ccccgugguc uuugaauaaa gucugagugg 1680
gcgcaaaaa aaaaaaaaa aaaaaaaaa aaaaaaaaa aaaaaaaaa aaaaaaaaa 1740
aaaaaaaaa aaaaaaaaa aaaaaaaaa aaaaaaaaa aaaaaucua 1790

<210> SEQ ID NO 84

-continued

```

<211> LENGTH: 13
<212> TYPE: PRT
<213> ORGANISM: Salmonella typhimurium

<400> SEQUENCE: 84

Leu Gln Arg Val Arg Glu Leu Ala Val Gln Ser Ala Asn
1          5          10

<210> SEQ ID NO 85
<211> LENGTH: 539
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Polypeptide

<400> SEQUENCE: 85

Met Ser Trp Lys Val Val Ile Ile Phe Ser Leu Leu Ile Thr Pro Gln
1          5          10          15

His Gly Leu Lys Glu Ser Tyr Leu Glu Glu Ser Cys Ser Thr Ile Thr
20          25          30

Glu Gly Tyr Leu Ser Val Leu Arg Thr Gly Trp Tyr Thr Asn Val Phe
35          40          45

Thr Leu Glu Val Gly Asp Val Glu Asn Leu Thr Cys Ser Asp Gly Pro
50          55          60

Ser Leu Ile Lys Thr Glu Leu Asp Leu Thr Lys Ser Ala Leu Arg Glu
65          70          75          80

Leu Lys Thr Val Ser Ala Asp Gln Leu Ala Arg Glu Glu Gln Ile Glu
85          90          95

Asn Pro Gly Ser Gly Ser Phe Val Leu Gly Ala Ile Ala Leu Gly Val
100         105         110

Ala Ala Ala Ala Val Thr Ala Gly Val Ala Ile Cys Lys Thr Ile
115         120         125

Arg Leu Glu Ser Glu Val Thr Ala Ile Asn Asn Ala Leu Lys Lys Thr
130         135         140

Asn Glu Ala Val Ser Thr Leu Gly Asn Gly Val Arg Val Leu Ala Phe
145         150         155         160

Ala Val Arg Glu Leu Lys Asp Phe Val Ser Lys Asn Leu Thr Arg Ala
165         170         175

Leu Asn Lys Asn Lys Cys Asp Ile Asp Asp Leu Lys Met Ala Val Ser
180         185         190

Phe Ser Gln Phe Asn Arg Arg Phe Leu Asn Val Val Arg Gln Phe Ser
195         200         205

Asp Asn Ala Gly Ile Thr Pro Ala Ile Ser Leu Asp Leu Met Thr Asp
210         215         220

Ala Glu Leu Ala Arg Ala Val Pro Asn Met Pro Thr Ser Ala Gly Gln
225         230         235         240

Ile Lys Leu Met Leu Glu Asn Arg Ala Met Val Arg Arg Lys Gly Phe
245         250         255

Gly Ile Leu Cys Gly Val Tyr Gly Ser Ser Val Ile Tyr Met Val Gln
260         265         270

Leu Pro Ile Phe Gly Val Ile Asp Thr Pro Cys Trp Ile Val Lys Ala
275         280         285

Ala Pro Ser Cys Ser Glu Lys Lys Gly Asn Tyr Ala Cys Leu Leu Arg
290         295         300

```

-continued

Glu Asp Gln Gly Trp Tyr Cys Gln Asn Ala Gly Ser Thr Val Tyr Tyr
305 310 315 320

Pro Asn Glu Lys Asp Cys Glu Thr Arg Gly Asp His Val Phe Cys Asp
325 330 335

Thr Ala Ala Gly Ile Asn Val Ala Glu Gln Ser Lys Glu Cys Asn Ile
340 345 350

Asn Ile Ser Thr Thr Asn Tyr Pro Cys Lys Val Ser Thr Gly Arg His
355 360 365

Pro Ile Ser Met Val Ala Leu Ser Pro Leu Gly Ala Leu Val Ala Cys
370 375 380

Tyr Lys Gly Val Ser Cys Ser Ile Gly Ser Asn Arg Val Gly Ile Ile
385 390 395 400

Lys Gln Leu Asn Lys Gly Cys Ser Tyr Ile Thr Asn Gln Asp Ala Asp
405 410 415

Thr Val Thr Ile Asp Asn Thr Val Tyr Gln Leu Ser Lys Val Glu Gly
420 425 430

Glu Gln His Val Ile Lys Gly Arg Pro Val Ser Ser Ser Phe Asp Pro
435 440 445

Ile Lys Phe Pro Glu Asp Gln Phe Asn Val Ala Leu Asp Gln Val Phe
450 455 460

Glu Asn Ile Glu Asn Ser Gln Ala Leu Val Asp Gln Ser Asn Arg Ile
465 470 475 480

Leu Ser Ser Ala Glu Lys Gly Asn Thr Gly Phe Ile Ile Val Ile Ile
485 490 495

Leu Ile Ala Val Leu Gly Ser Ser Met Ile Leu Val Ser Ile Phe Ile
500 505 510

Ile Ile Lys Lys Thr Lys Lys Pro Thr Gly Ala Pro Pro Glu Leu Ser
515 520 525

Gly Val Thr Asn Asn Gly Phe Ile Pro His Asn
530 535

<210> SEQ ID NO 86

<211> LENGTH: 539

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polypeptide

<400> SEQUENCE: 86

Met Ser Trp Lys Val Val Ile Ile Phe Ser Leu Leu Ile Thr Pro Gln
1 5 10 15

His Gly Leu Lys Glu Ser Tyr Leu Glu Glu Ser Cys Ser Thr Ile Thr
20 25 30

Glu Gly Tyr Leu Ser Val Leu Arg Thr Gly Trp Tyr Thr Asn Val Phe
35 40 45

Thr Leu Glu Val Gly Asp Val Glu Asn Leu Thr Cys Ser Asp Gly Pro
50 55 60

Ser Leu Ile Lys Thr Glu Leu Asp Leu Thr Lys Ser Ala Leu Arg Glu
65 70 75 80

Leu Lys Thr Val Ser Ala Asp Gln Leu Ala Arg Glu Glu Gln Ile Glu
85 90 95

Asn Pro Gly Ser Gly Ser Phe Val Leu Gly Ala Ile Ala Leu Gly Val
100 105 110

-continued

Ala	Ala	Ala	Ala	Ala	Val	Thr	Ala	Gly	Val	Ala	Ile	Cys	Lys	Thr	Ile	
		115					120					125				
Arg	Leu	Glu	Ser	Glu	Val	Thr	Ala	Ile	Asn	Asn	Ala	Leu	Lys	Lys	Thr	
	130					135					140					
Asn	Glu	Ala	Val	Ser	Thr	Leu	Gly	Asn	Gly	Val	Arg	Val	Leu	Ala	Thr	
145					150					155					160	
Ala	Val	Arg	Glu	Leu	Lys	Asp	Phe	Val	Ser	Lys	Asn	Leu	Thr	Arg	Ala	
				165					170					175		
Ile	Asn	Lys	Asn	Lys	Cys	Asp	Ile	Asp	Asp	Leu	Lys	Met	Ala	Val	Ser	
			180					185					190			
Phe	Ser	Gln	Phe	Asn	Arg	Arg	Phe	Leu	Asn	Val	Val	Arg	Gln	Phe	Ser	
		195					200					205				
Asp	Asn	Ala	Gly	Ile	Thr	Pro	Ala	Ile	Ser	Leu	Asp	Leu	Met	Thr	Asp	
	210					215					220					
Ala	Glu	Leu	Ala	Arg	Ala	Val	Pro	Asn	Met	Pro	Thr	Ser	Ala	Gly	Gln	
225					230					235					240	
Ile	Lys	Leu	Met	Leu	Glu	Asn	Arg	Ala	Met	Val	Arg	Arg	Lys	Gly	Phe	
				245					250					255		
Gly	Ile	Leu	Cys	Gly	Val	Tyr	Gly	Ser	Ser	Val	Ile	Tyr	Met	Val	Gln	
			260					265					270			
Leu	Pro	Ile	Phe	Gly	Val	Ile	Asp	Thr	Pro	Cys	Trp	Ile	Val	Lys	Ala	
		275					280					285				
Ala	Pro	Ser	Cys	Ser	Glu	Lys	Lys	Gly	Asn	Tyr	Ala	Cys	Leu	Leu	Arg	
	290					295					300					
Glu	Asp	Gln	Gly	Trp	Tyr	Cys	Gln	Asn	Ala	Gly	Ser	Thr	Val	Tyr	Tyr	
305					310					315					320	
Pro	Asn	Glu	Lys	Asp	Cys	Glu	Thr	Arg	Gly	Asp	His	Val	Phe	Cys	Asp	
				325					330					335		
Thr	Ala	Ala	Gly	Ile	Asn	Val	Ala	Glu	Gln	Ser	Lys	Glu	Cys	Asn	Ile	
			340					345					350			
Asn	Ile	Ser	Thr	Thr	Asn	Tyr	Pro	Cys	Lys	Val	Ser	Thr	Gly	Arg	His	
		355					360					365				
Pro	Ile	Ser	Met	Val	Ala	Leu	Ser	Pro	Leu	Gly	Ala	Leu	Val	Ala	Cys	
	370					375					380					
Tyr	Lys	Gly	Val	Ser	Cys	Ser	Ile	Gly	Ser	Asn	Arg	Val	Gly	Ile	Ile	
385					390					395					400	
Lys	Gln	Leu	Asn	Lys	Gly	Cys	Ser	Tyr	Ile	Thr	Asn	Gln	Asp	Ala	Asp	
				405					410					415		
Thr	Val	Thr	Ile	Asp	Asn	Thr	Val	Tyr	Gln	Leu	Ser	Lys	Val	Glu	Gly	
			420					425					430			
Glu	Gln	His	Val	Ile	Lys	Gly	Arg	Pro	Val	Ser	Ser	Ser	Phe	Asp	Pro	
		435					440					445				
Ile	Lys	Phe	Pro	Glu	His	Gln	Trp	His	Val	Ala	Leu	Asp	Gln	Val	Phe	
	450					455					460					
Glu	Asn	Ile	Glu	Asn	Ser	Gln	Ala	Leu	Val	Asp	Gln	Ser	Asn	Arg	Ile	
465					470					475					480	
Leu	Ser	Ser	Ala	Glu	Lys	Gly	Asn	Thr	Gly	Phe	Ile	Ile	Val	Ile	Ile	
				485					490					495		
Leu	Ile	Ala	Val	Leu	Gly	Ser	Ser	Met	Ile	Leu	Val	Ser	Ile	Phe	Ile	
			500					505					510			
Ile	Ile	Lys	Lys	Thr	Lys	Lys	Pro	Thr	Gly	Ala	Pro	Pro	Glu	Leu	Ser	

-continued

515	520	525
Gly Val Thr Asn Asn Gly Phe Ile Pro His Asn		
530	535	
<210> SEQ ID NO 87		
<211> LENGTH: 539		
<212> TYPE: PRT		
<213> ORGANISM: Artificial Sequence		
<220> FEATURE:		
<223> OTHER INFORMATION: Synthetic Polypeptide		
<400> SEQUENCE: 87		
Met Ser Trp Lys Val Val Ile Ile Phe Ser Leu Leu Ile Thr Pro Gln		
1	5	10 15
His Gly Leu Lys Glu Ser Tyr Leu Glu Glu Ser Cys Ser Thr Ile Thr		
	20	25 30
Glu Gly Tyr Leu Ser Val Leu Arg Thr Gly Trp Tyr Thr Asn Val Phe		
	35	40 45
Thr Leu Glu Val Gly Asp Val Glu Asn Leu Thr Cys Ser Asp Gly Pro		
	50	55 60
Ser Leu Ile Lys Thr Glu Leu Asp Leu Leu Lys Ser Ala Leu Arg Glu		
65	70	75 80
Leu Lys Thr Val Ser Ala Asp Gln Leu Ala Arg Glu Glu Gln Ile Glu		
	85	90 95
Asn Pro Gly Ser Gly Ser Phe Val Leu Gly Ala Ile Ala Leu Gly Val		
	100	105 110
Ala Ala Ala Ala Ala Val Thr Ala Gly Val Ala Ile Ala Lys Thr Ile		
	115	120 125
Arg Leu Glu Ser Glu Val Thr Ala Ile Asn Asn Ala Leu Lys Lys Thr		
	130	135 140
Asn Glu Ala Val Ser Thr Leu Gly Asn Gly Val Arg Val Leu Ala Thr		
145	150	155 160
Ala Val Arg Glu Leu Lys Asp Phe Val Ser Lys Asn Leu Thr Arg Ala		
	165	170 175
Ile Asn Lys Asn Lys Cys Asp Ile Pro Asp Leu Lys Met Ala Val Ser		
	180	185 190
Phe Ser Gln Phe Asn Arg Arg Phe Leu Asn Val Val Arg Gln Phe Ser		
	195	200 205
Asp Asn Ala Gly Ile Thr Pro Ala Ile Ser Leu Asp Leu Met Thr Asp		
	210	215 220
Ala Glu Leu Ala Arg Ala Val Pro Asn Met Pro Thr Ser Ala Gly Gln		
225	230	235 240
Ile Lys Leu Met Leu Glu Asn Arg Ala Met Val Arg Arg Lys Gly Phe		
	245	250 255
Gly Ile Leu Ile Gly Val Tyr Gly Ser Ser Val Ile Tyr Met Val Gln		
	260	265 270
Leu Pro Ile Phe Gly Val Ile Asp Thr Pro Cys Trp Ile Val Lys Ala		
	275	280 285
Ala Pro Ser Cys Ser Glu Lys Lys Gly Asn Tyr Ala Cys Leu Leu Arg		
	290	295 300
Glu Asp Gln Gly Trp Tyr Cys Gln Asn Ala Gly Ser Thr Val Tyr Tyr		
305	310	315 320
Pro Asn Glu Lys Asp Cys Glu Thr Arg Gly Asp His Val Phe Cys Asp		

-continued

325					330					335					
Thr	Ala	Ala	Gly	Ile	Asn	Val	Ala	Glu	Gln	Ser	Lys	Glu	Cys	Asn	Ile
			340					345					350		
Asn	Ile	Ser	Thr	Thr	Asn	Tyr	Pro	Cys	Lys	Val	Ser	Thr	Gly	Arg	His
		355					360					365			
Pro	Ile	Ser	Met	Val	Ala	Leu	Ser	Pro	Leu	Gly	Ala	Leu	Val	Ala	Cys
	370					375					380				
Tyr	Lys	Gly	Val	Ser	Cys	Ser	Ile	Gly	Ser	Asn	Arg	Val	Gly	Ile	Ile
385						390					395				400
Lys	Gln	Leu	Asn	Lys	Gly	Cys	Ser	Tyr	Ile	Thr	Asn	Gln	Asp	Ala	Asp
			405						410					415	
Thr	Val	Thr	Ile	Asp	Asn	Thr	Val	Tyr	Gln	Leu	Ser	Lys	Val	Glu	Gly
			420					425					430		
Glu	Gln	His	Val	Ile	Lys	Gly	Arg	Pro	Val	Ser	Ser	Ser	Phe	Asp	Pro
		435					440						445		
Ile	Lys	Phe	Pro	Glu	Asp	Gln	Phe	Gln	Val	Ala	Leu	Asp	Gln	Val	Phe
	450					455					460				
Glu	Asn	Ile	Glu	Asn	Ser	Gln	Ala	Leu	Val	Asp	Gln	Ser	Asn	Arg	Ile
465						470					475				480
Leu	Ser	Ser	Ala	Glu	Lys	Gly	Asn	Thr	Gly	Phe	Ile	Ile	Val	Ile	Ile
				485					490					495	
Leu	Ile	Ala	Val	Leu	Gly	Ser	Ser	Met	Ile	Leu	Val	Ser	Ile	Phe	Ile
			500					505					510		
Ile	Ile	Lys	Lys	Thr	Lys	Lys	Pro	Thr	Gly	Ala	Pro	Pro	Glu	Leu	Ser
		515					520					525			
Gly	Val	Thr	Asn	Asn	Gly	Phe	Ile	Pro	His	Asn					
	530					535									

<210> SEQ ID NO 88

<211> LENGTH: 539

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polypeptide

<400> SEQUENCE: 88

Met	Ser	Trp	Lys	Val	Val	Ile	Ile	Phe	Ser	Leu	Leu	Ile	Thr	Pro	Gln
1				5					10					15	
His	Gly	Leu	Lys	Glu	Ser	Tyr	Leu	Glu	Glu	Ser	Cys	Ser	Thr	Ile	Thr
			20					25					30		
Glu	Gly	Tyr	Leu	Ser	Val	Leu	Arg	Thr	Gly	Trp	Tyr	Thr	Asn	Val	Phe
		35					40						45		
Thr	Leu	Glu	Val	Gly	Asp	Val	Glu	Asn	Leu	Thr	Cys	Ser	Asp	Gly	Pro
		50				55					60				
Ser	Leu	Ile	Lys	Thr	Glu	Leu	Asp	Leu	Leu	Lys	Ser	Ala	Leu	Arg	Glu
65					70						75				80
Leu	Lys	Thr	Val	Ser	Ala	Asp	Gln	Leu	Ala	Arg	Glu	Glu	Gln	Ile	Glu
				85					90					95	
Asn	Pro	Gly	Ser	Gly	Ser	Phe	Val	Leu	Gly	Ala	Ile	Ala	Leu	Gly	Val
		100						105					110		
Ala	Ala	Ala	Ala	Ala	Val	Thr	Ala	Gly	Val	Ala	Ile	Ala	Lys	Thr	Ile
		115					120						125		
Arg	Leu	Glu	Ser	Glu	Val	Thr	Ala	Ile	Asn	Asn	Ala	Leu	Lys	Lys	Thr

-continued

```

<210> SEQ ID NO 89
<211> LENGTH: 539
<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Polypeptide

<400> SEQUENCE: 89

Met Ser Trp Lys Val Val Ile Ile Phe Ser Leu Leu Ile Thr Pro Gln
1          5          10          15

His Gly Leu Lys Glu Ser Tyr Leu Glu Glu Ser Cys Ser Thr Ile Thr
20          25          30

Glu Gly Tyr Leu Ser Val Leu Arg Thr Gly Trp Tyr Thr Asn Val Phe
35          40          45

Thr Leu Glu Val Gly Asp Val Glu Asn Leu Thr Cys Ser Asp Gly Pro
50          55          60

Ser Leu Ile Lys Thr Glu Leu Asp Leu Leu Lys Ser Ala Leu Arg Glu
65          70          75          80

Leu Lys Thr Val Ser Ala Asp Gln Leu Ala Arg Glu Glu Gln Ile Glu
85          90          95

Asn Pro Gly Ser Gly Ser Phe Val Leu Gly Ala Ile Ala Leu Gly Val
100         105         110

Ala Ala Ala Ala Val Thr Ala Gly Val Ala Ile Ala Lys Thr Ile
115         120         125

Arg Leu Glu Ser Glu Val Thr Ala Ile Asn Asn Ala Leu Lys Lys Thr
130         135         140

Asn Glu Ala Val Ser Thr Leu Gly Asn Gly Val Arg Val Leu Ala Thr
145         150         155         160

Ala Val Arg Glu Leu Lys Asp Phe Val Leu Lys Asn Leu Thr Arg Ala
165         170         175

Ile Asn Lys Asn Lys Cys Asp Ile Pro Asp Leu Lys Met Ala Val Ser
180         185         190

Phe Ser Gln Phe Asn Arg Arg Phe Leu Asn Val Val Arg Gln Phe Ser
195         200         205

Asp Asn Ala Gly Ile Thr Pro Ala Ile Ser Leu Asp Leu Met Thr Asp
210         215         220

Ala Glu Leu Ala Arg Ala Val Pro Asn Met Pro Thr Ser Ala Gly Gln
225         230         235         240

Ile Lys Leu Met Leu Glu Asn Arg Ala Met Val Arg Arg Lys Gly Phe
245         250         255

Gly Ile Leu Ile Gly Val Tyr Gly Ser Ser Val Ile Tyr Met Val Gln
260         265         270

Leu Pro Ile Phe Gly Val Ile Asp Thr Pro Cys Trp Ile Val Lys Ala
275         280         285

Ala Pro Ser Cys Ser Glu Lys Lys Gly Asn Tyr Ala Cys Leu Leu Arg
290         295         300

Glu Asp Gln Gly Trp Tyr Cys Gln Asn Ala Gly Ser Thr Val Tyr Tyr
305         310         315         320

Pro Asn Glu Lys Asp Cys Glu Thr Arg Gly Asp His Val Phe Cys Asp
325         330         335

Thr Ala Ala Gly Ile Asn Val Ala Glu Gln Ser Lys Glu Cys Asn Ile
340         345         350

```


-continued

Ala Val Arg Glu Leu Lys Asp Phe Val Leu Lys Asn Leu Thr Arg Ala
165 170 175

Ile Asn Lys Asn Lys Cys Asp Ile Pro Asp Leu Lys Met Ala Val Ser
180 185 190

Phe Ser Gln Phe Asn Arg Arg Phe Leu Asn Val Val Arg Gln Phe Ser
195 200 205

Asp Asn Ala Gly Ile Thr Pro Ala Ile Ser Leu Asp Leu Met Thr Asp
210 215 220

Ala Glu Leu Ala Arg Ala Val Pro Asn Met Pro Thr Ser Ala Gly Gln
225 230 235 240

Ile Lys Leu Met Leu Glu Asn Arg Ala Met Val Arg Arg Lys Gly Phe
245 250 255

Gly Ile Leu Ile Gly Val Tyr Gly Ser Ser Val Ile Tyr Met Val Gln
260 265 270

Leu Pro Ile Phe Gly Val Ile Asp Thr Pro Cys Trp Ile Val Lys Ala
275 280 285

Ala Pro Ser Cys Ser Glu Lys Lys Gly Asn Tyr Ala Cys Leu Leu Arg
290 295 300

Glu Asp Gln Gly Trp Tyr Cys Gln Asn Ala Gly Ser Thr Val Tyr Tyr
305 310 315 320

Pro Asn Glu Lys Asp Cys Glu Thr Arg Gly Asp His Val Phe Cys Asp
325 330 335

Thr Ala Ala Gly Ile Asn Val Ala Glu Gln Ser Lys Glu Cys Asn Ile
340 345 350

Asn Ile Ser Thr Thr Asn Tyr Pro Cys Lys Val Ser Thr Gly Arg His
355 360 365

Pro Ile Ser Met Val Ala Leu Ser Pro Leu Gly Ala Leu Val Ala Cys
370 375 380

Tyr Lys Gly Val Ser Cys Ser Ile Gly Ser Asn Arg Val Gly Ile Ile
385 390 395 400

Lys Gln Leu Asn Lys Gly Cys Ser Tyr Ile Thr Asn Gln Asp Ala Asp
405 410 415

Thr Val Thr Ile Asp Asn Thr Val Tyr Gln Leu Ser Lys Val Glu Gly
420 425 430

Glu Gln His Val Ile Lys Gly Arg Pro Val Ser Ser Ser Phe Asp Pro
435 440 445

Ile Lys Phe Pro Glu Asn Gln Phe Gln Val Ala Leu Asp Gln Val Phe
450 455 460

Glu Asn Ile Glu Asn Ser Gln Ala Leu Val Asp Gln Ser Asn Arg Ile
465 470 475 480

Leu Ser Ser Ala Glu Lys Gly Asn Thr Gly Phe Ile Ile Val Ile Ile
485 490 495

Leu Ile Ala Val Leu Gly Ser Ser Met Ile Leu Val Ser Ile Phe Ile
500 505 510

Ile Ile Lys Lys Thr Lys Lys Pro Thr Gly Ala Pro Pro Glu Leu Ser
515 520 525

Gly Val Thr Asn Asn Gly Phe Ile Pro His Asn
530 535

<210> SEQ ID NO 91

<211> LENGTH: 539

-continued

```

<212> TYPE: PRT
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Polypeptide

<400> SEQUENCE: 91
Met Ser Trp Lys Val Val Ile Ile Phe Ser Leu Leu Ile Thr Pro Gln
1          5          10          15
His Gly Leu Lys Glu Ser Tyr Leu Glu Glu Ser Cys Ser Thr Ile Thr
          20          25          30
Glu Gly Tyr Leu Ser Val Leu Arg Thr Gly Trp Tyr Thr Asn Val Phe
          35          40          45
Thr Leu Pro Val Gly Asp Val Glu Asn Leu Thr Cys Ser Asp Gly Pro
          50          55          60
Ser Leu Ile Lys Thr Glu Leu Asp Leu Leu Lys Ser Ala Leu Arg Glu
          65          70          75          80
Leu Lys Thr Val Ser Ala Asp Gln Leu Ala Arg Glu Glu Gln Ile Glu
          85          90          95
Asn Pro Gly Ser Gly Ser Phe Val Leu Gly Ala Ile Ala Leu Gly Val
          100          105          110
Ala Ala Ala Ala Ala Val Thr Ala Gly Val Ala Ile Ala Lys Thr Ile
          115          120          125
Arg Leu Glu Ser Glu Val Thr Ala Ile Asn Asn Ala Leu Lys Lys Thr
          130          135          140
Asn Glu Ala Val Ser Thr Leu Gly Asn Gly Val Arg Val Leu Ala Thr
          145          150          155          160
Ala Val Arg Glu Leu Lys Asp Phe Val Ser Lys Asn Leu Thr Arg Ala
          165          170          175
Ile Asn Lys Asn Lys Cys Asp Ile Asp Asp Leu Lys Met Ala Val Ser
          180          185          190
Phe Ser Gln Phe Asn Arg Arg Phe Leu Asn Val Val Arg Gln Phe Ser
          195          200          205
Asp Asn Ala Gly Ile Thr Pro Ala Ile Ser Leu Asp Leu Met Thr Asp
          210          215          220
Ala Glu Leu Ala Arg Ala Val Pro Asn Met Pro Thr Ser Ala Gly Gln
          225          230          235          240
Ile Lys Leu Met Leu Glu Asn Arg Ala Met Val Arg Arg Lys Gly Phe
          245          250          255
Gly Ile Leu Ile Gly Val Tyr Gly Ser Ser Val Ile Tyr Met Val Gln
          260          265          270
Leu Pro Ile Phe Gly Val Ile Asp Thr Pro Cys Trp Ile Val Lys Ala
          275          280          285
Ala Pro Ser Cys Ser Glu Lys Lys Gly Asn Tyr Ala Cys Leu Leu Arg
          290          295          300
Glu Asp Gln Gly Trp Tyr Cys Gln Asn Ala Gly Ser Thr Val Tyr Tyr
          305          310          315          320
Pro Asn Glu Lys Asp Cys Glu Thr Arg Gly Asp His Val Phe Cys Asp
          325          330          335
Thr Ala Ala Gly Ile Asn Val Ala Glu Gln Ser Lys Glu Cys Asn Ile
          340          345          350
Asn Ile Ser Thr Thr Asn Tyr Pro Cys Lys Val Ser Thr Gly Arg His
          355          360          365

```


-continued

```

Ile Asn Lys Asn Lys Cys Asp Ile Asp Asp Leu Lys Met Ala Val Ser
      180                      185                      190

Phe Ser Gln Phe Asn Arg Arg Phe Leu Asn Val Val Arg Gln Phe Ser
      195                      200                      205

Asp Asn Ala Gly Ile Thr Pro Ala Ile Ser Leu Asp Leu Met Thr Asp
      210                      215                      220

Ala Glu Leu Ala Arg Ala Val Pro Asn Met Pro Thr Ser Ala Gly Gln
      225                      230                      235                      240

Ile Lys Leu Met Leu Glu Asn Arg Ala Met Val Arg Arg Lys Gly Phe
      245                      250                      255

Gly Ile Leu Ile Gly Val Tyr Gly Ser Ser Val Ile Tyr Met Val Gln
      260                      265                      270

Leu Pro Ile Phe Gly Val Ile Asp Thr Pro Cys Trp Ile Val Lys Ala
      275                      280                      285

Ala Pro Ser Cys Ser Glu Lys Lys Gly Asn Tyr Ala Cys Leu Leu Arg
      290                      295                      300

Glu Asp Gln Gly Trp Tyr Cys Gln Asn Ala Gly Ser Thr Val Tyr Tyr
      305                      310                      315                      320

Pro Asn Glu Lys Asp Cys Glu Thr Arg Gly Asp His Val Phe Cys Asp
      325                      330                      335

Thr Ala Ala Gly Ile Asn Val Ala Glu Gln Ser Lys Glu Cys Asn Ile
      340                      345                      350

Asn Ile Ser Thr Thr Asn Tyr Pro Cys Lys Val Ser Thr Gly Arg His
      355                      360                      365

Pro Ile Ser Met Val Ala Leu Ser Pro Leu Gly Ala Leu Val Ala Cys
      370                      375                      380

Tyr Lys Gly Val Ser Cys Ser Ile Gly Ser Asn Arg Val Gly Ile Ile
      385                      390                      395                      400

Lys Gln Leu Asn Lys Gly Cys Ser Tyr Ile Thr Asn Gln Asp Ala Asp
      405                      410                      415

Thr Val Thr Ile Asp Asn Thr Val Tyr Gln Leu Ser Lys Val Glu Gly
      420                      425                      430

Glu Gln His Val Ile Lys Gly Arg Pro Val Ser Ser Ser Phe Asp Pro
      435                      440                      445

Ile Lys Phe Pro Glu Asn Gln Phe Gln Val Ala Leu Asp Gln Val Phe
      450                      455                      460

Glu Asn Ile Glu Asn Ser Gln Ala Leu Val Asp Gln Ser Asn Arg Ile
      465                      470                      475                      480

Leu Ser Ser Ala Glu Lys Gly Asn Thr Gly Phe Ile Ile Val Ile Ile
      485                      490                      495

Leu Ile Ala Val Leu Gly Ser Ser Met Ile Leu Val Ser Ile Phe Ile
      500                      505                      510

Ile Ile Lys Lys Thr Lys Lys Pro Thr Gly Ala Pro Pro Glu Leu Ser
      515                      520                      525

Gly Val Thr Asn Asn Gly Phe Ile Pro His Asn
      530                      535

```

<210> SEQ ID NO 93

<211> LENGTH: 539

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polypeptide

-continued

<400> SEQUENCE: 93

```

Met Ser Trp Lys Val Val Ile Ile Phe Ser Leu Leu Ile Thr Pro Gln
1          5          10          15
His Gly Leu Lys Glu Ser Tyr Leu Glu Glu Ser Cys Ser Thr Ile Thr
20          25          30
Glu Gly Tyr Leu Ser Val Leu Arg Thr Gly Trp Tyr Thr Asn Val Phe
35          40          45
Thr Leu Glu Val Gly Asp Val Glu Asn Leu Thr Cys Ser Asp Gly Pro
50          55          60
Ser Leu Ile Lys Thr Glu Leu Asp Leu Leu Lys Ser Ala Leu Arg Glu
65          70          75          80
Leu Lys Thr Val Ser Ala Asp Gln Leu Ala Arg Glu Glu Gln Ile Glu
85          90          95
Asn Pro Gly Ser Gly Ser Phe Val Leu Gly Ala Ile Ala Leu Gly Val
100         105         110
Ala Ala Ala Ala Val Thr Ala Gly Val Ala Ile Ala Lys Thr Ile
115         120         125
Arg Leu Glu Ser Glu Val Thr Ala Ile Asn Asn Ala Leu Lys Lys Thr
130         135         140
Asn Glu Ala Val Ser Thr Leu Gly Asn Gly Val Arg Val Leu Ala Thr
145         150         155         160
Ala Val Arg Glu Leu Lys Asp Phe Val Ser Lys Asn Leu Thr Arg Ala
165         170         175
Ile Asn Lys Asn Lys Cys Asp Ile Asp Asp Leu Lys Met Ala Val Ser
180         185         190
Phe Ser Gln Phe Asn Arg Arg Phe Leu Asn Val Val Arg Gln Phe Ser
195         200         205
Asp Asn Ala Gly Ile Thr Pro Ala Ile Ser Leu Asp Leu Met Thr Asp
210         215         220
Ala Glu Leu Ala Arg Ala Val Pro Asn Met Pro Thr Ser Ala Gly Gln
225         230         235         240
Ile Lys Leu Met Leu Glu Asn Arg Ala Met Val Arg Arg Lys Gly Phe
245         250         255
Gly Ile Leu Ile Gly Val Tyr Gly Ser Ser Val Ile Tyr Met Val Gln
260         265         270
Leu Pro Ile Phe Gly Val Ile Asp Thr Pro Cys Trp Ile Val Lys Ala
275         280         285
Ala Pro Ser Cys Ser Glu Lys Lys Gly Asn Tyr Ala Cys Leu Leu Arg
290         295         300
Glu Asp Gln Gly Trp Tyr Cys Gln Asn Ala Gly Ser Thr Val Tyr Tyr
305         310         315         320
Pro Asn Glu Lys Asp Cys Glu Thr Arg Gly Asp His Val Phe Cys Asp
325         330         335
Thr Ala Ala Gly Ile Asn Val Ala Glu Gln Ser Lys Glu Cys Asn Ile
340         345         350
Asn Ile Ser Thr Thr Asn Tyr Pro Cys Lys Val Ser Thr Gly Arg His
355         360         365
Pro Ile Ser Met Val Ala Leu Ser Pro Leu Gly Ala Leu Val Ala Cys
370         375         380
Tyr Lys Gly Val Ser Cys Ser Ile Gly Ser Asn Arg Val Gly Ile Ile

```

-continued

```

385          390          395          400
Lys Gln Leu Asn Lys Gly Cys Ser Tyr Ile Thr Asn Gln Asp Ala Asp
         405                410                415
Thr Val Thr Ile Asp Asn Thr Val Tyr Gln Leu Ser Lys Val Glu Gly
         420                425                430
Glu Gln His Val Ile Lys Gly Arg Pro Val Ser Ser Ser Phe Asp Pro
         435                440                445
Ile Lys Phe Pro Glu Asp Gln Phe Gln Val Ala Leu Asp Gln Val Phe
         450                455                460
Glu Asn Ile Glu Asn Ser Gln Ala Leu Val Asp Gln Ser Asn Arg Ile
465                470                475                480
Leu Ser Ser Ala Glu Lys Gly Asn Thr Gly Phe Ile Ile Val Ile Ile
         485                490                495
Leu Ile Ala Val Leu Gly Ser Ser Met Ile Leu Val Ser Ile Phe Ile
         500                505                510
Ile Ile Lys Lys Thr Lys Lys Pro Thr Gly Ala Pro Pro Glu Leu Ser
         515                520                525
Gly Val Thr Asn Asn Gly Phe Ile Pro His Asn
         530                535

```

<210> SEQ ID NO 94
 <211> LENGTH: 539
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic Polypeptide

<400> SEQUENCE: 94

```

Met Ser Trp Lys Val Val Ile Ile Phe Ser Leu Leu Ile Thr Pro Gln
1             5             10             15
His Gly Leu Lys Glu Ser Tyr Leu Glu Glu Ser Cys Ser Thr Ile Thr
         20             25             30
Glu Gly Tyr Leu Ser Val Leu Arg Thr Gly Trp Tyr Thr Asn Val Phe
         35             40             45
Thr Leu Glu Val Gly Asp Leu Glu Asn Leu Thr Cys Ser Asp Gly Pro
50             55             60
Ser Leu Ile Lys Thr Glu Leu Asp Leu Thr Lys Ser Ala Leu Arg Glu
65             70             75             80
Leu Lys Thr Val Ser Ala Asp Gln Leu Ala Arg Glu Glu Gln Ile Glu
         85             90             95
Asn Pro Gly Ser Gly Ser Phe Val Leu Gly Ala Ile Ala Leu Gly Val
100            105            110
Ala Ala Ala Ala Ala Val Thr Ala Gly Val Ala Ile Ala Lys Thr Ile
115            120            125
Arg Leu Glu Ser Glu Val Thr Ala Ile Asn Asn Ala Leu Lys Lys Thr
130            135            140
Asn Glu Ala Val Ser Thr Leu Gly Asn Gly Val Arg Val Leu Ala Thr
145            150            155            160
Ala Val Arg Glu Leu Lys Asp Phe Val Ser Lys Asn Leu Thr Arg Ala
165            170            175
Ile Asn Lys Asn Lys Cys Asp Ile Asp Asp Leu Lys Met Ala Val Ser
180            185            190
Phe Ser Gln Phe Asn Arg Arg Phe Leu Asn Val Val Arg Gln Phe Ser

```

-continued

195	200	205
Asp 210	Asn Ala Gly Ile Thr 215	Pro Ala Ile Ser Leu Asp 220
Ala 225	Glu Leu Ala Arg 230	Ala Val Pro Asn Met 235
Ile 245	Lys Leu Met Leu Glu Asn Arg 245	Ala Met Val Arg Arg 250
Gly 260	Ile Leu Ile Gly Val Tyr 260	Gly Ser Ser Val Ile Tyr 265
Leu 275	Pro Ile Phe Gly Val Ile 275	Asp Thr Pro Cys Trp 280
Ala 290	Pro Ser Cys Ser Glu Lys Lys 290	Gly Asn Tyr Ala Cys 300
Glu 305	Asp Gln Gly Trp Tyr Cys 310	Gln Asn Ala Gly Ser 315
Pro 325	Asn Glu Lys Asp Cys Glu 325	Thr Arg Gly Asp His 330
Thr 340	Ala Ala Gly Ile Asn Val 340	Ala Glu Gln Ser Lys 345
Asn 355	Ile Ser Thr Thr Asn Tyr 355	Pro Cys Lys Val Ser 360
Pro 370	Ile Ser Met Val Ala Leu 370	Ser Pro Leu Gly Ala 375
Tyr 385	Lys Gly Val Ser Cys Ser 385	Ile Gly Ser Asn Arg 390
Lys 405	Gln Leu Asn Lys Gly Cys 405	Ser Tyr Ile Thr Asn 410
Thr 420	Val Thr Ile Asp Asn Thr 420	Val Tyr Gln Leu Ser 425
Glu 435	Gln His Val Ile Lys Gly 435	Arg Pro Val Ser Ser 440
Ile 450	Lys Phe Pro Glu Asp Gln 450	Phe Gln Val Ala Leu 455
Glu 465	Asn Ile Glu Asn Ser Gln 470	Ala Leu Val Asp Gln 475
Leu 485	Ser Ser Ala Glu Lys Gly 485	Asn Thr Gly Phe Ile 490
Leu 500	Ile Ala Val Leu Gly Ser 500	Ser Ser Met Ile Leu 505
Ile 515	Ile Lys Lys Thr Lys Lys 515	Pro Thr Gly Ala Pro 520
Gly 530	Val Thr Asn Asn Gly Phe 530	Ile Pro His Asn

<210> SEQ ID NO 95

<211> LENGTH: 539

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polypeptide

<400> SEQUENCE: 95

Met Ser Trp Lys Val Val Ile Ile Phe Ser Leu Leu Ile Thr Pro Gln

-continued

1	5	10	15
His Gly Leu Lys Glu Ser Tyr Leu Glu Glu Ser Cys Ser Thr Ile Thr	20	25	30
Glu Gly Tyr Leu Ser Val Leu Arg Thr Gly Trp Tyr Thr Asn Val Phe	35	40	45
Thr Leu Glu Val Gly Asp Val Glu Asn Leu Thr Cys Ser Asp Gly Pro	50	55	60
Ser Leu Ile Lys Thr Glu Leu Asp Leu Thr Lys Ser Ala Leu Arg Glu	65	70	75
Leu Lys Thr Val Ser Ala Asp Gln Leu Ala Arg Glu Glu Gln Ile Glu	85	90	95
Asn Pro Gly Ser Gly Ser Phe Val Leu Gly Ala Ile Ala Leu Gly Val	100	105	110
Ala Ala Ala Ala Ala Val Thr Ala Gly Val Ala Ile Ala Lys Thr Ile	115	120	125
Arg Leu Glu Ser Glu Val Thr Ala Ile Asn Asn Ala Leu Lys Lys Thr	130	135	140
Asn Glu Ala Val Ser Thr Leu Gly Asn Gly Val Arg Val Leu Ala Thr	145	150	155
Ala Val Arg Glu Leu Lys Asp Phe Val Leu Lys Asn Leu Thr Arg Ala	165	170	175
Ile Asn Lys Asn Lys Cys Asp Ile Asp Asp Leu Lys Met Ala Val Ser	180	185	190
Phe Ser Gln Phe Asn Arg Arg Phe Leu Asn Val Val Arg Gln Phe Ser	195	200	205
Asp Asn Ala Gly Ile Thr Pro Ala Ile Ser Leu Asp Leu Met Thr Asp	210	215	220
Ala Glu Leu Ala Arg Ala Val Pro Asn Met Pro Thr Ser Ala Gly Gln	225	230	235
Ile Lys Leu Met Leu Glu Asn Arg Ala Met Val Arg Arg Lys Gly Phe	245	250	255
Gly Ile Leu Ile Gly Val Tyr Gly Ser Ser Val Ile Tyr Met Val Gln	260	265	270
Leu Pro Ile Phe Gly Val Ile Asp Thr Pro Cys Trp Ile Val Lys Ala	275	280	285
Ala Pro Ser Cys Ser Glu Lys Lys Gly Asn Tyr Ala Cys Leu Leu Arg	290	295	300
Glu Asp Gln Gly Trp Tyr Cys Gln Asn Ala Gly Ser Thr Val Tyr Tyr	305	310	315
Pro Asn Glu Lys Asp Cys Glu Thr Arg Gly Asp His Val Phe Cys Asp	325	330	335
Thr Ala Ala Gly Ile Asn Val Ala Glu Gln Ser Lys Glu Cys Asn Ile	340	345	350
Asn Ile Ser Thr Thr Asn Tyr Pro Cys Lys Val Ser Thr Gly Arg His	355	360	365
Pro Ile Ser Met Val Ala Leu Ser Pro Leu Gly Ala Leu Val Ala Cys	370	375	380
Tyr Lys Gly Val Ser Cys Ser Ile Gly Ser Asn Arg Val Gly Ile Ile	385	390	395
Lys Gln Leu Asn Lys Gly Cys Ser Tyr Ile Thr Asn Gln Asp Ala Asp	405	410	415

-continued

Thr Val Thr Ile Asp Asn Thr Val Tyr Gln Leu Ser Lys Val Glu Gly
 420 425 430

Glu Gln His Val Ile Lys Gly Arg Pro Val Ser Ser Ser Phe Asp Pro
 435 440 445

Ile Lys Phe Pro Glu Asp Gln Phe Gln Val Ala Leu Asp Gln Val Phe
 450 455 460

Glu Asn Ile Glu Asn Ser Gln Ala Leu Val Asp Gln Ser Asn Arg Ile
 465 470 475 480

Leu Ser Ser Ala Glu Lys Gly Asn Thr Gly Phe Ile Ile Val Ile Ile
 485 490 495

Leu Ile Ala Val Leu Gly Ser Ser Met Ile Leu Val Ser Ile Phe Ile
 500 505 510

Ile Ile Lys Lys Thr Lys Lys Pro Thr Gly Ala Pro Pro Glu Leu Ser
 515 520 525

Gly Val Thr Asn Asn Gly Phe Ile Pro His Asn
 530 535

<210> SEQ ID NO 96
 <211> LENGTH: 539
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic Polypeptide

<400> SEQUENCE: 96

Met Ser Trp Lys Val Val Ile Ile Phe Ser Leu Leu Ile Thr Pro Gln
 1 5 10 15

His Gly Leu Lys Glu Ser Tyr Leu Glu Glu Ser Cys Ser Thr Ile Thr
 20 25 30

Glu Gly Tyr Leu Ser Val Leu Arg Thr Gly Trp Tyr Thr Asn Val Phe
 35 40 45

Thr Leu Glu Val Gly Asp Val Glu Asn Leu Thr Cys Ser Asp Gly Pro
 50 55 60

Ser Leu Ile Lys Thr Glu Leu Asp Leu Thr Lys Ser Ala Leu Arg Glu
 65 70 75 80

Leu Lys Thr Val Ser Ala Asp Gln Leu Ala Arg Glu Glu Gln Ile Glu
 85 90 95

Asn Pro Gly Ser Gly Ser Phe Val Leu Gly Ala Ile Ala Leu Gly Val
 100 105 110

Ala Ala Ala Ala Ala Val Thr Ala Gly Val Ala Ile Ala Lys Thr Ile
 115 120 125

Arg Leu Glu Ser Glu Val Thr Ala Ile Asn Asn Ala Leu Lys Lys Thr
 130 135 140

Asn Glu Ala Val Ser Thr Leu Gly Asn Gly Val Arg Val Leu Ala Thr
 145 150 155 160

Ala Val Arg Glu Leu Lys Asp Phe Val Ser Lys Asn Leu Trp Arg Ala
 165 170 175

Ile Asn Lys Asn Lys Cys Asp Ile Asp Asp Leu Lys Met Ala Val Ser
 180 185 190

Phe Ser Gln Phe Asn Arg Arg Phe Leu Asn Val Val Arg Gln Phe Ser
 195 200 205

Asp Asn Ala Gly Ile Thr Pro Ala Ile Ser Leu Asp Leu Met Thr Asp
 210 215 220

-continued

Ala Glu Leu Ala Arg Ala Val Pro Asn Met Pro Thr Ser Ala Gly Gln
 225 230 235 240

Ile Lys Leu Met Leu Glu Asn Arg Ala Met Val Arg Arg Lys Gly Phe
 245 250 255

Gly Ile Leu Ile Gly Val Tyr Gly Ser Ser Val Ile Tyr Met Val Gln
 260 265 270

Leu Pro Ile Phe Gly Val Ile Asp Thr Pro Cys Trp Ile Val Lys Ala
 275 280 285

Ala Pro Ser Cys Ser Glu Lys Lys Gly Asn Tyr Ala Cys Leu Leu Arg
 290 295 300

Glu Asp Gln Gly Trp Tyr Cys Gln Asn Ala Gly Ser Thr Val Tyr Tyr
 305 310 315 320

Pro Asn Glu Lys Asp Cys Glu Thr Arg Gly Asp His Val Phe Cys Asp
 325 330 335

Thr Ala Ala Gly Ile Asn Val Ala Glu Gln Ser Lys Glu Cys Asn Ile
 340 345 350

Asn Ile Ser Thr Thr Asn Tyr Pro Cys Lys Val Ser Thr Gly Arg His
 355 360 365

Pro Ile Ser Met Val Ala Leu Ser Pro Leu Gly Ala Leu Val Ala Cys
 370 375 380

Tyr Lys Gly Val Ser Cys Ser Ile Gly Ser Asn Arg Val Gly Ile Ile
 385 390 395 400

Lys Gln Leu Asn Lys Gly Cys Ser Tyr Ile Thr Asn Gln Asp Ala Asp
 405 410 415

Thr Val Thr Ile Asp Asn Thr Val Tyr Gln Leu Ser Lys Val Glu Gly
 420 425 430

Glu Gln His Val Ile Lys Gly Arg Pro Val Ser Ser Ser Phe Asp Pro
 435 440 445

Ile Lys Phe Pro Glu Asp Gln Phe Gln Val Ala Leu Asp Gln Val Phe
 450 455 460

Glu Asn Ile Glu Asn Ser Gln Ala Leu Val Asp Gln Ser Asn Arg Ile
 465 470 475 480

Leu Ser Ser Ala Glu Lys Gly Asn Thr Gly Phe Ile Ile Val Ile Ile
 485 490 495

Leu Ile Ala Val Leu Gly Ser Ser Met Ile Leu Val Ser Ile Phe Ile
 500 505 510

Ile Ile Lys Lys Thr Lys Lys Pro Thr Gly Ala Pro Pro Glu Leu Ser
 515 520 525

Gly Val Thr Asn Asn Gly Phe Ile Pro His Asn
 530 535

<210> SEQ ID NO 97

<211> LENGTH: 539

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polypeptide

<400> SEQUENCE: 97

Met Ser Trp Lys Val Val Ile Ile Phe Ser Leu Leu Ile Thr Pro Gln
 1 5 10 15

His Gly Leu Lys Glu Ser Tyr Leu Glu Glu Ser Cys Ser Thr Ile Thr
 20 25 30

-continued

Glu Gln His Val Ile Lys Gly Arg Pro Val Ser Ser Ser Phe Asp Pro
 435 440 445

 Ile Lys Phe Pro Glu Asp Gln Phe Gln Val Ala Leu Asp Gln Val Phe
 450 455 460

 Glu Asn Ile Glu Asn Ser Gln Ala Leu Val Asp Gln Ser Asn Arg Ile
 465 470 475 480

 Leu Ser Ser Ala Glu Lys Gly Asn Thr Gly Phe Ile Ile Val Ile Ile
 485 490 495

 Leu Ile Ala Val Leu Gly Ser Ser Met Ile Leu Val Ser Ile Phe Ile
 500 505 510

 Ile Ile Lys Lys Thr Lys Lys Pro Thr Gly Ala Pro Pro Glu Leu Ser
 515 520 525

 Gly Val Thr Asn Asn Gly Phe Ile Pro His Asn
 530 535

<210> SEQ ID NO 98
 <211> LENGTH: 539
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic Polypeptide

<400> SEQUENCE: 98

Met Ser Trp Lys Val Val Ile Ile Phe Ser Leu Leu Ile Thr Pro Gln
 1 5 10 15

 His Gly Leu Lys Glu Ser Tyr Leu Glu Glu Ser Cys Ser Thr Ile Thr
 20 25 30

 Glu Gly Tyr Leu Ser Val Leu Arg Thr Gly Trp Tyr Thr Asn Val Phe
 35 40 45

 Thr Leu Pro Val Gly Asp Val Glu Asn Leu Thr Cys Ser Asp Gly Pro
 50 55 60

 Ser Leu Ile Lys Thr Glu Leu Asp Leu Thr Lys Ser Ala Leu Arg Glu
 65 70 75 80

 Leu Lys Thr Val Ser Ala Asp Gln Leu Ala Arg Glu Glu Gln Ile Glu
 85 90 95

 Asn Pro Gly Ser Gly Ser Phe Val Leu Gly Ala Ile Ala Leu Gly Val
 100 105 110

 Ala Ala Ala Ala Ala Val Thr Ala Gly Val Ala Ile Ala Lys Thr Ile
 115 120 125

 Arg Leu Glu Ser Glu Val Thr Ala Ile Asn Asn Ala Leu Lys Lys Thr
 130 135 140

 Asn Glu Ala Val Ser Thr Leu Gly Asn Gly Val Arg Val Leu Ala Thr
 145 150 155 160

 Ala Val Arg Glu Leu Lys Asp Phe Val Ser Lys Asn Leu Thr Arg Ala
 165 170 175

 Ile Asn Lys Asn Lys Cys Asp Ile Asp Asp Leu Lys Met Ala Val Ser
 180 185 190

 Phe Ser Gln Phe Asn Arg Arg Phe Leu Asn Val Val Arg Gln Phe Ser
 195 200 205

 Asp Asn Ala Gly Ile Thr Pro Ala Ile Ser Leu Asp Leu Met Thr Asp
 210 215 220

 Ala Glu Leu Ala Arg Ala Val Pro Asn Met Pro Thr Ser Ala Gly Gln
 225 230 235 240

-continued

```

Ile Lys Leu Met Leu Glu Asn Arg Ala Met Val Arg Arg Lys Gly Phe
      245                      250                      255

Gly Ile Leu Ile Gly Val Tyr Gly Ser Ser Val Ile Tyr Met Val Gln
      260                      265                      270

Leu Pro Ile Phe Gly Val Ile Asp Thr Pro Cys Trp Ile Val Lys Ala
      275                      280                      285

Ala Pro Ser Cys Ser Glu Lys Lys Gly Asn Tyr Ala Cys Leu Leu Arg
      290                      295                      300

Glu Asp Gln Gly Trp Tyr Cys Gln Asn Ala Gly Ser Thr Val Tyr Tyr
305                      310                      315                      320

Pro Asn Glu Lys Asp Cys Glu Thr Arg Gly Asp His Val Phe Cys Asp
      325                      330                      335

Thr Ala Ala Gly Ile Asn Val Ala Glu Gln Ser Lys Glu Cys Asn Ile
      340                      345                      350

Asn Ile Ser Thr Thr Asn Tyr Pro Cys Lys Val Ser Thr Gly Arg His
      355                      360                      365

Pro Ile Ser Met Val Ala Leu Ser Pro Leu Gly Ala Leu Val Ala Cys
      370                      375                      380

Tyr Lys Gly Val Ser Cys Ser Ile Gly Ser Asn Arg Val Gly Ile Ile
385                      390                      395                      400

Lys Gln Leu Asn Lys Gly Cys Ser Tyr Ile Thr Asn Gln Asp Ala Asp
      405                      410                      415

Thr Val Thr Ile Asp Asn Thr Val Tyr Gln Leu Ser Lys Val Glu Gly
      420                      425                      430

Glu Gln His Val Ile Lys Gly Arg Pro Val Ser Ser Ser Phe Asp Pro
      435                      440                      445

Ile Lys Phe Pro Glu Asp Gln Phe Gln Val Ala Leu Asp Gln Val Phe
      450                      455                      460

Glu Asn Ile Glu Asn Ser Gln Ala Leu Val Asp Gln Ser Asn Arg Ile
465                      470                      475                      480

Leu Ser Ser Ala Glu Lys Gly Asn Thr Gly Phe Ile Ile Val Ile Ile
      485                      490                      495

Leu Ile Ala Val Leu Gly Ser Ser Met Ile Leu Val Ser Ile Phe Ile
      500                      505                      510

Ile Ile Lys Lys Thr Lys Lys Pro Thr Gly Ala Pro Pro Glu Leu Ser
      515                      520                      525

Gly Val Thr Asn Asn Gly Phe Ile Pro His Asn
      530                      535

```

<210> SEQ ID NO 99

<211> LENGTH: 539

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polypeptide

<400> SEQUENCE: 99

```

Met Ser Trp Lys Val Val Ile Ile Phe Ser Leu Leu Ile Thr Pro Gln
1                      5                      10                      15

His Gly Leu Lys Glu Ser Tyr Leu Glu Glu Ser Cys Ser Thr Ile Thr
      20                      25                      30

Glu Gly Tyr Leu Ser Val Leu Arg Thr Gly Trp Tyr Thr Asn Val Phe
      35                      40                      45

```

-continued

Thr	Leu	Glu	Val	Gly	Asp	Val	Glu	Asn	Leu	Thr	Cys	Ser	Asp	Gly	Pro
50						55					60				
Ser	Leu	Ile	Lys	Thr	Glu	Leu	Asp	Leu	Thr	Lys	Ser	Ala	Leu	Arg	Glu
65					70					75					80
Leu	Lys	Thr	Val	Ser	Ala	Asp	Gln	Leu	Ala	Arg	Glu	Glu	Gln	Ile	Glu
				85					90					95	
Asn	Pro	Gly	Ser	Gly	Ser	Phe	Val	Leu	Gly	Ala	Ile	Ala	Leu	Gly	Val
			100					105					110		
Ala	Ala	Ala	Ala	Ala	Val	Thr	Ala	Gly	Val	Ala	Ile	Ala	Lys	Thr	Ile
		115					120					125			
Arg	Leu	Glu	Ser	Glu	Val	Thr	Ala	Ile	Asn	Asn	Ala	Leu	Lys	Lys	Thr
130						135					140				
Asn	Glu	Ala	Val	Ser	Thr	Leu	Gly	Asn	Gly	Val	Arg	Val	Leu	Ala	Thr
145					150					155					160
Ala	Val	Arg	Glu	Leu	Lys	Asp	Phe	Val	Ser	Lys	Asn	Leu	Thr	Arg	Ala
				165					170					175	
Ile	Asn	Lys	Asn	Lys	Cys	Asp	Ile	Pro	Asp	Leu	Lys	Met	Ala	Val	Ser
			180					185					190		
Phe	Ser	Gln	Phe	Asn	Arg	Arg	Phe	Leu	Asn	Val	Val	Arg	Gln	Phe	Ser
		195					200					205			
Asp	Asn	Ala	Gly	Ile	Thr	Pro	Ala	Ile	Ser	Leu	Asp	Leu	Met	Thr	Asp
210						215					220				
Ala	Glu	Leu	Ala	Arg	Ala	Val	Pro	Asn	Met	Pro	Thr	Ser	Ala	Gly	Gln
225					230					235					240
Ile	Lys	Leu	Met	Leu	Glu	Asn	Arg	Ala	Met	Val	Arg	Arg	Lys	Gly	Phe
				245					250					255	
Gly	Ile	Leu	Ile	Gly	Val	Tyr	Gly	Ser	Ser	Val	Ile	Tyr	Met	Val	Gln
		260						265					270		
Leu	Pro	Ile	Phe	Gly	Val	Ile	Asp	Thr	Pro	Cys	Trp	Ile	Val	Lys	Ala
		275					280					285			
Ala	Pro	Ser	Cys	Ser	Glu	Lys	Lys	Gly	Asn	Tyr	Ala	Cys	Leu	Leu	Arg
	290					295					300				
Glu	Asp	Gln	Gly	Trp	Tyr	Cys	Gln	Asn	Ala	Gly	Ser	Thr	Val	Tyr	Tyr
305					310					315					320
Pro	Asn	Glu	Lys	Asp	Cys	Glu	Thr	Arg	Gly	Asp	His	Val	Phe	Cys	Asp
			325						330					335	
Thr	Ala	Ala	Gly	Ile	Asn	Val	Ala	Glu	Gln	Ser	Lys	Glu	Cys	Asn	Ile
			340					345					350		
Asn	Ile	Ser	Thr	Thr	Asn	Tyr	Pro	Cys	Lys	Val	Ser	Thr	Gly	Arg	His
		355					360					365			
Pro	Ile	Ser	Met	Val	Ala	Leu	Ser	Pro	Leu	Gly	Ala	Leu	Val	Ala	Cys
	370					375					380				
Tyr	Lys	Gly	Val	Ser	Cys	Ser	Ile	Gly	Ser	Asn	Arg	Val	Gly	Ile	Ile
385					390					395					400
Lys	Gln	Leu	Asn	Lys	Gly	Cys	Ser	Tyr	Ile	Thr	Asn	Gln	Asp	Ala	Asp
			405						410					415	
Thr	Val	Thr	Ile	Asp	Asn	Thr	Val	Tyr	Gln	Leu	Ser	Lys	Val	Glu	Gly
			420					425					430		
Glu	Gln	His	Val	Ile	Lys	Gly	Arg	Pro	Val	Ser	Ser	Ser	Phe	Asp	Pro
		435					440					445			
Ile	Lys	Phe	Pro	Glu	Asp	Gln	Phe	Gln	Val	Ala	Leu	Asp	Gln	Val	Phe

-continued

260					265					270					
Leu	Pro	Ile	Phe	Gly	Val	Ile	Asp	Thr	Pro	Cys	Trp	Ile	Val	Lys	Ala
		275					280					285			
Ala	Pro	Ser	Cys	Ser	Glu	Lys	Lys	Gly	Asn	Tyr	Ala	Cys	Leu	Leu	Arg
		290					295					300			
Glu	Asp	Gln	Gly	Trp	Tyr	Cys	Gln	Asn	Ala	Gly	Ser	Thr	Val	Tyr	Tyr
		305					310					315			
Pro	Asn	Glu	Lys	Asp	Cys	Glu	Thr	Arg	Gly	Asp	His	Val	Phe	Cys	Asp
				325										335	
Thr	Ala	Ala	Gly	Ile	Asn	Val	Ala	Glu	Gln	Ser	Lys	Glu	Cys	Asn	Ile
			340						345					350	
Asn	Ile	Ser	Thr	Thr	Asn	Tyr	Pro	Cys	Lys	Val	Ser	Thr	Gly	Arg	His
			355				360							365	
Pro	Ile	Ser	Met	Val	Ala	Leu	Ser	Pro	Leu	Gly	Ala	Leu	Val	Ala	Cys
							375					380			
Tyr	Lys	Gly	Val	Ser	Cys	Ser	Ile	Gly	Ser	Asn	Arg	Val	Gly	Ile	Ile
							390					395			
Lys	Gln	Leu	Asn	Lys	Gly	Cys	Ser	Tyr	Ile	Thr	Asn	Gln	Asp	Ala	Asp
				405								410			
Thr	Val	Thr	Ile	Asp	Asn	Thr	Val	Tyr	Gln	Leu	Ser	Lys	Val	Glu	Gly
			420						425					430	
Glu	Gln	His	Val	Ile	Lys	Gly	Arg	Pro	Val	Ser	Ser	Ser	Phe	Asp	Pro
			435					440						445	
Ile	Lys	Phe	Pro	Glu	Asp	Gln	Phe	Gln	Val	Ala	Leu	Asp	Gln	Val	Phe
							455					460			
Glu	Asn	Ile	Glu	Asn	Ser	Gln	Ala	Leu	Val	Asp	Gln	Ser	Asn	Arg	Ile
							470					475			
Leu	Ser	Ser	Ala	Glu	Lys	Gly	Asn	Thr	Gly	Phe	Ile	Ile	Val	Ile	Ile
				485					490					495	
Leu	Ile	Ala	Val	Leu	Gly	Ser	Ser	Met	Ile	Leu	Val	Ser	Ile	Phe	Ile
			500					505						510	
Ile	Ile	Lys	Lys	Thr	Lys	Lys	Pro	Thr	Gly	Ala	Pro	Pro	Glu	Leu	Ser
			515				520						525		
Gly	Val	Thr	Asn	Asn	Gly	Phe	Ile	Pro	His	Asn					
			530				535								

<210> SEQ ID NO 101

<211> LENGTH: 539

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polypeptide

<400> SEQUENCE: 101

Met	Ser	Trp	Lys	Val	Val	Ile	Ile	Phe	Ser	Leu	Leu	Ile	Thr	Pro	Gln
1				5					10					15	
His	Gly	Leu	Lys	Glu	Ser	Tyr	Leu	Glu	Glu	Ser	Cys	Ser	Thr	Ile	Thr
			20					25					30		
Glu	Gly	Tyr	Leu	Ser	Val	Leu	Arg	Thr	Gly	Trp	Tyr	Thr	Asn	Val	Phe
			35				40						45		
Thr	Leu	Glu	Val	Gly	Asp	Val	Glu	Asn	Leu	Thr	Cys	Ser	Asp	Gly	Pro
			50			55					60				
Ser	Leu	Ile	Lys	Thr	Glu	Leu	Asp	Leu	Thr	Lys	Ser	Ala	Leu	Arg	Glu

-continued

65	70	75	80
Leu Lys Thr Val Ser Ala Asp Gln Leu Ala Arg Glu Glu Gln Ile Glu	85	90	95
Asn Pro Gly Ser Gly Ser Phe Val Leu Gly Ala Ile Ala Leu Gly Val	100	105	110
Ala Ala Ala Ala Ala Val Thr Ala Gly Val Ala Ile Ala Lys Thr Ile	115	120	125
Arg Leu Pro Ser Glu Val Thr Ala Ile Asn Asn Ala Leu Lys Lys Thr	130	135	140
Asn Glu Ala Val Ser Thr Leu Gly Asn Gly Val Arg Val Leu Ala Thr	145	150	155
Ala Val Arg Glu Leu Lys Asp Phe Val Ser Lys Asn Leu Thr Arg Ala	165	170	175
Ile Asn Lys Asn Lys Cys Asp Ile Asp Asp Leu Lys Met Ala Val Ser	180	185	190
Phe Ser Gln Phe Asn Arg Arg Phe Leu Asn Val Val Arg Gln Phe Ser	195	200	205
Asp Asn Ala Gly Ile Thr Pro Ala Ile Ser Leu Asp Leu Met Thr Asp	210	215	220
Ala Glu Leu Ala Arg Ala Val Pro Asn Met Pro Thr Ser Ala Gly Gln	225	230	235
Ile Lys Leu Met Leu Glu Asn Arg Ala Met Val Arg Arg Lys Gly Phe	245	250	255
Gly Ile Leu Ile Gly Val Tyr Gly Ser Ser Val Ile Tyr Met Val Gln	260	265	270
Leu Pro Ile Phe Gly Val Ile Asp Thr Pro Cys Trp Ile Val Lys Ala	275	280	285
Ala Pro Ser Cys Ser Glu Lys Lys Gly Asn Tyr Ala Cys Leu Leu Arg	290	295	300
Glu Asp Gln Gly Trp Tyr Cys Gln Asn Ala Gly Ser Thr Val Tyr Tyr	305	310	315
Pro Asn Glu Lys Asp Cys Glu Thr Arg Gly Asp His Val Phe Cys Asp	325	330	335
Thr Ala Ala Gly Ile Asn Val Ala Glu Gln Ser Lys Glu Cys Asn Ile	340	345	350
Asn Ile Ser Thr Thr Asn Tyr Pro Cys Lys Val Ser Thr Gly Arg His	355	360	365
Pro Ile Ser Met Val Ala Leu Ser Pro Leu Gly Ala Leu Val Ala Cys	370	375	380
Tyr Lys Gly Val Ser Cys Ser Ile Gly Ser Asn Arg Val Gly Ile Ile	385	390	395
Lys Gln Leu Asn Lys Gly Cys Ser Tyr Ile Thr Asn Gln Asp Ala Asp	405	410	415
Thr Val Thr Ile Asp Asn Thr Val Tyr Gln Leu Ser Lys Val Glu Gly	420	425	430
Glu Gln His Val Ile Lys Gly Arg Pro Val Ser Ser Ser Phe Asp Pro	435	440	445
Ile Lys Phe Pro Glu Asp Gln Phe Gln Val Ala Leu Asp Gln Val Phe	450	455	460
Glu Asn Ile Glu Asn Ser Gln Ala Leu Val Asp Gln Ser Asn Arg Ile	465	470	475
			480

-continued

Leu Ser Ser Ala Glu Lys Gly Asn Thr Gly Phe Ile Ile Val Ile Ile
 485 490 495

Leu Ile Ala Val Leu Gly Ser Ser Met Ile Leu Val Ser Ile Phe Ile
 500 505 510

Ile Ile Lys Lys Thr Lys Lys Pro Thr Gly Ala Pro Pro Glu Leu Ser
 515 520 525

Gly Val Thr Asn Asn Gly Phe Ile Pro His Asn
 530 535

<210> SEQ ID NO 102
 <211> LENGTH: 539
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic Polypeptide

<400> SEQUENCE: 102

Met Ser Trp Lys Val Val Ile Ile Phe Ser Leu Leu Ile Thr Pro Gln
 1 5 10 15

His Gly Leu Lys Glu Ser Tyr Leu Glu Glu Ser Cys Ser Thr Ile Thr
 20 25 30

Glu Gly Tyr Leu Ser Val Leu Arg Thr Gly Trp Tyr Thr Asn Val Phe
 35 40 45

Thr Leu Glu Val Gly Asp Val Glu Asn Leu Thr Cys Ser Asp Gly Pro
 50 55 60

Ser Leu Ile Lys Thr Glu Leu Asp Leu Thr Lys Ser Ala Leu Arg Glu
 65 70 75 80

Leu Lys Thr Val Ser Ala Asp Gln Leu Ala Arg Glu Glu Gln Ile Glu
 85 90 95

Asn Pro Gly Ser Gly Ser Phe Val Leu Gly Ala Ile Ala Leu Gly Val
 100 105 110

Ala Ala Ala Ala Ala Val Thr Ala Gly Val Ala Ile Ala Lys Thr Ile
 115 120 125

Arg Leu Glu Ser Glu Val Thr Ala Ile Asn Asn Ala Leu Lys Lys Thr
 130 135 140

Asn Glu Ala Val Ser Thr Leu Gly Asn Gly Val Arg Val Leu Ala Thr
 145 150 155 160

Ala Val Arg Glu Leu Lys Asp Phe Val Ser Lys Asn Leu Thr Arg Ala
 165 170 175

Ile Asn Lys Asn Lys Cys Asp Ile Asp Asp Leu Lys Met Ala Val Ser
 180 185 190

Phe Ser Gln Phe Asn Arg Arg Phe Leu Asn Val Val Arg Gln Phe Ser
 195 200 205

Asp Asn Ala Gly Ile Thr Pro Ala Ile Ser Leu Asp Leu Met Thr Asp
 210 215 220

Ala Glu Leu Ala Arg Ala Val Pro Asn Met Pro Thr Ser Ala Gly Gln
 225 230 235 240

Ile Lys Leu Met Leu Glu Asn Arg Ala Met Val Arg Arg Lys Gly Phe
 245 250 255

Gly Ile Leu Ile Gly Val Tyr Gly Ser Ser Val Ile Tyr Met Val Gln
 260 265 270

Leu Pro Ile Phe Gly Val Ile Asp Thr Pro Cys Trp Ile Val Lys Ala
 275 280 285

-continued

Ala Pro Ser Cys Ser Glu Lys Lys Gly Asn Tyr Ala Cys Leu Leu Arg
 290 295 300

Glu Asp Gln Gly Trp Tyr Cys Gln Asn Ala Gly Ser Thr Val Tyr Tyr
 305 310 315 320

Pro Asn Glu Lys Asp Cys Glu Thr Arg Gly Asp His Val Phe Cys Asp
 325 330 335

Thr Ala Ala Gly Ile Asn Val Ala Glu Gln Ser Lys Glu Cys Asn Ile
 340 345 350

Asn Ile Ser Thr Thr Asn Tyr Pro Cys Lys Val Ser Thr Gly Arg His
 355 360 365

Pro Ile Ser Met Val Ala Leu Ser Pro Leu Gly Ala Leu Val Ala Cys
 370 375 380

Tyr Lys Gly Val Ser Cys Ser Ile Gly Ser Asn Arg Val Gly Ile Ile
 385 390 395 400

Lys Gln Leu Asn Lys Gly Cys Ser Tyr Ile Thr Asn Gln Asp Ala Asp
 405 410 415

Thr Val Thr Ile Asp Asn Thr Val Tyr Gln Leu Ser Lys Val Glu Gly
 420 425 430

Glu Gln His Val Ile Lys Gly Arg Pro Val Ser Ser Ser Phe Pro Pro
 435 440 445

Ile Lys Phe Pro Glu Asp Gln Phe Gln Val Ala Leu Asp Gln Val Phe
 450 455 460

Glu Asn Ile Glu Asn Ser Gln Ala Leu Val Asp Gln Ser Asn Arg Ile
 465 470 475 480

Leu Ser Ser Ala Glu Lys Gly Asn Thr Gly Phe Ile Ile Val Ile Ile
 485 490 495

Leu Ile Ala Val Leu Gly Ser Ser Met Ile Leu Val Ser Ile Phe Ile
 500 505 510

Ile Ile Lys Lys Thr Lys Lys Pro Thr Gly Ala Pro Pro Glu Leu Ser
 515 520 525

Gly Val Thr Asn Asn Gly Phe Ile Pro His Asn
 530 535

<210> SEQ ID NO 103

<211> LENGTH: 539

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polypeptide

<400> SEQUENCE: 103

Met Ser Trp Lys Val Val Ile Ile Phe Ser Leu Leu Ile Thr Pro Gln
 1 5 10 15

His Gly Leu Lys Glu Ser Tyr Leu Glu Glu Ser Cys Ser Thr Ile Thr
 20 25 30

Glu Gly Tyr Leu Ser Val Leu Arg Thr Gly Trp Tyr Thr Asn Val Phe
 35 40 45

Thr Leu Glu Val Gly Asp Val Glu Asn Leu Thr Cys Ser Asp Gly Pro
 50 55 60

Ser Leu Ile Lys Thr Glu Leu Asp Leu Thr Lys Ser Ala Leu Arg Glu
 65 70 75 80

Leu Lys Thr Val Ser Ala Asp Gln Leu Ala Arg Glu Glu Gln Ile Glu
 85 90 95

-continued

Asn	Pro	Gly	Ser	Gly	Ser	Phe	Val	Leu	Gly	Ala	Ile	Ala	Leu	Gly	Val
			100					105					110		
Ala	Ala	Ala	Ala	Ala	Val	Thr	Ala	Gly	Val	Ala	Ile	Ala	Lys	Thr	Ile
			115				120					125			
Arg	Leu	Glu	Ser	Glu	Val	Thr	Ala	Ile	Asn	Asn	Ala	Leu	Lys	Lys	Thr
	130					135					140				
Asn	Glu	Ala	Val	Ser	Thr	Leu	Gly	Asn	Gly	Val	Arg	Val	Leu	Ala	Thr
	145				150					155					160
Ala	Val	Arg	Glu	Leu	Lys	Asp	Phe	Val	Ser	Lys	Asn	Leu	Thr	Arg	Ala
				165					170					175	
Ile	Asn	Lys	Asn	Lys	Cys	Asp	Ile	Asp	Asp	Leu	Lys	Met	Ala	Val	Ser
			180					185					190		
Phe	Ser	Gln	Phe	Asn	Arg	Arg	Phe	Leu	Asn	Val	Val	Arg	Gln	Phe	Ser
		195					200					205			
Asp	Asn	Ala	Gly	Ile	Thr	Pro	Ala	Ile	Ser	Leu	Asp	Leu	Met	Thr	Asp
	210					215					220				
Ala	Glu	Leu	Ala	Arg	Ala	Val	Pro	Asn	Met	Pro	Thr	Ser	Ala	Gly	Gln
	225				230					235					240
Ile	Lys	Leu	Met	Leu	Glu	Asn	Arg	Ala	Met	Val	Arg	Arg	Lys	Gly	Phe
				245					250					255	
Gly	Ile	Leu	Ile	Gly	Val	Tyr	Gly	Ser	Ser	Val	Ile	Tyr	Met	Val	Gln
		260						265					270		
Leu	Pro	Ile	Phe	Gly	Val	Ile	Asp	Thr	Pro	Cys	Trp	Ile	Val	Lys	Ala
		275					280					285			
Ala	Pro	Ser	Cys	Ser	Glu	Lys	Lys	Gly	Asn	Tyr	Ala	Cys	Leu	Leu	Arg
	290					295					300				
Glu	Asp	Gln	Gly	Trp	Tyr	Cys	Gln	Asn	Ala	Gly	Ser	Thr	Val	Tyr	Tyr
	305				310					315					320
Pro	Asn	Glu	Lys	Asp	Cys	Glu	Thr	Arg	Gly	Asp	His	Val	Phe	Cys	Asp
				325					330					335	
Thr	Ala	Ala	Gly	Ile	Asn	Val	Ala	Glu	Gln	Ser	Lys	Glu	Cys	Asn	Ile
			340					345					350		
Asn	Ile	Ser	Thr	Thr	Asn	Tyr	Pro	Cys	Lys	Val	Ser	Thr	Gly	Arg	His
		355					360					365			
Pro	Ile	Ser	Met	Val	Ala	Leu	Ser	Pro	Leu	Gly	Ala	Leu	Val	Ala	Cys
	370					375					380				
Tyr	Lys	Gly	Val	Ser	Cys	Ser	Ile	Gly	Ser	Asn	Arg	Val	Gly	Ile	Ile
	385				390					395					400
Lys	Gln	Leu	Asn	Lys	Gly	Cys	Ser	Tyr	Ile	Thr	Asn	Gln	Asp	Ala	Asp
				405					410					415	
Thr	Val	Thr	Ile	Asp	Asn	Thr	Val	Tyr	Gln	Leu	Ser	Lys	Val	Glu	Gly
			420					425					430		
Glu	Gln	His	Val	Ile	Lys	Gly	Arg	Pro	Val	Ser	Ser	Ser	Phe	Asp	Pro
		435					440					445			
Ile	Lys	Phe	Pro	Glu	Asn	Gln	Phe	Gln	Val	Ala	Leu	Asp	Gln	Val	Phe
	450					455					460				
Glu	Asn	Ile	Glu	Asn	Ser	Gln	Ala	Leu	Val	Asp	Gln	Ser	Asn	Arg	Ile
	465				470					475					480
Leu	Ser	Ser	Ala	Glu	Lys	Gly	Asn	Thr	Gly	Phe	Ile	Ile	Val	Ile	Ile
				485					490					495	

-continued

Leu Ile Ala Val Leu Gly Ser Ser Met Ile Leu Val Ser Ile Phe Ile
 500 505 510

Ile Ile Lys Lys Thr Lys Lys Pro Thr Gly Ala Pro Pro Glu Leu Ser
 515 520 525

Gly Val Thr Asn Asn Gly Phe Ile Pro His Asn
 530 535

<210> SEQ ID NO 104
 <211> LENGTH: 539
 <212> TYPE: PRT
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic Polypeptide

<400> SEQUENCE: 104

Met Ser Trp Lys Val Val Ile Ile Phe Ser Leu Leu Ile Thr Pro Gln
 1 5 10 15

His Gly Leu Lys Glu Ser Tyr Leu Glu Glu Ser Cys Ser Thr Ile Thr
 20 25 30

Glu Gly Tyr Leu Ser Val Leu Arg Thr Gly Trp Tyr Thr Asn Val Phe
 35 40 45

Thr Leu Glu Val Gly Asp Val Glu Asn Leu Thr Cys Ser Asp Gly Pro
 50 55 60

Ser Leu Ile Lys Thr Glu Leu Asp Leu Thr Lys Ser Ala Leu Arg Glu
 65 70 75 80

Leu Lys Thr Val Ser Ala Asp Gln Leu Ala Arg Glu Glu Gln Ile Glu
 85 90 95

Asn Pro Gly Ser Gly Ser Phe Val Leu Gly Ala Ile Ala Leu Gly Val
 100 105 110

Ala Ala Ala Ala Val Thr Ala Gly Val Ala Ile Ala Lys Thr Ile
 115 120 125

Arg Leu Glu Ser Glu Val Thr Ala Ile Asn Asn Ala Leu Lys Lys Thr
 130 135 140

Asn Glu Ala Val Ser Thr Leu Gly Asn Gly Val Arg Val Leu Ala Thr
 145 150 155 160

Ala Val Arg Glu Leu Lys Asp Phe Val Ser Lys Asn Leu Thr Arg Ala
 165 170 175

Ile Asn Lys Asn Lys Cys Asp Ile Asp Asp Leu Lys Met Ala Val Ser
 180 185 190

Phe Ser Gln Phe Asn Arg Arg Phe Leu Asn Val Val Arg Gln Phe Ser
 195 200 205

Asp Asn Ala Gly Ile Thr Pro Ala Ile Ser Leu Asp Leu Met Thr Asp
 210 215 220

Ala Glu Leu Ala Arg Ala Val Pro Asn Met Pro Thr Ser Ala Gly Gln
 225 230 235 240

Ile Lys Leu Met Leu Glu Asn Arg Ala Met Val Arg Arg Lys Gly Phe
 245 250 255

Gly Ile Leu Ile Gly Val Tyr Gly Ser Ser Val Ile Tyr Met Val Gln
 260 265 270

Leu Pro Ile Phe Gly Val Ile Asp Thr Pro Cys Trp Ile Val Lys Ala
 275 280 285

Ala Pro Ser Cys Ser Glu Lys Lys Gly Asn Tyr Ala Cys Leu Leu Arg
 290 295 300

-continued

Glu Asp Gln Gly Trp Tyr Cys Gln Asn Ala Gly Ser Thr Val Tyr Tyr
 305 310 315 320
 Pro Asn Glu Lys Asp Cys Glu Thr Arg Gly Asp His Val Phe Cys Asp
 325 330 335
 Thr Ala Ala Gly Ile Asn Val Ala Glu Gln Ser Lys Glu Cys Asn Ile
 340 345 350
 Asn Ile Ser Thr Thr Asn Tyr Pro Cys Lys Val Ser Thr Gly Arg His
 355 360 365
 Pro Ile Ser Met Val Ala Leu Ser Pro Leu Gly Ala Leu Val Ala Cys
 370 375 380
 Tyr Lys Gly Val Ser Cys Ser Ile Gly Ser Asn Arg Val Gly Ile Ile
 385 390 395 400
 Lys Gln Leu Asn Lys Gly Cys Ser Tyr Ile Thr Asn Gln Asp Ala Asp
 405 410 415
 Thr Val Thr Ile Asp Asn Thr Val Tyr Gln Leu Ser Lys Val Glu Gly
 420 425 430
 Glu Gln His Val Ile Lys Gly Arg Pro Val Ser Ser Ser Phe Asp Pro
 435 440 445
 Ile Lys Phe Pro Gln Asp Gln Phe Gln Val Ala Leu Asp Gln Val Phe
 450 455 460
 Glu Asn Ile Glu Asn Ser Gln Ala Leu Val Asp Gln Ser Asn Arg Ile
 465 470 475 480
 Leu Ser Ser Ala Glu Lys Gly Asn Thr Gly Phe Ile Ile Val Ile Ile
 485 490 495
 Leu Ile Ala Val Leu Gly Ser Ser Met Ile Leu Val Ser Ile Phe Ile
 500 505 510
 Ile Ile Lys Lys Thr Lys Lys Pro Thr Gly Ala Pro Pro Glu Leu Ser
 515 520 525
 Gly Val Thr Asn Asn Gly Phe Ile Pro His Asn
 530 535

<210> SEQ ID NO 105

<211> LENGTH: 539

<212> TYPE: PRT

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polypeptide

<400> SEQUENCE: 105

Met Ser Trp Lys Val Val Ile Ile Phe Ser Leu Leu Ile Thr Pro Gln
 1 5 10 15
 His Gly Leu Lys Glu Ser Tyr Leu Glu Glu Ser Cys Ser Thr Ile Thr
 20 25 30
 Glu Gly Tyr Leu Ser Val Leu Arg Thr Gly Trp Tyr Thr Asn Val Phe
 35 40 45
 Thr Leu Glu Val Gly Asp Val Glu Asn Leu Thr Cys Ser Asp Gly Pro
 50 55 60
 Ser Leu Ile Lys Thr Glu Leu Asp Leu Thr Lys Ser Ala Leu Arg Glu
 65 70 75 80
 Leu Lys Thr Val Ser Ala Asp Gln Leu Ala Arg Glu Glu Gln Ile Glu
 85 90 95
 Asn Pro Gly Ser Gly Ser Phe Val Leu Gly Ala Ile Ala Leu Gly Val
 100 105 110

-continued

Ala	Ala	Ala	Ala	Ala	Val	Thr	Ala	Gly	Val	Ala	Ile	Ala	Lys	Thr	Ile
		115					120					125			
Arg	Leu	Glu	Ser	Glu	Val	Thr	Ala	Ile	Asn	Asn	Ala	Leu	Lys	Lys	Thr
	130					135					140				
Asn	Glu	Ala	Val	Ser	Thr	Leu	Gly	Asn	Gly	Val	Arg	Val	Leu	Ala	Thr
145					150					155					160
Ala	Val	Arg	Glu	Leu	Lys	Asp	Phe	Val	Ser	Lys	Asn	Leu	Thr	Arg	Ala
				165					170					175	
Ile	Asn	Lys	Asn	Lys	Cys	Asp	Ile	Asp	Asp	Leu	Lys	Met	Ala	Val	Ser
			180					185					190		
Phe	Ser	Gln	Trp	Asn	Arg	Arg	Phe	Leu	Asn	Val	Val	Arg	Gln	Phe	Ser
		195					200					205			
Asp	Asn	Ala	Gly	Ile	Thr	Pro	Ala	Ile	Ser	Leu	Asp	Leu	Met	Thr	Asp
	210					215					220				
Ala	Glu	Leu	Ala	Arg	Ala	Val	Pro	Asn	Met	Pro	Thr	Ser	Ala	Gly	Gln
225					230					235					240
Ile	Lys	Leu	Met	Leu	Glu	Asn	Arg	Ala	Met	Val	Arg	Arg	Lys	Gly	Phe
				245					250					255	
Gly	Ile	Leu	Ile	Gly	Val	Tyr	Gly	Ser	Ser	Val	Ile	Tyr	Met	Val	Gln
			260					265					270		
Leu	Pro	Ile	Phe	Gly	Val	Ile	Asp	Thr	Pro	Cys	Trp	Ile	Val	Lys	Ala
		275					280					285			
Ala	Pro	Ser	Cys	Ser	Glu	Lys	Lys	Gly	Asn	Tyr	Ala	Cys	Leu	Leu	Arg
	290					295					300				
Glu	Asp	Gln	Gly	Trp	Tyr	Cys	Gln	Asn	Ala	Gly	Ser	Thr	Val	Tyr	Tyr
305					310					315					320
Pro	Asn	Glu	Lys	Asp	Cys	Glu	Thr	Arg	Gly	Asp	His	Val	Phe	Cys	Asp
				325					330					335	
Thr	Ala	Ala	Gly	Ile	Asn	Val	Ala	Glu	Gln	Ser	Lys	Glu	Cys	Asn	Ile
			340					345					350		
Asn	Ile	Ser	Thr	Thr	Asn	Tyr	Pro	Cys	Lys	Val	Ser	Thr	Gly	Arg	His
		355					360					365			
Pro	Ile	Ser	Met	Val	Ala	Leu	Ser	Pro	Leu	Gly	Ala	Leu	Val	Ala	Cys
	370					375					380				
Tyr	Lys	Gly	Val	Ser	Cys	Ser	Ile	Gly	Ser	Asn	Arg	Val	Gly	Ile	Ile
385					390					395					400
Lys	Gln	Leu	Asn	Lys	Gly	Cys	Ser	Tyr	Ile	Thr	Asn	Gln	Asp	Ala	Asp
				405					410					415	
Thr	Val	Thr	Ile	Asp	Asn	Thr	Val	Tyr	Gln	Leu	Ser	Lys	Val	Glu	Gly
			420					425					430		
Glu	Gln	His	Val	Ile	Lys	Gly	Arg	Pro	Val	Ser	Ser	Ser	Phe	Asp	Pro
		435					440					445			
Ile	Lys	Phe	Pro	Glu	Asp	Gln	Phe	Gln	Val	Ala	Leu	Asp	Gln	Val	Phe
	450					455					460				
Glu	Asn	Ile	Glu	Asn	Ser	Gln	Ala	Leu	Val	Asp	Gln	Ser	Asn	Arg	Ile
465					470					475					480
Leu	Ser	Ser	Ala	Glu	Lys	Gly	Asn	Thr	Gly	Phe	Ile	Ile	Val	Ile	Ile
				485					490					495	
Leu	Ile	Ala	Val	Leu	Gly	Ser	Ser	Met	Ile	Leu	Val	Ser	Ile	Phe	Ile
			500					505					510		
Ile	Ile	Lys	Lys	Thr	Lys	Lys	Pro	Thr	Gly	Ala	Pro	Pro	Glu	Leu	Ser

-continued

515	520	525	
Gly Val Thr Asn Asn Gly Phe Ile Pro His Asn			
530	535		
<p><210> SEQ ID NO 106 <211> LENGTH: 1617 <212> TYPE: DNA <213> ORGANISM: Artificial Sequence <220> FEATURE: <223> OTHER INFORMATION: Synthetic Polynucleotide</p> <p><400> SEQUENCE: 106</p>			
atgagctgga aggtggcat catcttcagc ctgctgatca cacctcagca cggcctgaaa			60
gagagctacc tggaagagtc ctgcagcacc atcacagagg gctacctgtc tgtgctgaga			120
accggctggt acaccaacgt gttcacactg gaagtgggag acgtcgagaa tctgacatgc			180
tctgatggcc ctagcctgat caagaccgag ctggatctga ccaagagcgc cctgagagaa			240
ctcaagaccg tgtctgccga tcagctggcc agagaggaac agatcgagaa tccctggcagc			300
ggcagctttg tgctgggagc cattgctctt ggagtggctg ctgctgcagc tggtagcagca			360
ggcgtggcca tctgcaagac catcagactg gaaagcgaag tgaccgccat caacaacgcc			420
ctgaagaaga caaacgaggc cgtcagcaca ctccgcaatg gcgtagagt gctggccttt			480
gccgtgcgag agctgaagga cttcgtgtcc aagaacctga cacgggccct gaacaagaac			540
aagtgcgaca tcgacgacct gaagatggcc gtgtccttta gccagttcaa ccggcggttt			600
ctgaacgtcg tgcggcagtt tagcgacaac gccggaatca caccagccat cagcctggac			660
ctgatgacag atgctgagct ggctagagcc gtgcctaaca tgacctacatc tgccggccag			720
atcaagctga tgctcgagaa tagagccatg gtccgacgga aaggcttcgg cattctgtgt			780
ggcgtgtacg gcagcagcgt gatctatatg gtgcagctgc ctatcttcgg cgtgatcgac			840
acaccctgct ggattgtgaa ggccgctcct agctgtagcg agaagaaggg caattacgcc			900
tgctctgctga gagaggacca aggtggtat tgtcagaacg ccggcagcac cgtgtactac			960
cctaacgaga aggactgcca gacaagaggc gaccacgtgt tctgtgatac cgccgctgga			1020
atcaatgtgg ccgagcagag caaagagtgc aacatcaaca tcagcaccac caactatccc			1080
tgcaaggtgt ccaccggcag gcaccctatt tctatggtgg ctctgtctcc tctgggagcc			1140
ctgggtggctt gttataaggg cgtgtcctgt agcatcgcca gcaacagagt gggcatcatc			1200
aagcagctga acaagggctg cagctacatc accaaccagg acgccgatac cgtgaccatc			1260
gacaacaccg tgtatcagct gagcaagggt gaaggcgaac agcacgtgat caagggcaga			1320
cctgtgtcca gcagcttcga ccctatcaag ttccctgagg atcagttcaa cgtggccttg			1380
gaccaggtgt tcgagaacat cgagaattcc caggctctgg tggaccagtc caacagaatc			1440
ctgtctagcg ccgagaaggg aaacaccggc ttcatcatcg tgatcatcct gatcgccgtg			1500
ctgggcagct ccatgatcct ggtgtccatc ttcatcatta tcaagaagac caagaagccc			1560
accggcgctc ctccagaact gagcggagtg accaacaatg gttcatccc tcacaac			1617

<210> SEQ ID NO 107
 <211> LENGTH: 1617
 <212> TYPE: DNA
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic Polynucleotide

-continued

<400> SEQUENCE: 107

atgagctgga aggtggtcat catcttcagc ctgctgatca cacctcagca cggcctgaaa 60
gagagctacc tggaagagtc ctgcagcacc atcacagagg gctacctgtc tgtgctgaga 120
accggctggg acaccaacgt gttcacactg gaagtgggag acgtcgagaa tctgacatgc 180
tctgatggcc ctagcctgat caagaccgag ctggatctga ccaagagcgc cctgagagaa 240
ctcaagaccg tgtctgccga tcagctggcc agagaggaac agatcgagaa tcctggcagc 300
ggcagctttg tgctgggagc cattgctctt ggagtggctg ctgctgcagc tgttacagca 360
ggcgtggcca tctgcaagac catcagactg gaaagcgaag tgaccgccat caacaacgcc 420
ctgaagaaga caaacgaggc cgtcagcaca ctccgcaatg gcgtagagc gctggccaca 480
gccgtgcgag agctgaagga cttcgtgtcc aagaacctga cacgggccat taacaagaac 540
aagtgcgaca tcgacgacct gaagatggcc gtgtccttta gccagttcaa cggcggttt 600
ctgaacgtcg tgcggcagtt tagcgacaac gccggaatca caccagccat cagcctggac 660
ctgatgacag atgctgagct ggctagagcc gtgcctaaca tgcctacatc tgccggccag 720
atcaagctga tgctcgagaa tagagccatg gtccgacgga aaggcttcgg cattctgtgt 780
ggcgtgtacg gcagcagcgt gatctatatg gtgcagctgc ctatcttcgg cgtgatcgac 840
acaccctgct ggattgtgaa ggccgctcct agctgtagcg agaagaaggg caattacgcc 900
tgctctgctga gagaggacca aggctggatg tgtcagaacg ccggcagcac cgtgtactac 960
cctaacgaga aggactgcga gacaagaggc gaccacgtgt tctgtgatac cgccgctgga 1020
atcaatgtgg ccgagcagag caaagagtgc aacatcaaca tcagcaccac caactatccc 1080
tgcaaggtgt ccaccggcag gcaccctatt tctatggtgg ctctgtctcc tctgggagcc 1140
ctggtggctt gttataaggg cgtgtcctgt agcatcggca gcaacagagt gggcatcatc 1200
aagcagctga acaagggtg cagctacatc accaaccagg acgcccatac cgtgaccatc 1260
gacaacaccg tgtatcagct gagcaaggtg gaaggcgaac agcacgtgat caagggcaga 1320
cctgtgtcca gcagcttcga ccctatcaag ttcctgagc accagtggca tgtggccctg 1380
gaccaggtgt tcgagaacat cgagaattcc caggctctgg tggaccagtc caacagaatc 1440
ctgtctagcg ccgagaaggg aacaccggc ttcacatcgc tgatcatcct gatcgccgtg 1500
ctgggcagct ccatgatcct ggtgtccatc ttcacatta tcaagaagac caagaagccc 1560
accggcgctc ctccagaact gagcggagtg accaacaatg gttcatccc tcacaac 1617

<210> SEQ ID NO 108

<211> LENGTH: 1617

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 108

atgagctgga aggtggtcat catcttcagc ctgctgatca cacctcagca cggcctgaaa 60
gagagctacc tggaagagtc ctgcagcacc atcacagagg gctacctgtc tgtgctgaga 120
accggctggg acaccaacgt gttcacactg gaagtgggag acgtcgagaa tctgacatgc 180
tctgatggcc ctagcctgat caagaccgag ctggatctgc tcaagagcgc cctgagagaa 240
ctcaagaccg tgtctgccga tcagctggcc agagaggaac agatcgagaa tcctggcagc 300

-continued

```

ggcagctttg tgctgggagc cattgctctt ggagtggctg ctgctgcagc tgttacagca 360
ggcgtggcca tcgctaagac catcagactg gaaagcgaag tgaccgcat caacaacgcc 420
ctgaagaaga caaacgaggc cgtcagcaca ctcggaatg gcgtagagt gctggccaca 480
gccgtgcgcy agctgaagga cttcgtgtcc aagaacctga cacgggcat taacaagaac 540
aagtgcgaca tccctgacct gaagatggcc gtgtccttta gccagttcaa ccggcggttt 600
ctgaacgtcg tgcggcagtt tagcgacaac gccggaatca caccagcat cagcctggac 660
ctgatgacag atgctgagct ggctagagcc gtgcctaaca tgectacatc tgccggccag 720
atcaagctga tgctcgagaa tagagccatg gtccgacgga aaggcttcgg cattctgatt 780
ggcgtgtacg gcagcagcgt gatctatatg gtgcagctgc ctatcttcgg cgtgatcgac 840
acaccctgct ggattgtgaa ggccgctcct agctgtagcg agaagaagg caattacgcc 900
tgctgtctga gagaggacca aggctggtat tgtcagaacg ccggcagcac cgtgtactac 960
cctaacgaga aggactgcga gacaagaggc gaccacgtgt tctgtgatac cgccgctgga 1020
atcaatgtgg ccgagcagag caaagagtgc aacatcaaca tcagcaccac caactatccc 1080
tgcaaggtgt ccaccggcag gcaccctatt tctatggtgg ctctgtctcc tctgggagcc 1140
ctggtggctt gttataaggc cgtgtcctgt agcatcggca gcaacagagt gggcatcatc 1200
aagcagctga acaagggtg cagctacatc accaaccagg acgcccatac cgtgaccatc 1260
gacaacaccg tgtatcagct gagcaaggtg gaaggcgaac agcacgtgat caagggcaga 1320
cctgtgtcca gcagcttcca ccctatcaag ttccctgagg atcagttcca ggtggccctg 1380
gaccaggtgt tcgagaacat cgagaattcc caggctctgg tggaccagtc caacagaatc 1440
ctgtctagcg ccgagaaggc aacacccggc ttcacatcgc tgatcatcct gatcgccgtg 1500
ctgggcagct ccatgatcct ggtgtccatc ttcacatta tcaagaagac caagaagccc 1560
accggcgctc ctccagaact gagcggagtg accaacaatg gcttcatccc tcacaac 1617

```

<210> SEQ ID NO 109

<211> LENGTH: 1617

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 109

```

atgagctgga aggtggtcat catcttcagc ctgctgatca cacctcagca cggcctgaaa 60
gagagctacc tggagagtc ctgcagcacc atcacagagg gctacctgtc tgtgctgaga 120
accggctggt acaccaacgt gttcacactg gaagtgggcy acgtcgagaa tctgacatgc 180
tctgatggcc ctagcctgat caagaccgag ctggatctgc tcaagagcgc cctgagagaa 240
ctcaagaccg tgtctgccga tcagctggcc agagaggaac agatcgagaa tccctggcagc 300
ggcagctttg tgctgggagc cattgctctt ggagtggctg ctgctgcagc tgttacagca 360
ggcgtggcca tcgctaagac catcagactg gaaagcgaag tgaccgcat caacaacgcc 420
ctgaagaaga caaacgaggc cgtcagcaca ctcggaatg gcgtagagt gctggccaca 480
gccgtgcgcy agctgaagga cttcgtgtcc aagaacctga cacgggcat taacaagaac 540
aagtgcgaca tccctgacct gaagatggcc gtgtccttta gccagttcaa ccggcggttt 600
ctgaacgtcg tgcggcagtt tagcgacaac gccggaatca caccagcat cagcctggac 660

```

-continued

```

ctgatgacag atgctgagct ggctagagcc gtgcctaaca tgcctacatc tgccggccag 720
atcaagctga tgctcgagaa tagagccatg gtccgacgga aaggcttcgg cattctgatt 780
ggcgtgtacg gcagcagcgt gatctatatg gtgcagctgc ctatcttcgg cgtgatcgac 840
acaccctgct ggattgtgaa ggccgctcct agctgtagcg agaagaagg caattacgcc 900
tgctgctga gagaggacca aggtggtat tgtcagaacg ccggcagcac cgtgtactac 960
cctaacgaga aggactgca gacaagaggc gaccacgtgt tctgtgatac cgccgctgga 1020
atcaatgtgg ccgagcagag caaagagtgc aacatcaaca tcagcaccac caactatccc 1080
tgcaaggtgt ccaccggcag gcaccctatt tctatggtgg ctctgtctcc tctgggagcc 1140
ctggtggctt gttataaggc cgtgtcctgt agcatcggca gcaacagagt gggcatcatc 1200
aagcagctga acaagggtg cagctacatc accaaccagg acgccgatac cgtgaccatc 1260
gacaacaccg tgtatcagct gagcaagggt gaaggcgaac agcacgtgat caagggcaga 1320
cctgtgtcca gcagcttcga ccctatcaag ttccctgaga accagttcca ggtggccctg 1380
gaccaggtgt tcgagaacat cgagaattcc caggctctgg tggaccagtc caacagaatc 1440
ctgtctagcg ccgagaaggg aacaccggc ttcatcatcg tgatcatcct gatcgccgtg 1500
ctgggcagct ccatgatcct ggtgtccatc ttcatcatta tcaagaagac caagaagccc 1560
accggcgctc ctccagaact gagcggagtg accaacaatg gttcatccc tcacaac 1617

```

<210> SEQ ID NO 110

<211> LENGTH: 1617

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 110

```

atgagctgga aggtggtcat catcttcagc ctgctgatca cacctcagca cggcctgaaa 60
gagagctacc tggaagagtc ctgcagcacc atcacagagg gctacctgtc tgtgctgaga 120
accggctggt acaccaacgt gttcacactg gaagtgggag acgtcgagaa tctgacatgc 180
tctgatggcc ctacgctgat caagaccgag ctggatctgc tcaagagcgc cctgagagaa 240
ctcaagaccg tgtctgccga tcagctggcc agagaggaac agatcgagaa tcctggcagc 300
ggcagctttg tgctgggagc cattgctctt ggagtggctg ctgctgcagc tggtacagca 360
ggcgtggcca tcgctaagac catcagactg gaaagcgaag tgaccgcat caacaacgcc 420
ctgaagaaga caaacgaggc cgtcagcaca ctcggaatg gcgtagagt gctggccaca 480
gccgtgcgag agctgaagga cttcgtgctt aagaacctga cacgggcat taacaagaac 540
aagtgcgaca tcctgacct gaagatggcc gtgtccttta gccagttcaa ccggcggttt 600
ctgaacgtcg tgcggcagtt tagcgacaac gccggaatca caccagccat cagcctggac 660
ctgatgacag atgctgagct ggctagagcc gtgcctaaca tgcctacatc tgccggccag 720
atcaagctga tgctcgagaa tagagccatg gtccgacgga aaggcttcgg cattctgatt 780
ggcgtgtacg gcagcagcgt gatctatatg gtgcagctgc ctatcttcgg cgtgatcgac 840
acaccctgct ggattgtgaa ggccgctcct agctgtagcg agaagaagg caattacgcc 900
tgctgctga gagaggacca aggtggtat tgtcagaacg ccggcagcac cgtgtactac 960
cctaacgaga aggactgca gacaagaggc gaccacgtgt tctgtgatac cgccgctgga 1020

```

-continued

atcaatgtgg ccgagcagag caaagagtgc aacatcaaca tcagcaccac caactatccc 1080
tgcaaggtgt ccaccggcag gcaccctatt tctatggtgg ctctgtctcc tctgggagcc 1140
ctggtggctt gttataaggg cgtgtcctgt agcatcggca gcaacagagt gggcatcatc 1200
aagcagctga acaagggctg cagctacatc accaaccagg acgccgatac cgtgaccatc 1260
gacaacaccg tgtatcagct gagcaaggtg gaaggcgaac agcacgtgat caagggcaga 1320
cctgtgtcca gcagcttcga ccctatcaag ttcctgagg atcagttcca ggtggcctg 1380
gaccaggtgt tcgagaacat cgagaattcc caggctctgg tggaccagtc caacagaatc 1440
ctgtctagcg ccgagaaggg aacaccggc ttcacatcgc tgatcatcct gatcgccgtg 1500
ctgggcagct ccatgatcct ggtgtccatc ttcacatta tcaagaagac caagaagccc 1560
accggcgctc ctccagaact gagcggagtg accaacaatg gtttcatccc tcacaac 1617

<210> SEQ ID NO 111

<211> LENGTH: 1617

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 111

atgagctgga aggtggtcat catcttcagc ctgctgatca cacctcagca cggcctgaaa 60
gagagctacc tggaagagtc ctgcagcacc atcacagagg gctacctgtc tgtgctgaga 120
accggctggt acaccaactg gttcacactg gaagtgggag acgtcgagaa tctgacatgc 180
tctgatggcc ctagcctgat caagaccgag ctggatctgc tcaagagcgc cctgagagaa 240
ctcaagaccg tgtctgccga tcagctggcc agagaggaac agatcgagaa tccctggcagc 300
ggcagctttg tgctgggagc cattgctctt ggagtggctg ctgctgcagc tgttacagca 360
ggcgtggcca tcgctaagac catcagactg gaaagcgaag tgaccgcat caacaacgcc 420
ctgaagaaga caaacgaggc cgtcagcaca ctcggaatg gcgttagagt gctggccaca 480
gccgtgocgc agctgaagga cttcgtgctt aagaacctga cacgggcat taacaagaac 540
aagtgcgaca tccctgacct gaagatggcc gtgtccttta gccagttcaa ccggcggttt 600
ctgaacgtcg tgcggcagtt tagcgacaac gccggaatca caccagccat cagcctggac 660
ctgatgacag atgctgagct ggctagagcc gtgcctaaca tgacctacatc tgccggccag 720
atcaagctga tgctcgagaa tagagccatg gtccgacgga aaggcttcgg cattctgatt 780
ggcgtgtacg gcagcagcgt gatctatatg gtgcagctgc ctatcttcgg cgtgatcgac 840
acaccctgct ggattgtgaa ggccgctcct agctgtagcg agaagaaggg caattacgcc 900
tgctgtctga gagaggacca aggctggtat tgtcagaacg ccggcagcac cgtgtactac 960
cctaacgaga aggactgcga gacaagaggg gaccacgtgt tctgtgatac cgccgctgga 1020
atcaatgtgg ccgagcagag caaagagtgc aacatcaaca tcagcaccac caactatccc 1080
tgcaaggtgt ccaccggcag gcaccctatt tctatggtgg ctctgtctcc tctgggagcc 1140
ctggtggctt gttataaggg cgtgtcctgt agcatcggca gcaacagagt gggcatcatc 1200
aagcagctga acaagggctg cagctacatc accaaccagg acgccgatac cgtgaccatc 1260
gacaacaccg tgtatcagct gagcaaggtg gaaggcgaac agcacgtgat caagggcaga 1320
cctgtgtcca gcagcttcga ccctatcaag ttcctgaga accagttcca ggtggcctg 1380

-continued

gaccaggtgt tcgagaacat cgagaattcc caggctctgg tggaccagtc caacagaatc 1440
ctgtctagcg ccgagaaggg aaacaccggc ttcacatcgc tgatcatcct gatcgccgtg 1500
ctgggcagct ccatgatcct ggtgtccatc ttcacatta tcaagaagac caagaagccc 1560
accggcgctc ctccagaact gagcggagtg accaacaatg gcttcatccc tcacaac 1617

<210> SEQ ID NO 112
<211> LENGTH: 1617
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 112

atgagctgga aggtggatcat catcttcagc ctgctgatca cacctcagca cggcctgaaa 60
gagagctacc tggaagagtc ctgcagcacc atcacagagg gctacctgtc tgtgctgaga 120
accggctggg acaccaacgt gttcacactg cctgtggggc acgtcgagaa tctgacatgc 180
tctgatggcc ctgacctgat caagaccgag ctggatctgc tcaagagcgc cctgagagaa 240
ctcaagaccg tgtctgccga tcagctggcc agagaggaac agatcgagaa tcttggcagc 300
ggcagctttg tgctgggagc cattgctctt ggagtggctg ctgctgcagc tgttacagca 360
ggcgtggcca tcgctaagac catcagactg gaaagcgaag tgaccgccat caacaacgcc 420
ctgaagaaga caaacgaggc cgtcagcaca ctccgcaatg gcgttagagt gctggccaca 480
gccgtgcgag agctgaagga ctctgtgtcc aagaacctga cacgggccat taacaagaac 540
aagtgcgaca tcgacgacct gaagatggcc gtgtccttta gccagttcaa ccggcggttt 600
ctgaacgtcg tgccgagctt tagcgacaac gccggaatca caccagccat cagcctggac 660
ctgatgacag atgctgagct ggctagagcc gtgcctaaca tgctacatc tgccggccag 720
atcaagctga tgctcgagaa tagagccatg gtccgacgga aaggcttcg cattctgatt 780
ggcgtgtacg gcagcagcgt gatctatatg gtgcagctgc ctatcttcgg cgtgatcgac 840
acaccctgct ggattgtgaa ggccgctcct agctgtagcg agaagaagg caattacgcc 900
tgctgtctga gagaggacca aggctggat tgtcagaacg ccggcagcac cgtgtactac 960
cctaacgaga aggactgcga gacaagaggc gaccacgtgt tctgtgatac cgcctgga 1020
atcaatgtgg ccgagcagag caaagagtgc aacatcaaca tcagcaccac caactatccc 1080
tgcaagggtg ccaccggcag gcaccctatt tctatgggtg ctctgtctcc tctgggagcc 1140
ctggtggctt gttataaggc cgtgtcctgt agcatcggca gcaacagagt gggcatcatc 1200
aagcagctga acaagggtg cagctacatc accaaccagg acgccgatac cgtgaccatc 1260
gacaacaccg tgtatcagct gagcaagggt gaaggcgaac agcacgtgat caagggcaga 1320
cctgtgtcca gcagcttcca ccctatcaag ttccctgagg atcagttcca ggtggcctg 1380
gaccaggtgt tcgagaacat cgagaattcc caggctctgg tggaccagtc caacagaatc 1440
ctgtctagcg ccgagaaggg aaacaccggc ttcacatcgc tgatcatcct gatcgccgtg 1500
ctgggcagct ccatgatcct ggtgtccatc ttcacatta tcaagaagac caagaagccc 1560
accggcgctc ctccagaact gagcggagtg accaacaatg gcttcatccc tcacaac 1617

<210> SEQ ID NO 113
<211> LENGTH: 1617

-continued

<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 113

```
atgagctgga aggtggatcat catcttcagc ctgctgatca cacctcagca cggcctgaaa      60
gagagctacc tgggaagagtc ctgcagcacc atcacagagg gctacctgtc tgtgctgaga      120
accggctggg acaccaacgt gttcacactg cctgtggggc acgtcgagaa tctgacatgc      180
tctgatggcc ctagectgat caagaccgag ctggatctgc tcaagagcgc cctgagagaa      240
ctcaagaccg tgtctgccga tcagctggcc agagaggaac agatcgagaa tcctggcagc      300
ggcagctttg tgctgggagc cattgctctt ggagtggctg ctgctgcagc tggtacagca      360
ggcgtggcca tcgctaagac catcagactg gaaagcgaag tgaccgccat caacaacgcc      420
ctgaagaaga caaacgaggc cgtcagcaca ctcgcaatg gcgtagagt gctggccaca      480
gccgtgcgag agctgaagga cttcgtgtcc aagaacctga cacgggccat taacaagaac      540
aagtgcgaca tcgacgacct gaagatggcc gtgtccttta gccagttcaa ccggcggttt      600
ctgaacgtcg tgcggcagtt tagcgacaac gccggaatca caccagccat cagcctggac      660
ctgatgacag atgctgagct ggctagagcc gtgcctaaca tgacctacatc tgccggccag      720
atcaagctga tgctcgagaa tagagccatg gtccgacgga aaggcttcgg cattctgatt      780
ggcgtgtacg gcagcagcgt gatctatatg gtgcagctgc ctatcttcgg cgtgatcgac      840
acaccctgct ggattgtgaa ggccgctcct agctgtagcg agaagaaggg caattacgcc      900
tgcttctgta gagaggacca aggttggtat tgtcagaacg ccggcagcac cgtgtactac      960
cctaacgaga aggactgcca gacaagaggc gaccacgtgt tctgtgatac cgccgctgga     1020
atcaatgtgg ccgagcagag caaagagtgc aacatcaaca tcagcaccac caactatccc     1080
tgcaagggtg ccaccggcag gcaccctatt tctatggtgg ctctgtctcc tctgggagcc     1140
ctgggtggctt gttataaggg cgtgtcctgt agcatcgcca gcaacagagt gggcatcatc     1200
aagcagctga acaagggtg cagctacatc accaaccagg acgccgatac cgtgaccatc     1260
gacaacaccg tgtatcagct gagcaaggtg gaaggcgaac agcacgtgat caagggcaga     1320
cctgtgtcca gcagcttcga ccctatcaag ttccctgaga accagttcca ggtggccctg     1380
gaccaggtgt tcgagaacat cgagaattcc caggctctgg tggaccagtc caacagaatc     1440
ctgtctagcg ccgagaaggg aaacaccggc ttcacatcgc tgatcatcct gatcgccgtg     1500
ctgggcagct ccatgatcct ggtgtccatc ttcacatta tcaagaagac caagaagccc     1560
accggcgcct ctcagaact gagcggagtg accaacaatg gttcatccc tcacaac      1617
```

<210> SEQ ID NO 114
<211> LENGTH: 1617
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 114

```
atgagctgga aggtggatcat catcttcagc ctgctgatca cacctcagca cggcctgaaa      60
gagagctacc tgggaagagtc ctgcagcacc atcacagagg gctacctgtc tgtgctgaga      120
accggctggg acaccaacgt gttcacactg gaagtggggc acgtcgagaa tctgacatgc      180
```

-continued

tctgatggcc	ctagcctgat	caagaccgag	ctggatctgc	tcaagagcgc	cctgagagaa	240
ctcaagaccg	tgtctgccga	tcagctggcc	agagaggaac	agatcgagaa	tcctggcagc	300
ggcagctttg	tgctgggagc	cattgctctt	ggagtggctg	ctgctgcagc	tgttacagca	360
ggcgtggcca	tcgctaagac	catcagactg	gaaagcgaag	tgaccgcat	caacaacgcc	420
ctgaagaaga	caaacgaggc	cgtcagcaca	ctcggcaatg	gcgtagagtg	gctggccaca	480
gccgtgcgcg	agctgaagga	cttcgtgtcc	aagaacctga	cacgggcat	taacaagaac	540
aagtgcgaca	tcgacgacct	gaagatggcc	gtgtccttta	gccagttcaa	ccggcggttt	600
ctgaacgtcg	tgccgagctt	tagcgacaac	gccggaatca	caccagccat	cagcctggac	660
ctgatgacag	atgctgagct	ggctagagcc	gtgcctaaca	tgctacatc	tgccggccag	720
atcaagctga	tgctcgagaa	tagagccatg	gtccgacgga	aaggcttcgg	cattctgatt	780
ggcgtgtacg	gcagcagcgt	gatctatatg	gtgcagctgc	ctatcttcgg	cgtgatcgac	840
acaccctgct	ggattgtgaa	ggccgctcct	agctgtagcg	agaagaaggg	caattacgcc	900
tgctgtctga	gagaggacca	aggctgggat	tgtcagaacg	ccggcagcac	cgtgtactac	960
cctaacgaga	aggactgcca	gacaagaggg	gaccacgtgt	tctgtgatac	cgccgctgga	1020
atcaatgtgg	ccgagcagag	caaagagtgc	aacatcaaca	tcagcaccac	caactatccc	1080
tgcaaggtgt	ccaccggcag	gcaccctatt	tctatgggtg	ctctgtctcc	tctgggagcc	1140
ctggtggctt	gttataaggg	cgtgtcctgt	agcatcggca	gcaacagagt	gggcatcatc	1200
aagcagctga	acaagggtg	cagctacatc	accaaccagg	acgccgatac	cgtgaccatc	1260
gacaacaccg	tgtatcagct	gagcaagggt	gaaggcgaac	agcacgtgat	caagggcaga	1320
cctgtgtcca	gcagcttcga	ccctatcaag	ttccctgagg	atcagttcca	ggtggccctg	1380
gaccaggtgt	tcgagaacat	cgagaattcc	caggctctgg	tggaccagtc	caacagaatc	1440
ctgtctagcg	ccgagaaggg	aaacaccggc	ttcatcatcg	tgatcatcct	gatcgccgtg	1500
ctgggcagct	ccatgatcct	ggtgtccatc	ttcatcatta	tcaagaagac	caagaagccc	1560
accggcgctc	ctccagaact	gagcggagtg	accaacaatg	gcttcatccc	tcacaac	1617

<210> SEQ ID NO 115

<211> LENGTH: 1617

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 115

atgagctgga	aggtggcat	catcttcagc	ctgctgatca	cacctcagca	cggcctgaaa	60
gagagctacc	tggaagagtc	ctgcagcacc	atcacagagg	gctacctgtc	tgtgctgaga	120
accggctggg	acaccaacgt	gttcacactg	gaagtggggc	acctcgagaa	tctgacatgc	180
tctgatggcc	ctagcctgat	caagaccgag	ctggatctga	ccaagagcgc	cctgagagaa	240
ctcaagaccg	tgtctgccga	tcagctggcc	agagaggaac	agatcgagaa	tcctggcagc	300
ggcagctttg	tgctgggagc	cattgctctt	ggagtggctg	ctgctgcagc	tgttacagca	360
ggcgtggcca	tcgctaagac	catcagactg	gaaagcgaag	tgaccgcat	caacaacgcc	420
ctgaagaaga	caaacgaggc	cgtcagcaca	ctcggcaatg	gcgtagagtg	gctggccaca	480
gccgtgcgcg	agctgaagga	cttcgtgtcc	aagaacctga	cacgggcat	taacaagaac	540

-continued

```

aagtgcgaca tcgacgacct gaagatggcc gtgtccttta gccagttcaa cggcgggttt 600
ctgaacgtcg tgcggcagtt tagcgacaac gccggaatca caccagccat cagcctggac 660
ctgatgacag atgctgagct ggctagagcc gtgcctaaca tgacctacatc tgccggccag 720
atcaagctga tgctcgagaa tagagccatg gtccgacgga aaggcttcgg cattctgatt 780
ggcgtgtacg gcagcagcgt gatctatatg gtgcagctgc ctatcttcgg cgtgatcgac 840
acaccctgct ggattgtgaa ggccgctcct agctgtagcg agaagaaggg caattacgcc 900
tgacctgctga gagaggacca aggctggat tgtcagaacg ccggcagcac cgtgtactac 960
cctaacgaga aggactgca gacaagaggc gaccacgtgt tctgtgatac cgccgctgga 1020
atcaatgtgg ccgagcagag caaagagtgc aacatcaaca tcagcaccac caactatccc 1080
tgcaaggtgt ccaccggcag gcaccctatt tctatgggtg ctctgtctcc tctgggagcc 1140
ctgggtggctt gttataaggc cgtgtcctgt agcatcggca gcaacagagt gggcatcatc 1200
aagcagctga acaagggtg cagctacatc accaaccagg acgccgatac cgtgaccatc 1260
gacaacaccg tgtatcagct gagcaagggt gaaggcgaac agcacgtgat caagggcaga 1320
cctgtgtcca gcagcttcga ccctatcaag ttccctgagg atcagttcca ggtggccctg 1380
gaccaggtgt tcgagaacat cgagaattcc caggctctgg tggaccagtc caacagaatc 1440
ctgtctagcg ccgagaaggg aaacaccggc ttcacatcgc tgatcatcct gatcgccgtg 1500
ctgggcagct ccatgatcct ggtgtccatc ttcacatta tcaagaagac caagaagccc 1560
accggcgctc ctccagaact gagcggagtg accaacaatg gcttcatccc tcacaac 1617

```

<210> SEQ ID NO 116

<211> LENGTH: 1617

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 116

```

atgagctgga aggtggtcat catcttcagc ctgctgatca cacctcagca cggcctgaaa 60
gagagctacc tggaagagtc ctgcagcacc atcacagagg gctacctgtc tgtgctgaga 120
accggctggt acaccaacgt gttcacactg gaagtgggag acgtcgagaa tctgacatgc 180
tctgatggcc ctagectgat caagaccgag ctggatctga ccaagagcgc cctgagagaa 240
ctcaagaccg tgtctgccga tcagctggcc agagaggaac agatcgagaa tcttggcagc 300
ggcagctttg tgctgggagc cattgctctt ggagtggctg ctgctgcagc tgttacagca 360
ggcgtggcca tcgctaagac catcagactg gaaagcgaag tgaccgcat caacaacgcc 420
ctgaagaaga caaacgaggc cgtcagcaca ctccgcaatg gcgttagagt gctggccaca 480
gccgtgcgag agctgaagga cttcgtgctt aagaacctga cacgggcat taacaagaac 540
aagtgcgaca tcgacgacct gaagatggcc gtgtccttta gccagttcaa cggcgggttt 600
ctgaacgtcg tgcggcagtt tagcgacaac gccggaatca caccagccat cagcctggac 660
ctgatgacag atgctgagct ggctagagcc gtgcctaaca tgacctacatc tgccggccag 720
atcaagctga tgctcgagaa tagagccatg gtccgacgga aaggcttcgg cattctgatt 780
ggcgtgtacg gcagcagcgt gatctatatg gtgcagctgc ctatcttcgg cgtgatcgac 840
acaccctgct ggattgtgaa ggccgctcct agctgtagcg agaagaaggg caattacgcc 900

```

-continued

tgcttgcgga gagaggacca aggttggtat tgtcagaacg ccggcagcac cgtgtactac 960
cctaacgaga aggactgcca gacaagaggc gaccacgtgt tctgtgatac cgccgctgga 1020
atcaatgtgg ccgagcagag caaagagtgc aacatcaaca tcagcaccac caactatccc 1080
tgcaagggtg ccaccggcag gcaccctatt tctatggtgg ctctgtctcc tctgggagcc 1140
ctggtggctt gttataaggg cgtgtcctgt agcatcggca gcaacagagt gggcatcatc 1200
aagcagctga acaagggctg cagctacatc accaaccagg acgccgatac cgtgaccatc 1260
gacaacaccg tgtatcagct gagcaagggt gaaggcgaac agcacgtgat caagggcaga 1320
cctgtgtcca gcagcttcca ccctatcaag ttccctgagg atcagttcca ggtggcctcg 1380
gaccaggtgt tcgagaacat cgagaattcc caggtctctgg tggaccagtc caacagaatc 1440
ctgtctagcg ccgagaaggg aaacaccggc ttcacatcgc tgatcatcct gatcgccgtg 1500
ctgggcagct ccatgatcct ggtgtccatc ttcacatta tcaagaagac caagaagccc 1560
accggcgctc ctccagaact gagcggagtg accaacaatg gcttcatccc tcacaac 1617

<210> SEQ ID NO 117
<211> LENGTH: 1617
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 117

atgagctgga aggtggtcat catcttcagc ctgctgatca cacctcagca cggcctgaaa 60
gagagctacc tggagagtc ctgcagcacc atcacagagg gctacctgtc tgtgctgaga 120
accggctggg acaccaacgt gttcacactg gaagtggggc acgtcgagaa tctgacatgc 180
tctgatggcc ctgacctgat caagaccgag ctggatctga ccaagagcgc cctgagagaa 240
ctcaagaccg tgtctgccga tcagctggcc agagaggaac agatcgagaa tcctggcagc 300
ggcagctttg tgctgggagc cattgtctct ggagtggctg ctgctgcagc tgttacagca 360
ggcgtggcca tcgctaagac catcagactg gaaagcgaag tgaccgcat caacaacgcc 420
ctgaagaaga caaacgaggc cgtcagcaca ctccgcaatg gcgttagagt gctggccaca 480
gccgtgcgcg agctgaagga cttcgtgtcc aagaacctgt ggcgggcat taacaagaac 540
aagtgcgaca tcgacgacct gaagatggcc gtgtccttta gccagttcaa ccggcggttt 600
ctgaacgtcg tgcggcagtt tagcgacaac gccggaatca caccagccat cagcctggac 660
ctgatgacag atgctgagct ggctagagcc gtgcctaaca tgectacatc tgccggccag 720
atcaagctga tgctcgagaa tagagccatg gtccgacgga aaggcttcgg cattctgatt 780
ggcgtgtacg gcagcagcgt gatctatatg gtgcagctgc ctatcttcgg cgtgatcgac 840
acaccctgct ggattgtgaa ggccgctcct agctgtagcg agaagaaggg caattacgcc 900
tgcttgcgga gagaggacca aggttggtat tgtcagaacg ccggcagcac cgtgtactac 960
cctaacgaga aggactgcca gacaagaggc gaccacgtgt tctgtgatac cgccgctgga 1020
atcaatgtgg ccgagcagag caaagagtgc aacatcaaca tcagcaccac caactatccc 1080
tgcaagggtg ccaccggcag gcaccctatt tctatggtgg ctctgtctcc tctgggagcc 1140
ctggtggctt gttataaggg cgtgtcctgt agcatcggca gcaacagagt gggcatcatc 1200
aagcagctga acaagggctg cagctacatc accaaccagg acgccgatac cgtgaccatc 1260

-continued

```

gacaacaccg tgtatcagct gagcaaggtg gaaggcgaac agcacgtgat caagggcaga 1320
cctgtgtcca gcagcttcga ccctatcaag ttccctgagg atcagttcca ggtggccctg 1380
gaccaggtgt tcgagaacat cgagaattcc caggctctgg tggaccagtc caacagaatc 1440
ctgtctagcg ccgagaaggg aaacaccggc ttcatcatcg tgatcatcct gatcgccgtg 1500
ctgggcagct ccatgatcct ggtgtccatc ttcatcatta tcaagaagac caagaagccc 1560
accggcgctc ctccagaact gagcggagtg accaacaatg gcttcatccc tcacaac 1617

```

```

<210> SEQ ID NO 118
<211> LENGTH: 1617
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Polynucleotide

```

```

<400> SEQUENCE: 118

```

```

atgagctgga aggtggtcat catcttcagc ctgctgatca cacctcagca cggcctgaaa 60
gagagctacc tggaagagtc ctgcagcacc atcacagagg gctacctgtc tgtgctgaga 120
accggctggt acaccaacgt gttcacactg gaagtggggc acctcgagaa tctgacatgc 180
tctgatggcc ctagcctgat caagaccgag ctggatctgc tcaagagcgc cctgagagaa 240
ctcaagaccg tgtctgccga tcagctggcc agagaggaac agatcgagaa tcttggcagc 300
ggcagctttg tgctgggagc cattgctctt ggagtggctg ctgctgcagc tgttacagca 360
ggcgtggcca tcgctaagac catcagactg gaaagcgaag tgaccgcat caacaacgcc 420
ctgaagaaga caaacgaggc cgtcagcaca ctcggaatg gcgttagagt gctggccaca 480
gccgtgcgcy agctgaagga cttcgtgctt aagaacctgt ggccggccat taacaagaac 540
aagtgcgaca tcgacgacct gaagatggcc gtgtccttta gccagttcaa ccggcggttt 600
ctgaacgtcg tgcggcagtt tagcgacaac gccggaatca caccagccat cagcctggac 660
ctgatgacag atgctgagct ggctagagcc gtgcctaaca tgctacatc tgcggccag 720
atcaagctga tgctcgagaa tagagccatg gtccgacgga aaggcttcg cttctgatt 780
ggcgtgtacg gcagcagcgt gatctatatg gtgcagctgc ctatcttcgg cgtgatcgac 840
acaccctgct ggattgtgaa ggccgctcct agctgtagcg agaagaagg caattacgcc 900
tgctctgctga gagaggacca aggtggtat tgtcagaacg ccggcagcac cgtgtactac 960
cctaacgaga aggactgcca gacaagaggc gaccacgtgt tctgtgatac cgccgctgga 1020
atcaatgtgg ccgagcagag caaagagtgc aacatcaaca tcagcaccac caactatccc 1080
tgcaaggtgt ccaccggcag gcaccctatt tctatggtgg ctctgtctcc tctgggagcc 1140
ctggtggctt gttataaggg cgtgtcctgt agcatcggca gcaacagagt gggcatcatc 1200
aagcagctga acaagggtc cagctacatc accaaccagg acgcccatac cgtgaccatc 1260
gacaacaccg tgtatcagct gagcaaggtg gaaggcgaac agcacgtgat caagggcaga 1320
cctgtgtcca gcagcttcga ccctatcaag ttccctgagg atcagttcca ggtggccctg 1380
gaccaggtgt tcgagaacat cgagaattcc caggctctgg tggaccagtc caacagaatc 1440
ctgtctagcg ccgagaaggg aaacaccggc ttcatcatcg tgatcatcct gatcgccgtg 1500
ctgggcagct ccatgatcct ggtgtccatc ttcatcatta tcaagaagac caagaagccc 1560
accggcgctc ctccagaact gagcggagtg accaacaatg gcttcatccc tcacaac 1617

```

-continued

<210> SEQ ID NO 119
<211> LENGTH: 1617
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 119

atgagctgga aggtggtcat catcttcagc ctgctgatca cacctcagca cggcctgaaa 60
gagagctacc tggaagagtc ctgcagcacc atcacagagg gctacctgtc tgtgctgaga 120
accggctggt acaccaacgt gttcacactg cctgtgggag acgtcgagaa tctgacatgc 180
tctgatggcc ctagectgat caagaccgag ctggatctga ccaagagcgc cctgagagaa 240
ctcaagaccg tgtctgccga tcagctggcc agagaggaac agatcgagaa tcttggcagc 300
ggcagctttg tgctgggagc cattgctctt ggagtggctg ctgctgcagc tgttacagca 360
ggcgtggcca tcgctaagac catcagactg gaaagcgaag tgaccgccat caacaacgcc 420
ctgaagaaga caaacgaggc cgtcagcaca ctccgcaatg gcgtagagt gctggccaca 480
gccgtgcgag agctgaagga cttcgtgtcc aagaacctga cacgggccat taacaagaac 540
aagtgcgaca tcgacgacct gaagatggcc gtgtccttta gccagttcaa ccggcggttt 600
ctgaacgtcg tgcggcagtt tagcgacaac gccggaatca caccagccat cagcctggac 660
ctgatgacag atgctgagct ggctagagcc gtgcctaaca tgacctatc tgccggccag 720
atcaagctga tgctcgagaa tagagccatg gtccgacgga aaggcttcgg cattctgatt 780
ggcgtgtacg gcagcagcgt gatctatatg gtgcagctgc ctatcttcgg cgtgatcgac 840
acaccctgct ggattgtgaa ggccgctcct agctgtagcg agaagaaggg caattacgcc 900
tgcttctgga gagaggacca aggctggtat tgtcagaacg ccggcagcac cgtgtactac 960
cctaacgaga aggactgcga gacaagaggc gaccacgtgt tctgtgatac cgccgctgga 1020
atcaatgtgg ccgagcagag caaagagtgc aacatcaaca tcagcaccac caactatccc 1080
tgcaagggtg ccaccggcag gcaccctatt tctatggtgg ctctgtctcc tctgggagcc 1140
ctgggtggctt gttataaggg cgtgtcctgt agcatcggca gcaacagagt gggcatcatc 1200
aagcagctga acaagggtg cagctacatc accaaccagg acgccgatac cgtgacctac 1260
gacaacaccg tgtatcagct gagcaagggt gaaggcgaac agcacgtgat caagggcaga 1320
cctgtgtcca gcagcttcga ccctatcaag ttccctgagg atcagttcca ggtggccctg 1380
gaccaggtgt tcgagaacat cgagaattcc caggctctgg tggaccagtc caacagaatc 1440
ctgtctagcg ccgagaaggg aacaccggc ttcatcatcg tgatcatcct gatcgccgtg 1500
ctgggcagct ccatgatcct ggtgtccatc ttcatcatta tcaagaagac caagaagccc 1560
accggcgctc ctccagaact gagcggagtg accaacaatg gcttcatccc tcacaac 1617

<210> SEQ ID NO 120
<211> LENGTH: 1617
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 120

atgagctgga aggtggtcat catcttcagc ctgctgatca cacctcagca cggcctgaaa 60

-continued

```

gagagctacc tggaagagtc ctgcagcacc atcacagagg gctacctgtc tgtgctgaga 120
accggctggg acaccaacgt gttcacactg gaagtgggag acgtcgagaa tctgacatgc 180
tctgatggcc ctacgctgat caagaccgag ctggatctga ccaagagcgc cctgagagaa 240
ctcaagaccg tgtctgccga tcagctggcc agagaggaac agatcgagaa tcctggcagc 300
ggcagctttg tgctgggagc cattgctctt ggagtggctg ctgctgcagc tgttacagca 360
ggcgtggcca tcgctaagac catcagactg gaaagcgaag tgaccgcat caacaacgcc 420
ctgaagaaga caaacgaggc cgtcagcaca ctcggaatg gcgtagagt gctggccaca 480
gccgtgcgag agctgaagga cttcgtgtcc aagaacctga cacgggcat taacaagaac 540
aagtgcgaca tcctgacct gaagatggcc gtgtccttta gccagttaa ccggcggttt 600
ctgaacgtcg tgcggcagtt tagcgacaac gccggaatca caccagcat cagcctggac 660
ctgatgacag atgctgagct ggctagagcc gtgcctaaca tgcctacatc tgccggccag 720
atcaagctga tgctcgagaa tagagccatg gtccgacgga aaggcttcgg cattctgatt 780
ggcgtgtacg gcagcagcgt gatctatatg gtgcagctgc ctatcttcgg cgtgatcgac 840
acaccctgct ggattgtgaa ggccgctcct agctgtagcg agaagaaggg caattacgcc 900
tgctgctga gagaggacca aggtgggtat tgtcagaacg ccggcagcac cgtgtactac 960
cctaacgaga aggactgcca gacaagaggc gaccacgtgt tctgtgatac cgccgctgga 1020
atcaatgtgg ccgagcagag caaagagtgc aacatcaaca tcagcaccac caactatccc 1080
tgcaaggtgt ccaccggcag gcaccctatt tctatgggtg ctctgtctcc tctgggagcc 1140
ctggtggctt gttataaggg cgtgtcctgt agcatcggca gcaacagagt gggcatcatc 1200
aagcagctga acaagggtg cagctacatc accaaccagg acgccgatac cgtgaccatc 1260
gacaacaccg tgtatcagct gagcaagggt gaaggcgaac agcacgtgat caagggcaga 1320
cctgtgtcca gcagcttcga ccctatcaag ttccctgagg atcagttcca ggtggccctg 1380
gaccaggtgt tcgagaacat cgagaattcc caggctctgg tggaccagtc caacagaatc 1440
ctgtctagcg ccgagaaggg aaacaccggc ttcacatcgt tgatcatcct gatcgccgtg 1500
ctgggcagct ccatgatcct ggtgtccatc ttcacatta tcaagaagac caagaagccc 1560
accggcgtc ctccagaact gagcggagtg accaacaatg gttcatccc tcacaac 1617

```

```

<210> SEQ ID NO 121
<211> LENGTH: 1617
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Polynucleotide

```

```

<400> SEQUENCE: 121

```

```

atgagctgga aggtgggtcat catcttcagc ctgctgatca cacctcagca cggcctgaaa 60
gagagctacc tggaagagtc ctgcagcacc atcacagagg gctacctgtc tgtgctgaga 120
accggctggg acaccaacgt gttcacactg gaagtgggag acgtcgagaa tctgacatgc 180
tctgatggcc ctacgctgat caagaccgag ctggatctga ccaagagcgc cctgagagaa 240
ctcaagaccg tgtctgccga tcagctggcc agagaggaac agatcgagaa tcctggcagc 300
ggcagctttg tgctgggagc cattgctctt ggagtggctg ctgctgcagc tgttacagca 360
ggcgtggcca tcgctaagac catcagactg gaaagcgaag tgaccgcat caacaacgcc 420

```

-continued

ctgaagaaga caaacgaggc cgtcagcaca ctcggcaatg gcgtagagt gctggccaca 480
gccgtgcgcg agctgaagga cttcgtgtcc aagaacctga cacgggcat taacaagaac 540
aagtgccta tcgacgacct gaagatggcc gtgtccttta gccagttcaa cggcggttt 600
ctgaacgtcg tgcggcagtt tagcgacaac gccggaatca caccagccat cagcctggac 660
ctgatgacag atgctgagct ggctagagcc gtgcctaaca tgacctacac tgccggccag 720
atcaagctga tgctcgagaa tagagccatg gtccgacgga aaggcttcgg cattctgatt 780
ggcgtgtacg gcagcagcgt gatctatatg gtgcagctgc ctatcttcgg cgtgatcgac 840
acacctgct ggattgtgaa ggccgctcct agctgtagcg agaagaagg caattacgcc 900
tgctgtctga gagaggacca aggctggtat tgtcagaacg ccggcagcac cgtgtactac 960
cctaacgaga aggactgcca gacaagaggc gaccacgtgt tctgtgatac cgccgctgga 1020
atcaatgtgg ccgagcagag caaagagtgc aacatcaaca tcagcaccac caactatccc 1080
tgcaaggtgt ccaccggcag gcaccctatt tctatggtgg ctctgtctcc tctgggagcc 1140
ctggtggctt gttataaggc cgtgtcctgt agcatcggca gcaacagagt gggcatcatc 1200
aagcagctga acaagggtc cagctacatc accaaccagg acgcccatac cgtgaccatc 1260
gacaacaccg tgtatcagct gagcaaggct gaaggcgaac agcacgtgat caagggcaga 1320
cctgtgtcca gcagcttcca ccctatcaag ttcctgagg atcagttcca ggtggccctg 1380
gaccaggtgt tcgagaacat cgagaattcc caggctctgg tggaccagtc caacagaatc 1440
ctgtctagcg ccgagaaggc aaacaccggc ttcacatcgc tgatcatcct gatcgccgtg 1500
ctgggcagct ccatgatcct ggtgtccatc ttcacatta tcaagaagac caagaagccc 1560
accggcgctc ctccagaact gagcggagtg accaacaatg gcttcatccc tcacaac 1617

<210> SEQ ID NO 122

<211> LENGTH: 1617

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 122

atgagctgga aggtggtcat catcttcagc ctgctgatca cacctcagca cggcctgaaa 60
gagagctacc tggagagtc ctgcagcacc atcacagagg gctacctgtc tgtgctgaga 120
accggctggt acaccaacgt gttcacactg gaagtgggcg acgtcgagaa tctgacatgc 180
tctgatggcc ctagcctgat caagaccgag ctggatctga ccaagagcgc cctgagagaa 240
ctcaagaccg tgtctgccga tcagctggcc agagaggaac agatcgagaa tcttggcagc 300
ggcagctttg tgctgggagc cattgctctt ggagtggctg ctgctgcagc tggttacagca 360
ggcgtggcca tcgctaagac catcagactg cctagcgaag tgaccgcat caacaacgcc 420
ctgaagaaga caaacgaggc cgtcagcaca ctcggcaatg gcgtagagt gctggccaca 480
gccgtgcgcg agctgaagga cttcgtgtcc aagaacctga cacgggcat taacaagaac 540
aagtgcgaca tcgacgacct gaagatggcc gtgtccttta gccagttcaa cggcggttt 600
ctgaacgtcg tgcggcagtt tagcgacaac gccggaatca caccagccat cagcctggac 660
ctgatgacag atgctgagct ggctagagcc gtgcctaaca tgacctacac tgccggccag 720
atcaagctga tgctcgagaa tagagccatg gtccgacgga aaggcttcgg cattctgatt 780

-continued

ggcgtgtacg gcagcagcgt gatctatatg gtgcagctgc ctatcttcgg cgtgatcgac	840
acaccctgct ggattgtgaa ggccgctcct agctgtagcg agaagaagg caattacgcc	900
tgcttctga gagaggacca aggctggtat tgtcagaacg ccggcagcac cgtgtactac	960
cctaacgaga aggactgcga gacaagaggc gaccacgtgt tctgtgatac cgccgctgga	1020
atcaatgtgg ccgagcagag caaagagtgc aacatcaaca tcagcaccac caactatccc	1080
tgcaaggtgt ccaccggcag gcaccctatt tctatggtgg ctctgtctcc tctgggagcc	1140
ctggtggctt gttataaggc cgtgtcctgt agcatcggca gcaacagagt gggcatcatc	1200
aagcagctga acaagggtg cagctacatc accaaccagg acgccgatac cgtgaccatc	1260
gacaacaccg tgtatcagct gagcaagggt gaaggcgaac agcacgtgat caagggcaga	1320
cctgtgtcca gcagcttcca ccctatcaag ttccctgagg atcagttcca ggtggccctg	1380
gaccaggtgt tcgagaacat cgagaattcc caggctctgg tggaccagtc caacagaatc	1440
ctgtctagcg ccgagaaggg aaacaccggc ttcacatcgc tgatcatcct gatcgccgtg	1500
ctgggcagct ccatgatcct ggtgtccatc ttcacatta tcaagaagac caagaagccc	1560
accggcgctc ctccagaact gagcggagtg accaacaatg gcttcatccc tcacaac	1617

<210> SEQ ID NO 123

<211> LENGTH: 1617

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 123

atgagctgga aggtggtcat catcttcagc ctgctgatca cacctcagca cggcctgaaa	60
gagagctacc tggaagagtc ctgcagcacc atcacagagg gctacctgtc tgtgctgaga	120
accggctggg acaccaacgt gttcacactg gaagtgggag acgtcgagaa tctgacatgc	180
tctgatggcc ctagcctgat caagaccgag ctggatctga ccaagagcgc cctgagagaa	240
ctcaagaccg tgtctgccga tcagctggcc agagaggaac agatcgagaa tctgggcagc	300
ggcagctttg tgctgggagc cattgctctt ggagtggctg ctgctgcagc tgttacagca	360
ggcgtggcca tcgctaagac catcagactg gaaagcgaag tgaccgcat caacaacgcc	420
ctgaagaaga caaacgaggc cgtcagcaca ctccgcaatg gcgtagagt gctggccaca	480
gccgtgcgag agctgaagga cttcgtgtcc aagaacctga cacgggcat taacaagaac	540
aagtgcgaca tcgacgacct gaagatggcc gtgtccttta gccagttcaa ccggcggttt	600
ctgaacgtcg tgccgcagtt tagcgacaac gccggaatca caccagccat cagcctggac	660
ctgatgacag atgctgagct ggctagagcc gtgcctaaca tgacctatc tgccggccag	720
atcaagctga tgctcgagaa tagagccatg gtccgacgga aaggcttcgg cattctgatt	780
ggcgtgtacg gcagcagcgt gatctatatg gtgcagctgc ctatcttcgg cgtgatcgac	840
acaccctgct ggattgtgaa ggccgctcct agctgtagcg agaagaagg caattacgcc	900
tgcttctga gagaggacca aggctggtat tgtcagaacg ccggcagcac cgtgtactac	960
cctaacgaga aggactgcga gacaagaggc gaccacgtgt tctgtgatac cgccgctgga	1020
atcaatgtgg ccgagcagag caaagagtgc aacatcaaca tcagcaccac caactatccc	1080
tgcaaggtgt ccaccggcag gcaccctatt tctatggtgg ctctgtctcc tctgggagcc	1140

-continued

ctggtggctt gttataaggg cgtgtcctgt agcatcggca gcaacagagt gggcatcatc 1200
aagcagctga acaagggtg cagctacatc accaaccagg acgccgatac cgtgaccatc 1260
gacaacaccg tgtatcagct gagcaaggtg gaaggcgaac agcacgtgat caagggcaga 1320
cctgtgtcca gcagcttccc acctatcaag ttccctgagg atcagttcca ggtggcctg 1380
gaccaggtgt tcgagaacat cgagaattcc caggctctgg tggaccagtc caacagaatc 1440
ctgtctagcg ccgagaaggg aaacaccggc ttcatcatcg tgatcatcct gatcgccgtg 1500
ctgggcagct ccatgatcct ggtgtccatc ttcatcatta tcaagaagac caagaagccc 1560
accggcgctc ctccagaact gagcggagtg accaacaatg gtttcatccc tcacaac 1617

<210> SEQ ID NO 124
<211> LENGTH: 1617
<212> TYPE: DNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 124

atgagctgga aggtggcat catcttcagc ctgctgatca cacctcagca cggcctgaaa 60
gagagctacc tggaagagtc ctgcagcacc atcacagagg gctacctgtc tgtgctgaga 120
accggctggg acaccaacgt gttcacactg gaagtggggc acgtcgagaa tctgacatgc 180
tctgatggcc ctagcctgat caagaccgag ctggatctga ccaagagcgc cctgagagaa 240
ctcaagaccg tgtctgccga tcagctggcc agagaggaac agatcgagaa tcctggcagc 300
ggcagctttg tgctgggagc cattgctctt ggagtggctg ctgctgcagc tgttacagca 360
ggcgtggcca tcgctaagac catcagactg gaaagcgaag tgaccgcat caacaacgcc 420
ctgaagaaga caaacgaggc cgtcagcaca ctcggaatg gcgttagagt gctggccaca 480
gccgtgcgcy agctgaagga cttcgtgtcc aagaacctga cacgggcat taacaagaac 540
aagtgcgaca tcgacgacct gaagatggcc gtgtccttta gccagttcaa ccggcggttt 600
ctgaacgtcg tgcggcagtt tagcgacaac gccggaatca caccagcat cagcctggac 660
ctgatgacag atgctgagct ggctagagcc gtgcctaaca tgctacatc tgccggccag 720
atcaagctga tgctcgagaa tagagccatg gtccgacgga aaggcttcgg cattctgatt 780
ggcgtgtaag gcagcagcgt gatctatatg gtgcagctgc ctatcttcgg cgtgatcgac 840
acaccctgct ggattgtgaa ggccgctcct agctgtagcg agaagaagg caattacgcc 900
tgctgctga gagaggacca aggtggat tgtcagaacg ccggcagcac cgtgtactac 960
cctaacgaga aggactgca gacaagaggc gaccacgtgt tctgtgatac cgccgctgga 1020
atcaatgtgg ccgagcagag caaagagtgc aacatcaaca tcagcaccac caactatccc 1080
tgcaaggtgt ccaccggcag gcaccctatt tctatgggtg ctctgtctcc tctgggagcc 1140
ctggtggctt gttataaggg cgtgtcctgt agcatcggca gcaacagagt gggcatcatc 1200
aagcagctga acaagggtg cagctacatc accaaccagg acgccgatac cgtgaccatc 1260
gacaacaccg tgtatcagct gagcaaggtg gaaggcgaac agcacgtgat caagggcaga 1320
cctgtgtcca gcagcttcca ccctatcaag ttccctgaga accagttcca ggtggcctg 1380
gaccaggtgt tcgagaacat cgagaattcc caggctctgg tggaccagtc caacagaatc 1440
ctgtctagcg ccgagaaggg aaacaccggc ttcatcatcg tgatcatcct gatcgccgtg 1500

-continued

ctgggcagct ccatgatcct ggtgtccatc ttcatacatta tcaagaagac caagaagccc 1560

accggcgctc ctccagaact gagcggagtg accaacaatg gttcatccc tcacaac 1617

<210> SEQ ID NO 125

<211> LENGTH: 1617

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 125

atgagctgga aggtggcat catcttcagc ctgctgatca cacctcagca cggcctgaaa 60

gagagctacc tggaagagtc ctgcagcacc atcacagagg gctacctgtc tgtgctgaga 120

accggctggt acaccaacgt gttcacactg gaagtgggag acgtcgagaa tctgacatgc 180

tctgatggcc ctacgctgat caagaccgag ctggatctga ccaagagcgc cctgagagaa 240

ctcaagaccg tgtctgccga tcagctggcc agagaggaac agatcgagaa tcttggcagc 300

ggcagctttg tgctgggagc cattgctctt ggagtggctg ctgctgcagc tggtagcaga 360

ggcgtggcca tcgctaagac catcagactg gaaagcgaag tgaccgcat caacaacgcc 420

ctgaagaaga caaacgaggc cgtcagcaca ctcgcaatg gcgttagagt gctggccaca 480

gccgtgcgag agctgaagga ctctgtgtcc aagaacctga cacgggcat taacaagaac 540

aagtgcgaca tcgacgacct gaagatggcc gtgtccttta gccagttcaa ccggcggttt 600

ctgaacgctg tgcggcagtt tagcgacaac gccggaatca caccagccat cagcctggac 660

ctgatgacag atgctgagct ggctagagcc gtgcctaaca tgctacatc tgccggccag 720

atcaagctga tgctcgagaa tagagccatg gtccgacgga aaggcttcgg cattctgatt 780

ggcgtgtacg gcagcagcgt gatctatatg gtgcagctgc ctatcttcgg cgtgatcgac 840

acaccctgct ggattgtgaa ggccgctcct agctgtagcg agaagaagg caattacgcc 900

tgctctgctg gagaggacca aggtggtat tgtcagaacg ccggcagcac cgtgtactac 960

cctaacgaga aggactgcca gacaagaggc gaccacgtgt tctgtgatac cgccgctgga 1020

atcaatgtgg ccgagcagag caaagagtgc aacatcaaca tcagcaccac caactatccc 1080

tgcaaggtgt ccaccggcag gcaccctatt tctatggtgg ctctgtctcc tctgggagcc 1140

ctgggtggctt gttataaggc cgtgtcctgt agcatcgcca gcaacagagt gggcatcatc 1200

aagcagctga acaagggtg cagctacatc accaaccagg acgccgatac cgtgaccatc 1260

gacaacaccg tgtatcagct gagcaagggt gaaggcgaac agcacgtgat caagggcaga 1320

cctgtgtcca gcagcttcca ccctatcaag ttccctcagg atcagttcca ggtggcctg 1380

gaccaggtgt tcgagaacat cgagaattcc caggctctgg tggaccagtc caacagaatc 1440

ctgtctagcg ccgagaaggc aacaccggc ttcatcatcg tgatcatcct gatcgccgtg 1500

ctgggcagct ccatgatcct ggtgtccatc ttcatacatta tcaagaagac caagaagccc 1560

accggcgctc ctccagaact gagcggagtg accaacaatg gttcatccc tcacaac 1617

<210> SEQ ID NO 126

<211> LENGTH: 1617

<212> TYPE: DNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polynucleotide

-continued

<400> SEQUENCE: 126

atgagctgga aggtggatcat catcttcagc ctgctgatca cacctcagca cggcctgaaa 60
gagagctacc tggagagatc ctgcagcacc atcacagagg gctacctgtc tgtgctgaga 120
accggctggg acaccaacgt gttcacactg gaagtgggag acgtcgagaa tctgacatgc 180
tctgatggcc ctacgctgat caagaccgag ctggatctga ccaagagcgc cctgagagaa 240
ctcaagaccg tgtctgccga tcagctggcc agagaggaac agatcgagaa tcctggcagc 300
ggcagctttg tgctgggagc cattgctctt ggagtggctg ctgctgcagc tggtagagca 360
ggcgtggcca tcgctaagac catcagactg gaaagcgaag tgaccgccat caacaacgcc 420
ctgaagaaga caaacgaggc cgtcagcaca ctccgcaatg gcgtagagat gctggccaca 480
gccgtgcgag agctgaagga ctctgtgtcc aagaacctga cacgggccat taacaagaac 540
aagtgcgaca tcgacgacct gaagatggcc gtgtccttta gccagtggaa cggcggttt 600
ctgaacgtcg tgcggcagtt tagcgacaac gccggaatca caccagccat cagcctggac 660
ctgatgacag atgctgagct ggctagagcc gtgcctaaca tgcctacatc tgccggccag 720
atcaagctga tgctcgagaa tagagccatg gtccgagcga aaggcttcgg cattctgatt 780
ggcgtgtacg gcagcagcgt gatctatatg gtgcagctgc ctatcttcgg cgtgatcgac 840
acaccctgct ggattgtgaa ggccgctcct agctgtagcg agaagaaggg caattacgcc 900
tgctgtctga gagaggacca aggctggatg tgtcagaacg ccggcagcac cgtgtactac 960
cctaacgaga aggactgcga gacaagagcc gaccacgtgt tctgtgatac cgccgctgga 1020
atcaatgtgg ccgagcagag caaagagtgc aacatcaaca tcagcaccac caactatccc 1080
tgcaaggtgt ccaccggcag gcaccctatt tctatggtgg ctctgtctcc tctgggagcc 1140
ctggtggctt gttataaggc cgtgtcctgt agcatcggca gcaacagagt gggcatcatc 1200
aagcagctga acaagggtg cagctacatc accaaccagg acgcccatac cgtgaccatc 1260
gacaacaccg tgtatcagct gagcaaggtg gaaggcgaac agcacgtgat caagggcaga 1320
cctgtgtcca gcagcttcca ccctatcaag ttccctgagg atcagttcca ggtggccctg 1380
gaccaggtgt tcgagaacat cgagaattcc caggctctgg tggaccagtc caacagaatc 1440
ctgtctagcg ccgagaaggg aaacaccggc ttcatcatcg tgatcatcct gatcgccgtg 1500
ctgggcagct ccatgatcct ggtgtccatc ttcatcatta tcaagaagac caagaagccc 1560
accggcgctc ctccagaact gagcggagtg accaacaatg gttcatccc tcacaac 1617

<210> SEQ ID NO 127

<211> LENGTH: 1617

<212> TYPE: RNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 127

augagcugga agguggucau caucuucagc cugcugauca caccucagca cggccugaaa 60
gagagcuacc uggaagaguc cugcagcacc aucacagagg gcuaccuguc ugugcugaga 120
accggcuggu acaccaacgu guucacacug gaagugggag acgucgagaa ucugacaugc 180
ucugauggcc cuagccugau caagaccgag cuggaucuga ccaagagcgc ccugagagaa 240
cucaagaccg ugucugccga ucagcuggcc agagaggaac agaucgagaa uccuggcagc 300

-continued

```

ggcagcuuug ugcugggagc cauugcucu ggaguggcug cugcugcagc uguuacagca 360
ggcguggcca ucugcaagac caucagacug gaaagcgaag ugaccgccau caacaacgcc 420
cugaagaaga caaacgaggc cgucagcaca cucggcaaug gcguuagagu gcuggccuuu 480
gccgugcgcg agcugaagga cuucgugucc aagaaccuga cacgggccu gaacaagaac 540
aagugcgaca ucgacgaccu gaagauggcc guguccuuu gccaguuca cggcgguuu 600
cugaacgucg ugcggcaguu uagcgacaac gccggaauca caccagccau cagccuggac 660
cugaugacag augcugagcu ggcuagagcc gugccuaaca ugccuacauc ugccggccag 720
aucaagcuga ugcucgagaa uagagccaug guccgacgga aaggcuucgg cauucugugu 780
ggcguguacg gcagcagcgu gaucuauaug gugcagcugc cuaucuucgg cgugaucgac 840
acaccugcu ggauugugaa ggccgcuccu agcuguagcg agaagaagg cauuuacgcc 900
ugccugcuga gagaggacca aggcugguau ugucagaacg ccggcagcac cguguacuac 960
ccuaacgaga aggacugcga gacaagaggc gaccacgugu ucugugauac cgccgcugga 1020
aucaaugugg ccgagcagag caaagagugc aacaucaca ucagcaccac caacuauccc 1080
ugcaaggugu ccaccggcag gcaccuauu ucuauggugg cucugucucc ucugggagcc 1140
cugguggcuu guuauaagg cguguccugu agcaucggca gcaacagagu gggcaucauc 1200
aagcagcuga acaagggcug cagcuacauc accaaccagg acgccgauac cgugaccauc 1260
gacaacaccg uguaucagcu gagcaaggug gaaggcgaac agcacgugau caagggcaga 1320
ccugugucca gcagcuucga ccuaucaag uucccugagg aucaguuca cguggccug 1380
gaccaggugu ucgagaacau cgagaauucc caggcucugg uggaccaguc caacagaaucc 1440
cugucuagcg ccgagaaggg aaacaccggc uucaucaucg ugaucauccu gaucgcccug 1500
cugggcagcu ccaugauccu gguguccauc uucaucauu ucaagaagac caagaagccc 1560
accggcguc cuccagaacu gagcggagug accaacaau gcuucaucc ucacaac 1617

```

<210> SEQ ID NO 128

<211> LENGTH: 1617

<212> TYPE: RNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 128

```

augagcugga aggugguau caucuucagc cugcugauca caccucagca cggccugaaa 60
gagagcuacc uggaagaguc cugcagcacc aucacagagg gcuaccuguc ugugcugaga 120
accggcuggu acaccaacgu guucacacug gaagugggcg acgucgagaa ucugacaugc 180
ucugauggcc cuagccugau caagaccgag cuggaucuga ccaagagcgc ccugagagaa 240
cucaagaccg ugucugccga ucagcuggcc agagaggaac agaucgagaa uccuggcagc 300
ggcagcuuug ugcugggagc cauugcucu ggaguggcug cugcugcagc uguuacagca 360
ggcguggcca ucugcaagac caucagacug gaaagcgaag ugaccgccau caacaacgcc 420
cugaagaaga caaacgaggc cgucagcaca cucggcaaug gcguuagagu gcuggccaca 480
gccgugcgcg agcugaagga cuucgugucc aagaaccuga cacgggccau uaacaagaac 540
aagugcgaca ucgacgaccu gaagauggcc guguccuuu gccaguuca cggcgguuu 600
cugaacgucg ugcggcaguu uagcgacaac gccggaauca caccagccau cagccuggac 660

```

- continued

cugaugacag augcugagcu ggcuagagcc gugccuaaca ugccuacauc ugccggccag 720
aucaagcuga ugcucgagaa uagagccaug guccgacgga aaggcuucgg cauucugugu 780
ggcguguacg gcagcagcgu gaucuauaug gugcagcugc cuaucuucgg cgugaucgac 840
acaccucgu ggauugugaa ggccgcuccu agcuguagcg agaagaagg caauuacgcc 900
ugccugcuga gagaggacca aggcugguau ugucagaacg ccggcagcac cguguacuac 960
ccuaacgaga aggacugcga gacaagaggc gaccacgugu ucugugauac cgccgcugga 1020
aucaaugugg ccgagcagag caaagagugc aacaucaca ucagcaccac caacuauccc 1080
ugcaaggugu ccaccggcag gcaccuauu ucuauggugg cucugucucc ucugggagcc 1140
cugguggcuu guuauaaggc cguguccugu agcaucggca gcaacagagu gggcaucauc 1200
aagcagcuga acaagggcug cagcuacauc accaaccagg acgccgauac cgugaccauc 1260
gacaacaccg uguaucagcu gagcaaggug gaaggcgaac agcacgugau caagggcaga 1320
ccugugucca gcagcuucga ccuaucaag uucccugagc accaguggca uguggcccug 1380
gaccaggugu ucgagaacau cgagaauucc caggcucugg uggaccaguc caacagauc 1440
cugucuagcg ccgagaaggg aaacaccggc uucaucaucg ugaucauccu gaucgccgug 1500
cugggcagcu ccaugauccu gguguccauc uucaucauu ucaagaagac caagaagccc 1560
accggcgcuc cuccagaacu gagcggagug accaacaau gcuucaucc ucacaac 1617

<210> SEQ ID NO 129
<211> LENGTH: 1617
<212> TYPE: RNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 129

augagcugga agguggucau caucuucagc cugcugauca caccucagca cggccugaaa 60
gagagcuacc uggaagaguc cugcagcacc aucacagagg gcuaccuguc ugugcugaga 120
accggcuggu acaccaacgu guucacacug gaagugggcg acgucgagaa ucugacaugc 180
ucugauggcc cuagccugau caagaccgag cuggaucugc ucaagagcgc ccugagagaa 240
cucaagaccg ugucugccga ucagcuggcc agagaggaac agaucgagaa uccuggcagc 300
ggcagcuuug ugcugggagc cauugcucu ggaguggcug cugcugcagc uguuacagca 360
ggcguggcca ugcuaagac caucagacug gaaagcgaag ugaccgccau caacaacgcc 420
cugaagaaga caaacgaggc cgucagcaca cucggcaaug gcguuagagu gcuggccaca 480
gccgugcgcg agcugaagga cuucgugucc aagaaccuga cacgggccau uaacaagaac 540
aagugcgaca ucccugaccu gaagauggcc guguccuuu gccaguuca cggcgguuu 600
cugaacgucg ugcggcaguu uagcgacaac gccggauuca caccagccau cagccuggac 660
cugaugacag augcugagcu ggcuagagcc gugccuaaca ugccuacauc ugccggccag 720
aucaagcuga ugcucgagaa uagagccaug guccgacgga aaggcuucgg cauucuguu 780
ggcguguacg gcagcagcgu gaucuauaug gugcagcugc cuaucuucgg cgugaucgac 840
acaccucgu ggauugugaa ggccgcuccu agcuguagcg agaagaagg caauuacgcc 900
ugccugcuga gagaggacca aggcugguau ugucagaacg ccggcagcac cguguacuac 960
ccuaacgaga aggacugcga gacaagaggc gaccacgugu ucugugauac cgccgcugga 1020

-continued

```

aucaaugugg ccgagcagag caaagagugc aacaucaaca ucagcaccac caacuaucce 1080
ugcaaggugu ccaccggcag gcaccuauu ucuauggugg cucugucucc ucugggagcc 1140
cugguggcuu guuauaaggc cguguccugu agcaucggca gcaacagagu gggcaucauc 1200
aagcagcuga acaagggcug cagcuacauc accaaccagg acgccgauac cgugaccauc 1260
gacaacaccg uguaucagcu gagcaaggug gaaggcgaac agcacgugau caagggcaga 1320
ccugugucca gcagcuucga ccuaucaag uucccugagg aucaguucca gguggcccug 1380
gaccaggugu ucgagaacau cgagaauucc caggcucugg uggaccaguc caacagaauc 1440
cugucuagcg ccgagaaggg aacaccggc uucaucaucg ugaucauccu gaucgccgug 1500
cugggcagcu ccaugauccu gguguccauc uucaucauu ucaagaagac caagaagccc 1560
accggcgcuc cuccagaacu gagcggagug accaacaug gcuucaucc ucacaac 1617

```

<210> SEQ ID NO 130

<211> LENGTH: 1617

<212> TYPE: RNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 130

```

augagcugga agguggucau caucuucagc cugcugauca caccucagca cggccugaaa 60
gagagcuacc uggaagaguc cugcagcacc aucacagagg gcuaccuguc ugugcugaga 120
accggcuggu acaccaacgu guucacacug gaagugggcg acgucgagaa ucugacaugc 180
ucugauggcc cuagccugau caagaccgag cuggaucugc ucaagagcgc ccugagagaa 240
cucaagaccg ugucugcccga ucagcuggcc agagagggaac agaucgagaa uccuggcagc 300
ggcagcuuug ugcugggagc cauugcucu ggaguggcug cugcugcagc uguuacagca 360
ggcugggcca ugcuaagac caucagacug gaaagcgaag ugaccgccau caacaacgcc 420
cugaagaaga caaacgagc cgucagcaca cucggcaaug gcguaagagu gcuggccaca 480
gccgugcgcg agcugaagga cuucgugucc aagaaccuga cacgggccau uaacaagaac 540
aagugcgaca ucccugaccu gaagauggcc guguccuuu gccaguuca cggcgguuu 600
cugaacgucg ugcggcaguu uagcgacaac gccggaauca caccagccau cagccuggac 660
cugaugacag augcugagcu ggcuagagcc gugccuaca ugccuacauc ugccggccag 720
aucaagcuga ugcucgagaa uagagccaug guccgacgga aaggcuucgg cauucugauu 780
ggcguuacg gcagcagcgu gaucuauaug gugcagcugc cuaucuucgg cgugaucgac 840
acaccugcu ggauugugaa ggccgcuccu agcuguagcg agaagaagg caauucgcc 900
ugccugcuga gagaggacca aggcugguau ugucagaacg ccggcagcac cguguacuac 960
ccuaacgaga aggacugcga gacaagaggc gaccacgugu ucugugauac cgccgcugga 1020
aucaaugugg ccgagcagag caaagagugc aacaucaaca ucagcaccac caacuaucce 1080
ugcaaggugu ccaccggcag gcaccuauu ucuauggugg cucugucucc ucugggagcc 1140
cugguggcuu guuauaaggc cguguccugu agcaucggca gcaacagagu gggcaucauc 1200
aagcagcuga acaagggcug cagcuacauc accaaccagg acgccgauac cgugaccauc 1260
gacaacaccg uguaucagcu gagcaaggug gaaggcgaac agcacgugau caagggcaga 1320
ccugugucca gcagcuucga ccuaucaag uucccugaga accaguucca gguggcccug 1380

```

-continued

gaccaggugu ucgagaacau cgagaauucc caggcucugg uggaccaguc caacagaaucc 1440
cugucuagcg ccgagaaggg aaacaccggc uucaucaucg ugaucauccu gaucgccgug 1500
cugggcagcu ccaugauccu gguguccauc uucaucauuu ucaagaagac caagaagccc 1560
accggcgcuc cuccagaacu gagcggagug accaacaauug gcuucaucc ucacaac 1617

<210> SEQ ID NO 131
<211> LENGTH: 1617
<212> TYPE: RNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 131

augagcugga aggguguc aucaucagc cugcugauca caccucagca cggccugaaa 60
gagagcuacc uggaagaguc cugcagcacc aucacagagg gcuaccuguc ugugcugaga 120
accggcuggu acaccaacgu guucacacug gaaguggggc acgucgagaa ucugacaugc 180
ucugauggcc cuagccugau caagaccgag cuggaucugc ucaagagcgc ccugagagaa 240
cucaagaccg ugucugcccga ucagcuggcc agagaggaac agaucgagaa uccuggcagc 300
ggcagcuuug ugcugggagc cauugcucu ggaguggcug cugcugcagc uguuacagca 360
ggcugggcca ucgcuaagac caucagacug gaaagcgaag ugaccgccau caacaacgcc 420
cugaagaaga caaacgaggc cgucagcaca cucggcaaug gcguaagagu gcuggccaca 480
gccgucgcg agcugaagga cuucgugcuu aagaaccuga cacgggccau uaacaagaac 540
aagugcgaca ucccugaccu gaagauggcc guguccuuu gccagucaa cggcgguuu 600
cugaacgucg ugcggcaguu uagcgacaac gccggaauca caccagccau cagccuggac 660
cugaugacag augcugagcu ggcuagagcc gugccuaaca ugccuacauc ugccggccag 720
aucaagcuga ugcucgagaa uagagccaug guccgacgga aaggcuucg cauucugauu 780
ggcuguaucg gcagcagcgu gaucuauaug gucgagcugc cuaucuucgg cgugaucgac 840
acaccugcu ggauugugaa ggccgcuccu agcuguagcg agaagaagg caauucgcc 900
ugccugcuga gagaggacca aggcugguau ugucagaacg ccggcagcac cguguacuac 960
ccuaacgaga aggacugcga gacaagaggc gaccacgugu ucugugauac cgccgcugga 1020
aucaaugugg ccgagcagag caaagagugc aacaucaca ucagcaccac caacuauccc 1080
ugcaaggugu ccaccggcag gcaccuauu ucuauggugg cucugucucc ucugggagcc 1140
cugguggcuu guuauaagg cguguccugu agcaucggca gcaacagagu gggcaucauc 1200
aagcagcuga acaaggcug cagcuacauc accaaccagg acgccgauac cgugaccauc 1260
gacaacaccg uguaucagcu gagcaaggug gaaggcgaac agcacgugau caagggcaga 1320
ccugugucca gcagcuucga ccuaucaag ucccugagg aucaguucca gguggccug 1380
gaccaggugu ucgagaacau cgagaauucc caggcucugg uggaccaguc caacagaaucc 1440
cugucuagcg ccgagaaggg aaacaccggc uucaucaucg ugaucauccu gaucgccgug 1500
cugggcagcu ccaugauccu gguguccauc uucaucauuu ucaagaagac caagaagccc 1560
accggcgcuc cuccagaacu gagcggagug accaacaauug gcuucaucc ucacaac 1617

<210> SEQ ID NO 132
<211> LENGTH: 1617

-continued

<212> TYPE: RNA
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 132

augagcugga	agguggucau	caucuucagc	cugcugauca	caccucagca	cggccugaaa	60
gagagcuacc	uggaagaguc	cugcagcacc	aucacagagg	gcuaccuguc	ugugcugaga	120
accggcuggu	acaccaacgu	guucacacug	gaaguggggc	acgucgagaa	ucugacaugc	180
ucugauggcc	cuagccugau	caagaccgag	cuggaucugc	ucaagagcgc	ccugagagaa	240
cucaagaccg	ugucugccga	ucagcuggcc	agagaggaac	agaucgagaa	uccuggcagc	300
ggcagcuuug	ugcugggagc	cauugcucu	ggaguggcug	cugcugcagc	uguuacagca	360
ggcugggcca	ucgcuaagac	caucagacug	gaaagcgaag	ugaccgccau	caacaacgcc	420
cugaagaaga	caaacgaggc	cgucagcaca	cucggcaaug	gcguaagagu	gcuggccaca	480
gccgugcgcg	agcugaagga	cuucgugcuu	aagaaccuga	cacgggccau	uaacaagaac	540
aagugcgaca	ucccugaccu	gaagauggcc	guguccuuua	gccaguuaa	ccggcgguuu	600
cugaacgucg	ugcggcaguu	uagcgacaac	gccggaauca	caccagccau	cagccuggac	660
cugaugacag	augcugagcu	ggcuagagcc	gugccuaaca	ugccuacauc	ugccggccag	720
aucaagcuga	ugcucgagaa	uagagccaug	guccgacgga	aaggcuucgg	cauucugauu	780
ggcguguacg	gcagcagcgu	gaucuauaug	gugcagcugc	cuaucuucgg	cgugaucgac	840
acaccucgcu	ggauugugaa	ggccgcuccu	agcuguagcg	agaagaaggg	caauuacgcc	900
ugccugcuga	gagaggacca	aggcugguau	ugucagaacg	ccggcagcac	cguguacuac	960
ccuaacgaga	aggacugcga	gacaagaggc	gaccacgugu	ucugugauac	cgccgcugga	1020
aucaaugugg	ccgagcagag	caaagagugc	aacaucaaca	ucagcaccac	caacuauccc	1080
ugcaaggugu	ccaccggcag	gcaccuauu	ucuauuggug	cucugucucc	ucugggagcc	1140
cugguggcuu	guuauaaggg	cguguccugu	agcaucggca	gcaacagagu	gggcaucauc	1200
aagcagcuga	acaagggcug	cagcuacauc	accaaccagg	acgccgauac	cgugaccauc	1260
gacaacaccg	uguaucagcu	gagcaaggug	gaaggcgaac	agcacgugau	caagggcaga	1320
ccugugucca	gcagcuucga	cccuaucaag	uucccugaga	accaguucca	gguggccug	1380
gaccaggugu	ucgagaacau	cgagaauucc	caggcucugg	uggaccaguc	caacagaauc	1440
cugucuagcg	ccgagaaggg	aaacaccggc	uucaucaucg	ugaucuccu	gaucgccgug	1500
cugggcagcu	ccaugauccu	gguguccauc	uucaucuua	ucaagaagac	caagaagccc	1560
accggcgcuc	cuccagaacu	gagcggagug	accaacaau	gcuucauccc	ucacaac	1617

<210> SEQ ID NO 133
 <211> LENGTH: 1617
 <212> TYPE: RNA
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 133

augagcugga	agguggucau	caucuucagc	cugcugauca	caccucagca	cggccugaaa	60
gagagcuacc	uggaagaguc	cugcagcacc	aucacagagg	gcuaccuguc	ugugcugaga	120
accggcuggu	acaccaacgu	guucacacug	ccuguggggc	acgucgagaa	ucugacaugc	180

-continued

ucugauggcc	cuagccugau	caagaccgag	cuggaucugc	ucaagagcgc	ccugagagaa	240
cucaagaccg	ugucugccga	ucagcuggcc	agagaggaac	agaucgagaa	uccuggcagc	300
ggcagcuuug	ugcugggagc	cauugcucuu	ggaguggcug	cugcugcagc	uguuacagca	360
ggcguggcca	ucgcuaagac	caucagacug	gaaagcgaag	ugaccgccau	caacaacgcc	420
cugaagaaga	caaacgaggc	cgucagcaca	cucggcaaug	gcguuagagu	gcuggccaca	480
gccgugcgcg	agcugaagga	cuucgugucc	aagaaccuga	cacgggccau	uaacaagaac	540
aagugcgaca	ucgacgaccu	gaagauggcc	guguccuuua	gccaguucua	ccggcgguuu	600
cugaacgucg	ugcggcaguu	uagcgacaac	gccggaauc	caccagccau	cagccuggac	660
cugaugacag	augcugagcu	ggcuagagcc	gugccuaaca	ugccuacauc	ugccggccag	720
aucaagcuga	ugcucgagaa	uagagccaug	guccgacgga	aaggcuucgg	cauucugauu	780
ggcguguacg	gcagcagcgu	gaucuauaug	gugcagcugc	cuaucuucgg	cgugaucgac	840
acaccucgcu	ggauugugaa	ggccgcuccu	agcuguagcg	agaagaaggg	cauuuacgcc	900
ugccucguga	gagaggacca	aggcugguau	ugucagaacg	ccggcagcac	cguguacuac	960
ccuaacgaga	aggacugcga	gacaagaggg	gaccacgugu	ucugugauac	cgccgcugga	1020
aucaaugugg	ccgagcagag	caaagagugc	aacaucaca	ucagcaccac	caacuauccc	1080
ugcaaggugu	ccaccggcag	gcaccuauu	ucuauugggg	cucugucucc	ucugggagcc	1140
cugguggcuu	guuauaaggg	cguguccugu	agcaucggca	gcaacagagu	gggcauac	1200
aagcagcuga	acaagggcug	cagcuacauc	accaaccagg	acgccgauac	cgugaccauc	1260
gacaacaccg	uguaucagcu	gagcaaggug	gaaggcgaac	agcacgugau	caagggcaga	1320
ccugugucca	gcagcuucga	cccuaucaag	uucccugagg	aucaguucca	gguggcccug	1380
gaccaggugu	ucgagaacau	cgagaauucc	caggcucugg	uggaccaguc	caacagaauc	1440
cugucuagcg	ccgagaaggg	aaacaccggc	uucaucaucg	ugaucauccu	gaucgccgug	1500
cugggcagcu	ccaugauccu	gguguccauc	uucaucauu	ucaagaagac	caagaagccc	1560
accggcgcuc	cuccagaacu	gagcggagug	accaacaau	gcuucaucc	ucacaac	1617

<210> SEQ ID NO 134

<211> LENGTH: 1617

<212> TYPE: RNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 134

augagcugga	agguggucau	caucuucagc	cugcugauca	caccucagca	cggccugaaa	60
gagagcuacc	uggaagaguc	cugcagcacc	aucacagagg	gcuaccuguc	ugugcugaga	120
accggcuggu	acaccaacgu	guucacacug	ccuguggggc	acgucgagaa	ucugacaugc	180
ucugauggcc	cuagccugau	caagaccgag	cuggaucugc	ucaagagcgc	ccugagagaa	240
cucaagaccg	ugucugccga	ucagcuggcc	agagaggaac	agaucgagaa	uccuggcagc	300
ggcagcuuug	ugcugggagc	cauugcucuu	ggaguggcug	cugcugcagc	uguuacagca	360
ggcguggcca	ucgcuaagac	caucagacug	gaaagcgaag	ugaccgccau	caacaacgcc	420
cugaagaaga	caaacgaggc	cgucagcaca	cucggcaaug	gcguuagagu	gcuggccaca	480
gccgugcgcg	agcugaagga	cuucgugucc	aagaaccuga	cacgggccau	uaacaagaac	540

-continued

```

aagugcgaca ucgacgaccu gaagauggcc guguccuuua gccaguucua cggcgguuu 600
cugaacgucg ugcggcaguu uagcgacaac gccggaauca caccagccau cagccuggac 660
cugaugacag augcugagcu ggcuagagcc gugccuaaca ugccuacauc ugccggccag 720
aucaagcuga ugcucgagaa uagagccaug guccgacgga aaggcuucgg cauucugauu 780
ggcguguacg gcagcagcgu gaucuauaug gugcagcugc cuaucuucgg cgugaucgac 840
acaccugcu ggauugugaa ggccgcuccu agcuguagcg agaagaagg caauuacgcc 900
ugccugcuga gagaggacca aggcugguau ugucagaacg cggcgagcac cguguacuac 960
ccuaacgaga aggacugcga gacaagaggc gaccacgugu ucugugauac cgccgcugga 1020
aucaaugugg ccgagcagag caaagagugc aacaucaca ucagcaccac caacuauccc 1080
ugcaaggugu ccaccggcag gcaccuauu ucuauggugg cucugucucc ucugggagcc 1140
cugguggcuu guuauaagg cguguccugu agcaucggca gcaacagagu gggcauac 1200
aagcagcuga acaagggcug cagcuacauc accaaccagg acgccgauac cgugaccauc 1260
gacaacaccg uguaucagcu gagcaaggug gaaggcgaac agcacgugau caagggcaga 1320
ccugugucca gcagcuucga ccuaucaag uucccugaga accaguucca gguggccug 1380
gaccaggugu ucgagaacau cgagaauucc caggcucugg uggaccaguc caacagauc 1440
cugucuagcg ccgagaagg aaacaccggc uucaucaucg ugaucauccu gaucgccgug 1500
cugggcagcu ccaugauccu gguguccauc uucaucauu ucaagaagac caagaagccc 1560
accggcguc cuccagaacu gagcggagug accaacaau gcuucaucc ucacaac 1617

```

<210> SEQ ID NO 135

<211> LENGTH: 1617

<212> TYPE: RNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 135

```

augagcugga aggugguau caucuucagc cugcugauca caccucagca cggccugaaa 60
gagagcuacc uggaagaguc cugcagcacc aucacagagg gcuaccuguc ugugcugaga 120
accggcuggu acaccaacgu guucacacug gaagugggcg acgucgagaa ucugacaugc 180
ucugauggcc cuagccugau caagaccgag cuggaucugc ucaagagcgc ccugagagaa 240
cucaagaccg ugucugccga ucagcuggcc agagaggaac agaucgagaa uccuggcagc 300
ggcagcuuug ugcugggagc cauugcucu ggaguggcug cugcugcagc uguuacagca 360
ggcguggcca ugcuaagac caucagacug gaaagcgaag ugaccgccau caacaacgcc 420
cugaagaaga caaacgaggc cgucagcaca cucggcaaug gcguaagagu gcuggccaca 480
gccgucgcg agcugaagga cuucgugucc aagaaccuga cacgggccau uaacaagaac 540
aagugcgaca ucgacgaccu gaagauggcc guguccuuua gccaguucua cggcgguuu 600
cugaacgucg ugcggcaguu uagcgacaac gccggaauca caccagccau cagccuggac 660
cugaugacag augcugagcu ggcuagagcc gugccuaaca ugccuacauc ugccggccag 720
aucaagcuga ugcucgagaa uagagccaug guccgacgga aaggcuucgg cauucugauu 780
ggcguguacg gcagcagcgu gaucuauaug gugcagcugc cuaucuucgg cgugaucgac 840
acaccugcu ggauugugaa ggccgcuccu agcuguagcg agaagaagg caauuacgcc 900

```

-continued

```

ugccugcuga gagaggacca aggcugguau ugucagaacg cgggcagcac cguguacuac 960
ccuaacgaga aggacugcga gacaagaggc gaccacgugu ucugugauac cgccgcugga 1020
aucaaugugg cggagcagag caaagagugc aacaucaaca ucagcaccac caacuaucce 1080
ugcaaggugu ccaccggcag gcaccuauu ucuauuggug cucugucucc ucugggagcc 1140
cugguggcuu guuauaaggc cguguccugu agcaucggca gcaacagagu gggcaucauc 1200
aagcagcuga acaagggcug cagcuacauc accaaccagg acgccgauac cgugaccauc 1260
gacaacaccg uguaucagcu gagcaaggug gaaggcgaac agcacgugau caagggcaga 1320
ccugugucca gcagcuucga ccuaucaag uucccugagg aucaguucca gguggccug 1380
gaccaggugu ucgagaacau cgagaauucc caggcucugg uggaccaguc caacagaauc 1440
cugucuagcg cggagaaggg aacaccggc uucaucaucg ugaucauccu gaucgccgug 1500
cugggcagcu ccaugauccu gguguccauc uucaucauu ucaagaagac caagaagccc 1560
accggcgcuc cuccagaacu gagcggagug accaacaau gcuucauccc ucacaac 1617

```

<210> SEQ ID NO 136

<211> LENGTH: 1617

<212> TYPE: RNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 136

```

augagcugga agggugucan caucuucagc cugcugauca caccucagca cggccugaaa 60
gagagcuacc uggaagaguc cugcagcacc aucacagagg gcuaccuguc ugugcugaga 120
accggcuggu acaccaacgu guucacacug gaaguggggc accucgagaa ucugacaugc 180
ucugauggcc cuagccugau caagaccgag cuggaucuga ccaagagcgc ccugagagaa 240
cucaagaccg ugucugccga ucagcuggcc agagaggaac agaucgagaa uccuggcagc 300
ggcagcuuug ugcugggagc cauugcucu ggaguggcug cugcugcagc uguuacagca 360
ggcugggcca ugcuaagac caucagacug gaaagcgaag ugaccgccau caacaacgcc 420
cugaagaaga caaacgaggc cgucagcaca cucggcaaug gcguaagagu gcuggccaca 480
gccgugcgcg agcugaagga cuucgugucc aagaaccuga cacgggccau uaacaagaac 540
aagugcgaca ucgacgaccu gaagauggcc guguccuuua gccaguucca ccggcgguuu 600
cugaacgucg ugcggcaguu uagcgacaac gccggaauca caccagccau cagccuggac 660
cugaugacag augcugagcu ggcuagagcc gugccuaaca ugccuacauc ugccggccag 720
aucaagcuga ugcucgagaa uagagccaug guccgacgga aaggcuucgg cauucugauu 780
ggcugugacg gcagcagcgu gaudiuaug gugcagcugc cuaucuucgg cgugaucgac 840
acaccucgu ggauugugaa ggccgcuccu agcuguagcg agaagaaggg cauuuacgcc 900
ugccugcuga gagaggacca aggcugguau ugucagaacg cgggcagcac cguguacuac 960
ccuaacgaga aggacugcga gacaagaggc gaccacgugu ucugugauac cgccgcugga 1020
aucaaugugg cggagcagag caaagagugc aacaucaaca ucagcaccac caacuaucce 1080
ugcaaggugu ccaccggcag gcaccuauu ucuauuggug cucugucucc ucugggagcc 1140
cugguggcuu guuauaaggc cguguccugu agcaucggca gcaacagagu gggcaucauc 1200
aagcagcuga acaagggcug cagcuacauc accaaccagg acgccgauac cgugaccauc 1260

```

-continued

```

gacaacaccg uguaucagcu gagcaaggug gaaggcgaac agcacgugau caagggcaga 1320
ccugugucca gcagcuucga cccuaucaag uucccugagg aucaguucca gguggcccug 1380
gaccaggugu ucgagaacau cgagaauucc caggcucugg uggaccaguc caacagaauc 1440
cugucuagcg ccgagaaggg aaacaccggc uucaucaucg ugaucauccu gaucgccgug 1500
cugggcagcu ccaugauccu gguguccauc uucaucauuu ucaagaagac caagaagccc 1560
accggcgcuc cuccagaacu gagcggagug accaacaauug gcuucaucc ucacaac 1617

```

<210> SEQ ID NO 137

<211> LENGTH: 1617

<212> TYPE: RNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 137

```

augagcugga agguggucau caucuucagc cugcugauca caccucagca cggccugaaa 60
gagagcuacc uggaagaguc cugcagcacc aucacagagg gcuaccuguc ugugcugaga 120
accggcuggu acaccaacgu guucacacug gaaguggggc agucgagaa ucugacaugc 180
ucugauggcc cuagccugau caagaccgag cuggaucuga ccaagagcgc ccugagagaa 240
cucaagaccg ugucugcccga ucagcuggcc agagaggaac agaucgagaa uccuggcagc 300
ggcagcuuug ugcugggagc cauugcucu ggaguggcug cugcugcagc uguuacagca 360
ggcguggcca ucgcuuagac caucagacug gaaagcgaag ugaccgccau caacaacgcc 420
cugaagaaga caaacgaggc cgucagcaca cucggcaaug gcguaagagu gcuggccaca 480
gccgugcgcg agcugaagga cuucgugcuu aagaaccuga cacgggccau uaacaagaac 540
aagugcgaca ucgacgaccu gaagauggcc guguccuuu gccagucaa ccggcgguuu 600
cugaacgucg ugcggcaguu uagcgacaac gccggaauca caccagccau cagccuggac 660
cugaugacag augcugagcu ggcuagagcc gugccuaaca ugccuacauc ugccggccag 720
aucaagcuga ugcucgagaa uagagccaug guccgacgga aaggcuucgg cauucugauu 780
ggcguguacg gcagcagcgu gaucuauaug gugcagcugc cuaucuucgg cgugaucgac 840
acaccucgcu ggauugugaa ggccgcuccu agcuguagcg agaagaagg caauuacgcc 900
ugccugcuga gagaggacca aggcugguau ugucagaacg ccggcagcac cguguacuac 960
ccuaacgaga aggacugcga gacaagaggc gaccacgugu ucugugauac cgccgcugga 1020
aucaaugugg ccgagcagag caaagagugc aacaucaca ucagcaccac caacuauccc 1080
ugcaaggugu ccaccggcag gcaccuauu ucuauggugg cucugucucc ucugggagcc 1140
cugguggcuu guuauaaggg cguguccugu agcaucggca gcaacagagu gggcaucauc 1200
aagcagcuga acaagggcug cagcuacauc accaaccagg acgccgauac cgugaccauc 1260
gacaacaccg uguaucagcu gagcaaggug gaaggcgaac agcacgugau caagggcaga 1320
ccugugucca gcagcuucga cccuaucaag uucccugagg aucaguucca gguggcccug 1380
gaccaggugu ucgagaacau cgagaauucc caggcucugg uggaccaguc caacagaauc 1440
cugucuagcg ccgagaaggg aaacaccggc uucaucaucg ugaucauccu gaucgccgug 1500
cugggcagcu ccaugauccu gguguccauc uucaucauuu ucaagaagac caagaagccc 1560
accggcgcuc cuccagaacu gagcggagug accaacaauug gcuucaucc ucacaac 1617

```

-continued

```

<210> SEQ ID NO 138
<211> LENGTH: 1617
<212> TYPE: RNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 138

augagcugga agguggucau caucuucagc cugcugauca caccucagca cggccugaaa      60
gagagcuacc uggaagaguc cugcagcacc aucacagagg gcuaccuguc ugugcugaga      120
accggcuggu acaccaacgu guucacacug gaagugggcg acgucgagaa ucugacaugc      180
ucugauggcc cuagccugau caagaccgag cuggaucuga ccaagagcgc ccugagagaa      240
cucaagaccg ugucugccga ucagcuggcc agagaggaac agaucgagaa uccuggcagc      300
ggcagcuuug ugcugggagc cauugcucu ggaguggcug cugcugcagc uguuacagca      360
ggcguggcca ugcuaagac caucagacug gaaagcgaag ugaccgccau caacaacgcc      420
cugaagaaga caaacgaggc cgucagcaca cucggcaaug gcguaagagu gcuggccaca      480
gccgugcgcg agcugaagga cuucgugucc aagaaccugu ggcgggccau uaacaagaac      540
aagugcgaca ucgacgaccu gaagauggcc guguccuuu gccagucaa ccggcgguuu      600
cugaacgucg ugcggcaguu uagcgacaac gccggaauc caccagccau cagccuggac      660
cugaugacag augcugagcu ggcuagagcc gugccuaaca ugccuacauc ugccggccag      720
aucaagcuga ugcucgagaa uagagccaug guccgacgga aaggcuucgg cauucugauu      780
ggcguguacg gcagcagcgu gaucuauaug gugcagcugc cuaucuucgg cgugaucgac      840
acaccucgcu ggauugugaa ggccgcuccu agcuguagcg agaagaaggg caauuacgcc      900
ugccugcuga gagaggacca aggcugguau ugucagaacg ccggcagcac cguguacuac      960
ccuaacgaga aggacugcga gacaagaggc gaccacgugu ucugugauac cgccgcugga     1020
aucaaugugg ccgagcagag caaagagugc aacaucaaca ucagcaccac caacuauccc     1080
ugcaaggugu ccaccggcag gcaccuauu ucuauuggug cucugucucc ucugggagcc     1140
cugguggcuu guuauaaggg cguguccugu agcaucggca gcaacagagu gggcaucauc     1200
aagcagcuga acaagggcug cagcuacauc accaaccagg acgccgauac cgugaccauc     1260
gacaacaccg uguaucagcu gagcaaggug gaaggcgaac agcacgugau caagggcaga     1320
ccugugucca gcagcuucga ccuaucaag uucccugagg aucaguucca gguggcccg      1380
gaccaggugu ucgagaacau cgagaauucc caggcucugg uggaccaguc caacagaauc     1440
cugucuagcg ccgagaaggg aaacaccggc uucaucaucg ugaucauccu gaucgccgug     1500
cugggcagcu ccaugauccu gguguccauc uucaucauu ucaagaagac caagaagccc     1560
accggcguc cuccagaacu gagcggagug accaacaau gcuucaucc ucacaac      1617

```

```

<210> SEQ ID NO 139
<211> LENGTH: 1617
<212> TYPE: RNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 139

augagcugga agguggucau caucuucagc cugcugauca caccucagca cggccugaaa      60

```

-continued

```

gagagcuacc uggaagaguc cugcagcacc aucacagagg gcuaccuguc ugugcugaga 120
accggcuggu acaccaacgu guucacacug gaagugggcg accucgagaa ucugacaugc 180
ucugauggcc cuagccugau caagaccgag cuggaucugc ucaagagcgc ccugagagaa 240
cucaagaccg ugucugccga ucagcuggcc agagaggaac agaucgagaa uccuggcagc 300
ggcagcuuug ugcugggagc cauugcucuu ggaguggcug cugcugcagc uguuacagca 360
ggcguggcca ugcuaagac caucagacug gaaagcgaag ugaccgccau caacaacgcc 420
cugaagaaga caaacgaggc cgucagcaca cucggcaaug gcguaagagu gcuggccaca 480
gccgugcgcg agcugaagga cuucgugcuu aagaaccugu ggcgggccau uaacaagaac 540
aagugcgaca ucgacgaccu gaagauggcc guguccuuua gccaguuaa ccggcgguuu 600
cugaacgucg ugcggcaguu uagcgacaac gccggaauca caccagccau cagccuggac 660
cugaugacag augcugagcu ggcuagagcc gugccuaaca ugccuacauc ugccggccag 720
aucaagcuga ugcucgagaa uagagccaug guccgacgga aaggcuucgg cauucugauu 780
ggcguguacg gcagcagcgu gaucuauaug gugcagcugc cuaucuucgg cgugaucgac 840
acaccucgcu ggauugugaa ggccgcuccu agcuguagcg agaagaaggg caauuacgcc 900
ugccugcuga gagaggacca aggcugguau ugucagaacg ccggcagcac cguguacuac 960
ccuaacgaga aggacugcga gacaagaggc gaccacgugu ucugugauac cgccgcugga 1020
aucaaugugg ccgagcagag caaagagugc aacaucaaca ucagcaccac caacuauccc 1080
ugcaaggugu ccaccggcag gcacccuauu ucuauuggug cucugucucc ucugggagcc 1140
cugguggcuu guuauaaggg cguguccugu agcaucggca gcaacagagu gggcaucauc 1200
aagcagcuga acaagggcug cagcuacauc accaaccagg acgccgauac cgugaccauc 1260
gacaacaccg uguaucagcu gagcaaggug gaaggcgaac agcacgugau caagggcaga 1320
ccugugucca gcagcuucga cccuaucaag uucccugagg aucaguucca gguggcccug 1380
gaccaggugu ucgagaacau cgagaauucc caggcucugg uggaccaguc caacagaauc 1440
cugucuagcg ccgagaaggg aaacaccggc uucaucaucg ugaucauccu gaucgcccug 1500
cugggcagcu ccaugauccu gguguccauc uucaucauuu ucaagaagac caagaagccc 1560
accggcgcuc cuccagaacu gagcggagug accaacaauug gcuucauccc ucacaac 1617

```

```

<210> SEQ ID NO 140
<211> LENGTH: 1617
<212> TYPE: RNA
<213> ORGANISM: Artificial Sequence
<220> FEATURE:
<223> OTHER INFORMATION: Synthetic Polynucleotide

```

```

<400> SEQUENCE: 140

```

```

augagcugga aggugguau caucuucagc cugcugauca caccucagca cggccugaaa 60
gagagcuacc uggaagaguc cugcagcacc aucacagagg gcuaccuguc ugugcugaga 120
accggcuggu acaccaacgu guucacacug ccugugggcg acgucgagaa ucugacaugc 180
ucugauggcc cuagccugau caagaccgag cuggaucuga ccaagagcgc ccugagagaa 240
cucaagaccg ugucugccga ucagcuggcc agagaggaac agaucgagaa uccuggcagc 300
ggcagcuuug ugcugggagc cauugcucuu ggaguggcug cugcugcagc uguuacagca 360
ggcguggcca ugcuaagac caucagacug gaaagcgaag ugaccgccau caacaacgcc 420

```

-continued

cugaagaaga caaacgaggc cgucagcaca cucggcaaug gcguuagagu gcuggccaca 480
gccgugcgcg agcugaagga cuucgugucc aagaaccuga cacgggccau uaacaagaac 540
aagugcgaca ucgacgaccu gaagauggcc guguccuuua gccaguucua cggcgguuu 600
cugaacgucg ugcggcaguu uagcgacaac gccggaauca caccagccau cagccuggac 660
cugaugacag augcugagcu ggcuagagcc gugccuaaca ugccuacauc ugccggccag 720
aucaagcuga ugcucgagaa uagagccaug guccgacgga aaggcuucgg cauucugauu 780
ggcguguacg gcagcagcgu gaucuauaug gugcagcugc cuaucuucgg cgugaucgac 840
acaccugcu ggauugugaa ggccgcuccu agcuguagcg agaagaagg caauuacgcc 900
ugccugcuga gagaggacca aggcugguau ugucagaacg ccggcagcac cguguacuac 960
ccuaacgaga aggacugcga gacaagaggc gaccacgugu ucugugauac cgccgcugga 1020
aucaaugugg ccgagcagag caaagagugc aacaucaca ucagcaccac caacuauc 1080
ugcaaggugu ccaccggcag gcaccuauu ucuauggugg cucugucucc ucugggagcc 1140
cugguggcuu guuauaagg cguguccugu agcaucggca gcaacagagu gggcaucauc 1200
aagcagcuga acaagggcug cagcuacauc accaaccagg acgccgauac cgugaccauc 1260
gacaacaccg uguaucagcu gagcaaggug gaaggcgaac agcacgugau caagggcaga 1320
ccugugucca gcagcuucga ccuaucaag uucccugagg aucaguucca gguggccug 1380
gaccaggugu ucgagaacau cgagaauucc caggcucugg uggaccaguc caacagauc 1440
cugucuagcg ccgagaaggg aaacaccggc uucaucaucg ugaucauccu gaucgcccug 1500
cugggcagcu ccaugauc 1560
accggcguc cuccagaacu gagcggagug accaacaug gcuucaucc ucacaac 1617

<210> SEQ ID NO 141

<211> LENGTH: 1617

<212> TYPE: RNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 141

augagcugga aggugguau caucuucagc cugcugauca caccucagca cggccugaaa 60
gagagcuacc uggaagaguc cugcagcacc aucaagagg gcuaccuguc ugugcugaga 120
accggcuggu acaccaacgu guucacacug gaagugggcg acgucgagaa ucugacaugc 180
ucugauggcc cuagccugau caagaccgag cuggaucuga ccaagagcgc ccugagagaa 240
cucaagaccg ugucugccga ucagcuggcc agagaggaac agaucgagaa uccuggcagc 300
ggcagcuuug ugcugggagc cauugcucu ggaguggcug cugcugcagc uguuacagca 360
ggcguggcca ucgcuaagac caucagacug gaaagcgaag ugaccgccau caacaacgcc 420
cugaagaaga caaacgaggc cgucagcaca cucggcaaug gcguuagagu gcuggccaca 480
gccgugcgcg agcugaagga cuucgugucc aagaaccuga cacgggccau uaacaagaac 540
aagugcgaca ucccugaccu gaagauggcc guguccuuua gccaguucua cggcgguuu 600
cugaacgucg ugcggcaguu uagcgacaac gccggaauca caccagccau cagccuggac 660
cugaugacag augcugagcu ggcuagagcc gugccuaaca ugccuacauc ugccggccag 720
aucaagcuga ugcucgagaa uagagccaug guccgacgga aaggcuucgg cauucugauu 780

- continued

```

ggcguguacg gcagcagcgu gaucuauaug gugcagcugc cuaucuucgg cgugaucgac 840
acaccucgcu ggauugugaa ggccgcuccu agcuguagcg agaagaagg caauuacgcc 900
ugccugcuga gagaggacca aggcugguau ugucagaacg ccggcagcac cguguacuac 960
ccuaacgaga aggacugcga gacaagaggc gaccacgugu ucugugauac cgccgcugga 1020
aucaaugugg ccgagcagag caaagagugc aacaucaca ucagcaccac caacuauccc 1080
ugcaaggugu ccaccggcag gcaccuauu ucuauggugg cucugucucc ucugggagcc 1140
cugguggcuu guuauaagg cguguccugu agcaucggca gcaacagagu gggcaucauc 1200
aagcagcuga acaaggcgug cagcuacauc accaaccagg acgccgauac cgugaccauc 1260
gacaacaccg uguaucagcu gagcaaggug gaaggcgaac agcacgugau caagggcaga 1320
ccugugucca gcagcuucga ccuaucaag uucccugagg aucaguucca gguggcccug 1380
gaccaggugu ucgagaacau cgagaauucc caggcucugg uggaccaguc caacagaauc 1440
cugucuagcg ccgagaagg aaacaccggc uucaucaucg ugaucauccu gaucgccgug 1500
cugggcagcu ccaugauccu gguguccauc uucaucaua ucaagaagac caagaagccc 1560
accggcguc cuccagaacu gagcggagug accaacaau gcuucaucc ucacaac 1617

```

<210> SEQ ID NO 142

<211> LENGTH: 1617

<212> TYPE: RNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 142

```

augagcugga agguggucau caucuucagc cugcugauca caccucagca cggccugaaa 60
gagagcuacc uggaagaguc cugcagcacc aucacagagg gcuaccuguc ugugcugaga 120
accggcuggu acaccaacgu guucacacug gaagugggcg acgucgagaa ucugacaugc 180
ucugauggcc cuagccugau caagaccgag cuggaucuga ccaagagcgc ccugagagaa 240
cucaagaccg ugucugccga ucagcuggcc agagaggaac agaucgagaa uccuggcagc 300
ggcagcuuug ugcugggagc cauugcucu ggaguggcug cugcugcagc uguuacagca 360
ggcguggcca ucgcuaagac caucagacug gaaagcgaag ugaccgccau caacaacgcc 420
cugaagaaga caaacgaggc cgucagcaca cucggcaaug gcguaagagu gcuggccaca 480
gccgucgcg agcugaagga cuucgugucc aagaaccuga cacgggccau uaacaagaac 540
aagugcccua ucgacgaccu gaagauggcc guguccuuu gccaguucca ccggcgguuu 600
cugaacgucg ugcggcaguu uagcgacaac gccggaauca caccagccau cagccuggac 660
cugaugacag augcugagcu ggcuagagcc gugccuaaca ugccuacauc ugccggccag 720
aucaagcuga ugcucgagaa uagagccaug guccgacgga aaggcuucgg cauucugauu 780
ggcguguacg gcagcagcgu gaucuauaug gugcagcugc cuaucuucgg cgugaucgac 840
acaccucgcu ggauugugaa ggccgcuccu agcuguagcg agaagaagg caauuacgcc 900
ugccugcuga gagaggacca aggcugguau ugucagaacg ccggcagcac cguguacuac 960
ccuaacgaga aggacugcga gacaagaggc gaccacgugu ucugugauac cgccgcugga 1020
aucaaugugg ccgagcagag caaagagugc aacaucaca ucagcaccac caacuauccc 1080
ugcaaggugu ccaccggcag gcaccuauu ucuauggugg cucugucucc ucugggagcc 1140

```

-continued

cugguggcuu guuauaagg	cguguccugu agcaucggca	gcaacagagu gggcaucauc	1200
aagcagcuga acaagggcug	cagcuacauc accaaccagg	acgccgauac cgugaccauc	1260
gacaacaccg uguaucagcu	gagcaaggug gaaggcgaac	agcacgugau caagggcaga	1320
ccugugucca gcagcuucga	cccuaucaag uucccugagg	aucaguucca gguggcccug	1380
gaccaggugu ucgagaacau	cgagaauucc caggcucugg	uggaccaguc caacagaauc	1440
cugucuagcg ccgagaagg	aaacaccggc uucaucaucg	ugaucauccu gaucgccgug	1500
cugggcagcu ccaugauccu	gguguccauc uucaucaua	ucaagaagac caagaagccc	1560
accggcgcuc cuccagaacu	gagcggagug accaacaug	gcuucaucc ucacaac	1617

<210> SEQ ID NO 143
 <211> LENGTH: 1617
 <212> TYPE: RNA
 <213> ORGANISM: Artificial Sequence
 <220> FEATURE:
 <223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 143

augagcugga agguggucau	caucuucagc cugcugauca	caccucagca cggccugaaa	60
gagagcuacc uggaagaguc	cugcagcacc aucacagagg	gcuaccuguc ugugcugaga	120
accggcuggu acaccaacgu	guucacacug gaagugggcg	acgucgagaa ucugacaugc	180
ucugauggcc cuagccugau	caagaccgag cuggaucuga	ccaagagcgc ccugagagaa	240
cucaagaccg ugucugccga	ucagcuggcc agagaggaac	agaucgagaa uccuggcagc	300
ggcagcuuug ugcugggagc	cauugcucu ggaguggcug	cugcugcagc uguuacagca	360
ggcguggcca ucgcuagac	caucagacug ccuagcgaag	ugaccgccau caacaacgcc	420
cugaagaaga caaacgaggc	cgucagcaca cucggcaaug	gcguaagagu gcuggccaca	480
gccgucgcg agcugaagga	cuucgugucc aagaaccuga	cacgggccau uaacaagaac	540
aagugcgaca ucgacgaccu	gaagauggcc guguccuuu	gccaguucca ccggcgguuu	600
cugaacgucg ugcggcaguu	uagcgacaac gccggaauca	caccagccau cagccuggac	660
cugaugacag augcugagcu	ggcuagagcc gugccuaaca	ugccuacauc ugccggccag	720
aucaagcuga ugcucgagaa	uagagccaug guccgacgga	aaggcuucgg cauucugauu	780
ggcguguacg gcagcagcgu	gaucuauaug gugcagcugc	cuauucucgg cgugaucgac	840
acaccucgcu ggauugugaa	ggccgcuccu agcuguagcg	agaagaagg cauuacgcc	900
ugccugcuga gagaggacca	aggcugguau ugucagaacg	ccggcagcac cguguacuac	960
ccuaacgaga aggacugcga	gacaagaggc gaccacgugu	ucugugauac cgccgcugga	1020
aucaaugugg ccgagcagag	caaagagugc aacaucaaca	ucagcaccac caacuaucc	1080
ugcaaggugu ccaccggcag	gcaccuauu ucuauuggug	cucugucucc ucugggagcc	1140
cugguggcuu guuauaagg	cguguccugu agcaucggca	gcaacagagu gggcaucauc	1200
aagcagcuga acaagggcug	cagcuacauc accaaccagg	acgccgauac cgugaccauc	1260
gacaacaccg uguaucagcu	gagcaaggug gaaggcgaac	agcacgugau caagggcaga	1320
ccugugucca gcagcuucga	cccuaucaag uucccugagg	aucaguucca gguggcccug	1380
gaccaggugu ucgagaacau	cgagaauucc caggcucugg	uggaccaguc caacagaauc	1440
cugucuagcg ccgagaagg	aaacaccggc uucaucaucg	ugaucauccu gaucgccgug	1500

-continued

 cugggcagcu ccaugauccu gguguccauc uucaucauuu ucaagaagac caagaagccc 1560

accggcgcuc cuccagaacu gagcggagug accaacaauug gcuucaucc ucacaac 1617

<210> SEQ ID NO 144

<211> LENGTH: 1617

<212> TYPE: RNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 144

augagcugga agguggucau caucuucagc cugcugauca caccucagca cggccugaaa 60

gagagcuacc uggaagaguc cugcagcacc aucacagagg gcuaccuguc ugugcugaga 120

accggcuggu acaccaacgu guucacacug gaaguggggc acgucgagaa ucugacaugc 180

ucugauggcc cuagccugau caagaccgag cuggaucuga ccaagagcgc ccugagagaa 240

cucaagaccg ugucugccga ucagcuggcc agagaggaac agaucgagaa uccuggcagc 300

ggcagcuuug ugcugggagc cauugcucu ggaguggcug cugcugcagc uguuacagca 360

ggcggggcca ugcuaagac caucagacug gaaagcgaag ugaccgccau caacaacgcc 420

cugaagaaga caaacgaggc cgucagcaca cucggcaaug gcguaagagu gcuggccaca 480

gccgugcgcg agcugaagga cuucgugucc aagaaccuga cacgggccau uaacaagaac 540

aagugcgaca ucgacgaccu gaagauggcc guguccuuu gccaguuaa ccggcgguuu 600

cugaacgucg ugcggcaguu uagcgacaac gccggaauc caccagccau cagccuggac 660

cugaugacag augcugagcu ggcuagagcc gugccuaaca ugccuacauc ugccggccag 720

aucaagcuga ugcucgagaa uagagccaug guccgacgga aaggcuucgg cauucugauu 780

ggcguacuac gcagcagcgu gaucuauaug gugcagcugc cuaucuucgg cgugaucgac 840

acaccucgcu ggauugugaa ggccgcuccu agcuguagcg agaagaagg caauucgcc 900

ugccucguga gagaggacca aggcugguau ugucagaacg ccggcagcac cguguacuac 960

ccuaacgaga aggacugcga gacaagaggc gaccacgugu ucugugauac cgccgcugga 1020

aucaaugugg ccgagcagag caaagagugc aacaucaaca ucagcaccac caacuauccc 1080

ugcaaggugu ccaccggcag gcaccuauu ucuauugggg cucugucucc ucugggagcc 1140

cugguggcuu guuauaaggg cguguccugu agcaucggca gcaacagagu gggcaucauc 1200

aagcagcuga acaagggcug cagcuacauc accaaccagg acgccgauac cgugaccauc 1260

gacaacaccg uguaucagcu gagcaaggug gaaggcgaac agcacgugau caagggcaga 1320

ccugugucca gcagcuucc accuaucaag uucccugagg aucaguucca gguggccug 1380

gaccaggugu ucgagaacau cgagaauucc caggcucugg uggaccaguc caacagaauc 1440

cugucuagcg ccgagaaggg aaacaccggc uucaucaucg ugaucauccu gaucgcccug 1500

cugggcagcu ccaugauccu gguguccauc uucaucauuu ucaagaagac caagaagccc 1560

accggcgcuc cuccagaacu gagcggagug accaacaauug gcuucaucc ucacaac 1617

<210> SEQ ID NO 145

<211> LENGTH: 1617

<212> TYPE: RNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polynucleotide

-continued

<400> SEQUENCE: 145

```

augagcugga agguggucau caucuucagc cugcugauca caccucagca cggccugaaa    60
gagagcuacc uggaagaguc cugcagcacc aucacagagg gcuaccuguc ugugcugaga    120
accggcuggu acaccaacgu guucacacug gaaguggggcg acgucgagaa ucugacaugc    180
ucugauggcc cuagccugau caagaccgag cuggaucuga ccaagagcgc ccugagagaa    240
cucaagaccg ugucugccga ucagcuggcc agagaggaac agaucgagaa uccuggcagc    300
ggcagcuuug ugcugggagc cauugcucu ggaguggcug cugcugcagc uguuacagca    360
ggcguggcca ugcuaagac caucagacug gaaagcgaag ugaccgccau caacaacgcc    420
cugaagaaga caaacgaggc cgucagcaca cucggcaaug gcguuagagu gcuggccaca    480
gccgugcgcg agcugaagga cuucgugucc aagaaccuga cacgggccau uaacaagaac    540
aagugcgaca ucgacgaccu gaagauggcc guguccuuua gccaguuaa cggcgguuu    600
cugaacgucg ugcggcaguu uagcgacaac gccggaauc caccagccau cagccuggac    660
cugaugacag augcugagcu ggcuagagcc gugccuaaca ugccuacauc ugccggccag    720
aucaagcuga ugcucgagaa uagagccaug guccgacgga aaggcuucgg cauucugauu    780
ggcguguacg gcagcagcgu gaucuauaug gugcagcugc cuaucuucgg cgugaucgac    840
acaccucgcu ggauugugaa ggccgcuccu agcuguagcg agaagaaggg caauuacgcc    900
ugccugcuga gagaggacca aggcugguau ugucagaacg ccggcagcac cguguacuac    960
ccuaacgaga aggacugcga gacaagaggc gaccacgugu ucugugauac cgccgcugga   1020
aucaaugugg ccgagcagag caaagagugc aacaucaca ucagcaccac caacuaucac   1080
ugcaaggugu ccaccggcag gcaccuauu ucuauuggug cucugucucc ucugggagcc   1140
cugguggcuu guuauaaggg cguguccugu agcaucggca gcaacagagu gggcaucauc   1200
aagcagcuga acaagggcug cagcuacauc accaaccagg acgccgauac cgugaccauc   1260
gacaacaccg uguaucagcu gagcaaggug gaagggcaac agcacgugau caagggcaga   1320
ccugugucca gcagcuucga ccuaucaag uucccugaga accaguucca gguggccug    1380
gaccaggugu ucgagaacau cgagaauucc caggcucugg uggaccaguc caacagaauc   1440
cugucuagcg ccgagaaggg aaacaccggc uucaucaucg ugaucauccu gaucgccgug   1500
cugggcagcu ccaugauccu gguguccauc uucaucauu ucaagaagac caagaagccc   1560
accggcgcuc cuccagaacu gagcggagug accaacaau gcuucaucc ucacaac    1617

```

<210> SEQ ID NO 146

<211> LENGTH: 1617

<212> TYPE: RNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 146

```

augagcugga agguggucau caucuucagc cugcugauca caccucagca cggccugaaa    60
gagagcuacc uggaagaguc cugcagcacc aucacagagg gcuaccuguc ugugcugaga    120
accggcuggu acaccaacgu guucacacug gaaguggggcg acgucgagaa ucugacaugc    180
ucugauggcc cuagccugau caagaccgag cuggaucuga ccaagagcgc ccugagagaa    240
cucaagaccg ugucugccga ucagcuggcc agagaggaac agaucgagaa uccuggcagc    300

```

-continued

```

ggcagcuuug ugcugggagc cauugcucu ggaguggcug cugcugcagc uguuacagca 360
ggcguggcca ugcuaagac caucagacug gaaagcgaag ugaccgccau caacaacgcc 420
cugaagaaga caaacgaggc cgucagcaca cucggcaaug gcguuagagu gcuggccaca 480
gccgugcgcg agcugaagga cuucgugucc aagaaccuga cacgggccau uaacaagaac 540
aagugcgaca ugcagaccu gaagauggcc guguccuuua gccaguucaa ccggcgguuu 600
cugaacgucg ugcggcaguu uagcgacaac gccggaauca caccagccau cagccuggac 660
cugaugacag augcugagcu ggcuagagcc gugccuaaca ugccuacauc ugccggccag 720
aucaagcuga ugcucgagaa uagagccaug guccgacgga aaggcuucgg cauucugauu 780
ggcguguacg gcagcagcgu gaucuauaug gugcagcugc cuaucuucgg cgugaucgac 840
acaccugcu ggauugugaa ggccgcuccu agcuguagcg agaagaagg caauuacgcc 900
ugccugcuga gagaggacca aggcugguau ugucagaacg ccggcagcac cguguacuac 960
ccuaacgaga aggacugcga gacaagaggc gaccacgugu ucugugauac cgccgcugga 1020
aucaaugugg ccgagcagag caaagagugc aacaucaca ucagcaccac caacuauc 1080
ugcaaggugu ccaccggcag gcaccuauu ucuauggugg cucugucucc ucugggagcc 1140
cugguggcuu guuauaagg cguguccugu agcaucggca gcaacagagu gggcauac 1200
aagcagcuga acaagggcug cagcuacauc accaaccagg acgccgauac cgugaccauc 1260
gacaacaccg uguaucagcu gagcaaggug gaaggcgaac agcacgugau caagggcaga 1320
ccugugucca gcagcuucga ccuaucaag uucccucagg aucaguucca gguggccug 1380
gaccaggugu ucgagaacau cgagaauucc caggcucugg uggaccaguc caacagauc 1440
cugucuagcg ccgagaaggg aacaccggc uucaucaucg ugaucauccu gaucgccgug 1500
cugggcagcu ccaugauccu gguguccauc uucaucauu ucaagaagac caagaagccc 1560
accggcguc cuccagaacu gagcggagug accaacaug gcuucaucc ucacaac 1617

```

<210> SEQ ID NO 147

<211> LENGTH: 1617

<212> TYPE: RNA

<213> ORGANISM: Artificial Sequence

<220> FEATURE:

<223> OTHER INFORMATION: Synthetic Polynucleotide

<400> SEQUENCE: 147

```

augagcugga aggugguau caucuucagc cugcugauca caccucagca cggccugaaa 60
gagagcuacc uggaagaguc cugcagcacc aucacagagg gcuaccuguc ugugcugaga 120
accggcuggu acaccaacgu guucacacug gaagugggcg acgucgagaa ucugacaugc 180
ucugauggcc cuagccugau caagaccgag cuggaucuga ccaagagcgc ccugagagaa 240
cucaagaccg ugucugccga ucagcuggcc agagaggaac agaucgagaa uccuggcagc 300
ggcagcuuug ugcugggagc cauugcucu ggaguggcug cugcugcagc uguuacagca 360
ggcguggcca ugcuaagac caucagacug gaaagcgaag ugaccgccau caacaacgcc 420
cugaagaaga caaacgaggc cgucagcaca cucggcaaug gcguuagagu gcuggccaca 480
gccgugcgcg agcugaagga cuucgugucc aagaaccuga cacgggccau uaacaagaac 540
aagugcgaca ugcagaccu gaagauggcc guguccuuua gccaguggaa ccggcgguuu 600
cugaacgucg ugcggcaguu uagcgacaac gccggaauca caccagccau cagccuggac 660

```

-continued

cugaugacag	augcugagcu	ggcuagagcc	gugccuaaca	ugccuacauc	ugccggccag	720
aucaagcuga	ugcucgagaa	uagagccaug	guccgacgga	aaggcuucgg	cauucugauu	780
ggcguguacg	gcagcagcgu	gaucuauaug	gugcagcugc	cuaucuuagg	cgugaucgac	840
acaccucgu	ggauugugaa	ggccgcuccu	agcuguagcg	agaagaagg	caauuacgcc	900
ugccugcuga	gagaggacca	aggcugguau	ugucagaacg	ccggcagcac	cguguacuac	960
ccuaacgaga	aggacugcga	gacaagaggc	gaccacgugu	ucugugauac	cgccgcugga	1020
aucaauggg	ccgagcagag	caaagagugc	aacaucaca	ucagcaccac	caacuauccc	1080
ugcaaggugu	ccaccggcag	gcaccuauu	ucuauuggg	cucugucucc	ucugggagcc	1140
cugguggcuu	guuauaagg	cguguccugu	agcaucggca	gcaacagagu	gggcaucauc	1200
aagcagcuga	acaagggcug	cagcuacauc	accaaccagg	acgccgauac	cgugaccauc	1260
gacaacaccg	uguaucagcu	gagcaaggug	gaaggcgaac	agcacgugau	caagggcaga	1320
ccugugucca	gcagcuucga	cccuaucaag	uucccugagg	aucaguucca	gguggcccug	1380
gaccaggugu	ucgagaacau	cgagaauucc	caggcucugg	uggaccaguc	caacagaauc	1440
cugucuagcg	ccgagaagg	aaacaccggc	uucaucaucg	ugaucauccu	gaucgccgug	1500
cugggcagcu	ccaugauccu	gguguccauc	uucaucauu	ucaagaagac	caagaagccc	1560
accggcgcuc	cuccagaacu	gagcggagug	accaacaau	gcuucauccc	ucacaac	1617

1.-12. (canceled)

33. A human parainfluenza virus type 3 (hPIV3) vaccine, comprising:

an isolated ribonucleic acid (RNA) polynucleotide comprising an open reading frame encoding an antigenic hPIV3 Fusion (F) protein formulated in a lipid nanoparticle that comprises a molar ratio of 20-60% ionizable cationic lipid, 5-25% non-cationic lipid, 25-55% sterol, and 0.5-15% PEG-modified lipid, wherein the isolated mRNA polynucleotide is not self-replicating RNA.

34.-95. (canceled)

96. A method of inducing an antigen-specific immune response in a subject, the method comprising administering to the subject the vaccine of claim **33** in an amount effective to produce an antigen-specific immune response in the subject.

97.-135. (canceled)

136. The hPIV3 vaccine of claim **33**, wherein the isolated mRNA polynucleotide further encodes a 5' terminal cap, 7mG(5')ppp(5')NlmpNp.

137. The hPIV3 vaccine of claim **33**, wherein at least 80% of the uracil in the open reading frame comprises a chemical modification selected from N1-methyl-pseudouridine and N1-ethyl-pseudouridine.

138. The hPIV3 vaccine of claim **33**, wherein the chemical modification is in the 5-position of the uracil.

139. The hPIV3 vaccine of claim **33**, wherein the open reading frame encoding an antigenic hPIV3 F protein comprises a RNA sequence that has at least 90% identity to the RNA sequence set forth in SEQ ID NO: 64.

140. The hPIV3 vaccine of claim **139**, wherein the open reading frame encoding an antigenic hPIV3 F protein comprises a RNA sequence set forth as SEQ ID NO: 64.

141. The hPIV3 vaccine of claim **33**, wherein the antigenic hPIV3 F protein comprises an amino acid sequence that has at least 90% identity to the amino acid sequence set forth as SEQ ID NO: 13.

142. The hPIV3 vaccine of claim **141**, wherein the antigenic hPIV3 F protein comprises an amino acid sequence set forth as SEQ ID NO: 13.

143. The hPIV3 vaccine of claim **33**, formulated in an effective amount, wherein the effective amount is a total dose of 25 µg-200 µg.

144. The hPIV3 vaccine of claim **33**, wherein the isolated RNA polynucleotide further comprises 5' terminal cap, a 5' UTR, a 3' UTR, and a polyA tail.

145. The hPIV3 vaccine of claim **144**, wherein the open reading frame encoding an antigenic hPIV3 F protein comprises a RNA sequence that has at least 90% identity to the RNA sequence set forth in SEQ ID NO: 64.

146. The hPIV3 vaccine of claim **145**, wherein the open reading frame encoding an antigenic hPIV3 F protein comprises a RNA sequence set forth as SEQ ID NO: 64.

147. The hPIV3 vaccine of claim **33**, wherein the efficacy of the vaccine in vaccinated subjects is at least 60%, relative to unvaccinated subjects, following a single dose of the vaccine.

148. The hPIV3 vaccine of claim **33**, wherein a single dose of the vaccine administered to a subject is sufficient to produce detectable levels of hPIV3 F protein as measured in serum of a subject vaccinated with at least one dose of the vaccine at 1-72 hours post administration.

149. The hPIV3 vaccine of claim **33**, wherein a single dose of the vaccine administered to a subject is sufficient to produce a 1,000-10,000 neutralization titer produced by neutralizing antibody against the antigenic hPIV3 F protein as measured in serum of a subject vaccinated with at least one dose of the vaccine at 1-72 hours post administration.

150. The hPIV3 vaccine of claim **149**, wherein the 1,000-10,000 neutralization titer is produced in the absence of antibody-dependent enhancement (ADE) of a hPIV3-associated disease.


151. The hPIV3 vaccine of claim **150**, wherein the hPIV3-associated disease is alevolitis interstitial pneumonia.

152. The hPIV3 vaccine of claim **33**, wherein an anti-hPIV3 F protein antibody titer produced in a subject vaccinated with at least one dose of the vaccine is increased by at least 1 log relative to a control, wherein the control is an anti-hPIV3 F protein antibody titer produced in a subject who has not been administered a vaccine against hPIV3.

153. The hPIV3 vaccine of claim **33**, wherein an anti-hPIV3 F protein antibody titer produced in a subject vaccinated with at least one dose of the vaccine is increased at least 2 times relative to a control, wherein the control is an anti-hPIV3 F protein antibody titer produced in a subject who has not been administered a vaccine against hPIV3.

154. The hPIV3 vaccine of claim **33**, wherein the ionizable cationic lipid comprises the following compound:

(Compound 25)



155. The hPIV3 vaccine of claim **33**, wherein the noncationic lipid is DSPC (1,2-Distearoyl-sn-glycero-3-phosphocholine).

156. The hPIV3 vaccine of claim **33**, wherein the PEG-modified lipid is DMG-PEG (1,2-dimyristoyl-racglycero-3-methoxypolyethylene glycol-2000).

157. The method of claim **33**, wherein the lipid nanoparticle comprises 40-50% ionizable cationic lipid, 5-15% DSPC, 25-40% cholesterol, and 1-3.5% DMG-PEG.

158. The method of claim **157**, wherein the lipid nanoparticle comprises 50% ionizable cationic lipid, 10% DSPC, 38.5% cholesterol, and 1.5% DMG-PEG.

* * * * *